

Jammertest 2026

Transmission Plan

2026-09-14 to 2026-09-18

Generated: 2026-09-08 16:08

Monday — 2026-09-14

Time	Test Area 1	Test Area 2	Test Area 3
08:00			
09:00			
10:00			
11:00	11:00-13:00 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY	11:00-13:00 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY attendance at Test Area 1 (Site 1)	11:00-13:00 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY attendance at Test Area 1 (Site 1)
12:00	<i>Ongoing event. See above.</i>	<i>Ongoing event. See above.</i>	<i>Ongoing event. See above.</i>
13:00	13:00-14:00 - 0.1.1 Grace period Contact: Christian Skjetne (NPRA) Comment: Lunch	13:00-14:00 - 0.1.1 Grace period Contact: Øystein Karlsen (NKOM) Comment: Lunch @ Stave (Site 3)	13:00-14:00 - 0.1.1 Grace period Contact: Jahn Erik Røhme (NPRA) Comment: Lunch @ Stave (Site 3)
14:00	14:00-14:10 - 1.2.1 Jamming: CW: L1 Contact: Jørn Skorstad (Nkom) Comment: CW jamming at L1 from F8.1 Porcus Maior at Ramnan. Power: 50 W (47 dBm) 14:25-14:35 - 1.2.6 Jamming: CW: L1, L2, L5, G1, G2, E5b, E6, B1I Contact: Jørn Skorstad (Nkom) Comment: CW jamming at all GNSS bands from F8.1 Porcus Maior at Ramnan. Power: 50 W (47 dBm) 14:50-15:00 - 1.3.1 Jamming: sweep: L1, 100 kHz Contact: Jørn Skorstad (Nkom) Comment: Frequency sweep jamming at L1 from F8.1 Porcus Maior at Ramnan. For bandwidth of the specific band, see Testcatalog Table 5.25. Power: 50 W (47 dBm)	14:00-14:12 - 1.1.1 Jammer S1.1 Contact: Øystein Karlsen (NKOM) 14:16-14:28 - 1.1.4 Jammer S2.1 Contact: Øystein Karlsen (NKOM) 14:32-14:44 - 1.1.8 Jammer U1.1 Contact: Øystein Karlsen (NKOM) 14:48-15:00 - 1.1.12 Jammer H1.1 Contact: Øystein Karlsen (NKOM)	14:00-14:23 - 2.6.6 Motorcade is driving with fixed spoofed position, small position jump Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. This actual test will take 5 minutes more than the other tests, because the motorcade will stay stationary the first five minutes. We should arrive at Crossroads 14.23 which gives us a 7 minutes break instead of the regular 10 min. Power: 0.001 W (0 dBm) 14:30-14:50 - 2.6.5 Motorcade is driving from Crossroads northbound to Stave, while the spoofed position moves southbound towards Nordmela Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm)
15:00	15:15-15:25 - 1.3.12 Jamming: sweep: L1, L2, L5, G1, G2, E5b, E6, B1I, 100 kHz Contact: Jørn Skorstad (Nkom) Comment: Frequency sweep jamming of all GNSS bands from F8.1 Porcus Maior at Ramnan. For bandwidths of the specific bands, see Testcatalog Table 5.25. Power: 50 W (47 dBm) 15:40-15:50 - 1.4.5 Jamming: PRN: L1, Chiprate: 10 MHz Contact: Jørn Skorstad (Nkom) Comment: PRN jamming at L1 from F8.1 Porcus Maior at Ramnan. Power: 50 W (47 dBm)	15:04-15:16 - 1.1.13 Jammer H1.2 Contact: Øystein Karlsen (NKOM) 15:20-15:32 - 1.1.16 Jammer H3.1 Contact: Øystein Karlsen (NKOM) 15:36-15:48 - 1.1.18 Jammer H3.3 Contact: Øystein Karlsen (NKOM) 15:52-16:04 - 1.1.19 Jammer H4.1 Contact: Øystein Karlsen (NKOM)	15:00-15:20 - 2.6.2 Motorcade is driving with fixed spoofed position, large position jump Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm) 15:30-15:50 - 2.6.7 Motorcade is driving from Crossroads to Stave, while the spoofed location is following the road at a higher speed (100km/h) Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm)
16:00	16:05-16:15 - 1.4.7 Jamming: PRN: L1, L2, L5, G1, G2, E5b, E6, B1I Contact: Jørn Skorstad (Nkom) Comment: PRN jamming at all GNSS bands from F8.1 Porcus Maior at Ramnan. Power: 50 W (47 dBm) 16:30-17:45 - 1.8.2 Jamming: PRN pyramid starting with L1 Contact: Jørn Skorstad (Nkom) Comment: PRN pyramid jamming, starting with L1 from F8.1 Porcus Maior (for chiprates, see Testcatalog Table 5.25), then adding bands sequentially to G1, L2, L5, L6, B1I, E5b, G2. The test then continues by removing bands one by one in reverse order, until ending up with only L1. Each step lasts 5 minutes with 3 minutes of jamming and a 2 minutes break between each pyramid step. In total, it will look like this: L1 L1, G1 L1, G1, L2 L1, G1, L2, L5 L1, G1, L2, L5, E6 L1, G1, L2, L5, E6, B1I L1, G1, L2, L5, E6, B1I, E5b L1, G1, L2, L5, E6, B1I, E5b, G2 L1, G1, L2, L5, E6, B1I, E5b L1, G1, L2, L5, E6, B1I L1, G1, L2, L5, E6 L1, G1, L2, L5, E6	<i>Ongoing event. See above.</i> 16:08-16:20 - 1.1.20 Jammer H6.1 Contact: Øystein Karlsen (NKOM) 16:24-16:36 - 1.1.21 Jammer H6.2 Contact: Øystein Karlsen (NKOM) 16:40-16:52 - 1.1.22 Jammer H6.3 Contact: Øystein Karlsen (NKOM) 16:56-17:08 - 1.1.23 Jammer H6.4 Contact: Øystein Karlsen (NKOM)	16:00-16:40 - 2.6.10 Motorcade is driving, with power ramp Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. The route will run from Stave to the turning point at the Crossroads and then back to Stave. There will be no stop at the turning point, allowing the motorcade to remain in continuous movement throughout the test while the power level of the spoofer is increasing. The motorcade will drive at a speed of 35km/h. The estimated driving time between Stave – Crossroads is 17 minutes when driving at a speed of 35km/h. The test signal will be on air for 40-minutes without any stop. There will be no initial jamming during this test. The starting and end point is Stave Power: 0.001 W (0 dBm) 16:50-17:10 - 2.6.4 Motorcade is driving while the spoofed position is driving in the terrain next to the road Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm)

Monday — 2026-09-14

Time	Test Area 1	Test Area 2	Test Area 3
	L1, G1, L2, L5 L1, G1, L2 L1, G1 L1 Power: 50 W (47 dBm)		
17:00	Ongoing event. See above.	Ongoing event. See above. 17:12-17:24 - 1.1.26 Jammer H8.1 Contact: Øystein Karlsen (NKOM) 17:28-17:40 - 1.1.27 Jammer F6.1 Contact: Øystein Karlsen (NKOM) 17:44-17:56 - 1.1.29 Jammer H2.1 Contact: Øystein Karlsen (NKOM)	Ongoing event. See above. 17:20-17:40 - 2.6.11 Motorcade is driving, with spoofed position jump and spoofed moving position through a tunnel Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm) 17:50-18:05 - 2.6.12 The motorcade is stationary at Stave. The time will jump forward by 1 year, 1 day, 1 hour and 15 minutes Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm)
18:00	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjetne (NPRA)	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Jahn Erik Røhme (NPRA) Comment: MANDATORY attendance at Stave (Site 3)	Ongoing event. See above. 18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Jahn Erik Røhme (NPRA) Comment: MANDATORY attendance at Stave (Site 3)
19:00			
20:00			
21:00			

Tuesday — 2026-09-15

Time	Test Area 1	Test Area 2	Test Area 3
08:00	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Øystein Karlsen (NKOM) Comment: MANDATORY attendance at Stave (Site 3)	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Jahn Erik Røhme (NPRA) Comment: MANDATORY attendance at Stave (Site 3)
09:00	09:00-09:23 - 1.6.10 Jamming: 7.9 µW (-21dBm) to 50 W (47dBm) with 2 dB increments PRN: L1, sweep: Iridium STL, step time: 20 s Contact: Jørn Skorstad (Nkom) Comment: PRN jamming, from F8.1 Porcus Maior (for chiprates, see Testcatalog Table 5.25), at L1 and frequency sweep jamming within the Iridium band (1626 - 1626.5 MHz) with a power ramp from 7.9 µW (-21dBm) to a maximum of 50 W (47dBm) and down to 7.9 µW (-21dBm) with 2 dB increments. Power level step time is 20 seconds. Power: 50 W (47 dBm) 09:40-10:03 - 1.6.9 Jamming 7.9 µW (-21dBm) to 50 W (47dBm) with 2 dB increments PRN: L1, L2, L5, G1, G2, E5b, E6, B1l, step time: 20 s Contact: Jørn Skorstad (Nkom) Comment: PRN jamming, from F8.1 Porcus Maior (for chiprates, see Testcatalog Table 5.25), with a power ramp from 7.9 µW (-21dBm) to a maximum of 50 W (47dBm) and down to 7.9 µW again, with 2 dB increments, within the test bands L1, L2, L5, G1, G2, E5b, E6, B1l. Power level step time is 20 seconds Power: 50 W (47 dBm)	09:00-09:55 - 1.25.4 Circular PRN jamming power ramp with 2 dB increments, 30 sec pr. steps Contact: Øystein Karlsen (NKOM) Comment: 20 min for ramp up - 15 min at max level - 20 min for ramp down. 30 sec pr. dB steps. Employing all three KASTREL jammers.	09:00-09:20 - 1.11.12 Driving past a parked car with one commercially available military training jammer inside Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm) 09:30-09:50 - 1.11.13 Driving past two parked cars, each with one commercially available military training jammer inside Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6, H1.7 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm)
10:00	<i>Ongoing event. See above.</i> 10:20-10:30 - 3.1.3 Meaconing: RX1 at 10 W Contact: Jørn Skorstad (Nkom) Comment: Meaconing from F1.1 Porcellus at approximately 40 dBm from F1.1 Porcellus at Ramnan of the L1 and L2 bands using receiver RX1. Power: 10 W (40 dBm) 10:45-11:00 - 3.1.7 Meaconing: RX1 at 10 W with initial jamming from the community house Contact: Jørn Skorstad (Nkom) Comment: Meaconing from F1.1 Porcellus at approximately 40 dBm will be conducted from F1.1 Porcellus for 10 minutes of the L1 and L2 bands using receiver RX1. This will be preceded by 5 minutes of PRN jamming at 30 dBm from Bleik (PRN L1, L2, L5, G1, G2, E5b, E6 and B1l). The meaconing will begin 4 minutes after the start of the jamming, resulting in a 1-minute overlap between the two activities. Power: 10 W (40 dBm)	10:15-11:10 - 1.25.2 Circular PRN jamming power ramp with 4 dB increments, 1min pr. steps Contact: Øystein Karlsen (NKOM) Comment: 20 min for ramp up - 15 min at max level - 20 min for ramp down. 1 min pr. dB steps. Employing all three KASTREL jammers.	10:00-10:20 - 1.11.14 Driving past three parked cars, each with a jammer inside Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6, H1.7 (settings: L1, L2, CHIRP, HI_GH PWR) and H4.1. Power: 0.1 W (20 dBm) 10:30-11:10 - 1.11.15 One commercially available military training jammer in the center of the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm)
11:00	11:15-11:49 - 3.3.1 Meaconing: RX1 with ramping power Contact: Jørn Skorstad (Nkom) Comment: Meaconing with F1.1 Porcellus using receiver RX1, with ramping power. Power is ramped up from 0.001 W to 10 W and then down again in to 0.001 W in 5 dB steps, with each step lasting for 2 minutes. Power: 10 W (40 dBm)	<i>Ongoing event. See above.</i> 11:15-11:45 - 1.25.5 Circular PRN jamming power ramp with 4 dB increments, 30 sec pr. steps Contact: Øystein Karlsen (NKOM) Comment: 10 min for ramp up - 10 min at max level - 10 min for ramp down. 30 sec pr. dB steps. Employing all three KASTREL jammers.	<i>Ongoing event. See above.</i> 11:20-12:00 - 1.11.16 Two commercially available military training jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6, H1.7 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm)
12:00	12:00-13:00 - 0.1.1 Grace period Contact: Christian Skjetne (NPRA) Comment: Lunch	12:00-13:00 - 0.1.1 Grace period Contact: Øystein Karlsen (NKOM) Comment: Lunch @ Grunnvatn (Site 2)	12:00-13:00 - 0.1.1 Grace period Contact: Jahn Erik Røhme (NPRA) Comment: Lunch @ Stave (Site 3)
13:00	13:05-13:41 - 3.2.7 Meaconing: RX1 and RX2 at 10 W alternating with different switching frequencies Contact: Jørn Skorstad (Nkom) Comment: Meaconing from F1.1 Porcellus with increasing switching frequency between two antennas: RX1 and RX2. The switching frequency will double every 2 minutes. The first switching frequency will be 1 minute (between RX1 and RX2), then 30 sec, then 15 sec, etc. until the end of the test. Power: 10 W (40 dBm)	13:00-13:55 - 1.25.3 Circular PRN jamming power ramp with 4 dB increments and pulse duration 1ms, 10 % duty cycle Contact: Øystein Karlsen (NKOM) Comment: 20 min for ramp up - 15 min at max level - 20 min for ramp down. 1 min pr. dB steps. Employing all three KASTREL jammers.	13:00-13:40 - 1.11.17 Three jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm) 13:50-14:30 - 1.11.17 Three jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm)
14:00	14:00-14:36 - 3.2.11 Meaconing: RX1 and RX2 at 10 W alternating with different switching frequencies and with jamming from a different location Contact: Jørn Skorstad (Nkom) Comment: Meaconing from F1.1 Porcellus with increasing switching frequency between two pick-up antennas: RX1 and RX2 with jamming from the community house. The switching frequency will double every 2 minutes, starting with 1 minute switching frequency, then 30 sec., etc. Meaconing on L1 and L2, jamming on L5, G1, G2, B1l, E5b, E6 from the community house Power: 10 W (40 dBm)	14:00-14:30 - 1.25.5 Circular PRN jamming power ramp with 4 dB increments, 30 sec pr. steps Contact: Øystein Karlsen (NKOM) Comment: 10 min for ramp up - 10 min at max level - 10 min for ramp down. 30 sec pr. dB steps. Employing all three KASTREL jammers. 14:40-15:05 - 1.25.8 Circular AWGN jamming power ramp with 2 dB increments, 6 sec pr. step Contact: Øystein Karlsen (NKOM) Comment: 5 min for ramp up - 15 min at max level - 5 min for ramp down. 6 sec pr. dB	<i>Ongoing event. See above.</i> 14:40-15:30 - 1.11.17 Three jammers in the moving motorcade Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm)

Tuesday — 2026-09-15

Time	Test Area 1	Test Area 2	Test Area 3
	14:55-15:10 - 1.18.5 Unintentional RFI: CW signal drift: 1545 to 1620 MHz, 15 minutes sweep time Contact: Jørn Skorstad (Nkom) Comment: Out of and in band RFI from F8.1 Porcus Maior at Ramnan. Power: 50 W (47 dBm)	steps. Employing all three KASTREL jammers.	
15:00	<i>Ongoing event. See above.</i> 15:25-15:40 - 1.18.7 Unintentional RFI: CW signal drift: 1620 to 1545 MHz, 15 minutes sweep time Contact: Jørn Skorstad (Nkom) Comment: Out of and in band RFI from F8.1 Porcus Maior at Ramnan. Power: 50 W (47 dBm) 15:55-16:10 - 1.18.13 Unintentional RFI: drift: 1150 to 1300 MHz, with CW and sweep time of 15 minutes Contact: Jørn Skorstad (Nkom) Comment: Out of and in band RFI from F8.1 Porcus Maior at Ramnan. Power: 50.1 W (47 dBm)	<i>Ongoing event. See above.</i> 15:10-16:05 - 1.25.6 Circular PRN jamming power ramp with 2 dB increments, 30 sec pr. steps from 1 SDR jammer and 3 CHIRP jammers Contact: Øystein Karlsen (NKOM) Comment: 20 min for ramp up - 15 min at max level - 20 min for ramp down 30 sec pr. dB steps. F1.3 KASTREL is used for the ramping. H1.1, H1.4 and H1.5, (setting: L1, L2, CHIRP. LOW PWR), CHIRP jammers, will be on for the whole test.	<i>Ongoing event. See above.</i> 15:30-16:00 - 0.1.1 Grace period Contact: Jahn Erik Røhme (NPRA) Comment: Coffee break. We would appreciate receiving feedback on any ad hoc tests you would like to conduct from 16:50 onwards (see the test schedule). This will help us plan for the required personnel, vehicles and equipment, so we can try to accommodate your wishes.
16:00	<i>Ongoing event. See above.</i> 16:25-16:40 - 1.18.15 Unintentional RFI: drift: 1300 to 1150 MHz, with CW and sweep time of 15 minutes Contact: Jørn Skorstad (Nkom) Comment: Out of and in band RFI from F8.1 Porcus Maior at Ramnan. Power: 50 W (47 dBm)	<i>Ongoing event. See above.</i> 16:15-16:39 - 1.25.9 Circular AWGN jamming power ramp with 5 dB increments, 30 sec pr. step Contact: Øystein Karlsen (NKOM) Comment: 7 min for ramp up - 10 min at max level - 7 min for ramp down. 30 sec pr. dB steps. Employing all three KASTREL jammers. 16:50-17:45 - 1.25.7 Circular PRN jamming power ramp with 2 dB increments, 30 sec pr. steps from 3 SDR jammer and 3 CHIRP jammers Contact: Øystein Karlsen (NKOM) Comment: 20 min for ramp up - 15 min at max level - 20 min for ramp down 30 sec pr. dB steps. employing all three KASTREL jammers for the ramping. H1.1, H1.4 and H1.5, (setting: L1, L2, CHIRP. LOW PWR), CHIRP jammers, will be on for the whole test.	16:00-16:40 - 1.11.17 Three jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm) 16:50-18:00 - 0.3.1 Ad hoc test Contact: Jahn Erik Røhme (NPRA) Comment: What would you like to test? Please ask us and we will see if we can accommodate your wishes. If there are any previous tests you would like to repeat, or if you have suggestions for new tests that could provide valuable insights, please let us know. Spoofing scenarios are unfortunately not available. Power: 0.1 W (20 dBm)
17:00	17:00-17:28 - 3.4.5 Meaconing and spoofing from two emitters at two locations in sequence. Contact: Jørn Skorstad (Nkom) Comment: 5 minutes per emitter for 20 minutes, then 2 minutes each for the last 8 minutes. 10 second overlapping when switching emitter. Meaconing will be conducted with a power level of approximately 40 dBm from F1.1 Porcellus at Ramnan using receiver RX1, while spoofing will be at 10 dBm from the antenna at the community house (using S). Power: 10 W (40 dBm) 17:45-18:00 - 3.4.1 Meaconing and spoofing at the same time from two different locations. Contact: Jørn Skorstad (Nkom) Comment: Meaconing from Ramnan and spoofing from the community house at the same time. Meaconing will be conducted with a power level of approximately 40 dBm from F1.1 Porcellus at Ramnan using receiver RX1, while spoofing will be at 10 dBm from the antenna at the community house (using S). Power: 10 W (40 dBm)	<i>Ongoing event. See above.</i>	<i>Ongoing event. See above.</i>
18:00	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjetne (NPRA)	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Øystein Karlsen (NKOM) Comment: MANDATORY attendance at Stave (Site 3)	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Jahn Erik Røhme (NPRA) Comment: MANDATORY attendance at Stave (Site 3)
19:00	19:00-22:00 - 1.16.7 High power jamming: PNR: L1, G1, B1I, L2, L5, E5b, E6, G2, Iridium STL, from two locations Contact: Jørn Skorstad (Nkom) Comment: One hour of high power jamming from F8.1 Porcus Maior at Ramnan, followed by one hour jamming from both F8.1 Porcus Maior and the community house (S), followed by one hour of jamming from the community house (S). Power output from the community house will be adjusted so that the field strength outside the community house is approximately equal to that from F8.1 Porcus Maior (which will be 50 W). Power: 50 W (47 dBm)		
20:00	<i>Ongoing event. See above.</i>		
21:00	<i>Ongoing event. See above.</i>		

Wednesday — 2026-09-16

Time	Test Area 1	Test Area 2	Test Area 3
08:00	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Øystein Karlsen (NKOM) Comment: MANDATORY attendance at Stave (Site 3)	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Jahn Erik Røhme (NPRA) Comment: MANDATORY attendance at Stave (Site 3)
09:00	09:00-09:40 - 2.1.1 Large position and time jump, with power ramp Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2026 12:00. Power will be ramped up from -35 dBm to 25 dBm in 5 dB steps, with each step lasting 3 minutes. Power: 0.316 W (25 dBm)	09:00-09:40 - 2.10.1 Spoofing circle (route 7), GPS L1 and Galileo E1 Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire". Employing M1.1 Winnie-the-Spoof	09:00-09:20 - 1.11.12 Driving past a parked car with one commercially available military training jammer inside Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm) 09:30-09:50 - 1.11.13 Driving past two parked cars, each with one commercially available military training jammer inside Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6, H1.7 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm)
10:00	10:00-10:15 - 2.1.3 Large position and time jump. Galileo E1 only Contact: Jørn Skorstad (Nkom) Comment: Signals: Galileo E1. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2026 12:00. Power: 0.316 W (25 dBm) 10:20-10:35 - 2.1.2 Large position and time jump. GPS L1 C/A only Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2026 12:00. Power: 0.316 W (25 dBm) 10:40-10:55 - 2.1.5 Large position and time jump. GPS and Galileo. Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5a, E5b, E6. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2026 12:00. Power: 0.316 W (25 dBm)	10:00-10:55 - 2.10.2 Circle of 3 stationary jammers (chirp) and spoofing circle (route 7), GPS L1 and Galileo E1 Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire" and CHRIP jamming from A50, B50 and C50. Employing M1.1 Winnie-the-Spoof and H1.1, H1.4 and H1.5	10:00-10:20 - 1.11.14 Driving past three parked cars, each with a jammer inside Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6, H1.7 (settings: L1, L2, CHIRP, HI_GH PWR) and H4.1. Power: 0.1 W (20 dBm) 10:30-11:10 - 1.11.15 One commercially available military training jammer in the center of the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm)
11:00	11:25-11:40 - 2.1.15 Simulated driving (route 1). GPS L1 C/A and Galileo E1 Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A. Galileo E1. Simulated start position: Bleik community house parking lot. Simulated start time: 01.10.2026 12:00. Power: 0.316 W (25 dBm) 11:45-12:00 - 2.1.10 Simulated driving (route 1), with initial jamming Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B11, E6, L2, E5b, L5 with 2 W) prior to spoofing transmission. Simulated start position: Bleik community house parking lot. Simulated start time: 01.10.2026 12:00. Power: 0.316 W (25 dBm)	11:00-11:55 - 2.10.5 Circle of 3 stationary jammers (NB) and spoofing circle (route 7), GPS L1 and Galileo E1 Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire" and narrow band jamming from A150, B150 and C150. Employing M1.1 Winnie-the-Spoof and H1.1, H1.4 and H1.5	<i>Ongoing event. See above.</i> 11:20-12:00 - 1.11.16 Two commercially available military training jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Employing H1.6, H1.7 (settings: L1, L2, CHIRP, HI_GH PWR). Power: 0.1 W (20 dBm)
12:00	12:00-13:00 - 0.1.1 Grace period Contact: Christian Skjetne (NPRA) Comment: Lunch	12:00-13:00 - 0.1.1 Grace period Contact: Øystein Karlsen (NKOM) Comment: Lunch @ Stave (Site 3)	12:00-13:00 - 0.1.1 Grace period Contact: Jahn Erik Røhme (NPRA) Comment: Lunch @ Stave (Site 3)
13:00	13:00-13:15 - 2.8.1 EGNOS with "Do Not Use GPS" commands Contact: Jørn Skorstad (Nkom) Comment: Signals: EGNOS L1. The transmission of false SBAS signals will start immediately upon test start. Power: 0.3162 W (25 dBm) 13:30-13:45 - 2.8.2 EGNOS with "Do Not Use GPS" commands and normal spoofing Contact: Jørn Skorstad (Nkom) Comment: Signals: EGNOS L1. The transmission of false SBAS signals will start immediately upon test start. Test will also include coherent spoofing of GPS L1 C/A, L2, L5, E1 and E5 to ensure compliance between SBAS corrections and the GNSS signals. The spoofed position will be in front of the HQ. Power: 0.3162 W (25 dBm)	13:05-13:45 - 2.10.6 Circle of 3 stationary SDR jammers (PRN) and spoofing circle (route 7), GPS L1 and Galileo E1, power ramping Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire" and PRN power jamming from A50, B50 and C50. 20 min ramp up and 20 min ramp down. Employing M1.1 Winnie-the-Spoof and all three KASTREL jammers.	13:00-13:40 - 1.11.17 Three jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm) 13:50-14:30 - 1.11.17 Three jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm)
14:00	14:00-14:15 - 0.3.1 Ad hoc test Contact: Jørn Skorstad (Nkom) Comment: EGNOS test, details TBD	14:00-14:40 - 2.10.1 Spoofing circle (route 7), GPS L1 and Galileo E1 Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire". Employing M1.1 Winnie-the-Spoof	<i>Ongoing event. See above.</i> 14:40-15:30 - 1.11.17 Three jammers in the moving motorcade

Wednesday — 2026-09-16

Time	Test Area 1	Test Area 2	Test Area 3
	Power: 0.316 W (25 dBm) 14:45-15:25 - 2.2.9 Small position jump, with power ramp Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Power will be ramped up from -35 dBm to 25 dBm in 5 dB steps, with each step lasting 3 minutes. Simulated position: North end of the football field - 69.27701401, 15.96932835, 45 m hae. Simulated start time: Referenced to live GPS-signals. Power: 0.316 W (25 dBm)	Power: 0.001 W (0 dBm)	Contact: Jahn Erik Røhme (NPRA) Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm)
15:00	<i>Ongoing event. See above.</i> 15:30-15:45 - 2.2.2 Small position jump, with initial and continuous jamming Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B1I, E6, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. Simulated position: North end of the football field - 69.27701401, 15.969328354, 45 m hae (Height Above Ellipsoid). Simulated start time: Referenced to live GPS-signals. Power: 0.316 W (25 dBm)	15:00-15:55 - 2.10.2 Circle of 3 stationary jammers (chirp) and spoofing circle (route 7), GPS L1 and Galileo E1 Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire" and CHRIP jamming from A50, B50 and C50. Employing M1.1 Winnie-the-Spoof and H1.1, H1.4 and H1.5	<i>Ongoing event. See above.</i> 15:30-16:00 - 0.1.1 Grace period
16:00	16:15-16:25 - 2.3.5 Simulated driving (route 1). GPS only Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Simulated start position: Bleik community house parking lot. Simulated start time: Referenced to live GPS-signals. Power: 0.316 W (25 dBm) 16:30-16:40 - 2.3.10 Simulated driving (route 1) Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Simulated start position: Bleik community house parking lot. Simulated start time: Referenced to live GPS-signals. Power: 0.316 W (25 dBm) 16:45-17:00 - 2.3.11 Simulated driving (route 1) with initial and continuous jamming. Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B1I, E6, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. Simulated start position: Bleik community house parking lot. Simulated start time: Referenced to live GPS-signals. Power: 0.316 W (25 dBm)	16:00-16:55 - 2.10.5 Circle of 3 stationary jammers (NB) and spoofing circle (route 7), GPS L1 and Galileo E1 Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire" and narrow band jamming from A150, B150 and C150. Employing M1.1 Winnie-the-Spoof and H1.1, H1.4 and H1.5	16:00-16:40 - 1.11.17 Three jammers in the moving motorcade Contact: Jahn Erik Røhme (NPRA) Comment: Jammer-equipment will be decided on-site and made available in the test log afterwards. Power: 0.1 W (20 dBm) 16:50-18:00 - 0.3.1 Ad hoc test Contact: Jahn Erik Røhme (NPRA) Comment: What would you like to test? Please ask us and we will see if we can accommodate your wishes. If there are any previous tests you would like to repeat, or if you have suggestions for new tests that could provide valuable insights, please let us know. Spoofing scenarios are unfortunately not available. Power: 0.1 W (20 dBm)
17:00	17:15-17:30 - 2.3.18 GPS PRN 37 receiver robustness test scenario. GPS L1 only Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Scenario: One satellite is configured as PRN 37 from the start of the simulation and remains PRN 37 throughout the scenario. This tests receiver behaviour when a reserved PRN is present during acquisition and tracking. The simulated PRN 37 signal will be transmitted with satellite health set to healthy. Power: 0.316 W (25 dBm) 17:45-18:00 - 2.3.13 Flying (route 4) - "drone scenario" Contact: Jørn Skorstad (Nkom) Comment: Drone "Jammertest" scenario. Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Simulated start position: 69.277014014, 15.969328354, 40 m hae. Simulated start time: Referenced to live GPS-signals. Spoofing transmission will be corrected for signal delay to simulated start position. DUTs, such as drones, at start position (victim position) should see coherent signals. Route 4 is static for 5 minutes, then followed by 10 minutes of movement. Power: 0.316 W (25 dBm)	17:05-17:45 - 2.10.6 Circle of 3 stationary SDR jammers (PRN) and spoofing circle (route 7), GPS L1 and Galileo E1, power ramping Contact: Øystein Karlsen (NKOM) Comment: Spoofing route 7. "Circle of Fire" and PRN power jamming from A50, B50 and C50. 20 min ramp up and 20 min ramp down. Employing M1.1 Winnie-the-Spoof and all three KASTREL jammers.	<i>Ongoing event. See above.</i>
18:00	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjete (NPRA) Comment: MANDATORY	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Øystein Karlsen (NKOM) Comment: MANDATORY attendance at Stave (Site 3)	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Jahn Erik Røhme (NPRA) Comment: MANDATORY attendance at Stave (Site 3)
19:00	19:00-22:00 - 2.3.19 Long period with circular position drift Contact: Jørn Skorstad (Nkom) Comment: First hour: 5 min static, then drifting 0.1 m/s Second hour: 5 min static, then drifting 3 m/s Third hour: 5 min static, then drifting 30 m/s Power: 0.316 W (25 dBm)		
20:00	<i>Ongoing event. See above.</i>		

Wednesday — 2026-09-16			
Time	Test Area 1	Test Area 2	Test Area 3
21:00	Ongoing event. See above.		

Thursday — 2026-09-17

Time	Test Area 1	Test Area 2	Test Area 3
08:00	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY attendance at Test Area 1 (Site 1)	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Jahn Erik Røhme (NPRA) Comment: MANDATORY attendance at Stave (Site 3)
09:00	09:00-09:40 - 2.5.2 Time offset: 15 minutes from real time, with power ramp Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Power will be ramped up from -35 dBm to 25 dBm in 5 dB steps, with each step lasting 3 minutes. Time offset is + 15 minutes (900 seconds), so "into the future". Power: 0.001 W (0 dBm)	09:00-09:55 - 3.5.1 Power ramp meaconing, 2 dB increments, 30 sec pr. steps Contact: Øystein Karlsen (NKOM) Comment: Meaconing from Bauktuva, beaming the meaconing signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. 20 min for ramp up - 15 min at max level - 20 min for ramp down	09:00-09:23 - 2.6.6 Motorcade is driving with fixed spoofed position, small position jump Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. This actual test will take 5 minutes more than the other tests, because the motorcade will stay stationary the first five minutes. We should arrive at Crossroads at 09.23 which gives us a 7 minutes break instead of the regular 10 min. Power: 0.001 W (0 dBm)
10:00	10:00-10:40 - 2.4.14 Time offset: -3 minutes from real time, with power ramp Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Power will be ramped up from -35 dBm to 25 dBm in 5 dB steps, with each step lasting 3 minutes. Time offset is - 3 minutes (180 seconds), so "back into the past". Power: 0.001 W (0 dBm) 10:55-11:30 - 2.4.13 Static + Pseudorange error, with initial and continous jamming Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. 5 minutes of initial jamming (L1, G1, B1I, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. The pseudorange error is applied to all satellites, starting five minutes after the spoofing starts (these first five minutes are "true". The applied error should equal a drift of 3 ns/s. Power: 0.001 W (0 dBm)	10:00-10:55 - 3.5.6 Power ramp meaconing, 2 dB increments, 30 sec pr. steps and 1 SDR jammer (PRN) Contact: Øystein Karlsen (NKOM) Comment: Meaconing from Bauktuva, beaming the meaconing signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. Employing jammer F1.3 KASTREL. Power ramp for meaconing: 20 min for ramp up - 15 min at max level - 20 min for ramp down Power ramp for SDR jammer: 20 min for ramp up - 35 min at max level for the duration of the test	10:00-10:20 - 2.6.2 Motorcade is driving with fixed spoofed position, large position jump Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm) 10:30-10:50 - 2.6.7 Motorcade is driving from Crossroads to Stave, while the spoofed location is following the road at a higher speed (100km/h) Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm)
11:00	<i>Ongoing event. See above.</i> 11:45-12:00 - 2.4.15 UNIX time rollover test 19.01.2038 Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. UNIX time rollover test. Starting time is 03:04:00 19.01.2038 UTC. Incoherent. Power: 0.001 W (0 dBm)	11:00-11:55 - 3.5.7 Power ramp meaconing, 2 dB increments, 30 sec pr. steps with 3 SDR jammers (PRN) Contact: Øystein Karlsen (NKOM) Comment: Meaconing from Bauktuva, beaming the meaconing signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. Employing all three KASTREL jammers. Power ramp for meaconing: 20 min for ramp up - 15 min at max level - 20 min for ramp down Power ramp for SDR jammers: 20 min for ramp up - 35 min at max level for the duration of the test	11:00-11:40 - 2.6.10 Motorcade is driving, with power ramp Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. The route will run from Stave to the turning point at the Crossroads and then back to Stave. There will be no stop at the turning point, allowing the motorcade to remain in continuous movement throughout the test while the power level is increasing. The motorcade will drive at a speed of 35km/h. The estimated driving time between Stave – Crossroads is 17 minutes when driving at a speed of 35km/h. The test signal will be on air for 40-minutes without any stop. There will be no initial jamming during this test. The starting and end point is Stave Power: 0.001 W (0 dBm)
12:00	12:00-13:00 - 0.1.1 Grace period Contact: Christian Skjetne (NPRA) Comment: Lunch	12:00-13:00 - 0.1.1 Grace period Contact: Øystein Karlsen (NKOM) Comment: Lunch @ Stave (Site 3)	12:00-13:00 - 0.1.1 Grace period Contact: Jahn Erik Røhme (NPRA) Comment: Lunch @ Stave (Site 3)
13:00	13:00-13:35 - 2.5.25 Static + UTC-parameter nav. data manipulation (adding leap seconds), with initial and continuous jamming Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B1I, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. The UTC-paramter nav. data manipulation consists of the spoofing signal saying that back in 2016, there was 19 leap seconds instead of 18. Power: 0.001 W (0 dBm)	13:00-13:55 - 3.5.1 Power ramp meaconing, 2 dB increments, 30 sec pr. steps Contact: Øystein Karlsen (NKOM) Comment: Meaconing from Bauktuva, beaming the meaconing signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. 20 min for ramp up - 15 min at max level - 20 min for ramp down	13:00-13:23 - 2.6.6 Motorcade is driving with fixed spoofed position, small position jump Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. This actual test will take 5 minutes more than the other tests, because the motorcade will stay stationary the first five minutes. We should arrive at Crossroads at 13.23 which gives us a 7 minutes break instead of the regular 10 min. Power: 0.001 W (0 dBm)
14:00	14:00-14:15 - 2.5.5 Time offset: 15 minutes from real time. Galileo E1 Contact: Jørn Skorstad (Nkom) Comment: Signals: Galileo E1. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is + 15 minutes (900 seconds), so "into the future". Power: 0.001 W (0 dBm) 14:20-14:35 - 2.5.4	14:00-14:50 - 3.5.5 Pulsed meaconing and jamming with 1 SDR jammer (PRN) Contact: Øystein Karlsen (NKOM) Comment: Meaconing from Bauktuva, beaming the meaconing signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. Employing F1.3 KASTREL. Pulsed meaconing and jamming. Several pulsed steps at different output levels. See TC for details.	14:00-14:20 - 2.6.2 Motorcade is driving with fixed spoofed position, large position jump Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm) 14:30-14:50 - 2.6.7 Motorcade is driving from Crossroads to Stave, while the spoofed location

Thursday — 2026-09-17

Time	Test Area 1	Test Area 2	Test Area 3
	Time offset: 15 minutes from real time. GPS L1 C/A Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is + 15 minutes (900 seconds), so "into the future". Power: 0.001 W (0 dBm) 14:40-14:55 - 2.5.6 Time offset: 15 minutes from real time Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is + 15 minutes (900 seconds), so "into the future". Power: 0.001 W (0 dBm)		is following the road at a higher speed (100km/h) Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm)
15:00	15:20-16:00 - 2.5.15 Static + Pseudorange error Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. No jamming. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. The pseudorange error is applied to all satellites, starting five minutes after the spoofing starts. The applied error is gradually increased throughout the test. Power: 0.001 W (0 dBm)	15:00-15:55 - 3.5.3 Power ramp meaoning, 2 dB increments, 30 sec pr. steps, with 3 background jammers (chirp) Contact: Øystein Karlsen (NKOM) Comment: Meaoning from Bauktuva, beaming the meaoning signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. Power ramp for meaoning: 20 min for ramp up - 15 min at max level - 20 min for ramp down. Employing F5.1 JAKO and H1.1, H1.4 and H1.5. Jammers active for the whole duration of the test.	15:00-15:40 - 2.6.10 Motorcade is driving, with power ramp Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. The route will run from Stave to the turning point at the Crossroads and then back to Stave. There will be no stop at the turning point, allowing the motorcade to remain in continuous movement throughout the test while the power level is increasing. The motorcade will drive at a speed of 35km/h. The estimated driving time between Stave – Crossroads is 17 minutes when driving at a speed of 35km/h. The test signal will be on air for 40-minutes without any stop. There will be no initial jamming during this test. The starting and end point is Stave Power: 0.001 W (0 dBm) 15:40-16:10 - 0.1.1 Grace period Comment: Coffee-break at Stave.
16:00	16:15-16:30 - 2.7.17 UNIX time rollover test 19.01.2038. GPS L1 C/A only Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. UNIX time rollover, starting time 03:04:00 19.01.2038. Coherent. Power: 0.001 W (0 dBm) 16:55-17:20 - 2.5.26 Static + UTC-parameter nav. data manipulation (removing leap seconds). GPS L1 C/A Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. The UTC-paramter nav. data manipulation consists of the spoofing signal saying that back in 2016, there was counter-factual extra amount of -127 leap seconds, which in total means that there is removed -145 leap seconds. Power: 0.001 W (0 dBm)	16:00-16:55 - 3.5.8 Power ramp meaoning, 2 dB increments, 30s pr. steps, with 3 background jammers (chirp) and 1 SDR jammer (PRN) Contact: Øystein Karlsen (NKOM) Comment: Meaoning from Bauktuva, beaming the meaoning signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. Employing FF1.3 KASTREL and H1.1, H1.4 and H1.5. Jammers active for the whole duration of the test. Power ramp for meaoning: 20 min for ramp up - 15 min at max level - 20 min for ramp down Power ramp from SDR jammer: 20 min for ramp up - 35 min at max level for the duration of the test	<i>Ongoing event. See above.</i> 16:10-16:30 - 2.6.4 Motorcade is driving while the spoofed position is driving in the terrain next to the road Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm) 16:40-17:00 - 2.6.11 Motorcade is driving, with spoofed position jump and spoofed moving position through a tunnel Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Power: 0.001 W (0 dBm)
17:00	<i>Ongoing event. See above.</i> 17:30-18:00 - 2.5.28 Static + UTC-parameter nav. data manipulation (removing leap seconds), with initial and continuous jamming Contact: Jørn Skorstad (Nkom) Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B1, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. The UTC-paramter nav. data manipulation consists of the spoofing signal saying that back in 2016, there was counter-factual extra amount of -127 leap seconds, which in total means that there is removed -145 leap seconds. Power: 0.001 W (0 dBm)	17:00-17:55 - 3.5.9 Power ramp meaoning, 2 dB increments, 30s pr. steps, with 3 background jammers (chirp) and 3 SDR jammers (PRN) Contact: Øystein Karlsen (NKOM) Comment: Meaoning from Bauktuva, beaming the meaoning signal towards Grunvatn. Using receiver RXF and F5.1 JAKO. Employing all three KASTREL jammers and H1.1, H1.4 and H1.5. Jammers active for the whole duration of the test. Power ramp for meaoning: 20 min for ramp up - 15 min at max level - 20 min for ramp down Power ramp from SDR jammers: 20 min for ramp up - 35 min at max level for the duration of the test	17:00-17:30 - 0.1.1 Grace period Contact: Jahn Erik Røhme (NPRA) Comment: Used for preparations for test 2.6.9 17:30-17:45 - 2.6.9 The motorcade is stationary at Stave. The clock will jump forward in time by 12 years (to the year 2038) Contact: Jahn Erik Røhme (NPRA) Comment: Employing M1.1 Winnie-the-Spoof. Warning: This test could 'brick' some equipment. Power: 0.001 W (0 dBm)
18:00	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY attendance at Bleik (Site 1)	18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY attendance at Bleik (Site 1)
19:00			
20:00			
21:00			

Friday — 2026-09-18

Time	Test Area 1	Test Area 2	Test Area 3
08:00	08:00-08:30 - 0.0.1 Mandatory morning briefing Contact: Christian Skjetne (NPRA) Comment: MANDATORY		
09:00	09:00-09:15 - 0.3.1 Ad hoc test Contact: Jørn Skorstad (Nkom) Comment: TBD 09:30-09:45 - 0.3.1 Ad hoc test Contact: Jørn Skorstad (Nkom) Comment: TBD	09:00-16:00 - 0.1.1 Grace period Contact: Øystein Karlsen (NKOM) Comment: SITE IS CLOSED!	09:00-16:00 - 0.1.1 Grace period Contact: Jahn Erik Røhme (NPRA) Comment: SITE IS CLOSED!
10:00	10:00-11:00 - 1.24.1 The symphony Contact: Jørn Skorstad (Nkom) Comment: Sequential powering on of emitters with two minute intervals: 5 small jammers at Bleik (one lifted), Ramnan, spoofing from cemetery, and finally meaconing from the community house. After 14 minutes all emitters are turned on, and will stay on for the rest of the hour. Small jammers: L1. High power jammer: L1, L2, L5, G1, G2, E5b, E6, B1I. Meaconing on all bands. Spoofing: TBD	Ongoing event. See above.	Ongoing event. See above.
11:00	11:15-11:35 - 0.3.1 Ad hoc test Contact: Jørn Skorstad (Nkom) Comment: TBD	Ongoing event. See above.	Ongoing event. See above.
12:00	12:00-13:00 - 0.1.1 Grace period Contact: Christian Skjetne (NPRA) Comment: Lunch	Ongoing event. See above.	Ongoing event. See above.
13:00	13:00-13:35 - 0.3.1 Ad hoc test Contact: Jørn Skorstad (Nkom) Comment: TBD 13:45-14:00 - 0.3.1 Ad hoc test Contact: Jørn Skorstad (Nkom) Comment: TBD	Ongoing event. See above.	Ongoing event. See above.
14:00	14:00-14:30 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjetne (NPRA) Comment: Summary briefing and closing of event	Ongoing event. See above.	Ongoing event. See above.
15:00		Ongoing event. See above.	Ongoing event. See above.
16:00			
17:00			
18:00			
19:00			
20:00			
21:00			