

Nez Perce Tribe

Department of Fisheries Resources Management





Lostine River Weir

Weekly Chinook Summary: May 27, 2025

Disposition Summary

- In-season adult return-to-tributary estimates were updated on 12/18/2024 to 420 natural-origin and 773 hatchery-origin adults.
- Brood stock collection goals are 48 natural-origin adults, 112 hatchery-origin adults, and 6 hatchery-origin jacks.
- Composition of adults passed upstream: NaN% Hatchery (Sliding scale goal $\leq 50\%$)
- Composition of adults kept for brood: NaN% Natural (Sliding scale goal $\geq 30\%$)

Table 1. Return year 2025 capture and disposition summary of Hatchery Chinook Salmon (numbers in parentheses exclude recaptures).


Disposition	J	F		М	Total [>630]	Total [all]
Upstream Release	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Brood Collection	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Food Distribution	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Wallowa River Outplant	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Recycled to Fishery	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Mortality	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Total	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)

Table 2. Return year 2025 capture and disposition summary of Natural Chinook Salmon (numbers in parentheses exclude recaptures).

Disposition	J	F		М	Total [>630]	Total [all]
Upstream Release	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Brood Collection	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Food Distribution	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Wallowa River Outplant	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Recycled to Fishery	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Mortality	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)
Total	0 (0)	0 (0)	0	(0)	0 (0)	0 (0)

Table 3. Return year 2025 weekly summary of captured adult Chinook Salmon and Bull Trout, excluding recaptures. Broodstock collection for Chinook Salmon is shown in parentheses. *Asterisk indicates an incomplete week.

There is currently no broodstock collection data available for 2025.



Return year 2025 (top panel) and five-year average (bottom panel) of mean daily discharge (cubic feet per second) and daily captures of hatchery- and natural-origin adult Chinook salmon at the Lostine River Weir. Discharge recorded at USGS station 1333000 located upstream of the town of Lostine.

Distribution List

Beals, S (ODFW) Brady, A (BPA) Brandt, E (ODFW) Bratcher, K (ODFW) Brigante, E (ODFW) Bronson, P (CTUIR) Bonifer, J (CTUIR) Burak, G (FWS) Craft, N (ODFW) Deal, D (ODFW) Dittmer, J (ODFW) Engle, R (FWS) Farnam, B (NOAA) Feldhaus, J (ODFW) Garza, Gabriel (ODFW) Gee, S (ODFW) Gibbs, A (ODFW) Greiner, M (ODFW) Hagenah, P (Landowner) Harbeck, J (NPT)

Harrod, R (ODFW)

Hesse, J (NPT)

Humphreys, J (TU) Johnson, B (NPT) Johnson, D (NPT) Kozlowski, C (ODFW) Lance, M (ODFW) Lemanski, J (ODFW) Maxwell, A (TU) McLean, M (CTUIR) Nisbitt, K (Wallowa CTY) Oatman, J (NPT) Rumelhart, R (NPT) Treadway, E (ODFW) Smith, J (ODFW) Vatland, S (NPT) Villavicencio, A (NPT) Vogel, J (NPT) Watry, C (NPT) Wiese, N (USFWS) Wolfe, W (Landowner) Yanke, J (ODFW) Yearout, J (NPT)

Young, B (NPT) Zollman, R (NPT)

Please direct questions regarding content of this report to:

Neal Espinosa
Northeast Oregon Chinook Evaluations
Biologist I
541-432-2517
neale@nezperce.org

Brian Simmons
Northeast Oregon Chinook Evaluations
Project Leader
541-432-2515
brians@nezperce.org

Nez Perce Tribe Joseph Field Office 500 North Main Street P.O. Box 909 Joseph, OR 97846