

	Stabilizing	Contributing	Primary
Preservation ($< 30\% \text{ MAT}$ (Critical))	no specific pHOS or PNI recommendations	no specific pHOS or PNI recommendations	no specific pHOS or PNI recommendations
Recolonization ($30\% \text{ MAT} - \text{MAT (CBP Low Goal)}$)	encouraged to use some NOR brood (perhaps 10–30%), HOR can spawn naturally	encouraged to use some NOR brood (perhaps 10–30%), HOR can spawn naturally	encouraged to use some NOR brood (perhaps 10–30%), HOR can spawn naturally
Local Adaptation ($\text{MAT} - 4.0 * \text{MAT (CBP High Goal)}$)	encouraged to use some NOR brood (perhaps 10–30%), HOR can spawn naturally	PNI > 0.62 , pHOS $< 30\%$; requires pNOB $> 50\%$	PNI > 0.62 , pHOS $< 30\%$; requires pNOB $> 50\%$
Full Restoration ($> 4.0 * \text{MAT}$)	encouraged to use some NOR brood (perhaps 10–30%), HOR can spawn naturally	PNI > 0.62 , pHOS $< 30\%$; requires pNOB $> 50\%$	PNI > 0.67 , pHOS $< 30\%$; requires pNOB $> 60\%$