

OdontoPrev

Entrega 2

Alissa Silva Cezero - RM553954

Melissa Barbosa de Souza - RM552535

Nicolas Paiffer do Carmo - RM554145

Links do projeto:

- Repositório: <https://github.com/NPaiffer/odontoprev-cs2-devops>
- <https://youtu.be/3gD9nRsAaFY>

Inicialização da VM:

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

RM554145@fiap.com.br
FIAP-FACULDADE DE INFORMÁTICA

Home >

vmmk-odonto-cs

Virtual machine

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Connect

Connect

Bastion

Networking

Network settings

Load balancing

Application security groups

Network manager

Settings

Disks

Extensions + applications

Operating system

Configuration

Advisor recommendations

Properties

Advisor (1 of 1): Enable Trusted Launch foundational excellence, and modern security for Existing Generation 2 VM(s) →

Help me copy this VM in any region

Connect Start Restart Stop Hibernate Capture Delete Refresh Open in mobile Feedback CLI / PS

Essentials

Resource group (move) : rg-linux-cs-group-project

Status : Running

Location : Brazil South

Subscription (move) : 2TDSPA-RM554145-NICOLASCARMO

Subscription ID : 03878c10-19ed-46a6-a131-b2f4378546e1

Tags (edit) : Add tags

Operating system : Linux (almalinux 9.4)

Size : Standard B1s (1 vcpu, 1 GiB memory)

Public IP address : 191.234.209.230

Virtual network/subnet : vmmk-odonto-cs-vnet/default

DNS name : Not configured

Health state : -

Time created : 11/6/2024, 11:35 AM UTC

Copy to clipboard

JSON View

Properties

Monitoring

Capabilities (7)

Recommendations (1)

Tutorials

Virtual machine

Computer name : vmmk-odonto-cs

Operating system : Linux (almalinux 9.4)

VM generation : V2

VM architecture : x64

Agent status : Ready

Agent version : 2.12.0.2

Hibernation : Disabled

Networking

Public IP address : 191.234.209.230 (Network interface vmmk-odonto-cs286)

Public IP address (IPv6) : -

Private IP address : 10.1.1.4

Private IP address (IPv6) : -

Virtual network/subnet : vmmk-odonto-cs-vnet/default

DNS name : Configure

Size

Inicialização da VM:

```
PS C:\Users\nicpa\OneDrive\Desktop\cs_devops2> ssh -i ~/.ssh/id_rsa.pem RM554145@191.234.209.230
Warning: Identity file C:\Users\nicpa/.ssh/id_rsa.pem not accessible: No such file or directory.
RM554145@191.234.209.230's password:
Last login: Fri Nov  8 00:57:31 2024 from 187.122.61.21
[RM554145@vmmk-odonto-cs ~]$
```

- `sudo dnf update -y`
- `sudo dnf install -y dnf-plugins-core`
- `sudo dnf config-manager --add-repo https://download.docker.com/linux/centos/docker-ce.repo`
- `sudo dnf install docker-ce docker-ce-cli containerd.io -y`
- `sudo systemctl start docker`
- `sudo systemctl enable docker`

Arquivo Dockerfile:

```
GNU nano 5.6.1 Dockerfile Modified
FROM python:3.9-slim

RUN useradd -ms /bin/bash dockeruser
USER dockeruser

WORKDIR /app
COPY . .

RUN pip install -r requirements.txt
CMD ["python", "app.py"]

COPY requirements.txt /app/
RUN pip install -r requirements.txt

File to insert [from ./]:
^G Help          M-F New Buffer    ^X Execute Command
^C Cancel        M-N No Conversion ^T Browse
```

Arquivo Dockerfile:

```
GNU nano 5.6.1 Dockerfile Modified
FROM python:3.9-slim

RUN useradd -ms /bin/bash dockeruser
USER dockeruser

WORKDIR /app
COPY . .

RUN pip install -r requirements.txt
CMD ["python", "app.py"]

COPY requirements.txt /app/
RUN pip install -r requirements.txt

File to insert [from ./]:
^G Help          M-F New Buffer    ^X Execute Command
^C Cancel        M-N No Conversion ^T Browse
```

Arquivo docker-compose.yml:

```
GNU nano 5.6.1 docker-compose.yml
services:
  app:
    build: .
    ports:
      - "80:80"
    user: "dockeruser"
    restart: always
```

[Read 8 lines]

^G Help	^O Write Out	^W Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-] To Bracket
^X Exit	^R Read File	^N Replace	^U Paste	^J Justify	^_ Go To Line	M-E Redo	M-G Copy	^Q Where Was

Arquivo requirements.txt:

```
GNU nano 5.6.1 requirements.txt
flask==3.0.3
Werkzeug==3.0.3
requests==2.32.3
numpy==2.0.2
pandas==2.2.3
scipy==1.13.1
scikit-learn==1.5.0

```

[Read 7 lines]

^G Help	^O Write Out	^W Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-] To Bracket
^X Exit	^R Read File	^I Replace	^U Paste	^J Justify	^_ Go To Line	M-E Redo	M-G Copy	^Q Where Was

docker-compose build

```
[RM554145@vmmk-odonto-cs ~]$ docker-compose build
[+] Building 63.2s (13/13) FINISHED
=> [app internal] load build definition from Dockerfile
=> => transferring dockerfile: 323B
=> [app internal] load metadata for docker.io/library/python:3.9-slim
=> [app internal] load .dockerignore
=> => transferring context: 2B
=> [app 1/7] FROM docker.io/library/python:3.9-slim@sha256:7a9cd42706c174cdcf578880ab9ae3b6551323a7ddbc2a89ad6e5b20a28fbfbe
=> [app internal] load build context
=> => transferring context: 5.91kB
=> CACHED [app 2/7] RUN useradd -ms /bin/bash dockeruser
=> CACHED [app 3/7] WORKDIR /app
=> [app 4/7] COPY . .
=> [app 5/7] RUN pip install -r requirements.txt
=> [app 6/7] COPY requirements.txt /app/
=> [app 7/7] RUN pip install -r requirements.txt
=> [app] exporting to image
=> => exporting layers
=> => writing image sha256:facebaad3cd070adfe0aeeaef0396c7f093054e415e00ea44aa43b7416dbc881
=> => naming to docker.io/library/rm554145-app
```

docker-compose up
docker-compose logs

```
[RM554145@vmmk-odonto-cs ~]$ docker-compose up
[+] Running 2/2
 ✓ Network rm554145_default Created
 ✓ Container rm554145-app-1 Created
Attaching to app-1
app-1 | * Serving Flask app 'app'
app-1 | * Debug mode: off
app-1 | WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
app-1 | * Running on all addresses (0.0.0.0)
app-1 | * Running on http://127.0.0.1:5000
app-1 | * Running on http://172.18.0.2:5000
app-1 | Press CTRL+C to quit
Gracefully stopping... (press Ctrl+C again to force)
[+] Stopping 1/1
 ✓ Container rm554145-app-1 Stopped
[RM554145@vmmk-odonto-cs ~]$ docker-compose logs
app-1 | * Serving Flask app 'app'
app-1 | * Debug mode: off
app-1 | WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
app-1 | * Running on all addresses (0.0.0.0)
app-1 | * Running on http://127.0.0.1:5000
app-1 | * Running on http://172.18.0.2:5000
app-1 | Press CTRL+C to quit
[RM554145@vmmk-odonto-cs ~]$
```

Deleção do grupo de recursos para poupar recursos para os próximos projetos:

Home >

rg-linux-cs-group-project

Resource group

Search

CreateManage viewDelete resource groupRefreshExport to CSVOpen queryAssign tagsMoveDelete

Overview

Activity log

Access control (IAM)

Tags

Resource visualizer

Events

Settings

Deployments

Security

Deployment stacks

Policies

Properties

Locks

Cost Management

Cost analysis

Cost alerts (preview)

Budgets

Advisor recommendations

Monitoring

Insights (preview)

Essentials

Subscription (move) : 2TDSPPA-RM554145-NICOLASCARMO

Subscription ID : 03878c10-19ed-46a6-a131-b2f4378546e1

Tags (edit) : Add tags

Deployments : 5 Succeeded

Location : Brazil South

ResourcesRecommendations (2)

Filter for any field...Type equals allLocation equals allAdd filter

Showing 1 to 6 of 6 records. Show hidden types

☒

Name

↑↓

☒

vmmk-odonto-cs

☒

vmmk-odonto-cs-ip

☒

vmmk-odonto-cs-nsg

☒

vmmk-odonto-cs-vnet

☒

vmmk-odonto-cs286

☒

vmmk-odonto-cs_OsDisk_1_4caee8bc1db48e8a7d54f9fe59d7529

Type

↑↓

Executing delete command on 6 selected items

Succeeded: 0, Failed: 0, Canceled: 0.

a few seconds ago

☐ Apply force delete for selected Virtual machines and Virtual machine scale sets

Enter "delete" to confirm deletion *

DeleteCancel