



Final Grade

Last attempt with a grade

139 / 140

ATTEMPT 2/2 (SUBMITTED 8/3/26, 12:47 PM) ▾
RECEIPT: 3671C5B7BC7D446CAF195A75B64172F5

139 / 140

1

MULTIPLE CHOICE

CORRECT

1 / 1



Which of the following is not a core data type?

- ☐ A. Lists
- ☐ B. Dictionary
- ☐ C. Tuples
- ☒ D. **Correct:**
Class

Correct answer

2

MULTIPLE CHOICE

CORRECT

1 / 1



What data type is the object below ?

L = [1, 23, 'hello', 1]

- ☒ A. **Correct:**
List
- ☐ B. Dictionary
- ☐ C. Tuple
- ☐ D. Array

Correct answer

3

MULTIPLE CHOICE

CORRECT

1 / 1



Which of the following function convert a string to a float in python?

- ☐ A. int(x [,base])
- ☐ B. long(x[,base])
- ☒ C. **Correct:**
float(x)
- ☐ D. str(x)

Correct answer

4

MULTIPLE CHOICE

CORRECT

1 / 1



What will be the output of the following Python code snippet?

```
print('The sum of {0} and {1} is {2}'.format(2, 10, 12))
```

- ☒ A. **Correct:**
The sum of 2 and 10 is 12
- ☐ B. Error
- ☐ C. The sum of 0 and 1 is 2
- ☐ D. None of the mentioned

Correct answer

5

MULTIPLE CHOICE

CORRECT

1 / 1



What is the return type of function id?

- ☒ A. **Correct:**
int

Correct answer

☐ B. float

☐ C. bool

☐ D. dict

6 MULTIPLE CHOICE CORRECT

1 / 1



What error occurs when you execute the following Python code snippet?

```
apple = mango
```

☐ A. SyntaxError

☒ B. **Correct:**
NameError

Correct answer

☐ C. ValueError

☐ D. TypeError

7 MULTIPLE CHOICE CORRECT

1 / 1



In python we do not specify types, it is directly interpreted by the compiler, so consider the following operation to be performed.

```
>>>x = 13 ? 2
```

objective is to make sure x has a integer value, select all that apply (python 3.xx)

☐ A. `x = 13 // 2`

☐ B. `x = int(13 / 2)`

☐ C. `x = 13 % 2`

☒ D. **Correct:**
All of the above

Correct answer

8 MULTIPLE CHOICE CORRECT

1 / 1



In order to store values in terms of key and value we use what core data type?

☐ A. list

☐ B. tuple

☐ C. class

☒ D. **Correct:**
dictionary

Correct answer

9 MULTIPLE CHOICE CORRECT

1 / 1



Which of the following is a Python tuple?

☐ A. `[1, 2, 3]`

☒ B. **Correct:**
`(1, 2, 3)`

Correct answer

☐ C. `{1, 2, 3}`

☐ D. `{}`

10 MULTIPLE CHOICE CORRECT

1 / 1



Which of the following is a Python tuple?

what type of data is: a=[(1,1),(2,4),(3,9)]?

- ☐ A. Array of tuples
- ☒ B. **Correct:**
List of tuples
- ☐ C. Tuples of lists
- ☐ D. Invalid type

Correct answer

11 TRUE/FALSE CORRECT

1 / 1

Tuples can't be made keys of a dictionary.

- ☐ True
- ☒ False

Correct answer

12 MULTIPLE CHOICE CORRECT

1 / 1

Suppose d = {"john":40, "peter":45}, what happens when we try to retrieve a value using the expression d["susan"]?

- ☐ A. Since "susan" is not a value in the set, Python raises a KeyError exception
- ☐ B. It is executed fine and no exception is raised, and it returns None
- ☒ C. **Correct:**
Since "susan" is not a key in the set, Python raises a KeyError exception
- ☐ D. Since "susan" is not a key in the set, Python raises a syntax error

Correct answer

13 MULTIPLE CHOICE CORRECT

1 / 1

Which of these about a dictionary is false?

- ☐ A. The values of a dictionary can be accessed using keys
- ☒ B. **Correct:**
The keys of a dictionary can be accessed using values
- ☐ C. Dictionaries aren't ordered
- ☐ D. Dictionaries are mutable

Correct answer

14 MULTIPLE CHOICE CORRECT

1 / 1

Which of the statements about dictionary values is false?

- ☐ A. More than one key can have the same value
- ☐ B. The values of the dictionary can be accessed as dict[key]
- ☒ C. **Correct:**
Values of a dictionary must be unique
- ☐ D. Values of a dictionary can be a mixture of letters and numbers

Correct answer

15 MULTIPLE CHOICE CORRECT

1 / 1

Which of these about a set is not true?

- ☐ A. Mutable data type
- ☐ B. Does not allow duplicate values

☐ D. Does not allow duplicate values

☐ C. Data type with unordered values

☒ D. **Correct:**
Immutable data type

Correct answer

16 MULTIPLE CHOICE CORRECT

1 / 1



Which of the following is not the correct syntax for creating a set?

☒ A. **Correct:**
set([[1,2],[3,4]])

Correct answer

☐ B. set([1,2,2,3,4])

☐ C. set((1,2,3,4))

☐ D. {1,2,3,4}

17 MULTIPLE CHOICE CORRECT

1 / 1



Which of the following statements is used to create an empty set?

☐ A. {}

☒ B. **Correct:**
set()

Correct answer

☐ C. []

☐ D. ()

18 MULTIPLE CHOICE CORRECT

1 / 1



What will be the output of the following Python code?

```
a = [5,5,6,7,7,7]
b = set(a)
def test(lst):
    if lst in b:
        return 1
    else:
        return 0
for i in filter(test, a):
    print(i,end=" ")
```

☐ A. 5 5 6

☐ B. 5 6 7

☒ C. **Correct:**
5 5 6 7 7 7

Correct answer

☐ D. 5 6 7 7 7

19 MULTIPLE CHOICE CORRECT

1 / 1



If a={5,6,7}, what happens when a.add(5) is executed?

☐ A. a={5,5,6,7}

☒ B. **Correct:**
a={5,6,7}

Correct answer

☐ C. Error as there is no add function for set data type

☐ D. Error as 5 already exists in the set

20 MULTIPLE CHOICE CORRECT

1 / 1



Which of the following statements create a dictionary?

- ☐ A. `d = {}`
- ☐ B. `d = {"john":40, "peter":45}`
- ☐ C. `d = {40:"john", 45:"peter"}`
- ☒ D. **Correct:**
All of the above

Correct answer

21 TRUE/FALSE CORRECT

1 / 1



Mathematical operations can be performed on a string.

- ☐ True
- ☒ False

Correct answer

22 MULTIPLE CHOICE CORRECT

1 / 1



Which of following uses the correct syntax for a python if statement? Choose all that apply

- ☐ A. `if (x = y):`
- ☒ B. **Correct:**
`if (x == y):`
- ☐ C. `if !(x is not y):`
- ☐ D. `if x = y:`
- ☒ E. **Correct:**
`if x == y:`

0%

Correct answer 50%

0%

0%

Correct answer 50%

23 MULTIPLE CHOICE CORRECT

1 / 1



Which of the following properly expresses the precedence of operators (using parentheses) in the following expression: `10 > y or x + y == 10` and `x` is not `y`?

- ☐ A. `((((10 > y) or (x + y == 10)) and (x is not y)))`
- ☐ B. `(10 > (y or x) + y == (10 and x) is not y)`
- ☐ C. `(10 > y or x + y == 10 and x is not y)`
- ☒ D. **Correct:**
`((10 > y) or (((x + y) == 10) and (x is not y)))`
- ☐ E. `((((10 > y) or ((x + y) == 10)) and (x is not y)))`

Correct answer

24 MULTIPLE CHOICE CORRECT

1 / 1



Which of the following is the use of function in python?

- ☒ A. **Correct:**
Functions are reusable pieces of programs
- ☐ B. Functions don't provide better modularity for your application
- ☐ C. you can't also create your own functions
- ☐ D. All of the above

Correct answer

25 MULTIPLE CHOICE CORRECT

1 / 1

What will be the output of the following Python code?

```
x = 50
def func(x):
    print('x is', x)
    x = 2
    print('Changed local x to', x)
func(x)
print('x is now', x)
```

Correct:

- ☒ A. `x is 50`
`Changed local x to 2`
`x is now 50`

Correct answer

- ☐ B. `x is 50`
`Changed local x to 2`
`x is now 2`

- ☐ C. `x is 50`
`Changed local x to 2`
`x is now 100`

- ☐ D. None of the above

26 MULTIPLE CHOICE CORRECT

1 / 1

What are the two main types of functions?

- ☐ A. Custom function

- ☒ B. **Correct:**
Built-in function & User defined function

Correct answer

- ☐ C. User function

- ☐ D. System Function

27 MULTIPLE CHOICE CORRECT

1 / 1

Which of the following can be used to open a file called myText.txt in write-only mode?

- ☐ A. `outfile = open("myText.txt", w)`

- ☐ B. `outfile = open("myText.txt", "write")`

- ☒ C. **Correct:**
`outfile = open("myText.txt", "w")`

Correct answer

- ☐ D. `outfile = open("myText.txt")`

28 MULTIPLE CHOICE CORRECT

1 / 1

Which command below closes the already open file myText.txt if the following code has already been written?

```
ref_file = open("myText.txt", "r")
```

- ☐ A. `close()`

- ☒ B. **Correct:**
`ref_file.close()`

Correct answer

- ☐ C. `close(ref_file)`

- ☐ D. `close("myText")`

29 MULTIPLE CHOICE CORRECT

1 / 1

Which of the commands below is used to add the following string to the end of a file object filevar?

```
somestring = "my Sentence"
```

- ☐ A. filevar.append(somestring)
- ☐ B. filevar.write("somestring")
- ☒ C. **Correct:**
filevar.write(somestring)
- ☐ D. somestring.write()

Correct answer

30 MULTIPLE CHOICE CORRECT

1 / 1

The contents of names.txt is listed here:

```
Moana  
Cinderella  
Tiana
```

Which of the following code blocks will print all of the names in names.txt?

- ☐ A.

```
names = open("names.txt", "r")  
for line in names:  
    print(names)
```

Correct:

- ☒ B.

```
names = open("names.txt", "r")  
for line in names:  
    print(line)
```

Correct answer

- ☐ C.

```
names = open("names.txt", "r")  
for line in names:  
    print("line")
```

- ☐ D. None of the above

31 MULTIPLE CHOICE CORRECT

1 / 1

How many errors are in the code below? It should open the file in read-only mode, read each line and print each line and then close the file.

```
def print_contents(file)  
    file_obj = open(file)  
    for line in "file_obj":  
        print(line_obj)
```

- ☐ A. 1
- ☐ B. 2
- ☐ C. 3

- ☒ D. **Correct:**
4

Correct answer

32 MULTIPLE CHOICE CORRECT

1 / 1

____ represents an entity in the real world with its identity and behaviour.

- ☐ A. A method

- ☒ B. **Correct:**
An object

Correct answer

- ☐ C. A class

☐ D. An operator

33 MULTIPLE CHOICE CORRECT

1 / 1

What will be the output of the following Python code?

```
class test:
    def __init__(self,a):
        self.a=a

    def display(self):
        print(self.a)
obj=test()
obj.display()
```

- ☐ A. Runs normally, doesn't display anything
- ☐ B. Displays 0, which is the automatic default value
- ☒ C. **Correct:** Error as one argument is required while creating the object Correct answer
- ☐ D. Error as display function requires additional argument

34 MULTIPLE CHOICE CORRECT

1 / 1

Which of the following Python code creates an empty class?

☐ A.

```
class A:
    return
```

☒ B.

```
class A:
    pass
```

Correct answer

☐ C.

```
class A:
```

☐ D. It is not possible to create an empty class

35 MULTIPLE CHOICE CORRECT

1 / 1

Which of the following thing can be data in Pandas?

- ☐ A. a python dict
- ☐ B. an ndarray
- ☐ C. a scalar value
- ☒ D. **Correct:** All of the above Correct answer

36 MULTIPLE CHOICE CORRECT

10 / 10

Point out the wrong statement.

- ☒ A. **Correct:** A DataFrame is like a fixed-size dict in that you can get and set values by index label Correct answer
- ☐ B. Series can be passed into most NumPy methods expecting an ndarray
- ☐ C. A key difference between Series and ndarray is that operations between Series automatically align the data based on label
- ☐ D. None of the above

37 TRUE/FALSE CORRECT

10 / 10

Series is a one-dimensional labeled array capable of holding any data type.

☒ True

Correct answer

☐ False

38 MULTIPLE CHOICE CORRECT

10 / 10

Which of the following operation works with the same syntax as the analogous dict operations?

☐ A. Getting columns

☐ B. Setting columns

☐ C. Deleting columns

☒ D. **Correct:**
All of the above

Correct answer

39 MULTIPLE CHOICE CORRECT

1 / 1

The _____ function returns its argument with a modified shape, whereas the _____ method modifies the array itself.

☒ A. **Correct:**
reshape, resize

Correct answer

☐ B. resize, reshape

☐ C. reshape2, resize

☐ D. All of the above

40 MULTIPLE CHOICE CORRECT

1 / 1

To create sequences of numbers, NumPy provides a function _____ analogous to range that returns arrays instead of lists.

☒ A. **Correct:**
arange

Correct answer

☐ B. aspace

☐ C. aline

☐ D. All of the above

41 MULTIPLE CHOICE CORRECT

10 / 10

Which of the following method creates a new array object that looks at the same data?

☒ A. **Correct:**
view

Correct answer

☐ B. copy

☐ C. paste

☐ D. All of the above

42 MULTIPLE CHOICE CORRECT

10 / 10

Which of the following returns an array of ones with the same shape and type as a given array?

☐ A. all_like

- ☒ B. **Correct:**
ones_like

Correct answer

☐ C. one_alike

☐ D. All of the above

43 MULTIPLE CHOICE **INCORRECT**

0 / 1



Point out the wrong statement.

- ☐ A. Each universal function takes array inputs and produces array outputs
- ☐ B. Broadcasting is used throughout NumPy to decide how to handle disparately shaped arrays
- ☐ C. The output of the ufunc is necessarily an ndarray, if all input arguments are ndarrays
- ☐ D. All of the above

Correct answer

44 MULTIPLE CHOICE **CORRECT**

10 / 10



In the process of fetching a web page from a server the HTTP request/response takes _____ RTTs.

☐ A. 2

- ☒ B. **Correct:**
1

Correct answer

☐ C. 4

☐ D. 3

45 MULTIPLE CHOICE **CORRECT**

10 / 10



The _____ method when used in the method field, leaves entity body empty.

☐ A. POST

☐ B. SEND

- ☒ C. **Correct:**
GET

Correct answer

☐ D. PUT

46 MULTIPLE CHOICE **CORRECT**

10 / 10



The HTTP response message leaves out the requested object when _____ method is used

☐ A. GET

☐ B. POST

- ☒ C. **Correct:**
HEAD

Correct answer

☐ D. PUT

47 MULTIPLE CHOICE **CORRECT**

10 / 10



Which of the following is present in both an HTTP request line and a status line?

- ☒ A. **Correct:**
HTTP version number

Correct answer

☐ B. URL

☐ C. Method

☐ D. None of the above

48

MULTIPLE CHOICE

CORRECT

10 / 10



The default connection type used by HTTP is _____

☒ A. **Correct:**
Persistent

Correct answer

☐ B. Non-persistent

☐ C. Can be either persistent or non-persistent depending on connection request

☐ D. None of the above

49

MULTIPLE CHOICE

CORRECT

1 / 1



The time taken by a packet to travel from client to server and then back to the client is called _____

☐ A. STT

☒ B. **Correct:**
RTT

Correct answer

☐ C. PTT

☐ D. JTT

50

MULTIPLE CHOICE

CORRECT

1 / 1



The HTTP response message leaves out the requested object when _____ method is used

☐ A. GET

☒ B. **Correct:**
HEAD

Correct answer

☐ C. POST

☐ D. PUT