Elementary Geometry

Nguyễn Quản Bá Hồng*

Ngày 25 tháng 2 năm 2023

Tóm tắt nội dung

[EN] This text is a collection of problems, from easy to advanced, about *<topic>*. This text is also a supplementary material for my lecture note on Elementary *<*Subject> grade *<*grade>, which is stored & downloadable at the following link: GitHub/NQBH/hobby/elementary *<*subject>/grade *<*grade>/lecture¹. The latest version of this text has been stored & downloadable at the following link: GitHub/NQBH/hobby/elementary *<*subject>/grade *<*grade>/*<*topic>².

[vi] Tài liệu này là 1 bộ sưu tập các bài tập chọn lọc từ cơ bản đến nâng cao về $<topic\ vi>$. Tài liệu này là phần bài tập bổ sung cho tài liệu chính – bài giảng GitHub/NQBH/hobby/elementary <subject>/grade <grade>/lecture của tác giả viết cho <Subject> Sơ Cấp lớp <grade>. Phiên bản mới nhất của tài liệu này được lưu trữ & có thể tải xuống ở link sau: GitHub/NQBH/hobby/elementary <subject>/grade <grade>/<topic>.

Nội dung. Hình học sơ cấp.

Mục lục

l Wi	Wikipedia's		
1.1	Wikipe	dia/Congruence (Geometry)	
	1.1.1	Determining congruence of polygons	
		Congruence of triangles	
		Definition of congruence in analytic geometry	
		Congruent conic sections	
		Congruent polyhedra	
		Congruent triangles on a sphere	
1.2		dia/Similarity (Geometry)	
		Similar triangles	
		Other similar polygons	
		Similar curves	
		In Euclidean space	
		Area ratio & volume ratio	
		Similarity with a center	
		In general metric spaces	
		Topology	
		Self-similarity	
		Psychology	
	1.2.10	2.5/5000006/	
2 Sor	ne Topi	cs in Geometry & Beyond	

^{*}Independent Researcher, Ben Tre City, Vietnam

e-mail: nguyenquanbahong@gmail.com; website: https://nqbh.github.io.

URL: https://github.com/NQBH/hobby/blob/master/elementary_<subject>/grade_<grade>/NQBH_elementary_<subject>_grade<grade>.pdf.

 $^{^2 \}verb|URL: https://github.com/NQBH/hobby/blob/master/elementary_< subject>/grade_< grade>/<topic_name>.pdf.$

1 Wikipedia's

1.1 Wikipedia/Congruence (Geometry)

"In geometry, 2 figures or objects are *congruent* if they have the same shape & size, or if one has the same shape & size as the mirror image of the other.

More formally, 2 sets of points are called *congruent* if, & only if, one can be transformed into the other by an isometry, i.e., a combination of rigid motions, namely a translation, a rotation, & a reflection. I.e., either object can be repositioned & reflected (but not resized) so as to coincide precisely with the other object. Therefore 2 distinct plane figures on a piece of paper are congruent if they can be cut out & then matched up completely. Turning the paper over is permitted.

In elementary geometry the word *congruent* is often used as follows. The word *equal* is often used in place of *congruent* for these objects. 2 line segments are congruent if they have the same length. 2 angles are congruent if they have the same measure. 2 circles are congruent if they have the same diameter. In this sense, 2 plane figures are congruent implies that their corresponding characteristics are "congruent" or "equal" including not just their corresponding sides & angles, but also their corresponding diagonals, perimeters, & areas.

The related concept of similarity applies if the objects have the same shape but do not necessarily have the same size. (Most definitions consider congruence to be a form of similarity, although a minority require that the objects have different sizes in order to qualify as similar.)" – Wikipedia/congruence (geometry)

1.1.1 Determining congruence of polygons

"For 2 polygons to be congruent, they must have an equal number of sides (& hence an equal number – the same number - of vertices). 2 polygons with n sides are congruent iff they each have numerically identical sequences (even if clockwise for 1 polygon & counterclockwise for the other) side-angle-side-angle-... for n sides & n angles.

Congruence of polygons can be established graphically as follows:

- 1. Match & label the corresponding vertices of the 2 figures.
- 2. Draw a vector from 1 of the vertices of the 1 of the figures to the corresponding vertex of the other figure. *Translate* the 1st figure by this vector so that these 2 vertices match.
- 3. Rotate the translated figure about the matched vertex until 1 pair of corresponding sides matches.
- 4. Reflect the rotated figure about this matched side until the figures match.

If at any time the step cannot be completed, the polygons are not congruent." – Wikipedia/congruence (geometry)/determining congruence of polygons

1.1.2 Congruence of triangles

"See also: Wikipedia/solution of triangles. 2 triangles are congruent if their corresponding sides are equal in length, & their corresponding angles are equal in measure.

Symbolically, we write the congruency & incongruency of 2 triangles $\triangle ABC \& \triangle A'B'C'$ as follows: $\triangle ABC \cong \triangle A'B'C'$, $\triangle ABC \not\cong \triangle A'B'C'$. In many cases it is sufficient to establish the equality of 3 corresponding parts & use 1 of the following results to deduce the congruence of the 2 triangles.

Determining congruence. Sufficient evidence for congruence between 2 triangles in Euclidean space can be shown through the following comparisons:

- SAS (side-angle-side): If 2 pairs of sides of 2 triangles are equal in length, & the included angles are equal in measurement, then the triangles are congruent.
- SSS (side-side-side): If 3 pairs of sides of 2 triangles are equal in length, then the triangles are congruent.
- **ASA** (angle-side-angle): If 2 pairs of angle of 2 triangles are equal in measurement, & the included sides are equal in length, then the triangles are congruent.

inserting ...

- " Wikipedia/congruence (geometry)/congruence of triangles
- 1.1.3 Definition of congruence in analytic geometry
- 1.1.4 Congruent conic sections
- 1.1.5 Congruent polyhedra
- 1.1.6 Congruent triangles on a sphere

1.2 Wikipedia/Similarity (Geometry)

"In Euclidean geometry, 2 objects are *similar* if they have the same shape, or if one has the same shape as the mirror image of the other. More precisely, one can be obtained from the other by uniformly scaling (enlarging or reducing), possibly with additional

translation, rotation, & reflection. I.e., either object can be rescaled, repositioned, & reflected, so as to coincide precisely with the other object. If 2 objects are similar, each is congruent to the result of a particular uniform scaling of the other.

E.g., all circles are similar to each other, all squares are similar to each other, & all equilateral triangles are similar to each other. On the other hand, ellipses are not all similar to each other, rectangles are not all similar to each other. & isosceles triangles are not all similar to each other. This is because 2 ellipses can have different width to height ratio, 2 rectangle can also have a different length to breadth ratio, & 2 isosceles triangle can have different base angles.

If 2 angles of a triangle have measures equal to the measures of 2 angles of another triangle, then the triangles are similar. Corresponding sides of similar polygons are in proportion, & corresponding angles of similar polygons have the same measure.

2 congruent shapes are similar, with a scale factor of 1. However, some school textbooks specifically exclude congruent triangles from their definition of similar triangles by insisting that the sizes must be different if the triangles are to qualify as similar." – Wikipedia/similarity (geometry)

- 1.2.1 Similar triangles
- 1.2.2 Other similar polygons
- 1.2.3 Similar curves
- 1.2.4 In Euclidean space
- 1.2.5 Area ratio & volume ratio
- 1.2.6 Similarity with a center
- 1.2.7 In general metric spaces
- 1.2.8 Topology
- 1.2.9 Self-similarity
- 1.2.10 Psychology

2 Some Topics in Geometry & Beyond

- Congruent Triangles Các Tam Giác Bằng Nhau.
- Similar Triangles Các Tam Giác Đồng Dạng.