Ho Chi Minh city University of Technology

- Computer science and engineering -

Course : OPERATING SYSTEM

Report Lab 7:

Scheduling

|	
Lecturer	: Mr. Vũ Văn Thống.
Student	: Nguyễn Quang Long
StudentID	: 1812917.
Class	: L07

Wednesday, May 27th , 2020.

Contents

Operating System.

1. Ex1

➤ Problem : Suppose that the following processes arrive for execution at the times indicated. Each process will run for the amount of time listed. In answering the questions, use non-preemptive scheduling, and base all decisions on the information you have at the time the decision must be made

Process	Arrival	Burst time
P1	0.0	8
P2	0.4	4
P3	1.0	1

a. What is the average turnaround time for these processes with the FCFS scheduling algorithm?
b. What is the average turnaround time for these processes with the SJF scheduling algorithm?
c. The SJF algorithm is supposed to improve performance, but notice that we chose to run process P1 at time 0 because we did not know that two shorter processes would arrive soon. Compute what the average turnaround time will be if the CPU is left idle for the first 1 unit and then SJF scheduling is used. Remember that processes P1 and P2 are waiting during this idle time, so their waiting time may increase. This algorithm could be called future-knowledge scheduling.

➤ Solution :
a. Gant chart:

P1	P2	P3

0   8   12   13

$$turnaround\ time = finish\ time - arrival\ time$$

P1	8 - 0 = 8
P2	12 − 0.4 = 11.6
P3	13 − 1 =12

Table 1.1 : FCFS process turnaround time.

So we would have average turnaround time :

$$average\ turnaround\ time = \frac{\sum_{i=1}^{n} Pi}{n} = \frac{8 + 11.6 + 12}{3} \approx 10.5333$$

b. Gantt chart:

P1	P3	P2

0   8   9   13

Chart 1.2: SJF Gantt chart

P1	8 − 0 = 8
P2	13 − 0.4 = 12.6
P3	9 − 1 = 8

Table 1.2 : SJF process turnaround time.

So we would have average turnaround time :

$$average\ turnaround\ time = \frac{\sum_{i=1}^{n} Pi}{n} = \frac{8 + 12.6 + 8}{3} \approx 9.5333$$

c. Gantt chart :

P3	P2	P1

0   1   2   6   14

Chart 1.3: future-knowledge Gantt chart.

P1	14 - 0 = 14
P2	6 − 0.4 = 5.6
P3	2 − 1 = 1

Table 1.3 : future-knowledge process turnaround time.

So we would have average turnaround time :

$$average\ turnaround\ time = \frac{\sum_{i=1}^{n} Pi}{n} = \frac{14 + 5.6 + 1}{3} \approx 6.8667$$

2. Ex2

➢ Problem :   Consider the following set of processes, with the length of the CPU burst given in milliseconds:

Process	Burst time	Priority
P1	8	4
P2	6	1
P3	1	2
P4	9	2
P5	3	3

The processes are assumed to have arrived in the order P1, P2, P3, P4, P5, all at time 0. Draw four Gantt charts that illustrate the execution of these processes using the following scheduling algorithms: FCFS, SJF, non-preemptive priority (a larger priority number implies a higher priority), and RR (quantum = 1). Calculate the average waiting time and turnaround time of each scheduling algorithm.

➢ Solution :

$$turnaround\ time = finish\ time - arrival\ time$$

$$waiting\ time = start\ time - arrival\ time$$

- FCFS :

Gantt Chart :

| P1	P2	P3	P4	P5

0   8   14 15   24   27

Chart 2.1: FCFS Gantt chart.

P1	$8 - 0 = 8$
P2	$14 - 0 = 14$
P3	$15 - 0 = 15$
P4	$24 - 0 = 24$
P5	$27 - 0 = 27$

Table 2.1.1 : FCFS process 's turnaround time.

P1	$0 - 0 = 0$
P2	$8 - 0 = 8$
P3	$14 - 0 = 14$
P4	$15 - 0 = 15$
P5	$24 - 0 = 24$

Table 2.1.2 : FCFS process 's waiting time.

Then :

$$average\ turnaround\ time = \frac{\sum_{i=1}^{n} Pi_t}{n} = \frac{8 + 14 + 15 + 24 + 27}{5} = 17.6$$

$$average\ waiting\ time = \frac{\sum_{i=1}^{n} Pi_w}{n} = \frac{0 + 8 + 14 + 15 + 24}{5} = 12.2$$

- SJF :

Gantt chart :

P3	P5	P2	P1	P4

0   1   4   10   18   27

Chart 2.2: SJF Gantt chart.

P1	18 − 0 = 18
P2	10 − 0 = 10
P3	1 − 0 = 1
P4	27 − 0 = 27
P5	4 − 0 = 4

Table 2.2.1 : SJF process 's turnaround time.

P1	10 − 0 = 10
P2	4 − 0 = 4
P3	0 − 0 = 0
P4	18 − 0 = 18
P5	1 − 0 = 1

Table 2.2.2 : SJF process 's waiting time.

$$average\ turnaround\ time = \frac{\sum_{i=1}^{n} Pi_t}{n} = \frac{18 + 10 + 1 + 27 + 4}{5} = 12$$

$$average\ waiting\ time = \frac{\sum_{i=1}^{n} Pi_w}{n} = \frac{18 + 10 + 1 + 0 + 4}{5} = 6.6$$

Operating System.

- Non-preemptive priority :

Gantt chart :

P1	P5	P3	P4	P2
0	8	11 12	21	27

Chart 2.3: Non-preemptive priority Gantt chart.

P1	8 − 0 = 8
P2	27 − 0 = 27
P3	12 − 0 = 12
P4	21 − 0 = 21
P5	11 − 0 = 11

Table 2.3.1 : Non-preemptive priority process 's turnaround time.

P1	0 − 0 = 0
P2	21 − 0 = 21
P3	11 − 0 = 11
P4	12 − 0 = 12
P5	8 − 0 = 18

Table 2.3.2 : Non-preemptive priority process 's waiting time.

$$average\ turnaround\ time = \frac{\sum_{i=1}^{n} Pi_t}{n} = \frac{8 + 27 + 12 + 21 + 11}{5} = 15.8$$

$$average\ waiting\ time = \frac{\sum_{i=1}^{n} Pi_w}{n} = \frac{0 + 21 + 11 + 12 + 18}{5} = 12.4$$

- Round-Robin (quantum = 1) :

Gantt chart:

| P1	P2	P3	P4	P5	P1	P2	P4	P5	P1	P2	P4	P5	P1	P2	P4	P1	P2	P4	P1	P2	P4	P1	P4	P1	P4	P4

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27

Chart 2.4 : RR Gantt chart.

P1	$25 - 0 = 25$
P2	$21 - 0 = 21$
P3	$3 - 0 = 3$
P4	$27 - 0 = 27$
P5	$13 - 0 = 13$

Table 2.4.1 : RR process 's turnaround time.

P1	(0-0)+(5-1)+(9-6)+(13-10)+(16-14)+(19-17)+(22-20)+(24-23) = 17
P2	(1-0)+(6-2)+(10-7)+(14-11)+(17-15)+(20-18) = 15
P3	$2 - 0 = 2$
P4	(3-0)+(7-4)+(11-8)+(15-12)+(18-16)+(21-19)+(23-22)+(25-24) = 18
P5	(4-0)+(8-5)+(12 -9) = 10

Table 2.4.2 : RR process 's waiting time.

$$average\ turnaround\ time = \frac{\sum_{i=1}^{n} Pi_t}{n} = \frac{25 + 21 + 3 + 27 + 13}{5} = 17.8$$

$$average\ waiting\ time = \frac{\sum_{i=1}^{n} Pi_w}{n} = \frac{17 + 15 + 2 + 18 + 10}{5} = 12.4$$