



Probabilistic energy forecasting for smart grids and buildings

Rob J Hyndman

21 March 2017

Demand forecasting

Demand forecasting in the smart grid



Figure: <http://solutions.3m.com>

Energy sources (fossil fuel, wind, solar, wave, ...)

Supply



Energy consumers

Demand

Demand forecasting in the smart grid

Need demand forecasts for outage planning, energy trading, demand response, system management, ...

Predictors

- calendar effects
 - Time of day
 - Day of week
 - Time of year
 - Holidays
- prevailing and recent weather conditions
- demand response incentives
- household characteristics


We build a nonlinear nonparametric stochastic model of demand as a function of these predictors.

Probabilistic forecasting

Probabilistic forecasting

Aim: forecast entire probability distribution of demand, not only the average.


Half-Hourly electricity demand



Probabilistic forecasting

Aim: forecast entire probability distribution of demand, not only the average.


Point (mean) forecasts



Probabilistic forecasting

Aim: forecast entire probability distribution of demand, not only the average.


Point forecasts with prediction intervals



Probabilistic forecasting

Aim: forecast entire probability distribution of demand, not only the average.


Point forecasts with percentiles



Probabilistic forecasting

Aim: forecast entire probability distribution of demand, not only the average.


Point forecasts with prediction intervals



Probabilistic forecasting

Aim: forecast entire probability distribution of demand, not only the average.


Point forecasts with percentiles




Probabilistic forecasting

Aim: forecast entire probability distribution of demand, not only the average.

Point forecasts with percentiles



Probabilistic forecasting



Half-hourly data. Blue: 50% region. Grey: 95% region.

Forecast accuracy measures

- MAE: Mean absolute error
- MSE: Mean squared error
- MAPE: Mean absolute percentage error

Forecast accuracy measures

- MAE: Mean absolute error
 - MSE: Mean squared error
 - MAPE: Mean absolute percentage error
- ➡ Good when forecasting a typical future value (e.g., the mean or median).

Forecast accuracy measures

- MAE: Mean absolute error
 - MSE: Mean squared error
 - MAPE: Mean absolute percentage error
-
- ➡ Good when forecasting a typical future value (e.g., the mean or median).
 - ➡ Useless for evaluating forecast percentiles and forecast distributions.

Forecast accuracy measures

- MAE: Mean absolute error
- MSE: Mean squared error
- MAPE: Mean absolute percentage error

- ➡ Good when forecasting a typical future value (e.g., the mean or median).
- ➡ Useless for evaluating forecast percentiles and forecast distributions.

$q_t(p)$ = Percentile forecast of y_t , to be exceeded with probability $1 - p$.

Forecast accuracy measures

- MAE: Mean absolute error
- MSE: Mean squared error
- MAPE: Mean absolute percentage error


- ➡ Good when forecasting a typical future value (e.g., the mean or median).
- ➡ Useless for evaluating forecast percentiles and forecast distributions.

$q_t(p)$ = Percentile forecast of y_t , to be exceeded with probability $1 - p$.

- ➡ If $q_t(p)$ is accurate, then y_t should be less than $q_t(p)$ about $100p\%$ of the time.
- ➡ Need to penalize unlikely side more (a “pinball loss” function) 6


Forecast scoring

Demand distribution




Forecast scoring

Demand distribution




Forecast scoring

Demand distribution




Forecast scoring

Demand distribution




Forecast scoring

Demand distribution




Forecast scoring

Demand distribution




Forecast scoring

Demand distribution




Forecast scoring

Demand distribution



Forecast scoring

Demand distribution



Forecast scoring

Quantile Score for observation y :

For $0 < p < 1$:

$$S(y_t, q_t(p)) = \begin{cases} p(y_t - q_t(p)) & \text{if } y_t \geq q_t(p) \\ (1 - p)(q_t(p) - y_t) & \text{if } y_t < q_t(p) \end{cases}$$


- Scores are averaged over all observed data for each p to measure the accuracy of the forecasts for each percentile.
- Average score over all percentiles gives the best distribution forecast:

$$QS = \frac{1}{99T} \sum_{p=1}^{99} \sum_{t=1}^T S(q_t(p), y_t)$$

- Equivalent to CRPS (Continuous Rank Probability Score).
- Reduces to MAE if we are only interested in $p = 0.5$.

Hierarchical forecasting

Hierarchical electricity demand data



$$y_t = y_{A,t} + y_{B,t} + y_{C,t}$$

$$y_{A,t} = y_{AA,t} + y_{AB,t} + y_{AC,t}$$


$$y_{B,t} = y_{BA,t} + y_{BB,t}$$

$$y_{C,t} = y_{CA,t} + y_{CB,t} + y_{CC,t}$$


Aggregations may be based on:

- Geography (suburbs, regions, states)
- Demography (number of people in household, age distributions)
- Appliances (air conditioning, electric heating)

Hierarchical electricity demand data



Hierarchical forecasting



- Easier to forecast at more aggregated levels.
- We forecast at every level and reconcile the forecasts.
- Optimal reconciliation algorithm: Hyndman et al (2011, 2016, 2017)
- Forecast means should add up, but percentiles are more complicated
- **Current research topic:** How to reconcile percentiles at all levels?

Building-level energy forecasting


Commercial buildings require energy forecasting to help:

- Manage peak demand.
- Quantify the impacts of building management changes.
- Assess performance and energy efficiency.


Buildings Alive works with 150+ commercial buildings which include supermarkets, hospitals and office blocks.

Each require daily forecasts to inform facilities managers.

Building Level Data



Building Level Data





Natural cubic splines for each period of the day ($df = 2$).

Quantile Regression


Probabilistic forecasts can be produced using quantile regression.

Use the pinball loss function:

$$S_p(y, q_p) = \begin{cases} p(y - q_p) & \text{for } y \geq q_p, \\ (1 - p)(q_p - y) & \text{for } q_p > y. \end{cases}$$



Quantile Regression Forecasting



Assessing performance

- Forecasting a full distribution allows facilities managers to better assess risks and take appropriate actions.
- Allows facilities managers to know the severity **and probability** of demand peaks.
- Can immediately assess if a building's performance was good compared to historical performance under similar conditions.

Competitions, conferences and resources

Global Energy Forecasting Competitions

- Organized by Professor Tao Hong (UNC)
- GEFCom 2012: Load, Wind Forecasting
- GEFCom 2014: Load, Price, Wind, Solar Forecasting
- GEFCom 2017: Hierarchical probabilistic forecasts, real-time, rolling origin.
- **gefcom.org**
- Winning entries published in *International Journal of Forecasting*.
- Huge improvements in forecast accuracy over previously published methods.

International Symposium on Energy Analytics 2017

Predictive Energy Analytics in the Big Data World

Proudly sponsored by International Institute of Forecasters

June 22-23, 2017

Cairns, Australia

Featured speakers

- Yannig Goude, Electricite de France, France
- Rob J Hyndman, Monash University, Australia
- Pierre Pinson, Technical University of Denmark, Denmark
- Richard Povinelli, Marquette University, USA
- Rafal Weron, Wroclaw University of Technology, Poland
- Hamidreza Zareipour, University of Calgary, Canada
- Xun Zhang, Chinese Academy of Sciences, China

International Symposium on Forecasting 2017

[HOME](#)[OVERVIEW](#)[PROGRAM](#)[SUBMISSIONS](#)[HOTEL & TRAVEL](#)[FINANCIAL SUPPORT](#)[CONTACT US](#)[REGISTER](#)[SIGN UP FOR OUR MAILING LIST](#)[Join Email List](#)

PROGRAM NEWS

Important 2017 Dates:

28 February	Proposals for invited sessions
28 February	Travel grant applications due
17 March	Abstract submission deadline
31 March	Abstract acceptance/rejection
14 April	Early registration deadline

Share:

37th International Symposium on Forecasting Cairns, Australia | Cairns Convention Centre 25-28 June 2017

The International Symposium on Forecasting (ISF) is the premier forecasting conference, attracting the world's leading forecasting researchers, practitioners, and students. Through a combination of keynote speaker presentations, academic sessions, workshops, and social programs, the ISF provides many excellent opportunities for networking, learning, and fun.

Some resources

Blogs

- robjhyndman.com/hyndsight/
- blog.drhongtao.com/

Some resources

Blogs

- robjhyndman.com/hyndsight/
- blog.drhongtao.com/

Organizations

- International Institute of Forecasters:
forecasters.org
- IEEE Working Group on Energy Forecasting:
[linkedin.com/groups/
IEEE-Working-Group-on-Energy-4148276](http://linkedin.com/groups/IEEE-Working-Group-on-Energy-4148276)

References

References

- Rob J Hyndman and Shu Fan (2010). "Density forecasting for long-term peak electricity demand". *IEEE Transactions on Power Systems* 25(2), 1142–1153.
- Shu Fan and Rob J Hyndman (2012). "Short-term load forecasting based on a semi-parametric additive model". *IEEE Transactions on Power Systems* 27(1), 134–141.
- Souhaib Ben Taieb and Rob J Hyndman (2014). "A gradient boosting approach to the Kaggle load forecasting competition". *International Journal of Forecasting* 30(2), 382–394
- Souhaib Ben Taieb, Raphael Huser, Rob J Hyndman, and Marc G Genton (2015). *Probabilistic time series forecasting with boosted additive models: an application to smart meter data*. Working paper 15/12. Monash University
- Souhaib Ben Taieb, Raphael Huser, Rob J Hyndman, and Marc G Genton (2016). "Forecasting uncertainty in electricity smart meter data by boosting additive quantile regression". *IEEE Transactions on Smart Grid* 7 (5), 2448–2455
- Rob J Hyndman, Alan J Lee, and Earo Wang (2016). "Fast computation of reconciled forecasts for hierarchical and grouped time series". *Computational Statistics & Data Analysis* 97, 16–32.
- Souhaib Ben Taieb, James W Taylor, and Rob J Hyndman (2017). *Coherent Probabilistic Forecasts for Hierarchical Time Series*. Working paper 17/03. Monash University