SCOPE Retrofit Measure Analysis Report

Comprehensive Energy and Financial Analysis

Executive Summary

This report compares total site energy consumption and operational costs between baseline and all applied renovation scenarios from CSV results. The construction cost data is from 2026 RSMeans Database. Since RSMeans Database is proprietary, users can adopt customized cost dataset when needed.

Building Information

- Weather File: USA_NY_Buffalo-Greater.Buffalo.Intl.AP.725280_TMY3.epw
- Building Name: SmallOffice
- Building Location: Buffalo, NY
- Total Floor Area: 511 m^2

Renovation Details by Scenario

Scenario	Renovation Type	Renovation Details
Baseline	baseline	Baseline (no envelope renovation)
Scenario 1	wall + roof + window + door	**Wall upgrade:** • Exterior wall insulation: Blown Mineral Wool, target R-20.4 **Roof upgrade:** • Roof insulation: Blown Mineral Wool, target R-34.5 **Window upgrade:** • 1-pane replacement

		• Weatherstrip application (skipped: no OperableWindow) • Glazing film application: safety film • Caulking application: acrylic • Window frame replacement: wood window frame **Door upgrade:** • Bottom seal: brush weatherstrip • Top/side seal: jamb weatherstrip

Annual Energy Analysis

Scenario	Metric	Baseline	Renovation	Delta	Savings %
Scenario 1	Total Site Energy (GJ)	440.31	402.76	**37.55**	**8.53%**

Key Performance Metrics

Operational Cost Saving (Scenario - Baseline) ($/yr) Comparison

Baseline $18,286

Scenario 1 $17,351

Baseline Scenario 1

Max saving: **$-935 (-5.12%)**

Total Site Energy Saving (Scenario - Baseline) (GJ/yr) Comparison

Baseline 440

Scenario 1 403

Baseline Scenario 1

Max saving: **38 GJ (8.53%)**

Min Retrofit Construction Cost

$111,620

Scenario 1

Lowest Retrofit Cost Payback Period

119 years

Scenario 1

Comparative Visualizations between Renovation Scenarios

Spider Chart Visualization



Payback Period of the Retrofit

Cost Payback Period

Payback = retrofit construction cost / abs(Operational Cost Saving (Scenario - Baseline) ($/yr)).

Scenario 1 119 yrs

Material List

Material properties and consumption by renovation scenario. Missing values are shown as N/A.

Scenario	Component	Material name	Volume (m^3)	Area (m^2)	Thickness (m)	Length (m)	Thermal Conductivity (W/m·K)	Density (kg/m^3)	Product Lifetime (years)
Scenario 1	Wall insulation	Blown Mineral Wool	16	282	N/A	N/A	0.03	90	30

Scenario 1	Roof insulation	Blown Mineral Wool	144	599	0.24	N/A	0.03	90	30
Scenario 1	Window frame	wood window frame	N/A	6.51	N/A	N/A	N/A	N/A	15
Scenario 1	Window caulking	acrylic	0.0034	N/A	N/A	N/A	N/A	N/A	10
Scenario 1	Door bottom sealing	brush weatherst rip	N/A	N/A	N/A	3.66	N/A	N/A	15
Scenario 1	Door top/side sealing	jamb weatherst rip	N/A	N/A	N/A	16	N/A	N/A	15

Result Summary

Per-scenario breakdown: left chart shows retrofit construction cost contribution by measure, right chart shows total site energy by fuel type (electricity, natural gas, and other). Water is excluded from energy breakdown.

Scenario 1

Cost breakdown by retrofit measure



- Wall: $4,448 (4.0%)
- Roof: $23,226 (20.8%)
- Window: $83,350 (74.7%)
- Door: $595 (0.5%)

Total: $111,620

Total Site Energy Breakdown (GJ)



- Electricity: 373.07 GJ (92.6%)
- Natural Gas: 29.69 GJ (7.4%)

Total: 402.76 GJ

Scenario	Retrofit Construction Cost (USD)	Annual Operational Cost (USD)	Total Site Energy (GJ)

Baseline	$0.00	$18,286	440.31
Scenario 1	$111,620	$17,351	402.76

Generated: June 01, 2026 | Report Type: Retrofit Impact Analysis | Run: run_test_017_api