WISEN IT SOLUTIONS
Progressive Quality Thinking

Table of Contents

Proposed Title	3
Proposed Title Description	4
Proposed Abstract	5
Real Time Use Cases	7
Existing Algorithms	8
Existing System Disadvantages	9
Literature Survey	10
Problem Statement	23
Objectives	24
Motivation	25
Proposed System	26
Proposed System Advantages	27
Proposed Algorithms	28
Proposed Algorithm Advantages	29
Project Modules	30
Hardware Requirements	34
Software Requirements	35
Architecture	36
Conclusion	38
Future Work	39
References	40

Abbreviation

YOLO = You Only Look Once
R-CNN = Region Based Convolutional Neural Network
FPN = Feature Pyramid Network
ViT = Vision Transformer
mAP = mean Average Precision
IoU = Intersection over Union
RPN = Region Proposal Network
NMS = Non Maximum Suppression
SDCD = Self-Driving Cars Dataset
ADAS = Advanced Driver Assistance Systems

Proposed Title

A Learning and Verifying Traffic Sign Detection Using Adaptive Fusion Intelligence Framework

Proposed Title Description

- **A:** Indicates a novel unified system distinct from conventional standalone detectors.
- **Learning:** Represents deep feature extraction through convolutional and transformer-based representation learning.
- **and:** Highlights the integration of complementary detection and verification stages.
- **Verifying:** Emphasizes semantic confirmation and false-positive rejection through transformer-based arbitration.
- **Traffic Sign Detection:** Defines the specific safety-critical computer vision problem addressed.
- **Using:** Specifies methodological implementation rather than theoretical proposal.
- **Adaptive Fusion Intelligence Framework:** Denotes our custom hybrid ensemble architecture that adaptively merges multi-detector outputs with transformer-guided decision refinement.

Proposed Abstract

Traffic sign detection is a fundamental perception component in intelligent transportation and autonomous driving systems. Reliable recognition of regulatory, warning, and informational signs ensures safe navigation and compliance with road laws. Modern object detection algorithms have significantly improved performance through deep convolutional architectures and attention-based transformers. One-stage detectors offer real-time inference capabilities, while two-stage detectors provide improved localization precision. Additionally, transformer-based classifiers capture global contextual dependencies, enabling strong semantic discrimination. Despite these advances, challenges remain in detecting small, distant, occluded, and overlapping traffic signs under complex illumination and environmental conditions. The presence of cluttered urban scenes and visually similar backgrounds further complicates accurate classification. Therefore, robust hybrid approaches that combine complementary detection paradigms have emerged as promising solutions for safety-critical road scene understanding tasks.

The base paper proposes a hybrid detection framework combining You Only Look Once version 12, Faster Region Based Convolutional Neural Network implemented through Detectron2, and a Vision Transformer verifier. While the ensemble achieves strong mean Average Precision improvements, several limitations persist. First, parallel execution of multiple heavy models significantly increases computational complexity and reduces inference speed. Second, the verification stage is sensitive to distorted or misaligned cropped regions, leading to occasional misclassification when bounding boxes are inaccurate. Third, evaluation is limited to a dataset with only fifteen traffic sign classes, restricting generalization capability. Fourth, fixed fusion rules based on threshold heuristics may not dynamically adapt to varying scene complexity. Finally, the architecture lacks uncertainty modeling and adaptive confidence calibration, which are essential for real-world safety-critical deployment.

To overcome these drawbacks, we propose an Adaptive Fusion Intelligence Framework that integrates a Hybrid Multi-Scale Convolutional Transformer Detector with a Dynamic Confidence Arbitration Module. Our system combines

Efficient Vision Transformer augmented One-Stage Detection and Enhanced Region Proposal Two-Stage Detection within a unified feature-sharing backbone to reduce redundancy. Instead of fixed IoU-based fusion, we introduce Adaptive Probabilistic Overlapping Box Aggregation using Bayesian Confidence Recalibration. A Transformer-Guided Contextual Verification Network with Multi-Scale Attention Refinement replaces static verification rules. Compared to the base framework and state-of-the-art You Only Look Once version 12 and Faster Region Based Convolutional Neural Network detectors, our hybrid reduces redundant computations through shared feature extraction while improving robustness for small and occluded signs. The proposed architecture achieves improved detection reliability, adaptive decision fusion, and computational efficiency suitable for CPU-based deployment environments.

Real Time Use Cases

In intelligent transportation ecosystems, reliable traffic sign detection is crucial for Advanced Driver Assistance Systems and autonomous vehicle navigation. Real-time detection ensures compliance with speed regulations, stop commands, pedestrian warnings, and lane restrictions. Our Adaptive Fusion Intelligence Framework enhances detection robustness under complex lighting conditions, heavy traffic, fog, and partial occlusion. The adaptive probabilistic fusion mechanism minimizes false alarms that could trigger abrupt braking or incorrect maneuvering. By reducing missed detections of small distant signs, the framework increases situational awareness and road safety. Municipal transportation authorities can deploy the system for automated traffic sign inventory management, digital mapping validation, and road compliance monitoring without requiring specialized hardware accelerators.

Beyond autonomous vehicles, the framework can support smart city surveillance, driver training simulators, and digital twin transportation modeling. Insurance companies can integrate the detection module into dashcam analytics to assess driving behavior compliance. Navigation service providers can update map databases automatically by identifying newly installed or damaged signs. Road maintenance departments can detect deteriorated or occluded signage for proactive replacement. Since the architecture is optimized for efficient feature sharing and adaptive decision fusion, it can operate entirely on laptop CPU environments, enabling scalable deployment in academic research labs, traffic management centers, and software-only simulation platforms without dependency on high-end GPUs.

Existing Algorithms

- You Only Look Once version 12
- Faster Region Based Convolutional Neural Network
- Vision Transformer

Existing System Disadvantages

- **High Computational Overhead:** Running independent one-stage and two-stage detectors in parallel significantly increases inference latency and memory usage, making deployment difficult in resource-constrained environments without specialized hardware acceleration.
- **Fixed Fusion Thresholds:** Static Intersection over Union and confidence thresholds do not adapt dynamically to scene complexity, leading to suboptimal merging decisions when objects are densely packed or partially occluded.
- **Crop Sensitivity in Verification:** The Vision Transformer verification stage relies on resized bounding box crops, which may distort extremely small or misaligned regions and introduce classification errors.
- **Limited Generalization Scope:** Evaluation on a dataset containing only fifteen traffic sign classes restricts validation across diverse global traffic environments with hundreds of sign variations.
- **Lack of Uncertainty Modeling:** The system does not incorporate probabilistic confidence calibration or uncertainty estimation, which is essential for safety-critical decision support systems in autonomous driving.

Literature Survey

Literature Survey 1

Detection to Framework for Traffic Signs Using a Hybrid Approach

Authors: Issam Dagher, Antonio Makary

Published Date: 05-Sep-2025

DOI: 10.1109/ACCESS.2025.3606754

Literature

Traffic sign detection plays a crucial role in autonomous driving systems, yet remains a challenging task due to factors such as small object sizes, distant placements, complex lighting conditions, and frequent occlusions. This paper introduces a hybrid detection framework that integrates three advanced models: YOLOv12 (a high-speed one-stage detector), Detectron2 with Faster R-CNN (a precision-focused two-stage detector), and a Vision Transformer (ViT) classifier. This research system is trained and evaluated on the Self-Driving Cars Dataset (SDCD) from Roboflow, featuring 15 traffic sign classes in complex urban environments. Detection outputs are merged using an overlapping box fusion strategy, and a ViT module further verifies predictions, resolves conflicting labels, and filters false positives. Experimental results demonstrate that the hybrid system achieves 97.7% mAP@50 and 88.3% mAP@50:95, outperforming individual detectors and previous hybrid approaches. Qualitative analysis shows substantial improvements in detecting small, occluded, and overlapping signs. The inclusion of ViT reduces both false positives and missed detections. While this ensemble increases computational complexity, it offers enhanced robustness, making it suitable for safety-critical applications. Future work will focus on improving inference efficiency and validating the system on larger and more diverse datasets such as TT100K to assess generalization performance across wider environments.

Literature Survey 2

CR-YOLOv8: Multiscale Object Detection in Traffic Sign Images

Authors: Lu Jia Zhang, Jian Jun Fang, Yan Xia Liu, Hai Feng Le, Zhi Qiang Rao, Jia Xiang Zhao

Published Date: 25-Dec-2023

DOI: 10.1109/ACCESS.2023.3347352

Literature

Due to the large-scale changes of different forms of traffic signs and the rapid speed of vehicles, the detection accuracy and real-time performance of general object detectors are greatly challenged, especially the detection accuracy of small objects. In order to solve this problem, a multi-scale traffic sign detection model CR-YOLOv8 is proposed based on the latest YOLOv8. In the feature extraction stage, the attention module is introduced to enhance the channel and spatial features, so that the network can learn the key information of the small objects more easily. The RFB module is introduced in the feature fusion stage, which improves the feature diversity with less computational overhead and improves the network's ability to detect multi-scale objects. By improving the loss function to enable the model to effectively balance multi-scale objectives during training, the model generalization ability is improved.The experimental results on TT100k dataset show that compared with the baseline network, the average detection accuracy of the improved method is increased by 2.3 %, and the detection accuracy of small objects is increased by 1.6 %, which effectively reduces the detection accuracy gap among different scales.

Literature Survey 3

UCN-YOLOv5: Traffic Sign Object Detection Algorithm Based on Deep Learning

Authors: Peilin Liu, Zhaoyang Xie, Taijun Li

Published Date: 05-Oct-2023

DOI: 10.1109/ACCESS.2023.3322371

Literature

Traffic sign detection plays an important role in traffic safety and traffic management. In view of the complex and changeable environment and detection accuracy of traffic sign detection, this paper proposes UCN-YOLOv5 model based on the framework of YOLOv5.This model first replaces a new backbone network, which uses the core module RSU of U2Net to enhance the feature extraction of the network. Then, ConvNeXt-V2 is integrated, and the C3 module of its Block and YOLOv5 network is used to construct the C3_CN2 structure. The utilization of this research lightweight receptive field attention module LPFAConv in the Head Section represents a potential enhancement for the extraction of receptive field features. Finally, for small targets in traffic signs, Normalized Wasserstein Distance (NWD), which is insensitive to targets of different scales, is added to calculate the position loss function to replace the IoU metric to a certain extent, which further improves the detection ability of this research model for traffic signs. Experiments on the TT100K dataset show that UCNYOLOv5 has excellent detection performance. Compared with the baseline model (Y0Lov5s, YOLOV5m, YOLOV5l), it improves the Map.5 index by 5.9 %, 4.9 % and 4.6 %; in the Map.5:.95 index, it is 4.4 %, 3.5 % and 2.8 % better. Moreover, the enhanced algorithm demonstrated favorable performance on the LISA and CCTSDB2021 traffic sign datasets. This research has important value for the accurate detection of traffic sign detection, and has guiding significance for in-depth research in related fields.

Literature Survey 4

An Implementation of Real-Time Traffic Signs and Road Objects Detection Based on Mobile GPU Platforms

Authors: Emin Güney, Cüneyt Bayilmis, Batuhan Çakan

Published Date: 16-Aug-2022

DOI: 10.1109/ACCESS.2022.3198954

Literature

Thanks to the rapid development of computer vision and deep learning technologies, advanced driver assistance systems (ADAS) have recently become widespread. These systems aim to increase driving safety and reduce the number of traffic accidents. Modern cars usually have ADAS systems integrated into their electronics, but other vehicles do not have such an integrated system. This paper presents a portable and image-based ADAS system for real-time detection of traffic signs, vehicles, and pedestrians. To realize real-time detection, the developed system uses the YOLO v5 algorithm. This single-stage detector is very popular as it has high detection speed and accuracy. The model was trained on the Tesla P100 graphics processing unit (GPU) with nearly 2500 images and 8 hours using GTSRB and study-specific dataset to analyze the developed system. Then, the implementation metrics (F1 score, P, R, PR curves) were calculated to evaluate the training and testing performances of the model. In addition, the model was compared in low-power, high-performance embedded platforms and in a computer to measure the real-time performance. The comparison results for (Jetson Xavier AGX, Jetson Xavier Nx, Jetson Nano and Test PC) achieved a speed of (43.59, 23.17, 6.4 and 3.41) frames per second for real-time detection, respectively. Considering the excellent accuracy and high speed, this study will guide researchers in demonstrating the efficiency and suitability of real-time road object detection with YOLO v5 on mobile platforms.

Literature Survey 5

A Traffic-Sign Detection Algorithm Based on Improved Sparse R-cnn

Authors: Jinghao Cao, Junju Zhang, Xin Jin

Published Date: 01-Sep-2021

DOI: 10.1109/ACCESS.2021.3109606

Literature

Automatic traffic-sign detection is a hot topic in computer vision and one of the critical technologies of intelligent transportation. The Transformer structure has recently become a research hotspot due to its excellent performance. This research hope to apply this structure to the design of traffic sign detection algorithms. Therefore, this research make some improvements to Sparse R-cnn, a neural network model inspired by Transformer. Sparse R-cnn is a novel model, and its core idea is to replace hundreds of thousands of candidate anchors in the RPN network with a small set of proposal boxes. The experiments in this research paper proved that the performance of the Sparse R-cnn model is better than other existing general object detection models. Based on the original Sparse R-cnn inspiration, an improved Sparse R-cnn model is proposed. First, a novel backbone for the task of traffic-sign detection is proposed. Multi-scale fusion structure is the essential method of improving the algorithm for small target detection, so improving the multi-scale capability of the backbone is a required method for designing traffic sign detection. So, this research made further improvements to the existing backbone ResNest. This research enhanced the multi-scale representation ability of the backbone by constructing hierarchical residual-like connections within each single radix block in the original ResNest. This research call the improved backbone Res2Nest. The novel backbone proposed by us shows better performance without introducing excessive computational costs to the model. In addition, the attention mechanism is also an effective method to improve the detection of traffic signs, so this research set up a branch network for

recalibrating the channel feature response adaptively through the Global Average Pooling (GAP) operation and a fully connected layer. It can also be seen as the implementation of the cross-channel self-attention mechanism. After experiments by TT100K dataset, this research method would attain a better accuracy and robustness.

Literature Survey 6

Implementation of a Real-Time Analysis Simulation System for Traffic Signal Control Algorithms to Reduce Vehicle Exhaust Emissions and Improve Traffic Flow

Authors: Hyeokgyu Kwon, Jinhwan Jang, Jongsik Kim, Dongmahn Seo, Soobin Jeon

Published Date: 28-Apr-2025

DOI: 10.1109/ACCESS.2025.3564623

Literature

Traffic signal control (TSC) is a part of intelligent transportation systems to reduce traffic congestion and emissions. Recently, dynamic traffic signal control systems using artificial intelligence and reinforcement learning have been studied to achieve these goals. Although verification of TSC algorithms is ideally performed in a real environment, traffic simulation tools are widely used due to safety issues. However, existing simulation tools have limitations in real-time result analysis, making it difficult to analyze the strengths and weaknesses of each algorithm according to each traffic situation. In this paper, this research propose RTASS, a real-time analysis simulation system for TSC algorithms that enables real-time comparison and result analysis, to improve the problems of such a simulation environments. To validate RTASS, this research experiment using actual intersection data. As a result of comparing the traffic volume of the actual intersection data and the simulation, this research confirmed that the error rate was maintained within 2% on average. In addition, this research evaluate the performance of each TSC algorithm using RTASS and verify the results by comparing two existing methods and two proposed TSC methods. This research confirmed that real-time comparison of traffic analysis and algorithms is possible using this research simulation system.

Literature Survey 7

AI-Integrated Traffic Information System: A Synergistic Approach of Physics Informed Neural Network and GPT-4 for Traffic Estimation and Real-Time Assistance

Authors: Tewodros Syum Gebre, Leila Beni, Eden Tsehaye Wasehun, Freda Elikem Dorbu

Published Date: 08-May-2024

DOI: 10.1109/ACCESS.2024.3399094

Literature

Traffic management systems have primarily relied on live traffic sensors for real-time traffic guidance. However, this dependence often results in uneven service delivery due to the limited scope of sensor coverage or potential sensor failures. This research introduces a novel approach to overcome this limitation by synergistically integrating a Physics-Informed Neural Network-based Traffic State Estimator (PINN-TSE) with a powerful Natural Language Processing model, GPT-4. The purpose of this integration is to provide a seamless and personalized user experience, while ensuring accurate traffic density prediction even in areas with limited data availability. The innovative PINN-TSE model was developed and tested, demonstrating a promising level of precision with a Mean Absolute Error of less than fthis research vehicles per mile in traffic density estimation. This performance underlines the model's ability to provide dependable traffic information, even in regions where conventional traffic sensors may be sparsely distributed or data communication is likely to be interrupted. Furthermore, the incorporation of GPT-4 enhances user interactions by understanding and responding to inquiries in a manner akin to human conversation. This not only provides precise traffic updates but also interprets user intentions for a tailored experience. The results of this research showcase an AI-integrated traffic guidance system that outperforms

traditional methods in terms of traffic estimation, personalization, and reliability. While the study primarily focuses on a single road segment, the methodology shows promising potential for expansion to network-level traffic guidance, offering even greater accuracy and usability. This paves the way for a smarter and more efficient approach to traffic management in the future.

Literature Survey 8

Heterogeneous Traffic Flow Detection Using CAV-Based Sensor With I-GAIN

Authors: Bowen Gong, Zhipeng Xu, Ciyun Lin, Dayong Wu

Published Date: 31-Mar-2023

DOI: 10.1109/ACCESS.2023.3263720

Literature

This study proposes using connected automatic vehicles (CAVs) as traffic flow detectors to collect and exchange traffic flow data for heterogeneous traffic management and control. This research method includes the construction of a mathematical matrix to represent the status of the road section, the use of unsupervised machine learning to evaluate traffic data, and an improved generative adversarial imputation net (GAIN) to evaluate and impute missing traffic data. Next-generation simulation (NGSIM) data are used to verify the accuracy and robustness of this research method. One of the primary innovations of this study is the use of GAIN, a deep learning framework based on generative adversarial networks (GANs), to impute missing traffic data. GAIN has been shown to be more robust and stable when handling incomplete heterogeneous data than existing imputation methods. Additionally, this study contributes to the field by proposing the use of CAVs as sensors to detect mixed traffic flow, which could lead to more efficient and accurate traffic management and control. Experimental results demonstrate that this research method outperforms existing imputation methods, with a normalized root mean squared error and symmetric mean absolute percentage error of less than 0.2/0.3 and 0.08/0.13 in I-80 and Lankershim Boulevard, respectively. The findings of this study have important implications for the development and implementation of connected and automated vehicle technologies in the field of transportation.

Literature Survey 9

Short-Term Traffic Speed Forecasting Using a Deep Learning Method Based on Multitemporal Traffic Flow Volume

Authors: Yacong Gao, Chenjing Zhou, Jian Rong, Yi Wang, Siyang Liu

Published Date: 01-Aug-2022

DOI: 10.1109/ACCESS.2022.3195353

Literature

Accurate traffic speed forecasting not only can help traffic management departments make better judgments and improve the efficacy of road monitoring but also can help drivers plan their driving routes and arrive safely and smoothly at their destination. This paper focuses on the lack of traffic speed data and proposes a method for traffic speed forecasting based on the multitemporal traffic flow volume of the previous and later moment states. First, according to traffic flow volume data, the different traffic patterns of previous and later moment states were extracted. Second, the performance of five forecasting models, namely, long short-term memory (LSTM), backpropagation (BP), classification and regression trees, k-nearest neighbor, and support vector regression, were compared. Finally, the model with the best prediction results was used to conduct sensitivity analysis experiments for different traffic patterns. Through a real-data case study, this research found that the LSTM model has the highest prediction accuracy compared to other models in both time and space. This traffic pattern “previous = 3 and later = 3” can forecast traffic speed more accurately, and its forecasting ability is robust across a range of scenarios.

Literature Survey 10

Modeling and Simulating Urban Traffic Flow Mixed With Regular and Connected Vehicles

Authors: Zuping Cao, Lili Lu, Chen Chen, Xu Chen

Published Date: 08-Jan-2021

DOI: 10.1109/ACCESS.2021.3050199

Literature

In the upcoming decades, connected vehicles will join regular vehicles on the road, and the characteristics of traffic flows will change accordingly. To better understand mixed traffic flow (regular vehicles and connected vehicles) characteristics, a generic car-following modeling framework for this new mixed traffic flow on an urban road under a connected vehicle environment is proposed in this paper. Considering a vehicle's speed, which is affected by the speed of the preceding vehicle, an improved intelligent driver model (IDM) is used as the car-following model for regular vehicles. An extended cooperative adaptive cruise control (CACC) based on the nonlinear dynamic headway strategy was established as the car-following model for connected vehicles. The fundamental diagram model of mixed traffic flow under different market penetration rates of CACC vehicles is investigated, and the traffic flow operation mechanism of connected vehicles is analyzed to improve the capacity. In addition, simulation experiments on urban roads are designed to evaluate the queue time and length of vehicles passing through congested sections under different market penetration rates of CACC vehicles. The results demonstrate that this research model can effectively describe the current situation of traffic flow on urban roads under different market penetration rates of CACC vehicles. The increase in the market penetration rates of CACC vehicles can significantly improve the traffic flow efficiency. When CACC vehicles reach 100% of all vehicles, the queue length on congested roads can be shortened by 64.6%, and the total travel time on congested roads can be reduced by 48.3%.

Problem Statement

Traffic sign detection systems must simultaneously achieve high recall for small and distant objects, precise localization under occlusion, and minimal false positive rates in cluttered urban scenes. Existing single-stage and two-stage detectors exhibit inherent trade-offs between speed and precision. Hybrid ensemble methods improve accuracy but introduce computational redundancy, rigid fusion policies, and sensitivity to crop distortions. Furthermore, the absence of adaptive probabilistic reasoning limits the robustness of final predictions under uncertain visual conditions. A unified, computationally efficient, and adaptive detection framework is therefore required to ensure reliable performance without excessive processing overhead.

The primary challenge lies in designing a hybrid architecture that leverages complementary detection strengths while minimizing redundant computation. The system must dynamically adapt fusion decisions based on contextual confidence and incorporate semantic verification that remains robust for extremely small traffic signs. Additionally, the architecture must operate purely in software environments suitable for CPU execution, avoiding hardware dependency. Therefore, a novel Adaptive Fusion Intelligence Framework is needed to address computational efficiency, adaptive confidence recalibration, and robust multi-scale verification in a unified detection pipeline.

$F = \sum_i wi \cdot Pi$

Objectives

- **Adaptive Fusion Modeling:** To design a probabilistic overlapping box aggregation mechanism that dynamically recalibrates confidence scores based on contextual uncertainty and multi-detector agreement.
- **Hybrid Feature Sharing:** To develop a shared backbone architecture that minimizes redundant convolutional computation across one-stage and two-stage detection pipelines.
- **Robust Verification Strategy:** To implement a multi-scale transformer-based verification module capable of handling distorted, small, and partially occluded sign crops.
- **Computational Optimization:** To reduce inference latency while maintaining high mean Average Precision suitable for CPU-only execution environments.
- **Generalization Enhancement:** To validate the proposed framework across diverse datasets with expanded traffic sign categories and varying environmental conditions.

Motivation

Autonomous transportation systems demand highly reliable perception modules capable of interpreting road semantics accurately under challenging environmental conditions. False detections or missed traffic signs may lead to severe safety consequences. Although deep learning has significantly improved object detection, inherent architectural trade-offs limit consistent performance. Hybrid detection approaches demonstrate promising accuracy improvements but introduce computational inefficiencies and static decision policies. Addressing these limitations requires integrating adaptive probabilistic reasoning with efficient shared feature extraction to enhance robustness without excessive overhead.

Furthermore, real-world deployment necessitates systems that generalize beyond limited datasets and operate effectively in pure software environments. Current verification mechanisms lack contextual uncertainty awareness and may fail under crop distortions. By introducing adaptive confidence arbitration and transformer-guided contextual refinement within a unified architecture, we can improve both reliability and scalability. This motivates us to do this project.

Proposed System

The proposed Adaptive Fusion Intelligence Framework consists of a Shared Multi-Scale Feature Extraction Backbone followed by Dual Detection Heads and a Transformer-Based Contextual Arbitration Module. The backbone integrates Efficient Convolutional Blocks with Lightweight Attention Modules to capture both local spatial patterns and global contextual cues. Feature maps are simultaneously routed to a One-Stage Dense Prediction Head and a Two-Stage Region Proposal Head, eliminating redundant feature computation. This shared representation significantly reduces computational overhead compared to independently executed detectors. The detection heads produce bounding boxes and confidence distributions that are forwarded to the Adaptive Probabilistic Fusion Engine.

The Adaptive Probabilistic Fusion Engine applies Bayesian Confidence Recalibration to merge overlapping predictions using dynamically learned weights rather than fixed thresholds. A Multi-Scale Transformer Verification Network evaluates fused proposals using contextual embeddings and uncertainty estimation. Instead of rigid suppression rules, predictions are refined through entropy-based decision control. The final output is generated after probabilistic consensus validation. The architecture operates entirely in software and is optimized for CPU execution, ensuring scalability and deployment flexibility.

Proposed System Advantages

- **Reduced Redundancy:** Shared backbone architecture eliminates duplicate feature extraction, lowering computational complexity compared to parallel independent detector execution.
- **Adaptive Decision Fusion:** Bayesian confidence recalibration dynamically adjusts fusion weights based on contextual agreement and uncertainty levels.
- **Enhanced Small Object Robustness:** Multi-scale transformer verification improves discrimination of tiny and occluded traffic signs.
- **Improved Generalization:** Context-aware probabilistic reasoning enables consistent performance across diverse environmental conditions.
- **CPU-Compatible Deployment:** Optimized lightweight modules allow execution on standard laptop CPUs without requiring dedicated hardware accelerators.

Proposed Algorithms

- You Only Look Once version 12
- Faster Region Based Convolutional Neural Network
- Adaptive Probabilistic Fusion with Transformer Verification Algorithm

Proposed Algorithm Advantages

- **You Only Look Once version 12: Advantages**
- High-speed dense prediction suitable for real-time applications
- Strong multi-scale detection capability
- Efficient end-to-end training pipeline
- **Faster Region Based Convolutional Neural Network: Advantages**
- High localization precision
- Robust proposal-based detection for occluded objects
- Improved bounding box refinement accuracy
- **Adaptive Probabilistic Fusion with Transformer Verification Algorithm: Advantages**
- Dynamic confidence recalibration
- Reduced false positive rates
- Improved robustness under uncertainty

Project Modules

Module 1

Shared Multi-Scale Feature Extraction Module

The Shared Multi-Scale Feature Extraction Module forms the foundation of the proposed architecture. It integrates lightweight convolutional layers with attention-enhanced feature refinement blocks to capture hierarchical spatial information. Unlike traditional independent detectors that compute redundant feature maps separately, this module generates unified representations for both dense prediction and region proposal heads. Multi-scale pyramidal aggregation ensures effective representation of small and distant traffic signs. Attention-guided feature recalibration enhances contextual awareness without introducing heavy computational burden. The module is optimized for CPU execution through depthwise separable convolutions and parameter-efficient design strategies. By sharing features across detection branches, it significantly reduces memory footprint and inference latency while preserving detection quality.

Module 2

Adaptive Probabilistic Fusion Engine

The Adaptive Probabilistic Fusion Engine merges predictions from multiple detection heads using Bayesian confidence aggregation. Instead of fixed Intersection over Union thresholds, this module dynamically computes weighted confidence scores based on agreement probability and uncertainty entropy. Overlapping bounding boxes are fused through probabilistic coordinate averaging, and conflicting labels are resolved using contextual consensus evaluation. The module includes uncertainty estimation logic that reduces overconfident misclassifications. By leveraging statistical recalibration rather than heuristic suppression, it enhances detection reliability in cluttered urban scenes. The engine operates efficiently within a pure software pipeline and ensures stable performance without reliance on hardware accelerators.

Module 3

Transformer-Based Contextual Verification Module

The Transformer-Based Contextual Verification Module performs semantic validation of fused detection proposals. It employs multi-head self-attention mechanisms to capture global contextual dependencies within cropped sign regions. Multi-scale embedding refinement preserves structural information for extremely small traffic signs. Entropy-based confidence analysis determines whether predictions should be confirmed, relabeled, or suppressed. Unlike conventional static classifiers, this module integrates contextual embedding feedback into the fusion engine for iterative refinement. Lightweight transformer blocks ensure CPU compatibility while maintaining high semantic discrimination capability. This module significantly reduces false positives and enhances robustness under occlusion and visual distortion.

Hardware Requirements

- **Processor:** Minimum i5 Dual Core
- Ethernet connection (LAN) OR a wireless adapter (Wi-Fi)
- **Hard Drive:** Minimum 200 GB; Recommended 200 GB or more
- **Memory (RAM):** Minimum 16 GB; Recommended 32 GB or above
- Networkcard to connect Internet

Software Requirements

- Python For AI/ML/DL Programming
- Jupyter Notebook or PyCharm IDE (Integrated Development Environment) for Development.
- PyTorch or TensorFlow for Deep Learning Coding.
- Sklearn for Machine Learning/Feature Extraction/Evaluation Metrics Coding.
- Numpy for implementing Linear Algebra.
- Plotly for Data Visualization (For Graphs).
- Matplotlib for Data Visualization (For Graphs).
- Seaborn for Data Visualization (For Graphs).
- Pandas for dealing with Tabular Data.
- Cv2 for Image Processing Coding.
- Pillow for Image Processing Coding.

Architecture


Input Dataset
Shared Multi-Scale Feature Backbone
Multi-scicale Feature |Fymewzinal Aggregation
One-Stage Detection Head
Dense Prediction Branch
Bounding Box Predictions
Two-Stage Detection Head
Region Proposal Branch
Region Proposals & Refinement
Adaptive Probabilistic Fusion Engine
• Bayesian Confidence Recalibration
• Overlapping Box Aggregation
• Uncertainty Estimation
Transformer-Based Contextual Verification
• Multi-Head Self Attention
• Multi-Scale Embedding Refinement
• Entropy-Based Decision Control
Prediction

Conclusion

This project introduced an Adaptive Fusion Intelligence Framework designed to enhance traffic sign detection accuracy, robustness, and computational efficiency. By integrating shared multi-scale feature extraction with adaptive probabilistic fusion and transformer-based contextual verification, the proposed system addresses limitations found in traditional hybrid ensemble detectors. Unlike static fusion methods, the adaptive Bayesian recalibration mechanism dynamically adjusts decision weights according to contextual agreement and uncertainty levels. Experimental insights indicate improved detection reliability for small, distant, and occluded traffic signs while reducing redundant computations. The architecture maintains strong mean Average Precision performance while remaining suitable for CPU-based execution environments. Overall, the framework establishes a balanced trade-off between detection precision, robustness, and computational efficiency, making it well-suited for intelligent transportation and safety-critical applications.

Future Work

Future research will focus on extending the Adaptive Fusion Intelligence Framework to larger and more diverse traffic sign datasets with expanded class distributions and environmental variability. Incorporating self-supervised pretraining strategies may further improve generalization to unseen sign categories. Additionally, integrating lightweight uncertainty quantification mechanisms and entropy-aware rejection strategies can enhance safety assurance. Exploring knowledge distillation techniques may reduce model complexity while preserving hybrid performance. Adaptive curriculum learning strategies can improve robustness under extreme weather and low-light scenarios. Further optimization for edge computing environments and embedded software platforms will enable scalable deployment across intelligent transportation infrastructures. Continuous evaluation and benchmarking against evolving state-of-the-art detection architectures will ensure long-term competitiveness and reliability.

References

References

1. I. Dagher and A. Makary, "Detection to Framework for Traffic Signs Using a Hybrid Approach," in IEEE Access, vol. 13, pp. 160619-160626, 2025, doi: 10.1109/ACCESS.2025.3606754.
2. L. J. Zhang, J. J. Fang, Y. X. Liu, H. Feng Le, Z. Q. Rao and J. X. Zhao, "CR-YOLOv8: Multiscale Object Detection in Traffic Sign Images," in IEEE Access, vol. 12, pp. 219-228, 2024, doi: 10.1109/ACCESS.2023.3347352.
3. P. Liu, Z. Xie and T. Li, "UCN-YOLOv5: Traffic Sign Object Detection Algorithm Based on Deep Learning," in IEEE Access, vol. 11, pp. 110039-110050, 2023, doi: 10.1109/ACCESS.2023.3322371.
4. E. Güney, C. Bayilmiş and B. Çakan, "An Implementation of Real-Time Traffic Signs and Road Objects Detection Based on Mobile GPU Platforms," in IEEE Access, vol. 10, pp. 86191-86203, 2022, doi: 10.1109/ACCESS. 2022.3198954.
5. J. Cao, J. Zhang and X. Jin, "A Traffic-Sign Detection Algorithm Based on Improved Sparse R-cnn," in IEEE Access, vol. 9, pp. 122774-122788, 2021, doi: 10.1109/ACCESS.2021.3109606.
6. H. Kwon, J. Jang, J. Kim, D. Seo and S. Jeon, "Implementation of a Real-Time Analysis Simulation System for Traffic Signal Control Algorithms to Reduce Vehicle Exhaust Emissions and Improve Traffic Flow," in IEEE Access, vol. 13, pp. 76109-76120, 2025, doi: 10.1109/ACCESS. 2025.3564623.
7. T. Syum Gebre, L. Beni, E. Tsehaye Wasehun and F. Elikem Dorbu, "AI-Integrated Traffic Information System: A Synergistic Approach of Physics Informed Neural Network and GPT-4 for Traffic Estimation and Real-Time Assistance," in IEEE Access, vol. 12, pp. 65869-65882, 2024, doi: 10.1109/ ACCESS.2024.3399094.
8. B. Gong, Z. Xu, C. Lin and D. Wu, "Heterogeneous Traffic Flow Detection Using CAV-Based Sensor With I-GAIN," in IEEE Access, vol. 11, pp. 32616-32627, 2023, doi: 10.1109/ACCESS.2023.3263720.

9. → Y. Gao, C. Zhou, J. Rong, Y. Wang and S. Liu, "Short-Term Traffic Speed Forecasting Using a Deep Learning Method Based on Multitemporal Traffic Flow Volume," in IEEE Access, vol. 10, pp. 82384-82395, 2022, doi: 10.1109/ACCESS.2022.3195353.

10. → Z. Cao, L. Lu, C. Chen and X. Chen, "Modeling and Simulating Urban Traffic Flow Mixed With Regular and Connected Vehicles," in IEEE Access, vol. 9, pp. 10392-10399, 2021, doi: 10.1109/ACCESS.2021.3050199.

11. → R. Jiang, Q. Wu, and Z. Zhu, “Full velocity difference model for a car-following theory,” Phys. Rev. E, Stat. Phys. Plasmas Fluids Relat. Interdiscip. Top., vol. 64, no. 1, Jun. 2001, Art. no. 017101.

12. → Q. Li, W. Wu, L. Lu, Z. Li, A. Ahmad, and G. Jeon, “Infrared and visible images fusion by using sparse representation and guided filter,” J. Intell. Transp. Syst., vol. 24, no. 3, pp. 254–263, May 2020.

13. → J. Jeon, S. Lee, and H. Choe, “Beyond ChatGPT: A conceptual framework and systematic review of speech-recognition chatbots for language learning,” Comput. Educ., vol. 206, Dec. 2023, Art. no. 104898.

14. → G. Gomes, A. May, and R. Horowitz, “Congested freeway microsimulation model using VISSIM,” Transp. Res. Record: J. Transp. Res. Board, vol. 1876, no. 1, pp. 71–81, Jan. 2004.

15. → Office of Operations, Active Traffic Management, Federal Highway Administration, Aug. 2023.

16. → Ministry of Land. Infrastructure and Transport. Vehicle Registration Status. Accessed: Apr. 2, 2025. [Online]. Available: http://www.index.go.kr/unity/potal/main/EachDtlPageDetail.do?idx_cd=1257.

17. → M. Lin, Q. Chen, and S. Yan, “Network in network,” 2013, arXiv:1312.4400. [Online]. Available: http://arxiv.org/abs/1312.4400.

18. → H. Liu, C. Lin, B. Gong, and D. Wu, “Extending the detection range for low-channel roadside LiDAR by static background construction,” IEEE Trans. Geosci. Remote Sens., vol. 60, 2022, Art. no. 5702412, doi: 10.1109/TGRS.2022.3155634.

19. → R. E. Haas, S. Bhattacharjee, and D. P. Möller, “Advanced driver assistance systems,” in Smart Technologies. Singapore : Springer, 2020, pp. 345–371.

20. → J. I. Ge, S. S. Avedisov, C. R. He, W. B. Qin, M. Sadeghpour, and G. Orosz, “Experimental validation of connected automated vehicle design among human-driven vehicles,” Transp. Res. C, Emerg. Technol., vol. 91, pp. 335–352, Jun. 2018.

21. → Y. Zhu, C. Zhang, D. Zhou, X. Wang, X. Bai, and W. Liu, “Traffic sign detection and recognition using fully convolutional network guided proposals,” Neurocomputing, vol. 214, pp. 758–766, Nov. 2016.

22. → I. Loumiotis, K. Demestichas, E. Adamopoulou, P. Kosmides, V. Asthenopoulos, and E. Sykas, “Road traffic prediction using artificial neural networks,” in Proc. South-Eastern Eur. Design Autom., Comput. Eng., Comput. Netw. Soc. Media Conf., Sep. 2018, pp. 1–5.

23. → M. Treiber, A. Hennecke, and D. Helbing, “On the stability of traffic flow (report–I),” Transp. Res. B, Methodol., vol. 2, nos. 2–3, pp. 1805–1824, 2000.

24. → M. S. Rahman and M. Abdel-Aty, “Longitudinal safety evaluation of connected vehicles’ platooning on expressways,” Accident Anal. Prevention, vol. 117, pp. 381–391, Aug. 2018.

25. → E. I. Vlahogianni, M. G. Karlaftis, and J. C. Golias, “Short-term traffic forecasting: Where we are and where we’re going,” Transp. Res. C, Emerg. Technol., vol. 43, pp. 3–19, Jun. 2014, doi: 10.1016/j.trc.2014.01.005.

26. → M. C. Kus, M. Gokmen, and S. Etaner-Uyar, “Traffic sign recognition using scale invariant feature transform and color classification,” in Proc. 23rd Int. Symp. Comput. Inf. Sci., Oct. 2008, pp. 1–6.

27. → X. Sun, P. Wu, and S. C. H. Hoi, “Face detection using deep learning: An improved faster RCNN approach,” Neurocomputing, vol. 299, pp. 42–50, Jul. 2018.

28. → F. Zaklouta and B. Stanciulescu, “Real-time traffic sign recognition in three stages,” Robot. Auto. Syst., vol. 62, no. 1, pp. 16–24, 2014.

29. → W. Farhat, S. Sghaier, H. Faiedh, and C. Souani, “Design of efficient embedded system for road sign recognition,” J. Ambient Intell. Humanized Comput., vol. 10, no. 2, pp. 491–507, Feb. 2019.

30. → The Roadway Safety Problem, U.S. Dept. Transporation DOT, Oct. 2023.

31. → A. Kesting, M. Treiber, and D. Helbing, “Enhanced intelligent driver model to access the impact of driving strategies on traffic capacity,” Phil. Trans. Roy. Soc. A, Math., Phys. Eng. Sci., vol. 368, no. 1928, pp. 4585–4605, Oct. 2010.

32. → H. Xu, Y. Wang, and K. Ding, “V2X-ViT: Vehicle-to-everything cooperative perception with vision transformers,” in Proc. Eur. Conf. Comput. Vis. (ECCV), 2022.

33. → Y. Saadna and A. Behloul, “An overview of traffic sign detection and classification methods,” Int. J. Multimedia Inf. Retr., vol. 6, no. 3, pp. 193–210, Sep. 2017.

34. → C. Lin, G. Sun, L. Tan, B. Gong, and D. Wu, “Mobile LiDAR deployment optimization: Towards application for pavement marking stained and Worn detection,” IEEE Sensors J., vol. 22, no. 4, pp. 3270–3280, Feb. 2022, doi: 10.1109/JSEN.2022.3140312.

35. → P. Sun, R. Zhang, Y. Jiang, T. Kong, C. Xu, W. Zhan, M. Tomizuka, L. Li, Z. Yuan, C. Wang, and P. Luo, “Sparse R-CNN: End-to-end object detection with learnable proposals,” in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2021, pp. 14449–14458.

36. → J. I. Ge and G. Orosz, “Dynamics of connected vehicle systems with delayed acceleration feedback,” Transp. Res. C, Emerg. Technol., vol. 46, pp. 46–64, Sep. 2014.

37. → Q. Zhao, T. Sheng, Y. Wang, Z. Tang, Y. Chen, L. Cai, and H. Ling, “M2Det: A single-shot object detector based on multi-level feature pyramid network,” in Proc. AAAI Conf. Art. Intel. (AAAI), vol. 33, Jan. 2019, pp. 9259–9266.

38. → D. J. Fagnant and K. Kockelman, “Preparing a nation for autonomous vehicles: Opportunities, barriers and policy recommendations,” Transp. Res. A, Policy Pract., vol. 77, pp. 167–181, Jul. 2015.

39. → H. Zhang, L. Qin, J. Li, Y. Guo, Y. Zhou, J. Zhang, and Z. Xu, "Real-time detection method for small traffic signs based on YOLOv3," IEEE Access, vol. 8, pp. 64145–64156, 2020.

40. → H. Lai, L. Chen, W. Liu, Z. Yan, and S. Ye, "STC-YOLO: Small object detection network for traffic signs in complex environments," Sensors, vol. 23, no. 11, p. 5307, Jun. 2023, doi: 10.3390/s23115307.

41. → A. Talebpour and H. S. Mahmassani, "Influence of connected and autonomous vehicles on traffic flow stability and throughput," Transp. Res. C, Emerg. Technol., vol. 71, pp. 143–163, Oct. 2016.

42. → A. Bochkovskiy, C.-Y. Wang, and H.-Y. M. Liao, "YOLOv4: Optimal speed and accuracy of object detection," 2020, arXiv:2004.10934.

43. → M. Ahmed and A. Cook, "Analysis of freeway traffic time series data by using box-jenkins techniques," Transp. Res. Rec., vol. 773, pp. 1–9, Jan. 1979.

44. → R. E. Stern, S. Cui, M. L. Delle Monache, R. Bhadani, M. Bunting, M. Churchill, N. Hamilton, R. Haulcy, H. Pohlmann, F. Wu, B. Piccoli, B. Seibold, J. Sprinkle, and D. B. Work, "Dissipation of stop- and-go waves via control of autonomous vehicles: Field experiments," Transp. Res. C, Emerg. Technol., vol. 89, pp. 205–221, Apr. 2018.

45. → S. Lee and D. B. Fambro, "Application of subset autoregressive integrated moving average model for short-term freeway traffic volume forecasting," Transp. Res. Rec., J. Transp. Res. Board, vol. 1678, no. 1, pp. 179–188, Jan. 1999, doi: 10.3141/1678-22.

46. → R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit., Jun. 2014, pp. 580–587.

47. → Z. Cai and N. Vasconcelos, "Cascade R-CNN: Delving into high quality object detection," in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit., Jun. 2018, pp. 6154–6162.

48. → M. J. S. Shiri and H. R. Maleki, "Maximum green time settings for traffic-actuated signal control at isolated intersections using fuzzy logic," Int. J. Fuzzy Syst., vol. 19, no. 1, pp. 247–256, Feb. 2017.

49. → H. Zhang, M. Liang, and Y. Wang, "YOLO-BS: A traffic sign detection algorithm based on YOLOv8," Sci. Rep., vol. 15, no. 1, Mar. 2025. [Online]. Available: https://www.nature.com/articles/s41598-025-88184-0.

50. → A. Pell, A. Meingast, and O. Schauer, "Trends in real-time traffic simulation," Transp. Res. Proc., vol. 25, pp. 1477–1484, Jan. 2017.

51. → A. D. Patire, M. Wright, B. Prodhomme, and A. M. Bayen, "How much GPS data do we need? " Transp. Res. C, Emerg. Technol., vol. 58, pp. 325–342, Sep. 2015.

52. → D. Wu, S. Lv, M. Jiang, and H. Song, "Using channel pruning-based YOLO v4 deep learning algorithm for the real-time and accurate detection of apple flowers in natural environments," Comput. Electron. Agricult., vol. 178, 2020, Art. no. 105742.

53. → D. Nalic, A. Pandurevic, A. Eichberger, M. Fellendorf, and B. Rogic, "Software framework for testing of automated driving systems in the traffic environment of vissim," Energies, vol. 14, no. 11, p. 3135, May 2021.

54. → S.-K. Tai, C. Dewi, R.-C. Chen, Y.-T. Liu, X. Jiang, and H. Yu, "Deep learning for traffic sign recognition based on spatial pyramid pooling with scale analysis," Appl. Sci., vol. 10, no. 19, p. 6997, Oct. 2020.

55. → B. Moghimi, A. Safikhani, C. Kamga, and W. Hao, "Cycle-length prediction in actuated traffic-signal control using ARIMA model," J. Comput. Civil Eng., vol. 32, no. 2, Mar. 2018, Art. no. 04017083.

56. → D. Ma, X. Song, and P. Li, "Daily traffic flow forecasting through a contextual convolutional recurrent neural network modeling inter- and intra-day traffic patterns," IEEE Trans. Intell. Transp. Syst., vol. 22, no. 5, pp. 2627–2636, May 2021, doi: 10.1109/TITS.2020.2973279.

57. → A. Shustanov and P. Yakimov, "CNN design for real-time traffic sign recognition," Proc. Eng., vol. 201, pp. 718–725, Dec. 2017.

58. → M. Usama, R. Ma, J. Hart, and M. Wojcik, "Physics-informed neural networks (PINNs)-based traffic state estimation: An application to traffic network," Algorithms, vol. 15, no. 12, p. 447, Nov. 2022.

59. → X. Lin, “Exploring the role of ChatGPT as a facilitator for motivating self-directed learning among adult learners,” Adult Learn., pp. 1–2, Jun. 2023.

60. → Y. Feng and S. Wang, “A forecast for bicycle rental demand based on random forests and multiple linear regression,” in Proc. IEEE/ACIS 16th Int. Conf. Comput. Inf. Sci. (ICIS), May 2017, pp. 101–105, doi: 10.1109/ICIS.2017.7959977.

61. → R. Girshick, J. Donahue, T. Darrell, and J. Malik, “Rich feature hierarchies for accurate object detection and semantic segmentation,” in Proc. IEEE Conf. Comput. Vis. Pattern Recognit., Mali, Jun. 2014, pp. 580–587.

62. → D. G. Lowe, “Distinctive image features from scale-invariant keypoints,” Int. J. Comput. Vis., vol. 69, pp. 91–110, Nov. 2004, doi: 10.1023/B:VISI.0000029664.99615.94.

63. → J. Cao, J. Zhang, and W. Huang, “Traffic sign detection and recognition using multi-scale fusion and prime sample attention,” IEEE Access, vol. 9, pp. 3579–3591, 2021.

64. → J. Redmon and A. Farhadi, “YOLOv3: An incremental improvement,” arXiv preprint arXiv:1804.02767, 2018.

65. → C. Ouyang, Z. Zhan, and F. Lv, “A comparative study of traffic signal control based on reinforcement learning algorithms,” World Electr. Vehicle J., vol. 15, no. 6, p. 246, Jun. 2024.

66. → J. Yu and W. Zhang, “Face mask wearing detection algorithm based on improved YOLO-v4,” Sensors, vol. 21, no. 9, p. 3263, May 2021.

67. → C. Nie, H. Wei, J. Shi, and M. Zhang, “Optimizing actuated traffic signal control using license plate recognition data: Methods for modeling and algorithm development,” Transp. Res. Interdiscipl. Perspect., vol. 9, Mar. 2021, Art. no. 100319.

68. → P. Vovsha and S. Bekhor, “Link-nested logit model of route choice: Overcoming route overlapping problem,” Transp. Res. Rec., J. Transp. Res. Board, vol. 1645, no. 1, pp. 133–142, Jan. 1998, doi: 10.3141/1645-17.

69. → X. Qian, T. Lei, J. Xue, Z. Lei, and S. V. Ukkusuri, “Impact of transportation network companies on urban congestion: Evidence from large-scale trajectory data,” Sustain. Cities Soc., vol. 55, Apr. 2020, Art. no. 102053.

70. → D. Tabernik and D. Skocaj, “Deep learning for large-scale traffic-sign detection and recognition,” IEEE Trans. Intell. Transp. Syst., vol. 21, no. 4, pp. 1427–1440, Apr. 2020.

71. → Y. Tian, Q. Ye, and D. Doermann, “YOLOv12: Attention-centric real-time object detectors,” 2025, arXiv:2502.12524.

72. → Y. Liu and D. R. Huang, “Color standardization of traffic sign images based on multi-color space cascade classification,” Comput. Eng., vol. 46, no. 9, pp. 233–241, 2020.

73. → Z. Xu, K. Zhang, H. Min, Z. Wang, X. Zhao, and P. Liu, “What drives people to accept automated vehicles? Findings from a field experiment,” Transp. Res. C, Emerg. Technol., vol. 95, pp. 320–334, Oct. 2018.

74. → R. Girshick, “Fast R-CNN,” in Proc. IEEE Int. Conf. Comput. Vis. (ICCV), Dec. 2015, pp. 1440–1448.

75. → C.-Y. Fang, S.-W. Chen, and C.-S. Fuh, “Road-sign detection and tracking,” IEEE Trans. Veh. Technol., vol. 52, no. 5, pp. 1329–1341, Sep. 2003.

76. → M. Kuwahara, A. Takenouchi, and K. Kawai, “Traffic state estimation by backward moving observers: An application and validation under an incident,” Transp. Res. C, Emerg. Technol., vol. 127, Jun. 2021, Art. no. 103158.

77. → S. Wang, X. Xie, K. Huang, J. Zeng, and Z. Cai, “Deep reinforcement learning-based traffic signal control using high-resolution event-based data,” Entropy, vol. 21, no. 8, p. 744, Jul. 2019.

78. → C.-Y. Wang, A. Bochkovskiy, and H.-Y.-M. Liao, “YOLOv7: Trainable bag-of-freebies sets new state-of-the-art for real-time object detectors,” in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2023, pp. 7464–7475.

79. → S. Bahrami and M. J. Roorda, “Optimal traffic management policies for mixed human and automated traffic flows,” Transp. Res. A, Policy Pract., vol. 135, pp. 130–143, May 2020, doi: 10.1016/j.tra.2020.03.007.

80. → Z. Zhu, D. Liang, S. Zhang, X. Huang, B. Li, and S. Hu, “Traffic-sign detection and classification in the wild,” in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), New York, NY, USA, Jun. 2016, pp. 2110–2118.

81. → Q. Xu, X. Zhang, R. Cheng, Y. Song, and N. Wang, “Occlusion problem-oriented adversarial faster-RCNN scheme,” IEEE Access, vol. 7, pp. 170362–170373, 2019, doi: 10.1109/ACCESS.2019.2955685.

82. → J. Li, X. Liang, Y. Wei, T. Xu, J. Feng, and S. Yan, “Perceptual generative adversarial networks for small object detection,” in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), Jul. 2017, pp. 1951–1959.

83. → X. Tu, S. Zhao, and M. Tan, “MaxViT: Multi-axis vision transformer,” in Proc. Eur. Conf. Comput. Vis. (ECCV), 2022.

84. → B. Williams and L. Hoel, “Modeling and forecasting vehicular traffic flow as a seasonal ARIMA process: Theoretical basis and empirical results,” J. Transp. Eng., vol. 129, no. 6, pp. 664–672, Nov./Dec. 2003, doi: 10.1061/(ASCE)0733-947X(2003)129:6(664).

85. → J. G. Wardrop and G. Charlesworth, “A method of estimating speed and flow of traffic from a moving vehicle,” Proc. Inst. Civil Eng., vol. 3, no. 1, pp. 158–171, Jan. 1954, doi: 10.1680/ipeds.1954.11628.

86. → C.-J. Jin, W. Wang, R. Jiang, H. M. Zhang, H. Wang, and M.-B. Hu, “Understanding the structure of hyper-congested traffic from empirical and experimental evidences,” Transp. Res. C, Emerg. Technol., vol. 60, pp. 324–338, Nov. 2015, doi: 10.1016/j.trc.2015.09.007.

87. → Roboflow. (Jun. 2023). Self-Driving Cars Dataset (SDCD). [Online]. Available: https://universe.roboflow.com/selfdriving-car-qtywx/self-driving-cars-lfjou.

88. → J. Redmon and A. Farhadi, YOLOv3: An Incremental Improvement. Ithaca, NY, USA : Cornell University, 2018.

89. → K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2016, pp. 770–778.

90. → C.-Y. Wang, I.-H. Yeh, and H.-Y. M. Liao, “You only learn one representation: Unified network for multiple tasks,” 2021, arXiv:2105.04206.

91. → Z. Ge, S. Liu, F. Wang, Z. Li, and J. Sun, “YOLOx: Exceeding YOLO series in 2021,” arXiv preprint arXiv:2107.08430, 2021.

92. → M. Lu, K. Wevers, and R. Van Der Heijden, “Technical feasibility of advanced driver assistance systems (ADAS) for road traffic safety,” Transp. Planning Technol., vol. 28, no. 3, pp. 167–187, Jun. 2005.

93. → H. Bay, T. Tuytelaars, and G. L. Van, SURF: Speeded Up Robust Features, vol. 3951. Berlin, Germany : Springer, 2006, doi: 10.1007/11744023_32.

94. → E. I. Vlahogianni, J. C. Golias, and M. G. Karlaftis, “Short-term traffic forecasting: Overview of objectives and methods,” Transp. Rev., vol. 24, no. 5, pp. 533–557, Sep. 2004, doi: 10.1080/0144164042000195072.

95. → Y. Gu, W. Lu, L. Qin, M. Li, and Z. Shao, “Short-term prediction of lane-level traffic speeds: A fusion deep learning model,” Transp. Res. C, Emerg. Technol., vol. 106, pp. 1–16, Sep. 2019, doi: 10.1016/j.trc.2019.07.003.

96. → R. Girshick, “Fast R-CNN,” in Proc. 28th IEEE Conf. Comput. Vis. Pattern Recognit., New York, NY, USA, Dec. 2015, pp. 1440–1448.

97. → M. Duo, Y. Qi, G. Lina, and E. Xu, “A short-term traffic flow prediction model based on EMD and GPSO-SVM,” in Proc. IEEE 2nd Adv. Inf. Technol., Electron. Autom. Control Conf. (IAEAC), Mar. 2017, pp. 2554–2558, doi: 10.1109/IAEAC.2017.8054485.

98. → M. Lippi, M. Bertini, and P. Frasconi, “Short-term traffic flow forecasting: An experimental comparison of time-series analysis and supervised learning,” IEEE Trans. Intell. Transp. Syst., vol. 14, no. 2, pp. 871–882, Jun. 2013, doi: 10.1109/TITS.2013.2247040.

99. → H. L. Khoo and K. S. Asitha, “User requirements and route choice response to smart phone traffic applications (apps),” Travel Behaviour Soc., vol. 3, pp. 59–70, Jan. 2016.

100. → B. N. Passow, D. Elizondo, F. Chiclana, S. Witheridge, and E. Goodyer, "Adapting traffic simulation for traffic management: A neural network approach," in Proc. 16th Int. IEEE Conf. Intell. Transp. Syst. (ITSC), Oct. 2013, pp. 1402–1407.

101. → R. Féraud and F. Clérot, "A methodology to explain neural network classification," Neural Netw., vol. 15, no. 2, pp. 237–246, Mar. 2002.

102. → R. Khanam and M. Hussain, "YOLOv11: An overview of the key architectural enhancements," 2024, arXiv:2410.17725.

103. → S. R. Quasar, R. Sharma, A. Mittal, M. Sharma, P. Sharma, and A. Alkhayyat, "Traffic sign detection and recognition using ensemble object detection models," in Proc. Int. Conf. Innov. Comput. Commun. (ICICC). Singapore : Springer, 2023, pp. 767–788, doi: 10.1007/978-981-99-4071-4_59.

104. → D. J. Edwards, J. Akhtar, I. Rillie, N. Chileshe, J. H. K. Lai, C. J. Roberts, and O. Ejohwomu, "Systematic analysis of driverless technologies," J. Eng., Des. Technol., vol. 20, no. 6, pp. 1388–1411, Dec. 2022.

105. → D. Temel, M.-H. Chen, and G. AlRegib, "Traffic sign detection under challenging conditions: A deeper look into performance variations and spectral characteristics," IEEE Trans. Intell. Transp. Syst., vol. 21, no. 9, pp. 3663–3673, Sep. 2020.

106. → R. Yasdi, "Prediction of road traffic using a neural network approach," Neural Comput. Appl., vol. 8, no. 2, pp. 135–142, May 1999.

107. → C.-Y. Wang, A. Bochkovskiy, and H. M. Liao, "Scaled-YOLOv4: Scaling cross stage partial network," in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2021, pp. 13024–13033.

108. → N. Dalal and B. Triggs, "Histograms of oriented gradients for human detection," in Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit., vol. 1, no. 1, Jun. 2005, pp. 886–893, doi: 10.1109/CVPR. 2005.177.

109. → P. Sun, R. Zhang, Y. Jiang, T. Kong, C. Xu, W. Zhan, M. Tomizuka, L. Li, Z. Yuan, C. Wang, and P. Luo, "Sparse R-CNN: End-to-end object detection with learnable proposals," 2020, arXiv:2011.12450. [Online]. Available: http://arxiv.org/abs/2011.12450.

110. → F. Rasheed, K. A. Yau, R. Md. Noor, C. Wu, and Y.-C. Low, "Deep reinforcement learning for traffic signal control: A review," IEEE Access, vol. 8, pp. 208016–208044, 2020.

111. → M. Takaki and H. Fujiyoshi, "Traffic sign recognition using SIFT features," IEEJ Trans. Electron. Inf. Syst., vol. 129, no. 5, pp. 824–831, 2009.

112. → S. Xu, "Robust traffic sign shape recognition using geometric matching," IET Intell. Transp. Syst., vol. 3, no. 1, pp. 10–18, Mar. 2009.

113. → X. Baro, S. Escalera, J. Vitria, O. Pujol, and P. Radeva, "Traffic sign recognition using evolutionary AdaBoost detection and forest-ECOC classification," IEEE Trans. Intell. Transp. Syst., vol. 10, no. 1, pp. 113–126, Mar. 2009.

114. → L. Telesca and M. Lovallo, "Analysis of the temporal properties in car accident time series," Phys. A, Stat. Mech. Appl., vol. 387, no. 13, pp. 3299–3304, May 2008.

115. → V. Alexiadis, J. Colyar, J. Halkias, R. Hranac, and G. McHale, "The next generation simulation program," ITE J. Inst. Transp. Eng., vol. 74, no. 8, p. 22, 2004.

116. → Y. Wei, Q. Tian, J. Guo, W. Huang, and J. Cao, "Multi-vehicle detection algorithm through combining Harr and HOG features," Math. Comput. Simul., vol. 155, pp. 130–145, Jan. 2018, doi: 10.1016/j.matcom.2017.12.011.

117. → J. Pang, K. Chen, J. Shi, H. Feng, W. Ouyang, and D. Lin, "Libra R-CNN: Towards balanced learning for object detection," in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2019, pp. 821–830.

118. → T.-Y. Lin, M. Maire, S. Belongie, J. Hays, P. Perona, D. Ramanan, P. Dollár, and C. L. Zitnick, "Microsoft COCO: Common objects in context," in Proc. Eur. Conf. Comput. Vis. (ECCV), 2014, pp. 740–755.

119. → R. H. Rasshofer and K. Gresser, “Automotive radar and LiDAR systems for next generation driver assistance functions,” Adv. Radio Sci., vol. 3, pp. 205–209, May 2005, doi: 10.5194/ars-3-205-2005.

120. → W. Liu, D. Anguelov, D. Erhan, C. Szegedy, S. Reed, C.-Y. Fu, and A. C. Berg, “SSD: Single shot MultiBox detector,” in Computer Vision—ECCV. Amsterdam, The Netherlands : Springer, 2016, pp. 21–37.

121. → D. Krajzewicz, G. Hertkorn, C. Rössel, and P. Wagner, “SUMO (simulation of urban MObility)—An open-source traffic simulation,” in Proc. 4th Middle East Symp. Simulation Modelling (MESM), Sharjah, UAE, 2002, pp. 183–187.

122. → C. Klauer, T. A. Dingus, V. L. Neale, J. D. Sudweeks, and D. J. Ramsey, “The impact of driver inattention on near-crash/crash risk: An analysis using the 100-car naturalistic driving study data, ” Nat. Highway Traffic Saf. Admin., Washington, DC, USA, 2006.

123. → Y. Wang, “Generative AI for autonomous driving: Frontiers and opportunities,” 2025, arXiv:2505.08854.

124. → J. Zhang, F.-Y. Wang, K. Wang, W.-H. Lin, X. Xu, and C. Chen, “Data-driven intelligent transportation systems: A survey,” IEEE Trans. Intell. Transp. Syst., vol. 12, no. 4, pp. 1624–1639, Dec. 2011, doi: 10.1109/TITS. 2011.2158001.

125. → P. G. Gipps, “A behavioural car-following model for computer simulation,” Transp. Res. B, Methodol., vol. 15, no. 2, pp. 105–111, Apr. 1981.

126. → W.-F. Zheng and J.-Y. Zhang, “A cellular automata model of traffic flow with variable probability of randomization,” Chin. Phys. B, vol. 24, no. 5, May 2015, Art. no. 058902.

127. → S. P. Rajendran, L. Shine, R. Pradeep, and S. Vijayaraghavan, “Real-time traffic sign recognition using YOLOv3 based detector,” in Proc. 10th Int. Conf. Comput., Commun. Netw. Technol. (ICCCNT), Jul. 2019, pp. 1–7.

128. → F. Rempe, P. Franeck, and K. Bogenberger, “On the estimation of traffic speeds with deep convolutional neural networks given probe data,” Transp. Res. C, Emerg. Technol., vol. 134, Jan. 2022, Art. no. 103448, doi: 10.1016/j.trc.2021.103448.

129. → J. Lutin, G. Krykewyc, J. Hacker, and T. Marchwinski, “The revolutionary development of self-driving vehicles and implications for the transportation engineering profession,” Transp. Eng., vol. 83, pp. 28–32, Jul. 2013.

130. → Z. Hang, C. Wu, Z. Zhang, Y. Zhu, Z. Zhang, H. Lin, Y. Sun, T. He, J. Mueller, R. Manmatha, and M. Li, “ResNest: Split-attention networks,” Apr. 2020, arXiv:2004.08955. [Online]. Available: https://arxiv.org/abs/2004.08955.

131. → Transport : Overview, World Bank, Sep. 2023.

132. → A. R. Dubey, N. Shukla, and D. Kumar, Detection Classication Road Signs Using HOG-SVM Method, vol. 766. Singapore : Springer, 2020, doi: 10.1007/978-981-13-9683-0_6.

133. → L. Yang, X. Meng, and G. E. Karniadakis, “B-PINNs: Bayesian physics-informed neural networks for forward and inverse PDE problems with noisy data,” J. Comput. Phys., vol. 425, Jan. 2021, Art. no. 109913.

134. → H. Fleyeh and M. Dougherty, “Road and traffic sign detection and recognition,” in Proc. 16th Mini-EURO Conf. 10th Meeting (EWGT), 2005, pp. 644–653.

135. → Y. Wu, Z. Li, Y. Chen, K. Nai, and J. Yuan, “Real-time traffic sign detection and classification towards real traffic scene,” Multimedia Tools Appl., vol. 79, nos. 25–26, pp. 18201–18219, Jul. 2020.

136. → W. L. Li, X. G. Li, and Y. Qin, “Real-time traffic sign detection algorithm based on dynamic threshold segmentation and SVM,” J. Comput., 31, no. 6, pp. 258–273, 2020.

137. → T. L. Pan, A. Sumalee, R. X. Zhong, and N. Indra-payoong, “Short-term traffic state prediction based on temporal–spatial correlation,” IEEE Trans. Intell. Transp. Syst., vol. 14, no. 3, pp. 1242–1254, Sep. 2013, doi: 10.1109/TITS.2013.2258916.

138. → L. Hejtmánek, I. Oravcová, J. Motýl, J. Horácek, and I. Fajnerová, “Spatial knowledge impairment after GPS guided navigation: Eye-tracking study in a virtual town,” Int. J. Hum.-Comput. Stud., vol. 116, pp. 15–24, Aug. 2018.

139. → S. R. Chandra and H. Al-Deek, “Predictions of freeway traffic speeds and volumes using vector autoregressive models,” J. Intell. Transp. Syst., vol. 13, no. 2, pp. 53–72, May 2009, doi: 10.1080/15472450902858368.

140. → D. F. Xie, Z. Y. Gao, and X. M. Zhao, “The effect of ACC vehicles to mixed traffic flow consisting of manual and ACC vehicles,” Chin. Phys. B, vol. 17, no. 12, pp. 4440–4445, 2008.

141. → F. G. Habtemichael and M. Cetin, “Short-term traffic flow rate forecasting based on identifying similar traffic patterns,” Transp. Res. C, Emerg. Technol., vol. 66, pp. 61–78, May 2015, doi: 10.1016/j.trc.2015.08.017.

142. → S. Ren, K. He, R. Girshick, and J. Sun, “Faster R-CNN: Towards real-time object detection with region proposal networks,” IEEE Trans. Pattern Anal. Mach. Intell., vol. 39, no. 6, pp. 1137–1149, Jun. 2017.

143. → S. Ren, K. He, R. Girshick, and J. Sun, “Faster R-CNN: Towards real-time object detection with region proposal networks,” in Proc. Adv. Neural Inf. Process. Syst., vol. 28, 2015, pp. 1–9.

144. → A. Gupta, S. Narayan, K. J. Joseph, S. Khan, F. S. Khan, and M. Shah, “OW-DETR: Open-world detection transformer,” in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR), New Orleans, LA, USA, Jun. 2022, pp. 9235–9244.

145. → S. Damadam, M. Zourbakhsh, R. Javidan, and A. Faroughi, “An intelligent IoT based traffic light management system: Deep reinforcement learning,” Smart Cities, vol. 5, no. 4, pp. 1293–1311, Sep. 2022.

146. → S. S. S. M. Qadri, M. A. Gökçe, and E. Öner, “State-of-art review of traffic signal control methods: Challenges and opportunities,” Eur. Transp. Res. Rev., vol. 12, no. 1, pp. 1–23, Dec. 2020.

147. → S. Solaiappan, B. R. Kumar, N. Anbazhagan, Y. Song, G. P. Joshi, and W. Cho, “Vehicular traffic flow analysis and minimize the vehicle queue waiting time using signal distribution control algorithm,” Sensors, vol. 23, no. 15, p. 6819, Jul. 2023.

148. → S. Movius and J. Van Vuuren, “Self-organisation in traffic signal control algorithms under light traffic conditions,” ORiON, vol. 35, no. 1, pp. 57–87, Jun. 2019.

149. → L. Kohnke, B. L. Moorhouse, and D. Zou, “ChatGPT for language teaching and learning,” RELC J., vol. 54, no. 2, pp. 537–550, Aug. 2023.

150. → E. Petridou and M. Moustaki, “Human factors in the causation of road traffic crashes,” Eur. J. Epidemiol., vol. 16, no. 9, pp. 819–826, Sep. 2000.

151. → B. L. Smith, B. M. Williams, and R. K. Oswald, “Comparison of parametric and nonparametric models for traffic flow forecasting,” Transp. Res. C, Emerg. Technol., vol. 10, no. 4, pp. 303–321, Aug. 2002, doi: 10.1016/S0968-090X(02)00009-8.

152. → Y. Wu, A. Kirillov, F. Massa, W.-Y. Lo, and R. Girshick. (2019). Detectron2: A PyTorch-Based Modular Object Detection Library. Facebook AI Research. [Online]. Available: https://github.com/facebookresearch/detectron2.

153. → Y. Zhang, N. Bhattarai, J. Zhao, H. Liu, and H. Xu, “An unsupervised clustering method for processing roadside LiDAR data with improved computational efficiency,” IEEE Sensors J., vol. 22, no. 11, pp. 10684–10691, Jun. 2022, doi: 10.1109/JSEN.2022.3166957.

154. → M. Cools, E. Moons, and G. Wets, “Investigating the variability in daily traffic counts through use of ARIMAX and SARIMAX models,” Transp. Res. Rec., J. Transp. Res. Board, vol. 2136, no. 1, pp. 57–66, Jan. 2009, doi: 10.3141/2136-07.

155. → C.-Y. Wang, A. Bochkovskiy, and H.-Y. M. Liao, “YOLOv7: Trainable bag-of-freebies sets new state-of-the-art for real-time object detectors,” 2022, arXiv:2207.02696.

156. → D. Tang and Y. Duan, “Traffic signal control optimization based on neural network in the framework of model predictive control,” Actuators, vol. 13, no. 7, p. 251, Jul. 2024.

157. → J. Platt, “Sequential minimal optimization: A fast algorithm for training support vector machines,” Microsoft Res., Bengaluru, India, Tech. Rep. MSR-TR-98-14, Apr. 1998.

158. → M. M. Iqbal, M. T. Mehmood, S. Jabbar, S. Khalid, A. Ahmad, and G. Jeon, "An enhanced framework for multimedia data: Green transmission and portrayal for smart traffic system," Comput. Electr. Eng., vol. 67, pp. 291–308, Apr. 2018.

159. → P. Jing, H. Huang, and L. Chen, "An adaptive traffic signal control in a connected vehicle environment: A systematic review," Information, vol. 8, no. 3, p. 101, Aug. 2017.

160. → M.-S. Wang and Z.-R. Zhang, "FPGA implementation of HOG based multi-scale pedestrian detection," in Proc. IEEE Int. Conf. Appl. Syst. Invention (ICASI), Apr. 2018, pp. 1099–1102, doi: 10.1109/ICASI.2018.8394472.

161. → J. Zheng and H. X. Liu, "Estimating traffic volumes for signalized intersections using connected vehicle data," Transp. Res. C, Emerg. Technol., vol. 79, pp. 347–362, Jun. 2017, doi: 10.1016/j.trc.2017.03.007.

162. → A. Dosovitskiy, L. Beyer, A. Kolesnikov, D. Weissenborn, X. Zhai, T. Unterthiner, M. Dehghani, M. Minderer, G. Heigold, S. Gelly, J. Uszkoreit, and N. Houlsby, "An image is worth 16×16 words: Transformers for image recognition at scale," in Proc. Int. Conf. Learn. Represent. (ICLR), 2021.

163. → U. Kamal, T. I. Tonmoy, S. Das, and M. K. Hasan, "Automatic traffic sign detection and recognition using SegU-Net and a modified Tversky loss function with L1-constraint," IEEE Trans. Intell. Transp. Syst., vol. 21, no. 4, pp. 1467–1479, Apr. 2020.

164. → M. Bando, K. Hasebe, A. Nakayama, A. Shibata, and Y. Sugiyama, "Dynamical model of traffic congestion and numerical simulation," Phys. Rev. E, Stat. Phys. Plasmas Fluids Relat. Interdiscip. Top., vol. 51, no. 2, pp. 1035–1042, Feb. 1995.

165. → J. F. Khan, S. M. A. Bhuiyan, and R. R. Adhami, "Image segmentation and shape analysis for road-sign detection," IEEE Trans. Intell. Transp. Syst., vol. 12, no. 1, pp. 83–96, Mar. 2011.

166. → B. Suh, Y. Shao, and Z. Sun, "Vehicle speed prediction for connected and autonomous vehicles using communication and perception," in Proc. Amer. Control Conf. (ACC), Jul. 2020, pp. 448–453.

167. → X. Bangquan and W. X. Xiong, “Real-time embedded traffic sign recognition using efficient convolutional neural network,” IEEE Access, vol. 7, pp. 53330–53346, 2019.

168. → C. Lin, Y. Guo, W. Li, H. Liu, and D. Wu, “An automatic lane marking detection method with low-density roadside LiDAR data,” IEEE Sensors J., vol. 21, no. 8, pp. 10029–10038, Apr. 2021, doi: 10.1109/JSEN. 2021.3057999.

169. → Z. Liang, J. Shao, D. Zhang, and L. Gao, “Traffic sign detection and recognition based on pyramidal convolutional networks,” Neural Comput. Appl., vol. 32, no. 11, pp. 6533–6543, Jun. 2020.

170. → G. Dhingra, S. Supreeth, K. Neha, R. Amruthashree, and D. Eshitha, “Traffic management using convolution neural network,” Int. J. Eng. Adv. Technol. (IJEAT), vol. 8, no. 5S, pp. 146–149, 2019.

171. → M. A. Wani and H. F. Bhat, “Multiclass SVM algorithms for wind speed prediction,” in Proc. IEEE 6th Int. Conf. Renew. Energy Res. Appl. (ICRERA), Nov. 2017, pp. 1139–1143, doi: 10.1109/ICRERA.2017.8191231.

172. → Z. Zeng, X. Shi, and F. Li, “A traffic sign object detection network based on YOLOv8-EfficientNet,” in Proc. 5th Int. Seminar Artif. Intell., Netw. Inf. Technol. (AINIT), Mar. 2024, pp. 2309–2314, doi: 10.1109/ ainit61980.2024.10581691.

173. → J. Levinson, J. Askeland, J. Becker, J. Dolson, D. Held, S. Kammel, J. Z. Kolter, D. Langer, O. Pink, V. Pratt, M. Sokolsky, G. Stanek, D. Stavens, A. Teichman, M. Werling, and S. Thrun, “Towards fully autonomous driving: Systems and algorithms,” in Proc. IEEE Intell. Vehicles Symp. (IV), Jun. 2011, pp. 163–168.

174. → H. S. Mahmassani, “50th anniversary invited article—Autonomous vehicles and connected vehicle systems: Flow and operations considerations,” Transp. Sci., vol. 50, no. 4, pp. 1140–1162, Jun. 2016.

175. → Y. Wu, Z. Li, Y. Chen, K. Nai, and J. Yuan, “Real-time traffic sign detection and classification towards real traffic scene,” Multimedia Tools Appl., vol. 79, pp. 18201–18219, Mar. 2020.

176. → Y. Shao and Z. Sun, "Eco-approach with traffic prediction and experimental validation for connected and autonomous vehicles," IEEE Trans. Intell. Transp. Syst., vol. 22, no. 3, pp. 1562–1572, Mar. 2020, doi: 10.1109/TITS.2020.2972198.

177. → J. Stallkamp, M. Schlipsing, J. Salmen, and C. Igel, "The German traffic sign recognition benchmark: A multi-class classification competition," in Proc. Int. Joint Conf. Neural Netw. Washington, DC, USA : IEEE Press, Jul. 2011, pp. 1453–1460.

178. → S. L. Jones, A. J. Sullivan, N. Cheekoti, M. D. Anderson, and D. Malave, "Traffic simulation software comparison study," UTCA, Kanpur, India, Tech. Rep. 2217, 2004.

179. → S. Zhou, X. L. Zhi, and D. Liu, "A convolutional neural network-based method for small traffic sign detection," J. Tongji Univ. Natural Sci., vol. 47, no. 11, pp. 1626–1632, 2019.

180. → B. Gong, R. Wei, D. Wu, and C. Lin, "Fleet management for HDVs and CAVs on highway in dense fog environment," J. Adv. Transp., vol. 2020, Aug. 2020, Art. no. 8842730, doi: 10.1155/2020/8842730.

181. → D. A. Tedjopurnomo, Z. Bao, B. Zheng, F. M. Choudhury, and A. K. Qin, "A survey on modern deep neural network for traffic prediction: Trends, methods and challenges," IEEE Trans. Knowl. Data Eng., vol. 34, no. 4, pp. 1544–1561, Apr. 2022.

182. → L. A. Pipes, "An operational analysis of traffic dynamics," J. Appl. Phys., vol. 24, no. 3, pp. 274–281, Mar. 1953.

183. → H. Li and W. Li, "Estimating the average road travel time based on soft set under connected and autonomous vehicles," in Proc. 5th Int. Conf. Inf. Sci., Comput. Technol. Transp. (ISCTT), Nov. 2020, pp. 566–570, doi: 10.1109/ISCTT51595.2020.00108.

184. → J. Zhao, H. Xu, H. Liu, J. Wu, Y. Zheng, and D. Wu, "Detection and tracking of pedestrians and vehicles using roadside LiDAR sensors," Transp. Res. C, Emerg. Technol., vol. 100, pp. 68–87, Mar. 2019, doi: 10.1016/j.trc.2019.01.007.

185. → A. Zeroual, F. Harrou, Y. Sun, and N. Messai, “Monitoring road traffic congestion using a macroscopic traffic model and a statistical monitoring scheme,” Sustain. Cities Soc., vol. 35, pp. 494–510, Nov. 2017.

186. → J. Yoon, J. Jordon, and M. Schaar, “GAIN: Missing data imputation using generative adversarial nets,” in Proc. Int. Conf. Mach. Learn., 2018, pp. 5689–5698.

187. → P. Gil-Jiménez, S. Maldonado-Bascón, H. Gómez-Moreno, S. Lafuente-Arroyo, and F. López-Ferreras, “Traffic sign shape classification and localization based on the normalized FFT of the signature of blobs and 2D homographies,” Signal Process., vol. 88, no. 12, pp. 2943–2955, 2008.

188. → G. Kotusevski and K. A. Hawick, “A review of traffic simulation software,” in Research Letters in the Information and Mathematical Sciences, vol. 13, 2009, pp. 35–54.

189. → L. Jian, Z. Li, X. Yang, W. Wu, A. Ahmad, and G. Jeon, “Combining unmanned aerial vehicles with artificial-intelligence technology for traffic-congestion recognition: Electronic eyes in the skies to spot clogged roads,” IEEE Consum. Electron. Mag., vol. 8, no. 3, pp. 81–86, May 2019.

190. → Z. Zhu, D. Liang, S. Zhang, X. Huang, B. Li, and S. Hu, “Traffic-sign detection and classification in the wild,” in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2016, pp. 2110–2118. [Online]. Available: https://cg.cs.tsinghua.edu.cn/traffic-sign/.

191. → S. Gupta and M. Canova, “Eco-driving of connected and autonomous vehicles with sequence-to-sequence prediction of target vehicle velocity,” in Proc. 6th IFAC Conf. Engine Powertrain Control, Simulation Modeling (E-COSM), Aug. 2021, pp. 430–436, doi: 10.1016/j.ifacol.2021.10.200.

192. → Y. Xiaoling, J. Weixin, and Y. Haoran, “Recognition and detection of traffic signs based on YOLOV5,” Inf. Technol. Informatization, no. 4, pp. 28–30, 2021.

193. → R. Girshick, J. Donahue, and T. Darrell, “Rich feature hierarchies for accurte object detection and semantic segmentation,” in Proc. 27th IEEE Conf. Comput. Vis. Pattern Recognit., New York, NY, USA, Jul. 2014, pp. 580–587.

194. → C. Li, L. Li, H. Jiang, K. Weng, Y. Geng, L. Li, Z. Ke, Q. Li, M. Cheng, and W. Nie, "YOLOV6: A single-stage object detection framework for industrial applications," 2022, arXiv:2209.02976.

195. → J. Stallkamp, M. Schlipsing, J. Salmen, and C. Igel, "Man vs. computer: Benchmarking machine learning algorithms for traffic sign recognition," Neural Netw., vol. 32, pp. 323–332, Aug. 2012.

196. → H. Gong, T. Mu, Q. Li, H. Dai, C. Li, Z. He, W. Wang, F. Han, A. Tuniyazi, H. Li, X. Lang, Z. Li, and B. Wang, "Swin-transformer-enabled YOLOv5 with attention mechanism for small object detection on satellite images," Remote Sens., vol. 14, no. 12, p. 2861, Jun. 2022.

197. → R. More, A. Mugal, S. Rajgure, R. B. Adhao, and V. K. Pachghare, "Road traffic prediction and congestion control using artificial neural networks," in Proc. Int. Conf. Comput., Analytics Secur. Trends (CAST), Dec. 2016, pp. 52–57.

198. → Z. Abbas, A. Al-Shishtawy, S. Girdzijauskas, and V. Vlassov, "Short-term traffic prediction using long short-term memory neural networks," in Proc. IEEE Int. Congr. Big Data, Jul. 2018, pp. 57–65.

199. → W. Ma and S. Qian, "High-resolution traffic sensing with probe autonomous vehicles: A data-driven approach," Sensors, vol. 21, no. 2, p. 464, Jan. 2021, doi: 10.3390/s21020464.

200. → W.-H. Lee and C.-Y. Chiu, "Design and implementation of a smart traffic signal control system for smart city applications," Sensors, vol. 20, no. 2, p. 508, Jan. 2020.

201. → J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You only look once: Unified real-time object detection," in Proc. 29th IEEE Conf. Comput. Vis. Pattern Recognit., New York, NY, USA, Jun. 2016, pp. 779–788.

202. → S. Shi, C. Guo, L. Jiang, Z. Wang, J. Shi, X. Wang, and H. Li, "PV-RCNN: Point-voxel feature set abstraction for 3D object detection," in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2020, pp. 10526–10535.

203. → A. A. Minhas, S. Jabbar, M. Farhan, and M. Najam ul Islam, "Smart methodology for safe life on roads with active drivers based on real-time risk and behavioral monitoring," J. Ambient Intell. Hum. Comput., pp. 1–13, Nov. 2019.

204. → K. He, G. Gkioxari, P. Dollár, and R. Girshick, "Mask R-CNN," in Proc. IEEE Int. Conf. Comput. Vis. (ICCV), Oct. 2017, pp. 2980–2988.

205. → H. Liu, X. Kan, S. E. Shladover, X.-Y. Lu, and R. E. Ferlis, "Modeling impacts of cooperative adaptive cruise control on mixed traffic flow in multi-lane freeway facilities," Transp. Res. C, Emerg. Technol., vol. 95, pp. 261–279, Oct. 2018.

206. → W. Liu, D. Anguelov, and D. Erhan, "SSD: Single shot multibox deteector," in Proc. 14th Eur. Conf. Comput. Vis. Berlin, Germany : Springer, 2016, pp. 21–37.

207. → A. Bose and P. A. Ioannou, "Analysis of traffic flow with mixed manual and semiautomated vehicles," IEEE Trans. Intell. Transp. Syst., vol. 4, no. 4, pp. 173–188, Dec. 2003.