

Installing the XSCE School Server

Quick Links

- [Overview](#)
- [Installing the Software](#)
 - [Do Everything from Scratch](#)
 - [Take a Short Cut](#)
 - [Create Your Own Short Cut](#)
- [Configuring the Server](#)
 - [Server Security](#)
 - [Configure Menu](#)
 - [Supported Network Modes](#)
 - [Enable Services](#)
- [Adding Content](#)
 - [Zims](#)
 - [RACHEL](#)
 - [Khan Academy Lite](#)
 - [Open Street Maps](#)
 - [Other Content](#)

Overview

Setting up a working XSCE School Server requires activities that may be grouped roughly into three areas:

- Installing the Software
- Configuring the Server - Enabling Services and Setting Parameters
- Adding Content

Installing the Software

There are basically two ways to install the XSCE software:

1. Do everything from scratch.
2. Take a short cut by getting files from someone else who did everything from scratch or at least some of the steps. There are also tools to help you create short cut files for yourself or others.

The **advantage** of doing everything from scratch is that you will get exactly what you want and you will get the latest version of the software. The **disadvantage** is that it is more work.

The **advantage** of a short cut is that it will usually take less time and effort. The **disadvantage** is that there may not be files available for every platform and every configuration and the files may be out of date.

Do Everything from Scratch

Here is the complete list of the steps required. Some may already be done.

1. Assemble your hardware with your chosen amount of RAM, storage, and network devices. (See [\[link\]](#) on Networking.
2. Install Fedora or Centos on that hardware. We currently support Centos 7 and Fedora 22, along with Fedora 18 on XOs.
3. Log into the machine locally or via ssh.
4. Verify your internet connection by typing: `ping yahoo.com`
5. Prepare for installation by typing the following commands:

```
yum -y update
yum -y install wget git ansible
cd /opt
mkdir -p schoolserver
cd schoolserver
git clone https://github.com/XSCE/xsce --branch stable --depth 1
cd xsce
```
6. Run the installation by typing: `./install-console`
7. Proceed to [Configuring the Server](#).

Take a Short Cut

There is a growing list of downloadable files that have everything from the steps listed above to a particular configuration and even content.

In general the process of using one of these files is to download it to a separate computer and then write it to storage media for the target machine. What happens next depends on the specific file downloaded.

You will need tools to decompress these files and write them to storage. On Linux and MacOS these tools will already likely be there. On Windows you will need to download them.

Tools

- Linux or MacOS - `dd`, `unzip`, `xz`
- Windows - download
 - Win32 Disk Imager from <https://sourceforge.net/projects/win32diskimager/>
 - 7Zip from <http://www.7-zip.org/>

Naturally, while the everything-from-scratch steps are generic and apply to any platform, short cuts are for a specific platform.

Detailed instructions for specific platforms follow.

Raspberry Pi 2

Images in various sizes and flavors can be downloaded from [\[link\]](#)

The original image, which was used as a basis for the XSCE install came from:

https://drive.google.com/folderview?id=0B_SJ4cta4MaYQjA0bjQ0RkF4ZG8&usp&tid=0B_SJ4cta4MaYfIA3cVdHeUZjeFZyTHFBWmVIRWtvSHhpZGpod1dIU2phTzgwzbzdDY2U3amc

There is information for how to copy a downloaded image onto a SD card at::

<https://www.raspberrypi.org/documentation/installation/installing-images/>

Please ignore everything down to **WRITING AN IMAGE TO THE SD CARD**

OLPC XO 1.5, XO-1.75, or XO-4 laptop

Images in various sizes and flavors can be downloaded from [link]

The instructions for writing the image to an sd card are the same as for a Raspberry Pi.

Intel-based NUC

Centos 7 and Fedora 22 images can be downloaded from [link].

1. There are two types of images, a livecd type image that walks through install of Linux and also install the XSCE Server software.
2. A prebuilt image that installs automatically when booted on the target machine.

In both cases the image should be written to a USB thumb drive using the same software as for Raspberry Pi and OLPC XOs.

While these images have been developed on the Intel NUC (Next Unit of Computing), they may well work on other Intel machines.

Create Your Own Short Cut

Intel-based Machines

You can create an iso file that will contain all the required rpms and other packages and will allow you to do a livecd type installation of XSCE. It will contain all of the steps in Do Everything from Scratch and be ready for Configuring the Server.

The steps for doing this are detailed at [link].

How To Install XSCE on an XO to Create Your Own Image

- Flash the XO laptop with a stable image, currently 13.2.6.
- In `My Settings->Power` turn off Automatic Power Management
- Connect all the network interfaces and reboot
- Install git and ansible (for dependencies)::`su - yum install -y wget git ansible`**Note:** ansible version 1.4.1 or higher is required. Verify the version number with::`ansible --version`If the ansible version installed via yum is older than 1.4.1, install 1.4.1 from source::`cd ~/ git clone https://github.com/ansible/ansible.git cd ansible git checkout release1.4.1 python setup.py install`
- Clone the XSCE git repo and cd into it::`cd /opt mkdir -p schoolserver cd schoolserver git clone`

- `--branch stable --depth 1 https://github.com/XSCE/xsce cd xsce`
- Verify all the network interfaces are visible and have the correct interface label::`ifconfig`
- Optionally, verify that all network interfaces are properly autodetected::`sh roles/common/library/xsce_facts`
- From the xsce directory, run initial setup. The XO will automatically reboot upon completion::`./install-console`

Configuring the Server

At this point should should be able to connect to `http://schoolserver` from a browser.

To begin configuring the server connect to `http://schoolserver/admin` (username:xsce-admin password:g0adm1n -- note the numbers 0,1).

This permits selection of options, services, languages, etc to permit additional services, and educational resources to be enabled and selected for download.

Please click on the **Help** link to get detailed information on configuration options.

Server Security

The first time you sign into the Administrative Console would be the best time to change the password. Select the Utilities menu option and the first item, change password. Fill in the form and click Change Password.

Configure Menu

Once the password has been set you should start with the Configure menu item. The overall process is:

1. Select each sub-menu item and enter any desired parameters. **Help** is available for each screen and parameter.
2. Click **Save Configuration**
3. Click **Install Configured Options**
4. Monitor the progress of the Configuration job in Utilities->Display Job Status.

This job can take a substantial amount of time depending on the capacity of the platform involved and how much of the software was included in the initial image.

At this point you are ready to proceed to [Adding Content](#)

Supported Network Modes

A user can select one of three server roles:

- Lan-Controller (Local Area Network) - In this mode, the server configures clients with ip addresses (dhcpd - dynamic host configuration protocol), name resolution (defines schoolserver for all clients)

- Gateway -- does dhcpd (ip addresses), name lookup (dns), firewall, local web page cache for faster retrieval the second time, content filtering to block porn(dansguardian), site "whitelists" if wanted
- Appliance -- no firewall, no dhcpd, no dns, just a contributor to an already existing network

Based upon selection of the above mode in the Administrative Console, XSCE software will attempt to set up network connections. If appliance mode is wanted, the network adapter will be set up. If Gateway is selected, and one of the adapters discovers that it is connected to a source of ip addresses, that adapter will be the internet, and the other the wifi connector. If LanController is selected, any adapter found will be act as server to any clients that might ask to connect.

The XSCE installation attempts to determine the network topology based on the number and types of connections it discovers. In general, it looks to see if there is a connection to a gateway and whether other wireless or wired connections are present.

Enable Services

Services on the XSCE School Server can be enable by checking a box in the Configure->Enable Services menu item.

Adding Content

As of release 6.0 some, but not all, content can be added through the Admin Console. **Warning:** some of this content is quite large and you should pay attention to the space available and space required displayed on each screen. You should also note that these space calculations may not reflect multiple types downloads happening simultaneously.

The following can be added using the Admin Console:

Add with Admin Console

Take the Install Content Menu item and view relevant **Help**.

Zims

Zims are compressed and indexed files prepared by <http://kiwix.org>. They include the Wikipedia, Wiktionary, TED Talks, and other reference and educational materials in multiple languages.

Take the Install Content->Get Zim Files from Kiwix menu option and select content by language. Click **Install Selected Zims** to download, unzip, and move to the proper directory on the server.

Monitor the progress of the download in Utilities->Display Job Status.

When you have finished installing Zims, click **Restart the Kiwix Zim Server** so that it picks up the new Zims.

RACHEL

As of release 6.0 a single set of RACHEL modules can be downloaded, unzipped, and moved to the

proper directory by taking the Install Content->Get RACHEL menu option.

You can monitor the progress with Utilities->Display Job Status.

Khan Academy Lite

Take Install Content->Download Khan Academy Videos to launch KA Lite which has an administrative user interface to help with getting videos in various languages.

Add Manually

Open Street Maps

OSM is part of the Internet in a Box set of content. To include it copy the following directories:

- geonames_index to /library/knowledge/modules/geonames_index
- openstreetmap to /library/knowledge/modules/openstreetmap

The openstreetmap directory is structured by zoom levels from level 0 to 15. You can reduce the space requirements by only copying up to level 10 or some other level less than 15.

Other Content

Content such as pdfs, doc files, videos, images, and html can be copied to /library/content and it will appear under the web server link /other where the user can browse to any content that is there.

Similarly, any such content put onto a USB stick in a directory

- /share
- /Share
- /PirateShare

will appear under the /content URL when it is plugged into a USB port on the server. See [\[link\]](#) for more details.