◀◀ rewind

Live on Vultr · recovery verified

FIX A BAD IMPORT WITHOUT LOSING LATER CHANGES

Restore damaged prices. Keep today’s work.

A bad import multiplied 120 invoice prices by 100. The backup has the right prices, but seven newer invoices and twenty payment updates came later.

120
prices restored from backup

127
current invoices retained

20
payment updates preserved

Fictional invoice example · Actual Vultr recovery · 6 November 2026

◀◀ rewind

THE OPERATOR CHOOSES WHAT TO RESTORE

Take the right prices. Keep the newer data.

Upload a good backup and today’s database copy. Select the damaged fields and records, then review the values that will change.

APPROACH	INVOICES	NEWER INVOICES	PAYMENT UPDATES
Replace with the whole backup	120	7 lost	20 reset
Restore selected price cells	**127 retained**	**7 retained**	**20 retained**

The real Vultr recovery kept every newer invoice and payment update. Whole-backup replacement was rejected in separate reference tests.

Rewind produces a checked recovery copy. The operator decides how to apply it.

◀◀ rewind

WHY VULTR IS PART OF THE WORK

Try a recovery on copies. Check every change.

1. Inspect

Trusted gVisor workers on a Vultr VM read both SQLite copies.

2. Generate

Vultr Serverless Inference receives schema and selection metadata, then writes the recovery program.

3. Run

A separate temporary gVisor container runs the program on copies.

4. Check

A fresh worker reads the output. The controller compares every selected and unselected value.

The model receives no invoice rows, database files or actual selected IDs. Its program gets read-only database copies, with no controller credentials. The independent checker stays outside its container.

Download opens after the data checks and removal of all temporary containers pass. This live run used one model request and five isolated worker runs.

Vultr VM + Serverless Inference · No network in workers · Read-only inputs · Fixed resource limits

◀◀ rewind

WORKING SOFTWARE AND OBSERVED RESULTS

A real recovery, with a file you can inspect.

- ✓ 120 prices restored
- ✓ All 127 invoices kept
- ✓ Seven newer invoices kept
- ✓ Twenty payment updates kept
- ✓ Six independent data checks passed
- ✓ Every temporary container removed
- ✓ Runaway test stopped at 2 seconds

Watch and inspect

Live app: rewind.139.84.249.47.sslip.io
Video and PDF: rewind-vultr-ckay.vercel.app
Evidence: 0fa9ac1d035bfcef9c26ab4a8f4aaf4a…

First version: two consistent SQLite snapshots, one matching table, up to 1,000 records and 256 KiB per file. Selected cells take their backup values; later valid edits in those same cells are also replaced.

The recorded example uses fictional invoices and one genuine Vultr glm-5.3-flash request. The downloaded file matches its checked fingerprint.