

United States of America - Influenza A viruses of high pathogenicity (Inf. with) (non-poultry including wild birds) (2017-) - Follow-up report 96

GENERAL INFORMATION

COUNTRY/TERRITORY OR ZONE	ANIMAL TYPE	DISEASE CATEGORY	EVENT ID
ZONE	TERRESTRIAL	Listed disease	4451
DISEASE	CAUSAL AGENT	GENOTYPE / SEROTYPE / SUBTYPE	START DATE
Influenza A viruses of high pathogenicity (Inf. with) (non-poultry including wild birds) (2017-)	Highly pathogenic avian influenza virus	H5N1	2020/10/28
REASON FOR NOTIFICATION	DATE OF LAST OCCURRENCE	CONFIRMATION DATE	EVENT STATUS
Unusual host species	-	2022/05/05	On-going
END DATE	SELF-DECLARATION		
-	NO		

REPORT INFORMATION

REPORT NUMBER	REPORT ID	REPORT REFERENCE	REPORT DATE
Follow-up report 96	FUR_173356	-	2025/03/28
REPORT STATUS	NO EVOLUTION REPORT		
Validated	-		

EPIDEMIOLOGY

SOURCE OF EVENT OR ORIGIN OF INFECTION

- Contact with wild species
- Unknown or inconclusive

EPIDEMIOLOGICAL COMMENTS

Highly pathogenic avian influenza (HPAI) H5N1 Eurasian lineage goose/Guangdong clade 2.3.4.4b has been confirmed in samples from dairy cattle in Arizona (AZ), California (CA), Colorado (CO), Idaho (ID), Iowa (IA), Kansas (KS), Michigan (MI), Minnesota (MN), Nevada (NV), New Mexico (NM), North Carolina (NC), Ohio (OH), Oklahoma (OK), South Dakota (SD), Texas (TX), Utah (UT), and Wyoming (WY). Updates to the detections of highly pathogenic avian influenza (HPAI) in livestock can be found at: <https://www.aphis.usda.gov/livestock-poultry-disease/avian/avian-influenza/hpai-detections/hpai-confirmed-cases-livestock>. On 24 April 2024, The Animal and Plant Health Inspection Service (APHIS), United States Department of Agriculture issued a federal order requiring pre-movement testing and reporting of highly pathogenic avian influenza (HPAI) in livestock.

QUANTITATIVE DATA SUMMARY

MEASURING UNIT

Animal

Species		Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
camelidae (domestic)	NEW	-	-	-	-	-	-
	TOTAL	18	6	-	-	-	-
coyote (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	1	-	-
cats (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	65	1	4	-	-
virginia opossum (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	6	3	1	-	-
felidae (unidentified) (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
domestic cat (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	23	6	1	-	-
goats (domestic)	NEW	-	-	-	-	-	-
	TOTAL	165	5	5	-	-	-
gray seal (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	1	-	-	-
serval (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	7	-	-	-	-
eurasian lynx (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
bobcat (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	12	5	2	-	-
mephitidae (unidentified) (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
striped skunk (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	50	27	14	-	-
prairie vole (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
house mouse (wild)	NEW	-	3	-	-	-	-
	TOTAL	-	91	-	-	-	-
ermine (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
american mink (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
lion (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
tiger (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	6	1	-	-	-
harbor seal (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	24	19	2	-	-
raccoon (northern raccoon) (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	23	5	4	-	-
puma (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	32	22	-	-	-
gray squirrel (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-

swine (domestic)	NEW	-	-	-	-	-
	TOTAL	5	1	-	5	-
desert cottontail (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	-	-	-
bottlenose dolphin (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	1	-	-
american black bear	NEW	-	-	-	-	-
(black bear) (wild)	TOTAL	-	4	1	3	-
brown bear (grizzly bear)	NEW	-	-	-	-	-
(wild)	TOTAL	-	4	3	1	-
polar bear (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	1	-	-
red fox (wild)	NEW	-	-	-	-	-
	TOTAL	-	103	53	19	-
amur leopard (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	1	-	-
canadian lynx (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	-	-	-
fisher (wild)	NEW	-	-	-	-	-
	TOTAL	-	3	2	1	-
north american river otter	NEW	-	-	-	-	-
(wild)	TOTAL	-	1	1	-	-
american marten (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	1	-	-
geoffroy's cat (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	-	-	-
abert's squirrel (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	-	-	-
bovine (domestic)	NEW	-	-	-	-	-
	TOTAL	-	9	0	0	0
western deer mouse	NEW	-	-	-	-	-
(wild)	TOTAL	-	14	-	-	-
all species	NEW	-	3	-	-	-
	TOTAL	188	507	159	58	0

DIAGNOSTIC DETAILS

CLINICAL SIGNS

YES

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

Test name	Laboratory	Species sampled	Number of outbreaks sampled	First result date	Latest result date	Result
Real-time reverse transcription polymerase	National Veterinary Services Laboratories	Bobcat, Domestic cat, Cats, Fisher, Brown bear (Grizzly Bear), Red Fox, House mouse, American Black Bear (black bear), Gray Seal, Tiger, Raccoon	1253	2022/05/05	2025/03/26	Positive

chain reaction (NVSL), Ames, (Northern raccoon), Puma, North (rRT-PCR) Iowa American river otter, American marten, Harbor Seal, Bottlenose dolphin, Virginia Opossum, Amur Leopard, Striped Skunk, Coyote, Prairie Vole, Desert Cottontail, Felidae (unidentified), Ermine, Mephitidae (unidentified), Western deer mouse , Serval, Abert's squirrel, Eurasian Lynx, Canadian lynx, Geoffroy's cat, Goats, Gray squirrel, Polar Bear, Bovine, American Mink, Swine, Lion, Camelidae

CONTROL MEASURES

CONTROL MEASURES AT EVENT LEVEL	DOMESTIC ANIMALS	WILD ANIMALS
Disinfection		Applied
Official disposal of carcasses, by-products and waste		Applied
Surveillance within the restricted zone		Applied
Movement control	Applied	

NEW OUTBREAKS

OB_154421 - JACKSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Indiana	Jackson	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jackson County	38.879 , -86.042 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild house mice (Mus musculus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
house mouse	NEW	-	3	-	-	-	-
(wild) wild	TOTAL	-	3	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-

-

OB_154420 - CA 767 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 767	2025/03/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.617 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_154419 - CA 766 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 766	2025/03/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.617 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_154418 - ID 048 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 048	2025/03/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.931 , -114.705 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_154417 - ID 047 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 047	2025/03/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.932 , -114.706 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_154416 - ID 046 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 046	2025/03/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.933 , -114.707 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

PREVIOUSLY REPORTED OUTBREAKS

OB_153735 - BENT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Bent	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Bent County	38.064 , -103.226 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153738 - KINGS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Kings	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Kings County	40.693 , -73.99 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cats (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153736 - SHASTA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Shasta	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Shasta County	40.583 , -122.397 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153658 - ID 045 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 045	2025/03/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.934 , -114.708 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153657 - ID 044 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 044	2025/03/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.935 , -114.709 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_153656 - ID 043 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 043	2025/03/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.936 , -114.71 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_153655 - CA 763 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 763	2025/03/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153098 - NEWTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Missouri	Newton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Newton County	36.879 , -94.368 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild house mouse (Mus musculus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
house mouse	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153097 - MASON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Mason	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Mason County	47.214 , -123.104	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild harbor seal (Phoca vitulina) found dead.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153095 - ID 042 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 042	2025/03/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.937 , -114.711 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153094 - ID 041 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 041	2025/03/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.938 , -114.712 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_153092 - CA 761 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 761	2025/03/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_153091 - CA 760 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 760	2025/03/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_153090 - CA 759 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 759	2025/03/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_153089 - CA 758 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 758	2025/02/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153088 - NV 009 - CHURCHILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 009	2025/02/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Churchill	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Churchill County	39.478 , -118.776 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_153087 - NV 007 - CHURCHILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 007	2025/02/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Churchill	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Churchill County	39.479 , -118.776 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_152637 - SNOHOMISH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Snohomish	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Snohomish County	47.977 , -122.207 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). Clinical signs include anorexia, lethargy and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_152636 - KING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	King	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
King County	47.469 , -122.342 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cats (Felis catus). Clinical signs included anorexia and respiratory signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_152635 - SAN MATEO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	San Mateo	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
San Mateo County	37.581 , -122.329 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_152633 - CA 757 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 757	2025/02/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_152632 - ID 040 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 040	2025/02/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.939 , -114.713 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_151934 - CLACKAMAS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Clackamas	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clackamas County	45.36 , -122.608 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cats (Felis catus). Clinical signs included fever, lethargy, anorexia, and respiratory signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	8	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_151935 - IMPERIAL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Imperial	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Imperial County	32.793 , -115.563 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_151930 - DARKE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Ohio	Darke	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Darke County	40.102 , -84.634 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild house mouse (Mus musculus).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
house mouse	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_151889 - CA 755 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 755	2024/12/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_151884 - NV 008 - CHURCHILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 008	2025/02/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Churchill	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Churchill County	39.48 , -118.777 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_151166 - BURLEIGH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
North Dakota	Burleigh	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Burleigh County	46.808 , -100.784 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_151165 - AZ 001 - MARICOPA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
AZ 001	2025/01/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Arizona	Maricopa	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Maricopa County	33.429 , -112.128 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_151159 - CA 754 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 754	2025/02/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_151158 - CA 753 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 753	2024/12/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150849 - CA 746 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 746	2025/01/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150848 - CA 731 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 731	2025/01/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150847 - CA 730 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 730	2024/12/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150846 - CA 729 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 729	2025/01/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150845 - CA 727 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 727	2025/01/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150844 - CA 724 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 724	2024/10/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150843 - CA 713 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 713	2024/12/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150714 - MULTNOMAH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/02/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Multnomah	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Multnomah County	45.515 , -122.677 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cats (Felis catus). Clinical signs included fever, lethargy and inappetence.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_150710 - FLATHEAD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Flathead	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Flathead County	48.189 , -114.311 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
Three-month-old domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149874 - DOUGLAS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Douglas	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Douglas County	39.403 , -104.865 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
Domestic cat (Felis catus) exhibiting anorexia, fever and respiratory signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_149873 - NEW CASTLE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Delaware	New Castle	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
New Castle County	39.686 , -75.61 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*). H5 2.3.4.4b was confirmed. N type could not be determined on the specimens submitted by genetic sequencing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_149872 - LEHIGH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Pennsylvania	Lehigh	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lehigh County	40.604 , -75.468 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_149871 - FAULK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Faulk	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Faulk County	45.034 , -99.126 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Two domestic cats (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_149870 - CONTRA COSTA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Contra Costa	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Contra Costa County	37.908 , -122.06 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149869 - WASHINGTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Washington	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Washington County	45.523 , -122.99 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
Domestic cat (Felis catus) exhibiting respiratory signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC
Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149868 - ALBANY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Albany	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Albany County	42.652 , -73.752 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
Wild eastern gray squirrel (Sciurus carolinensis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
gray squirrel	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_149867 - COOK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Illinois	Cook	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cook County	41.922 , -87.765 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Captive wild harbor seal (*Phoca vitulina*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_149866 - POTTAWATOMIE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kansas	Pottawatomie	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Pottawatomie County	39.394 , -96.415 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (*Felis catus*). Clinical signs included anorexia.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149865 - NV 005 - CHURCHILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 005	2025/01/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Churchill	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Churchill County	39.478 , -118.777 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149864 - NV 004 - CHURCHILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 004	2025/01/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Churchill	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Churchill County	39.477 , -118.777 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149863 - NV 003 - CHURCHILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 003	2025/01/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Churchill	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Churchill County	39.476 , -118.777 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149862 - NV 002 - CHURCHILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 002	2025/01/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Churchill	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Churchill County	39.475 , -118.777 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149861 - CA 752 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 752	2025/01/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149860 - CA 742 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 742	2025/01/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149859 - CA 698 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 698	2024/12/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149857 - CA 410 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 410	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_149856 - CA 370 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 370	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_148624 - ESSEX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/19	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Massachusetts	Essex	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Essex County	42.524 , -70.898 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild harbour seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_148625 - CA 749 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 749	2025/01/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_148623 - HAMILTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Hamilton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hamilton County	42.453 , -93.815 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_148366 - CA 748 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 748	2025/01/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_148365 - CA 747 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 747	2025/01/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148364 - CA 745 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 745	2025/01/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.618 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148363 - CA 744 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 744	2025/01/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148362 - CA 733 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 733	2025/01/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148361 - CA 728 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 728	2025/01/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148360 - CA 726 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 726	2025/01/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148359 - CA 655 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 655	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148358 - CA 611 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 611	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148357 - CA 604 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 604	2024/12/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148356 - CA 603 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 603	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_148355 - CA 602 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 602	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

-

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145727 - ARAPAHO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Arapahoe	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Arapaho County	39.613 , -105.001 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). Clinical signs included inappetence and neurologic signs. Upon re-evaluation, the correct county of this detection was Adams County, Colorado.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147923 - KENT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Kent	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Kent County	42.968 , -85.67 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Captive wild serval (Leptailurus serval) exhibiting neurologic signs.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
serval (wild)	NEW	-	-	-	-	-
captive	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_147914 - ORLEANS PARISH			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2025/01/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Louisiana	Orleans	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Orleans Parish	29.962 , -90.091 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (Felis catus) exhibiting neurologic signs.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_147912 - LAKE COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Lake	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lake County	44.005 , -97.112 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (Felis catus).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147875 - CA 740 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 740	2025/01/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147874 - CA 738 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 738	2025/01/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147873 - CA 737 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 737	2025/01/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147872 - CA 736 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 736	2025/01/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147871 - CA 735 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 735	2025/01/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147870 - CA 734 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 734	2025/01/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147868 - CA 732 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 732	2025/01/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147867 - CA 648 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 648	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147285 - COTTONWOOD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Cottonwood	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cottonwood County	43.866 , -95.117 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
Feral domestic cat (Felis catus).			

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147284 - CLACKAMAS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/11/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Clackamas	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clackamas County	45.331 , -122.596 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
Wild house mouse (Mus musculus).			

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
house mouse	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147283 - MORRILL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/24	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nebraska	Morrill	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morrill County	41.668 , -103.099 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146254 - COLORADO

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Denver	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Colorado	39.739 , -104.989 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

H5N1 clade 2.3.4.4b was detected in two captive wild tigers (Panthera tigris), a captive wild mountain lion (Puma concolor), a captive African lion (Panthera leo) and a wild red fox (Vulpes vulpes) at a wildlife sanctuary facility. Clinical signs included inappetence and lethargy. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
lion (wild)	NEW	-	-	-	-	-
captive	TOTAL	-	1	-	-	-
puma (wild)	NEW	-	-	-	-	-
captive	TOTAL	-	1	-	-	-

red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-
tiger (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147281 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.588 , -105.08 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (Lynx rufus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147280 - BROOKINGS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Brookings	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Brookings County	44.308 , -96.795 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus).

Species	Wildlife	Susceptible	Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------	-------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147272 - JUNEAU BOROUGH

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/11/08	2024/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	Juneau	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Juneau Borough	58.301 , -134.42 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild female ermine (Mustela erminea) exhibiting lethargy.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
ermine (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147271 - MI 031 - MISSAUKEE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 031	2024/12/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Missaukee	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Missaukee County	44.334 , -85.213 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147270 - CA 722 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 722	2025/01/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147269 - CA 725 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 725	2025/01/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.619 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147268 - CA 723 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 723	2024/12/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147267 - CA 721 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 721	2024/10/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decreased feed intake, abnormal milk and respiratory signs. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147266 - CA 720 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 720	2024/12/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147265 - CA 719 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 719	2024/12/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147262 - CA 718 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 718	2024/12/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_147261 - CA 717 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 717	2024/12/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145725 - LOS ANGELES COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Los Angeles	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Los Angeles County	34.055 , -118.246 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cats (Felis catus). Clinical signs included fever, lethargy and inappetence. One affected animal displayed neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	11	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146881 - KING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/10/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	King	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
King County	47.559 , -122.345 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild raccoon (Procyon lotor).

Species	Wildlife	Susceptible	Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------	-------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
raccoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146849 - CA 716 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 716	2024/12/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146848 - CA 715 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 715	2024/12/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146847 - CA 714 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 714	2024/12/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146846 - CA 712 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 712	2024/12/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146845 - CA 711 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 711	2024/12/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146844 - CA 371 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 371	2024/12/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146259 - CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
California	38.542 , -121.403 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

H5N1 clade 2.3.4.4b was detected in a captive wild serval (Leptailurus serval) at a private facility. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
serval (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146260 - NEVADA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Carson City	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Nevada	39.163 , -119.766 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

H5N1 clade 2.3.4.4b was detected in a captive wild puma (Puma concolor) at a wildlife sanctuary facility. In order to protect data

confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146252 - CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/11/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
California	38.592 , -121.404 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

H5N1 clade 2.3.4.4b was detected in a captive wild tiger (Panthera tigris) at a wildlife sanctuary facility. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
tiger (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146251 - IDAHO

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Ada	-	Zoo
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Idaho	43.618 , -116.2 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

H5N1 clade 2.3.4.4b was detected in a captive wild tiger (Panthera tigris) at a zoo facility. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
tiger (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146250 - MARICOPA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Arizona	Maricopa	-	Zoo
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Maricopa County	33.445 , -112.076 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

H5N1 clade 2.3.4.4b was detected in a captive wild puma (Puma concolor) at a zoo facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146249 - MASON COUNTY WASHINGTON

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/11/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Mason	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Mason County Washington	47.216 , -123.105	-	Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

H5N1 clade 2.3.4.4b was detected in captive wild felids at an animal sanctuary. Clinical signs included increased mortality.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
felidae (unidentified)	NEW	-	-	-	-	-	-
(wild) captive	TOTAL	-	1	-	-	-	-
eurasian lynx (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-
puma (wild) captive	NEW	-	-	-	-	-	-
	TOTAL	-	4	-	-	-	-
tiger (wild) captive	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
bobcat (wild) captive	NEW	-	-	-	-	-	-
	TOTAL	-	2	-	-	-	-
canadian lynx (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-
serval (wild) captive	NEW	-	-	-	-	-	-
	TOTAL	-	5	-	-	-	-
geoffroy's cat (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_146206 - CA 710 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 710	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146205 - CA 709 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 709	2024/12/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146204 - CA 708 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 708	2024/12/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146203 - CA 707 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 707	2024/12/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146202 - CA 706 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 706	2024/12/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146201 - CA 704 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 704	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146200 - CA 703 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 703	2024/12/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146199 - CA 702 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 702	2024/12/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.2871 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146198 - CA 700 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 700	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146197 - CA 696 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 696	2024/12/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146196 - CA 694 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 694	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146195 - CA 693 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 693	2024/12/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146194 - CA 692 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 692	2024/12/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146193 - CA 689 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 689	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146192 - CA 683 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 683	2024/12/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146191 - CA 681 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 681	2024/11/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146190 - CA 676 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 676	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146189 - CA 671 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 671	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146188 - CA 637 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 637	2024/12/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146187 - CA 338 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 338	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_146186 - CA 336 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 336	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_145720 - CACHE COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/10/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.734 , -111.837 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Feral domestic cat (Felis catus). H5 clade 2.3.4.4b was also detected in a wild house mouse (Mus musculus) on the same site.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
house mouse	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_145997 - CA 705 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 705	2024/12/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.62 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145996 - CA 701 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 701	2024/12/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145995 - CA 699 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 699	2024/12/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145994 - CA 697 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 697	2024/12/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145993 - CA 695 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 695	2024/12/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED		ADDITIONAL MEASURES	
-		-	
OB_145992 - CA 691 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 691	2024/12/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED		ADDITIONAL MEASURES	
-		-	
OB_145991 - CA 690 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 690	2023/12/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145990 - CA 688 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 688	2024/12/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145989 - CA 687 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 687	2024/12/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145988 - CA 686 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 686	2024/12/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145987 - CA 685 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 685	2024/12/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145986 - CA 684 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 684	2024/12/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145985 - CA 682 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 682	2024/11/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.621 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145984 - CA 680 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 680	2024/12/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145983 - CA 679 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 679	2024/12/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145982 - CA 678 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 678	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145981 - CA 677 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 677	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145980 - CA 675 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 675	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145979 - CA 674 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 674	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145978 - CA 673 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 673	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145977 - CA 672 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 672	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145976 - CA 670 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 670	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145975 - CA 669 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 669	2024/12/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145974 - CA 668 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 668	2024/12/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145973 - CA 479 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 479	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145972 - CA 117 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 117	2024/10/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.452 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145962 - KIT CARSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Kit Carson	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Kit Carson County	39.363 , -102.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (Felis catus) exhibiting neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145961 - MORRISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Morrison	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morrison County	45.975 , -94.36 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145918 - SANTA BARBARA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Santa Barbara	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Santa Barbara County	34.424 , -119.702 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Two domestic cats (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_145726 - FRESNO COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Fresno	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Fresno County	36.736 , -119.789 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). Clinical signs included inappetence and neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_145724 - SAN BERNARDINO			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	San Bernardino	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
San Bernardino	34.105 , -117.289 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_145722 - WASHINGTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Washington	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Washington County	45.523 , -122.99 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A domestic cat (Felis catus) exhibiting neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_145718 - POWELL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/04/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Powell	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Powell County	46.399 , -112.733 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
Wild juvenile mountain lion (Puma concolor) found dead.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC
Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_145717 - NORTH SLOPE BOROUGH

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/10/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	North Slope	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
North Slope Borough	71.292 , -156.785 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild polar bear (Ursus maritimus) found dead.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
polar bear (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_145715 - TX 027 - DEAF SMITH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 027	2024/12/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Deaf Smith	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Deaf Smith County	34.818 , -102.398 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs included mastitis, decreased in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145712 - CA 667 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 667	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145711 - CA 666 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 666	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145708 - CA 665 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 665	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145707 - CA 664 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 664	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145706 - CA 663 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 663	2024/12/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145705 - CA 662 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 662	2024/12/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145704 - CA 661 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 661	2024/12/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.622 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145703 - CA 660 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 660	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145701 - CA 659 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 659	2024/11/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145699 - CA 658 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 658	2024/12/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145696 - CA 656 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 656	2024/12/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145694 - CA 654 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 654	2024/11/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145693 - CA 653 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 653	2024/12/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145691 - CA 652 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 652	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145689 - CA 651 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 651	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145677 - CA 649 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 649	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145676 - CA 647 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 647	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145675 - CA 646 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 646	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145672 - CA 644 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 644	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145669 - CA 642 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 642	2024/12/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145667 - CA 640 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 640	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145666 - CA 639 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 639	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145665 - CA 638 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 638	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145662 - CA 539 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 539	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145661 - CA 568 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 568	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145659 - CA 337 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 337	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145191 - TULARE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Tulare	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Tulare County	36.328 , -119.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus) with outdoor access. Clinical signs included fever, lethargy, and inappetence.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145190 - CA 589 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 589	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145189 - CA 554 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 554	2023/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145188 - CA 650 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 650	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145187 - CA 641 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 641	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.623 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145186 - CA 636 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 636	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145185 - CA 635 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 635	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145184 - CA 634 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 634	2024/12/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145183 - CA 633 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 633	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145182 - CA 632 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 632	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145181 - CA 631 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 631	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145180 - CA 630 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 630	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145179 - CA 629 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 629	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145178 - CA 628 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 628	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145177 - CA 627 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 627	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145176 - CA 626 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 626	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145175 - CA 625 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 625	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
 Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145174 - CA 624 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 624	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
 Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145173 - CA 623 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 623	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145172 - CA 622 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 622	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145171 - CA 621 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 621	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145170 - CA 620 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 620	2024/12/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145169 - CA 619 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 619	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.624 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145168 - CA 618 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 618	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145167 - CA 617 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 617	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145166 - CA 616 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 616	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145165 - CA 615 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 615	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145164 - CA 614 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 614	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145163 - CA 613 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 613	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145162 - CA 612 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 612	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145160 - CA 610 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 610	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145159 - CA 609 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 609	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145158 - CA 608 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 608	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145157 - CA 607 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 607	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145156 - CA 606 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 606	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145155 - CA 605 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 605	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145154 - CA 601 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 601	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145153 - CA 600 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 600	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145152 - CA 599 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 599	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145151 - CA 598 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 598	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.625 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145150 - CA 597 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 597	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145149 - CA 596 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 596	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145148 - CA 595 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 595	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145147 - CA 594 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 594	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145146 - CA 593 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 593	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145145 - CA 592 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 592	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145144 - CA 591 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 591	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145143 - CA 590 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 590	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145142 - CA 588 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 588	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145141 - CA 587 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 587	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145140 - CA 586 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 586	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145139 - CA 585 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 585	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145138 - CA 584 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 584	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145137 - CA 583 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 583	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145136 - CA 582 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 582	2024/11/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145135 - CA 581 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 581	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145134 - CA 580 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 580	2023/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145133 - CA 579 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 579	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145132 - CA 578 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 578	2024/11/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145131 - CA 577 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 577	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.626 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145130 - CA 576 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 576	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145129 - CA 575 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 575	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145128 - CA 574 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 574	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145127 - CA 573 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 573	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145126 - CA 572 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 572	2024/11/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145124 - CA 571 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 571	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145122 - CA 570 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 570	2024/11/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145121 - CA 569 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 569	2024/11/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145120 - CA 567 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 567	2024/11/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145119 - CA 566 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 566	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145118 - CA 565 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 565	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145114 - CA 564 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 564	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145113 - CA 563 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 563	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145111 - CA 562 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 562	2024/11/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145110 - CA 561 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 561	2024/11/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145106 - CA 560 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 560	2024/11/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145105 - CA 559 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 559	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145104 - CA 558 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 558	2024/11/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145103 - CA 557 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 557	2024/11/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145102 - CA 556 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 556	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.627 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145100 - CA 555 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 555	2024/11/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145099 - CA 553 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 553	2024/12/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145097 - CA 552 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 552	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145096 - CA 551 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 551	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145095 - CA 550 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 550	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145094 - CA 549 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 549	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145093 - CA 548 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 548	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145092 - CA 547 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 547	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145091 - CA 546 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 546	2024/12/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145090 - CA 545 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 545	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145089 - CA 544 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 544	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145088 - CA 543 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 543	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145087 - CA 542 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 542	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145086 - CA 541 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 541	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145085 - CA 540 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 540	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145083 - CA 538 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 538	2024/12/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145082 - CA 537 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 537	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145081 - CA 536 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 536	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.628 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145080 - CA 535 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 535	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145079 - CA 534 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 534	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145078 - CA 533 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 533	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145077 - CA 532 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 532	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145075 - CA 531 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 531	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145074 - CA 530 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 530	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145073 - CA 529 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 529	2024/12/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145072 - CA 528 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 528	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145071 - CA 527 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 527	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145070 - CA 526 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 526	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145069 - CA 525 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 525	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_145067 - CA 524 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 524	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145066 - CA 523 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 523	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145065 - CA 522 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 522	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.2761 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145064 - CA 521 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 521	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145063 - CA 520 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 520	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145062 - CA 519 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 519	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145061 - CA 518 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 518	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145060 - CA 517 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 517	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145059 - CA 516 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 516	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145058 - CA 515 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 515	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145056 - CA 514 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 514	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.629 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145055 - CA 485 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 485	2024/11/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_145037 - NV 001 - NYE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NV 001	2024/12/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nevada	Nye	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Nye County	36.221 , -115.987 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144541 - CA 513 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 513	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144540 - CA 512 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 512	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144539 - CA 511 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 511	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES			
-				-			

OB_144538 - CA 510 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 510	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144537 - CA 509 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 509	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144536 - CA 508 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 508	2024/11/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144535 - CA 507 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 507	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144534 - CA 506 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 506	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.281 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144533 - CA 505 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 505	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_144532 - CA 504 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 504	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144531 - CA 503 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 503	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144530 - CA 502 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 502	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144529 - CA 501 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 501	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144528 - CA 500 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 500	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.275 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144527 - CA 499 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 499	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-	
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL	
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144526 - CA 498 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 498	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test	
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL	

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144525 - CA 497 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 497	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_144524 - CA 496 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 496	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144523 - CA 495 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 495	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144522 - CA 494 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 494	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144521 - CA 493 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 493	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.63 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144520 - CA 492 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 492	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.288 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144519 - CA 491 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 491	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.287 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_144518 - CA 490 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 490	2024/11/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144517 - CA 489 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 489	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144516 - CA 488 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 488	2024/11/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.284 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144515 - CA 487 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 487	2024/11/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.361 , -121.283 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144514 - CA 486 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 486	2024/11/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.282 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144513 - CA 484 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 484	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.28 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_144512 - CA 483 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 483	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.279 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

-

-

OB_144511 - CA 482 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 482	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_144510 - CA 481 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 481	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144509 - CA 480 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 480	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144508 - CA 478 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 478	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.274 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144507 - CA 477 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 477	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.273 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144506 - CA 476 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 476	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.272 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144505 - CA 475 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 475	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.271 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144504 - CA 474 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 474	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.361 , -121.27 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144503 - CA 473 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 473	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144502 - CA 472 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 472	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.631 , -121.268 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144501 - CA 254 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 254	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144500 - CA 240 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 240	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144166 - CA 471 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 471	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.583 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_144165 - CA 470 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 470	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144164 - CA 469 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 469	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION						
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.						
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144163 - CA 468 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 468	2024/11/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION						
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.						
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144162 - CA 467 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 467	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144161 - CA 466 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 466	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_144160 - CA 465 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 465	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_144159 - CA 464 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 464	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144158 - CA 463 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 463	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.312	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144157 - CA 462 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 462	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144156 - CA 461 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 461	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144155 - CA 460 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 460	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144154 - CA 459 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 459	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144153 - CA 458 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 458	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144152 - CA 457 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 457	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144151 - CA 456 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 456	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144150 - CA 455 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 455	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144149 - CA 454 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 454	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144148 - CA 453 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 453	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144147 - CA 452 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 452	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144146 - CA 451 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 451	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.313 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144145 - CA 450 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 450	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144144 - CA 449 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 449	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144143 - CA 448 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 448	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144142 - CA 447 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 447	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144141 - CA 446 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 446	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144140 - CA 445 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 445	2024/11/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144139 - CA 444 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 444	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144138 - CA 443 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 443	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144137 - CA 442 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 442	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.5931 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144136 - CA 441 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 441	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.314 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144135 - CA 440 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 440	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144134 - CA 439 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 439	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.5851 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144133 - CA 438 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 438	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144132 - CA 437 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 437	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144131 - CA 436 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 436	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144130 - CA 435 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 435	2024/11/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144129 - CA 433 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 433	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144128 - CA 432 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 432	2024/11/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144127 - CA 431 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 431	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144126 - CA 430 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 430	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144125 - CA 429 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 429	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144124 - CA 428 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 428	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144123 - CA 427 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 427	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144122 - CA 426 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 426	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144121 - CA 425 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 425	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144120 - CA 424 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 424	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144119 - CA 423 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 423	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144118 - CA 422 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 422	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144117 - CA 421 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 421	2024/11/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.316 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144116 - CA 419 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 419	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144115 - CA 404 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 404	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144114 - CA 403 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 403	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144113 - CA 373 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 373	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144112 - CA 364 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 364	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_144111 - CA 363 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 363	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144110 - CA 348 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 348	2024/10/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144109 - CA 358 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 358	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144108 - CA 347 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 347	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144106 - CA 028 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 028	2024/11/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.456 , -121.41 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_144105 - CA 335 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 335	2024/10/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143864 - CA 434 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 434	2024/11/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.315 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143862 - CA 420 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 420	2024/11/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143861 - CA 418 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 418	2024/11/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143860 - CA 417 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 417	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143858 - CA 416 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 416	2024/11/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143857 - CA 415 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 415	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143855 - CA 414 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 414	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_143854 - CA 413 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 413	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_143852 - CA 412 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 412	2024/11/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143851 - CA 411 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 411	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143849 - CA 409 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 409	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143848 - CA 408 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 408	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143847 - CA 407 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 407	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143845 - CA 406 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 406	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143844 - CA 405 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 405	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143843 - CA 402 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 402	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143841 - CA 401 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 401	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143840 - CA 400 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 400	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143839 - CA 399 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 399	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143838 - CA 398 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 398	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143837 - CA 397 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 397	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143835 - CA 396 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 396	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143834 - CA 395 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 395	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143833 - CA 394 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 394	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143832 - CA 393 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 393	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143830 - CA 392 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 392	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143829 - CA 391 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 391	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143828 - CA 390 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 390	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143827 - CA 389 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 389	2024/11/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143826 - CA 388 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 388	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143825 - CA 387 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 387	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143824 - CA 386 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 386	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143823 - CA 385 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 385	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143822 - CA 384 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 384	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143820 - CA 383 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 383	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143819 - CA 382 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 382	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143818 - CA 381 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 381	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143817 - CA 380 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 380	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143816 - CA 379 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 379	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143815 - CA 378 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 378	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143813 - CA 377 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 377	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143812 - CA 376 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 376	2024/11/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143811 - CA 375 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 375	2024/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143810 - CA 374 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 374	2020/11/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143808 - CA 372 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 372	2024/11/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143807 - CA 369 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 369	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143806 - CA 368 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 368	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143805 - CA 367 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 367	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143802 - CA 366 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 366	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143801 - CA 365 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 365	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143800 - CA 362 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 362	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143799 - CA 361 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 361	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143797 - CA 360 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 360	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143795 - CA 359 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 359	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143794 - CA 357 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 357	2024/11/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143793 - CA 356 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 356	2024/11/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143792 - CA 355 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 355	2024/11/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.5891 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143791 - CA 354 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 354	2024/11/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143790 - CA 353 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 353	2024/11/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143789 - CA 352 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 352	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143788 - CA 351 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 351	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143787 - CA 350 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 350	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143786 - CA 349 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 349	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143785 - CA 346 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 346	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143783 - CA 345 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 345	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143781 - CA 344 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 344	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143779 - CA 343 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 343	2024/11/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143778 - CA 342 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 342	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143777 - CA 341 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 341	2024/10/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143776 - CA 340 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 340	2024/10/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143775 - CA 339 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 339	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143774 - CA 334 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 334	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143773 - CA 333 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 333	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

-

-

OB_143772 - CA 332 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 332	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_143771 - CA 331 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 331	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143770 - CA 330 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 330	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143769 - CA 329 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 329	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143768 - CA 328 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 328	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143767 - CA 327 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 327	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143766 - CA 326 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 326	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143765 - CA 325 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 325	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143763 - CA 324 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 324	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143762 - CA 323 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 323	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143761 - CA 322 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 322	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143760 - CA 321 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 321	2024/10/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143759 - CA 320 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 320	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143758 - CA 319 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 319	2024/01/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143757 - CA 318 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 318	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143756 - CA 317 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 317	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143755 - CA 316 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 316	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143754 - CA 315 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 315	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143753 - CA 314 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 314	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143752 - CA 313 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 313	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143751 - CA 312 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 312	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.327 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
-			

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143750 - CA 311 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 311	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.327 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143749 - CA 310 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 310	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.584 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143748 - CA 309 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 309	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.585 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143747 - CA 308 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 308	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.586 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143746 - CA 307 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 307	2024/10/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
-							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143745 - CA 306 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 306	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.587 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143744 - CA 305 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 305	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143743 - CA 304 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 304	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143741 - CA 303 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 303	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143739 - CA 302 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 302	2024/10/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.328 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
-			

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143738 - CA 301 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 301	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.328 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143687 - CA 281 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 281	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.603 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143686 - CA 226 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 226	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143194 - CA 299 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 299	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143193 - CA 298 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 298	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143192 - CA 297 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 297	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143191 - CA 296 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 296	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143190 - CA 295 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 295	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143189 - CA 294 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 294	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143188 - CA 293 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 293	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.316	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_143187 - CA 292 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 292	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.317 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143186 - CA 291 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 291	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143185 - CA 290 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 290	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.319 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143184 - CA 289 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 289	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.32 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143183 - CA 288 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 288	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143182 - CA 287 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 287	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.322 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143181 - CA 286 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 286	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.323 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143180 - CA 285 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 285	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.324 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143179 - CA 284 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 284	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.325 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143178 - CA 283 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 283	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143177 - CA 280 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 280	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143176 - CA 279 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 279	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143175 - CA 278 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 278	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143174 - CA 277 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 277	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143173 - CA 276 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 276	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143172 - CA 275 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 275	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley california	38.602 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143171 - CA 274 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 274	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_143170 - CA 273 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 273	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_143169 - CA 272 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 272	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143168 - CA 271 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 271	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143167 - CA 270 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 270	2020/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.602 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143166 - CA 269 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 269	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143165 - CA 268 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 268	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143164 - CA 267 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 267	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143163 - CA 266 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 266	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143152 - CA 265 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 265	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143151 - CA 263 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 263	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143150 - CA 262 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 262	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143149 - CA 261 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 261	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143148 - CA 260 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 260	2024/10/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143147 - CA 259 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 259	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.601 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143146 - CA 258 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 258	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143145 - CA 257 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 257	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143144 - CA 256 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 256	2024/10/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143143 - CA 255 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 255	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143142 - CA 253 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 253	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES						
-	-						

OB_143141 - CA 252 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 252	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143140 - CA 251 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 251	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143139 - CA 250 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 250	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143138 - CA 249 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 249	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143137 - CA 248 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 248	2024/10/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.6 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143136 - CA 247 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 247	2024/10/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143135 - CA 246 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 246	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143134 - CA 245 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 245	2024/10/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143133 - CA 236 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 236	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143132 - CA 225 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 225	2024/10/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143131 - CA 210 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 210	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143130 - CA 205 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 205	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143129 - CA 182 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 182	2024/10/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_143128 - CA 177 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 177	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142976 - UT 014 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 014	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.727 , -111.855 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142975 - UT 013 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 013	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.728 , -111.835 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142974 - UT 012 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 012	2024/11/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.729 , -111.835 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142973 - UT 011 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 011	2024/11/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.73 , -111.835 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142570 - CA 300 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 300	2024/10/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142569 - CA 282 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 282	2024/10/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142568 - CA 244 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 244	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142567 - CA 243 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 243	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142566 - CA 242 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 242	2024/10/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142565 - CA 241 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 241	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142564 - CA 239 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 239	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142563 - CA 238 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 238	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142562 - CA 237 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 237	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.599 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142561 - CA 235 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 235	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142560 - CA 234 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 234	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142559 - CA 233 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 233	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142558 - CA 232 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 232	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142557 - CA 231 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 231	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142556 - CA 230 - CENTRAL VALLEY CALIORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 230	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley Caliornia	38.598 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142555 - CA 229 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 229	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142554 - CA 228 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 228	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.5981 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142553 - CA 227 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 227	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.598 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142552 - CA 224 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 224	2024/10/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142551 - CA 223 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 223	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142550 - CA 222 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 222	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142549 - CA 221 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 221	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142548 - CA 220 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 220	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_142547 - CA 219 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 219	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_142546 - CA 218 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 218	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.456	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142545 - CA 217 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 217	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142544 - CA 216 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 216	2024/10/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_142543 - CA 215 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 215	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.597 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_142542 - CA 214 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 214	2024/10/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142541 - CA 213 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 213	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142540 - CA 212 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 212	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142539 - CA 211 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 211	2024/10/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142538 - CA 180 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 180	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142537 - UT 010 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 010	2024/10/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.731 , -111.835 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137954 - TX 024 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 024	2024/07/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.219 , -98.203 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs included decreased milk production, abnormal milk and decreased feed consumption.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139945 - TX 025 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 025	2024/05/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.202 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Positive samples were confirmed from banked specimens originally collected in May, 2024. Clinical signs included decreased milk production and abnormal milk.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139947 - TX 026 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 026	2024/05/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.201 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Positive samples were confirmed from banked specimens originally collected in May, 2024. Clinical signs included decreased milk production and abnormal milk.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142388 - UT 009 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 009	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.732 , -111.8351 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142387 - UT 008 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 008	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.733 , -111.835 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142386 - UT 007 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 007	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache county	41.734 , -111.835 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142385 - UT 006 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 006	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.735 , -111.835 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142384 - UT 005 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 005	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.732 , -111.836 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142383 - UT 004 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 004	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache county	41.733 , -111.836 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142382 - UT 003 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 003	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.734 , -111.836 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
 A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_142381 - UT 002 - CACHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
UT 002	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Cache	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cache County	41.735 , -111.836 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
 A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141977 - OR 001 - CROOK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
OR 001	2024/10/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Crook	-	Backyard
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Crook County	44.303 , -120.843 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic backyard pigs (Sus scrofa) with shared pens and a shared water source to HPAI infected birds on an HPAI affected WOAHP non-poultry premises. There were no apparent clinical signs in pigs. The pigs on the premises were euthanized to facilitate additional diagnostic analysis and H5 2.3.4.4b was detected in internal tissues from one of the five pigs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
swine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	5	1	-	5	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
Disinfection	Stamping out
Surveillance within the restricted zone	

OB_142124 - CA 209 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 209	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142123 - CA 208 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 208	2024/10/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142121 - CA 207 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 207	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142120 - CA 206 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 206	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142119 - CA 204 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 204	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.596 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142118 - CA 203 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 203	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142116 - CA 202 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 202	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142115 - CA 201 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 201	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142114 - CA 200 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 200	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142113 - CA 199 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 199	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142112 - CA 198 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 198	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.4585 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142111 - CA 197 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 197	2024/10/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142110 - CA 196 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 196	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142109 - CA 195 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 195	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142108 - CA 194 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 194	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142107 - CA 193 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 193	2024/10/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.595 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142106 - CA 192 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 192	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142105 - CA 191 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 191	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142104 - CA 190 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 190	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142103 - CA 189 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 189	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142102 - CA 188 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 188	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142101 - CA 187 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 187	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142100 - CA 186 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 186	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142099 - CA 185 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 185	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142098 - CA 184 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 184	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142097 - CA 183 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 183	2024/10/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.594 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142096 - CA 181 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 181	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142095 - CA 179 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 179	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142094 - CA 178 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 178	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142093 - CA 176 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 176	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142092 - CA 175 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 175	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142091 - CA 174 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 174	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142090 - CA 173 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 173	2024/10/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142089 - CA 172 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 172	2024/10/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142088 - CA 171 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 171	2024/10/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.593 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142087 - CA 170 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 170	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142086 - CA 169 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 169	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142085 - CA 168 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 168	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142084 - CA 167 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 167	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142083 - CA 166 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 166	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142082 - CA 165 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 165	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142081 - CA 164 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 164	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142080 - CA 163 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 163	2024/10/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142079 - CA 162 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 162	2024/10/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142078 - CA 159 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 159	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142077 - CA 158 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 158	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142076 - CA 157 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 157	2024/01/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142075 - CA 156 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 156	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142074 - CA 155 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 155	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142073 - CA 154 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 154	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142072 - CA 153 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 153	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142071 - CA 151 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 151	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142070 - CA 150 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 150	2024/10/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142069 - CA 149 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 149	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142068 - CA 148 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 148	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.464 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142067 - CA 146 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 146	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142066 - CA 145 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 145	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142065 - CA 144 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 144	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142064 - CA 143 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 143	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142063 - CA 142 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 142	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142062 - CA 141 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 141	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142061 - CA 140 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 140	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142060 - CA 139 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 139	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142059 - CA 106 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 106	2024/10/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.548 , -121.4 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142058 - CA 096 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 096	2024/09/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.547 , -121.4 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_142057 - CA 092 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 092	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.546 , -121.4 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_141620 - ID 038 - TWIN FALLS COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 038	2024/10/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.565 , -114.495 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_141619 - ID 037 - CANYON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 037	2024/10/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Canyon	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Canyon County	43.665 , -116.682 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_141327 - CA 112 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 112	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs included decreased milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141590 - CA 161 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 161	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141589 - CA 160 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 160	2024/10/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.592 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141588 - CA 152 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 152	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.591 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141587 - CA 147 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 147	2024/10/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141586 - CA 138 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 138	2024/10/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141585 - CA 137 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 137	2024/10/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.59 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141584 - CA 136 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 136	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141583 - CA 135 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 135	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141582 - CA 134 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 134	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141581 - CA 133 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 133	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141580 - CA 132 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 132	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.459 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141579 - CA 131 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 131	2024/10/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141577 - CA 129 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 129	2024/10/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141578 - CA 130 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 130	2024/10/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley Califoria	38.589 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141576 - CA 128 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 128	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141575 - CA 126 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 126	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.453 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141574 - CA 116 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 116	2024/10/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.589 , -121.451 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141509 - NORTH SLOPE BOROUGH

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	North Slope	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
North Slope Borough	71.283 , -156.768 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red foxes (Vulpes vulpes) exhibiting neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141340 - CA 127 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 127	2024/10/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.474 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141339 - CA 125 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 125	2024/10/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.472 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141338 - CA 124 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 124	2024/10/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.471 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141337 - CA 123 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 123	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.47 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141336 - CA 122 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 122	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.469 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141335 - CA 121 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 121	2024/10/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.468 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141334 - CA 120 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 120	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.467 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141332 - CA 119 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 119	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.464 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141331 - CA 118 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 118	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.465 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141330 - CA 115 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 115	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141329 - CA 114 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 114	2024/10/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141328 - CA 113 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 113	2024/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.46 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141326 - CA 111 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 111	2024/10/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.458 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141325 - CA 110 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 110	2024/10/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.457 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141324 - CA 109 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 109	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.456 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141323 - CA 108 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 108	2024/10/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_141322 - CA 107 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 107	2023/10/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.454 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_141321 - CA 105 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 105	2024/10/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.452 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_141320 - CA 104 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 104	2024/10/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.451 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_141319 - CA 054 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 054	2024/09/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.588 , -121.45 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_141016 - CA 062 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 062	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.49 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed consumption and decreased milk production. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_141055 - CA 103 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 103	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.578 , -121.489 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141054 - CA 102 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 102	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.578 , -121.488 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141053 - CA 101 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 101	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.578 , -121.487 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141052 - CA 100 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 100	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.507 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141051 - CA 099 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 099	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.506 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed consumption and decreased milk production. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141050 - CA 098 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 098	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.505 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141049 - CA 097 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 097	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.504 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141048 - CA 095 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 095	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.502 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

-

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141047 - CA 094 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 094	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.501 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141046 - CA 093 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 093	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.5 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141045 - CA 091 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 091	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.498 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141044 - CA 090 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 090	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.497 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141043 - CA 089 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 089	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.496 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141042 - CA 088 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 088	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.495 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141041 - CA 087 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 087	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.494 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141040 - CA 086 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 086	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.493 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141039 - CA 085 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 085	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.492 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141038 - CA 084 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 084	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.491 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141030 - CA 076 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 076	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.504 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed consumption and decreased milk production. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141037 - CA 083 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 083	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.49 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_141036 - CA 082 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 082	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.489 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141035 - CA 081 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 081	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.488 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141034 - CA 080 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 080	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.487 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141033 - CA 079 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 079	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.507 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141032 - CA 078 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 078	2024/10/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.506 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141031 - CA 077 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 077	2024/10/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.505 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141029 - CA 075 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 075	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.503 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141028 - CA 074 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 074	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.502 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141027 - CA 073 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 073	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.501 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141026 - CA 072 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 072	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.5 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141025 - CA 071 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 071	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141024 - CA 070 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 070	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.498 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141023 - CA 069 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 069	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.497 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141022 - CA 068 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 068	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.496 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141021 - CA 067 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 067	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.495 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141020 - CA 066 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 066	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.494 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141019 - CA 065 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 065	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.493 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141018 - CA 064 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 064	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.492 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141017 - CA 063 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 063	2024/09/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.491 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141015 - CA 061 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 061	2024/09/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.489 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141014 - CA 060 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 060	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.488 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_141013 - CA 059 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 059	2024/09/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.487 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140624 - CA 043 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 043	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.493 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140625 - CA 044 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 044	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.494 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140627 - CA 045 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 045	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.495 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140628 - CA 046 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 046	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.496 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140629 - CA 047 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 047	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.497 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140630 - CA 048 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 048	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.498 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140631 - CA 049 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 049	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140632 - CA 050 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 050	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.5 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140633 - CA 051 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 051	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.501 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140634 - CA 052 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 052	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.502 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140639 - CA 058 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 058	2024/09/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.507 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140638 - CA 057 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 057	2024/09/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.506 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140637 - CA 056 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 056	2024/09/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.505 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140636 - CA 055 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 055	2024/09/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.504 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140635 - CA 053 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 053	2024/09/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.581 , -121.503 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140612 - ID 036 - CANYON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 036	2024/09/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Canyon	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Canyon County	43.665 , -116.682 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140564 - ID 035 - PAYETTE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 035	2024/09/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Payette	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Payette County	44.078 , -116.93 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140269 - CA 042 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 042	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.504 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140268 - CA 041 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 041	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.503 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140267 - CA 040 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 040	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.502 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140266 - CA 039 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 039	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.501 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140265 - CA 038 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 038	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.5 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140264 - CA 037 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 037	2024/09/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140263 - CA 036 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 036	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.498 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140262 - CA 035 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 035	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.497 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140261 - CA 034 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 034	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.496 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140260 - CA 033 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 033	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.495 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140259 - CA 032 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 032	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.494 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140258 - CA 031 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 031	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.493 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140257 - CA 030 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 030	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.492 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140256 - CA 029 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 029	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.491 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140255 - CA 027 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 027	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.49 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140254 - CA 026 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 026	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.489 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140253 - CA 025 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 025	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.575 , -121.488 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140252 - CA 024 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 024	2024/09/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.505 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140251 - CA 023 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 023	2024/09/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.504	-	Animal
AFFECTED POPULATION DESCRIPTION			
-			

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_140250 - CA 022 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 022	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.503 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_140245 - CA 015 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 015	2024/09/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.498 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_140246 - CA 018 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 018	2024/09/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

-

-

OB_140247 - CA 019 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 019	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.5 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_140248 - CA 020 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 020	2024/09/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.501 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_140249 - CA 021 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 021	2024/09/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.577 , -121.502 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139955 - CA 017 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 017	2024/09/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.506 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_139954 - CA 016 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 016	2024/09/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.505 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_139953 - CA 014 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 014	2024/09/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.503 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_139952 - CA 013 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 013	2024/09/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.502 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_139951 - CA 012 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 012	2024/09/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.501 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_139950 - CA 011 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 011	2024/09/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.5 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_139949 - CA 010 - CENTRAL VALLEY CALIFORNIA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 010	2024/09/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139948 - CA 009 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 009	2024/09/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.498 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs included decreased milk production and decreased feed consumption. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139942 - ID 034 - TWIN FALLS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 034	2024/09/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.558 , -114.466 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139500 - MI 029 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 029	2024/05/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.0 , -84.559 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Positive samples were confirmed from banked specimens originally collected in May, 2024.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139499 - CA 008 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 008	2024/09/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.497 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139498 - CA 007 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 007	2024/09/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.496 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139416 - CA 006 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 006	2024/09/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.495 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_139405 - CA 005 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 005	2024/09/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.494 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing. To protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_139400 - CA 004 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 004	2024/09/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.493 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139220 - TETON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/12/08	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Teton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Teton County	43.478 , -110.76 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139076 - NM 009 - ROOSEVELT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 009	2024/04/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Roosevelt	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Roosevelt County	34.186 , -103.337 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Positive samples were confirmed from banked specimens originally collected in April 2024.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139075 - CA 003 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 003	2024/08/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.492 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139074 - CA 002 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 002	2024/08/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.491 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_139062 - CA 001 - CENTRAL VALLEY CALIFORNIA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CA 001	2024/08/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Central Valley California	38.576 , -121.49 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake. In order to protect data confidentiality, the second administrative division represents the approximate location of the state capitol.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_138965 - MI 028 - VAN BUREN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 028	2024/08/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Van Buren	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Van Buren County	42.216 , -85.891 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)						

TOTAL - - - - -

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_138983 - BERNALILLO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/02/23	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Bernalillo	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Bernalillo County	35.092 , -106.65 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_128494 - JERAULD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/10/07	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Jerauld	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jerauld County	44.079 , -98.569 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Feral domestic cats (Felis catus). Cats were sampled on an HPAI affected poultry premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	6	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_138966 - WASHINGTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/01/10	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Washington	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Washington County	37.112 , -113.577 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunks (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	4	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_137965 - CO 062 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 062	2024/07/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.556 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, decreased feed intake and decreased rumen motility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137959 - CO 055 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 055	2024/07/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.553 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137963 - CO 060 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 060	2024/07/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.557 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included diarrhea, fever, and early dry-off.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137964 - CO 061 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 061	2024/07/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.589 , -105.078 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_138657 - CARTER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/10/16	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kentucky	Carter	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Carter County	38.333 , -82.949 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild racoon (Procyon lotor). Samples were collected as part of a morbidity / mortality investigation.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
racoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_138659 - MCCONE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/11	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	McCone	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
McCone County	47.406 , -105.59 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis). Skunk was exhibiting neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_138473 - CO 064 - COLORADO

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 064	2024/07/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Broomfield	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Colorado	39.918 , -105.121 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. In order to protect data confidentiality, the second administrative division represents the approximate location of the Colorado Department of Agriculture.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_138217 - SAINT CHARLES COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/07/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Missouri	Saint Charles	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Saint Charles County	38.784 , -90.481 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes). H5 2.3.4.4b was confirmed in samples collected as part of a morbidity/mortality investigation.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137960 - CO 057 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 057	2024/07/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.66 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, diarrhea and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137961 - CO 058 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 058	2024/07/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.559 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_138472 - ID 033 - CANYON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 033	2024/07/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Canyon	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Canyon County	43.665 , -116.682 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_137967 - CO 056 - WELD COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 056	2024/07/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.661 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decreased rumination and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_137966 - CO 063 - LARIMER COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 063	2024/07/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.589 , -105.077 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included mastitis, fever, and decreased rumination.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-

OB_137962 - CO 059 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 059	2024/07/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.558 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased rumination.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-

OB_137958 - CO 054 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 054	2024/07/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.554 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_137957 - CO 053 - WELD COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 053	2024/07/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.555 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, yellow milk, and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_137956 - SD 007 - SOUTH DAKOTA			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
SD 007	2024/07/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Hughes	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
South Dakota	44.37 , -100.347 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137955 - SD 006 - SOUTH DAKOTA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
SD 006	2024/07/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Hughes	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
South Dakota	44.37 , -100.348 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137386 - CO 050 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 050	2024/07/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.657 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137173 - CO 051 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 051	2024/07/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.59 , -105.078 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Clinical, Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL	
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137749 - CO 042 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 042	2024/06/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.661 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Clinical, Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136036 - CO 026 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 026	2024/06/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.423 , -104.675 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137472 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/07/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.425 , -104.694 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mammals sampled on an HPAI affected poultry premises. Wild desert cottontail (*Sylvilagus audubonii*), prairie vole (*Microtus ochrogaster*), western deer mice (*Peromyscus sonoriensis*), and house mice (*Mus musculus*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
prairie vole (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-
house mouse (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	8	-	-	-	-
desert cottontail	NEW	-	-	-	-	-	-

(wild) wild	TOTAL	-	1	-	-	-	-
western deer mouse	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	14	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137572 - TX 023 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 023	2024/07/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.203 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included mastitis and thick colostrum-like milk with reduced milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137571 - MI 027 - VAN BUREN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 027	2024/07/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Van Buren	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Van Buren County	42.217 , -85.89 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137388 - CO 052 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 052	2024/07/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.656 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135766 - CO 023 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 023	2024/06/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.678 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136037 - CO 027 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 027	2024/06/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.673 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137167 - CO 038 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 038	2024/07/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.661 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------	-------	--------	------------------------	--	------------

bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136969 - CO 040 - MORGAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 040	2024/07/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Morgan	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morgan County	40.252 , -103.787 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136966 - CO 039 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 039	2024/07/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.664 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137172 - CO 049 - MORGAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 049	2024/07/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Morgan	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morgan County	40.252 , -103.787 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137384 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/07/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.588 , -105.079	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus) exhibiting neurologic signs. This cat had outdoor access but is not known to be associated with any H5N1 affected livestock or poultry premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134753 - CURRY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/04/17	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	34.402 , -103.194 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Feral domestic cats (Felis catus). HPAI H5N1 clade 2.3.4.4b was detected in two feral cats that were found dead and submitted by a local veterinarian for testing due to affected HPAI dairies in the county. The location of these cats was not directly associated with a known HPAI affected dairy farm or poultry farm. Note 26/07/2024: Upon laboratory records review, start date for this outbreak was corrected to 4/17/2024.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	2	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135549 - CO 010 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 010	2024/06/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.692 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135762 - CO 019 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 019	2024/06/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.681 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137174 - MN 010 - STEARNS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 010	2024/07/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Stearns	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Stearns County	45.56 , -94.163 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, fevers and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137171 - CO 048 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 048	2024/07/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.59 , -105.079 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137170 - CO 047 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 047	2024/07/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.658 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137169 - CO 046 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 046	2024/07/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.658 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137168 - CO 045 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 045	2024/07/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.66 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135757 - CO 013 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 013	2024/06/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.685 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135765 - CO 022 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 022	2024/06/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.679 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135550 - CO 012 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 012	2024/06/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.692 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135759 - CO 015 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 015	2024/06/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.683 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135758 - CO 014 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 014	2024/06/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.684 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136502 - CO 029 - MORGAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 029	2024/07/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Morgan	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morgan County	40.252 , -103.787 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136501 - CO 028 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 028	2024/07/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.589 , -105.08 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136964 - CO 036 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 036	2024/07/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.589 , -105.079 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136965 - CO 037 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 037	2024/07/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.666 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136967 - CO 041 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 041	2024/07/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.589 , -105.078 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136968 - CO 043 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 043	2024/07/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.662 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137163 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/07/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.588 , -105.079 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus) exhibiting lethargy and tremors. This detection is not known to be associated with any H5N1 affected livestock

or poultry premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137164 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/07/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.588 , -105.078 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). This detection is not known to be associated with any H5N1 affected livestock or poultry premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_137142 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/07/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer county	40.588 , -105.08 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus) exhibiting neurologic signs. This cat had outdoor access but is not known to be associated with any H5N1 affected livestock or poultry premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135546 - CO 007 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 007	2024/06/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.429 , -104.691 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136962 - CO 034 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 034	2024/07/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.668 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136959 - CO 031 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 031	2024/07/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.671 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136960 - CO 032 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 032	2024/07/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.67 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136971 - CO 044 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 044	2024/07/12	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.66 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included thickened, yellow milk and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136963 - CO 035 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 035	2024/07/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.667 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136961 - CO 033 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 033	2024/06/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.669 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, decreased feed intake and thickened milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136958 - ERIE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/07/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Erie	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erie County	42.882 , -78.874 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*). This detection was not associated with any known H5N1 affected poultry or livestock affected premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135153 - ROOSEVELT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Roosevelt	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Roosevelt County	34.191 , -103.337 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild house mice (*Mus musculus*), wild red fox (*Vulpes vulpes*), and a wild striped skunk (*Mephitis mephitis*) collected from an HPAI affected poultry premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-
house mouse (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	75	-	-	-	-
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136920 - OK 002 - OKLAHOMA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
OK 002	2024/04/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oklahoma	Oklahoma	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit

Oklahoma	35.491 , -97.502 (Approximate location)	-	Animal
----------	--	---	--------

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136919 - OK 001 - OKLAHOMA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
OK 001	2024/04/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oklahoma	Oklahoma	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Oklahoma	35.491 , -97.503 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136918 - TX 022 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 022	2024/07/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.199 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136917 - ID 032 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 032	2024/07/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.939 , -114.711 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136916 - ID 031 - CANYON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 031	2024/06/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Canyon	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Canyon County	43.666 , -116.679 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136915 - MN 009 - BENTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 009	2024/06/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Benton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Benton County	45.666 , -93.905 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included lethargy, decreased milk production and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136914 - IA 012 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 012	2024/06/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.05 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135545 - CO 006 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 006	2024/06/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.429 , -104.692 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, decreased feed intake and abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135760 - CO 016 - WELD

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 016	2024/06/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld	40.424 , -104.682 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, decreased feed intake and abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136034 - CO 024 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 024	2024/06/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.677 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, decreased feed intake and abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_136033 - CO 017 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 017	2024/06/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.674	-	Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, thickened yellow milk, and decreased feed consumption.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_136035 - CO 025 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 025	2024/06/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.675 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, abnormal milk, decreased feed consumption.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_136892 - TOMPKINS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/04/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Tompkins	-	Not applicable

LOCATION	Latitude, Longitude		OUTBREAKS IN CLUSTER			Measuring unit	
Tompkins County	42.441 , -76.499 (Approximate location)		-			Animal	
AFFECTED POPULATION DESCRIPTION							
Red fox kit (Vulpes vulpes). This detection was not associated with any known HPAI affected livestock or poultry premises.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-
METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED					ADDITIONAL MEASURES		
-					-		
OB_135536 - IA 005 - SIOUX COUNTY							

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION				
IA 005	2024/06/13	-	-				
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT				
Iowa	Sioux	-	Farm				
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit				
Sioux County	43.005 , -96.057 (Approximate location)	-	Animal				
AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. H5N1 2.3.4.4b was detected in a wild racoon (Procyon lotor) on the affected dairy premises.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
racoon (northern raccoon) (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-
METHOD OF DIAGNOSTIC							
Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES			
-				-			
OB_136504 - CO 030 - WELD COUNTY							

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 030	2024/06/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm

LOCATION	Latitude, Longitude		OUTBREAKS IN CLUSTER		Measuring unit		
Weld County	40.424 , -104.672 (Approximate location)		-		Animal		
AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production with abnormal milk consistency and color.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-
METHOD OF DIAGNOSTIC							
Diagnostic test,							
Clinical							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES			
-				-			

OB_136503 - MI 026 - GRATIOT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION			
MI 026	2024/05/31	-	-			
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT			
Michigan	Gratiot	-	Farm			
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit			
Gratiot County	43.291 , -84.598 (Approximate location)	-	Animal			
AFFECTED POPULATION DESCRIPTION						
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and colostrum-like milk.						
Species	Wildlife type	Susceptible Cases	Deaths Killed and Disposed of Slaughtered/ Killed for commercial use Vaccinated			
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-
METHOD OF DIAGNOSTIC						
Diagnostic test, Clinical						
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL						
MEASURES NOT IMPLEMENTED		ADDITIONAL MEASURES				
-		-				

OB_136500 - MN 008 - BENTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 008	2024/06/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Benton	-	Farm

LOCATION	Latitude, Longitude		OUTBREAKS IN CLUSTER			Measuring unit	
Benton County	45.666 , -93.906 (Approximate location)		-			Animal	
AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decreased feed consumption, fever and abnormal milk.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-
METHOD OF DIAGNOSTIC							
Clinical, Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES			
-				-			

OB_134124 - MI 004 - OTTAWA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION			
MI 004	2024/04/08	-	-			
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT			
Michigan	Ottawa	-	Farm			
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit			
Ottawa County	42.812 , -86.063 (Approximate location)	-	Animal			
AFFECTED POPULATION DESCRIPTION						
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. HPAI H5N1 2.3.4.4 b was detected in three feral cats and one wild racoon (Procyon lotor) found dead on the affected premises.						
Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat (wild)	NEW	-	-	-	-	-
feral	TOTAL	-	3	3	-	-
bovine (domestic)	NEW	-	-	-	-	-
	TOTAL	-	-	-	-	-
raccoon (northern	NEW	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	-	-
METHOD OF DIAGNOSTIC						
Clinical, Diagnostic test						
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL						
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES		
-				-		

OB_134985 - MICHIGAN

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/20	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ionia	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Michigan	42.978 , -85.057 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A feral barn cat (Felis catus). This detection is not associated with any known HPAI affected livestock or poultry premises. Note 08/07/2024: The approximate location for this detection was originally represented by the laboratory that did the initial testing on this case. Upon further investigation, it was determined that this cat originated in Ionia County and coordinates were adjusted to reflect to the county of origin.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135371 - MN 003 - SIBLEY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 003	2024/05/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Sibley	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sibley County	44.556 , -94.221 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed intake and decreased milk production. H5 2.3.4.4 b was detected in two feral barn cats on the affected dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134611 - CAMPBELL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/04/19	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Campbell	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Campbell County	45.727 , -100.068 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cats (Felis catus). These domestic cat detections are not associated with any known poultry or dairy cattle HPAI affected premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134527 - IONIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/04/24	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ionia	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ionia County	42.983 , -85.064 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red foxes (Vulpes vulpes). Animals were found dead on an HPAI affected poultry premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	5	5	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134437 - ONONDAGA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/04/29	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Onondaga	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Onondaga County	43.046 , -76.148 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
Wild red fox (Vulpes vulpes).			

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134386 - YELLOWSTONE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/19	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Yellowstone	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Yellowstone County	45.784 , -108.506 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
Domestic cat (Felis catus). Cat was exhibiting neurologic signs.			

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134385 - CHENANGO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/18	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Chenango	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Chenango County	42.531 , -75.525 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (Lynx rufus).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134242 - SACRAMENTO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/01/17	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Sacramento	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sacramento County	38.583 , -121.497 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild skunk (unidentified species).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
mephitidae	NEW	-	-	-	-	-
(unidentified) (wild)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134220 - ADDISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/01/31	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Vermont	Addison	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Addison County	44.013 , -73.163 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (Lynx rufus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133954 - JACKSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/01/16	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Missouri	Jackson	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jackson County	39.1 , -94.578 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes). Samples were collected as part of a morbidity / mortality investigation.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133950 - BOURBON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/11	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kentucky	Bourbon	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Bourbon County	38.213 , -84.25 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
 Wild mink (Neovison vison). Samples were collected as part of a morbidity / mortality investigation.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
american mink	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133945 - GREENE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/06	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Greene	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Greene County	42.217 , -73.864 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
 Wild racoon (Procyon lotor).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
racoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133164 - ADA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/12/22	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Ada	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ada County	43.61 , -116.198 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
Wild striped skunk (Mephitis mephitis) exhibiting neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_132896 - GRANITE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/01/30	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Granite	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Granite County	46.334 , -113.293 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
Wild mountain lion (Puma concolor). Samples were collected from a sub-adult female found dead.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_132869 - STEVENS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/02/23	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Stevens	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Stevens County	48.543 , -117.903 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
Wild striped skunks (Mephitis mephitis).			

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	3	3	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134983 - WASHINGTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/11	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Washington	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Washington County	40.158 , -103.192 (Approximate location)	-	Animal
AFFECTED POPULATION DESCRIPTION			
Wild racoon (Procyon lotor).			

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
racoon (northern	NEW	-	-	-	-	-	-
racoon) (wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134984 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/17	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.0 , -84.558 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (Felis catus). This detection is not associated with any known HPAI affected livestock or poultry premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135300 - HARMON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/30	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oklahoma	Harmon	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Harmon County	34.685 , -99.919 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A feral domestic cat (Felis catus). This detection is not associated with any known H5N1 affected livestock or poultry premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135299 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/23	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.0 , -84.557 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A domestic cat (Felis catus). This detection is not associated with any known HPAI H5N1 affected livestock or poultry premises.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL	
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135298 - JEROME COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/23	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Jerome	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jerome County	42.727 , -114.513 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
Feral barn cat (Felis catus) exhibiting neurologic signs. Cat was sampled on an HPAI affected poultry premises.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135610 - WASHINGTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/02	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Washington	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Washington County	45.037 , -92.803 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*). Samples were collected as part of a morbidity / mortality investigation. This detection is not associated with any known H5N1 affected poultry or livestock premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135768 - ADAMS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/05/29	2024/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Adams	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Adams County	39.97 , -104.761 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A domestic cat (*Felis catus*) exhibiting acute respiratory signs. This detection was not associated with any known H5N1 affected livestock or poultry premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_136032 - IA 013 - SIOUX COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 013	2024/06/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.049 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_136031 - IA 011 - SIOUX COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 011	2024/06/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.051 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_136028 - ID 028 - TWIN FALLS COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 028	2024/06/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.559 , -114.462 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_135756 - CO 011 - WELD COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 011	2024/06/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.789 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decreased feed intake and thickened milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-

OB_135141 - TX 019 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 019	2024/05/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.201 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included thickened, abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-

OB_135539 - TX 020 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 020	2024/06/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.201 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included thickened, abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135540 - TX 021 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 021	2024/06/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.2 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included thickened, abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135764 - CO 021 - MORGAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 021	2024/06/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Morgan	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morgan County	40.252 , -103.788 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included fevers and abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135763 - CO 020 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 020	2024/06/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.68 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included abnormal milk, decreased feed and water intake and fevers.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Diagnostic test, Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL	
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135761 - CO 018 - MORGAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 018	2024/06/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Morgan	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morgan County	40.252 , -103.789 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included abnormal milk, fever, and decreased feed and water intake.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC
Clinical, Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134125 - MI 005 - ISABELLA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 005	2024/04/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Isabella	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Isabella County	43.606 , -84.776 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. H5N1clade 2.3.4.4b was also detected in a feral barn cat (Felis catus) and a wild raccoon (Procyon lotor) on the affected dairy premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
racoon (northern raccoon) (wild)	NEW	-	-	-	-	-
	TOTAL	-	1	-	-	-
domestic cat (wild) feral	NEW	-	-	-	-	-
	TOTAL	-	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-
	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135616 - ID 029 - CANYON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 029	2024/06/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Canyon	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Canyon County	43.666 , -116.68 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-

(domestic) TOTAL - - - - -

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135615 - IA 010 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 010	2024/06/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.056 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135614 - IA 009 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 009	2024/06/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.056 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-

(domestic) TOTAL - - - - - -

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135613 - IA 008 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 008	2024/06/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.054 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135612 - IA 007 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 007	2024/06/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.055 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-

(domestic) TOTAL - - - - -

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135611 - IA 006 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 006	2024/06/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.056 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through positive specimens collected for surveillance testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135537 - MN 005 - KANDIYOHI COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 005	2024/05/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Kandiyohi	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Kandiyohi County	45.12 , -95.049 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. H5N1 2.3.4.4b was also detected in a feral barn cat on the premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135547 - CO 008 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 008	2024/06/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.69 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs included fever, decreased feed consumption, decreased water intake and abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135541 - MN 007 - MORRISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 007	2024/06/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Morrison	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morrison County	45.976 , -94.359 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs included decreased milk production, decreased feed consumption, mastitis, fever and lethargy.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-

(domestic) TOTAL - - - - -

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135136 - MI 023 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 023	2024/05/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.001 , -84.559 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, thick yellow milk, and fever. Coordinates were corrected to represent the correct affected county.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133485 - TX 002 - HARTLEY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 002	2024/03/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Hartley	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hartley County	36.051 , -102.515 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in feed intake, tacky feces, thickened milk, increased somatic cell count and pyrexia. After reassessment of laboratory records, it was determined that were no H5N1 2.3.4.4b positive cats sampled on this premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------	-------	--------	------------------------	--	------------

bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	8	0	0	0
METHOD OF DIAGNOSTIC						
Diagnostic test						
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL						
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES		
-				-		

OB_135538 - MN 006 - BENTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 006	2024/06/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Benton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Benton County	45.666 , -93.907 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises. Clinical signs in lactating cattle included mastitis, fever, decreased feed intake and depression.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC							
Clinical, Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES			
-				-			

OB_135548 - CO 009 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 009	2024/06/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.692 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises. Clinical signs in lactating cattle included drop in milk production, fever, dehydration, abnormal milk and respiratory signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
----------------	----------------------	--------------------	--------------	---------------	-------------------------------	---	-------------------

bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135544 - ID 027 - MINIDOKA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 027	2024/06/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Minidoka	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Minidoka County	42.619 , -113.676 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135543 - ID 026 - OWYHEE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 026	2024/06/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Owyhee	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Owyhee County	43.217 , -116.549 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

-

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-

(domestic) TOTAL - - - - -

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135542 - ID 025 - OWYHEE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 025	2024/06/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Owyhee	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Owyhee County	43.217 , -116.55 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135535 - IA 004 - PLYMOUTH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 004	2024/06/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Plymouth	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Plymouth County	42.79 , -96.161 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION
A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and mastitis.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

Clinical,
Diagnostic test

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

—

OB 135534 - IA 003 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 003	2024/06/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.058 (Approximate location)	-	Animal

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

-

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

—

—

OB 135493 - CO 005 - MORGAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 005	2024/05/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Morgan	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Morgan County	40.252 , -103.79 (Approximate location)	-	Animal

A commercial dairy premises. Clinical signs in lactating cattle included pneumonia. H5N1 2.3.4.4b was also detected in a feral barn cat on the premises that was exhibiting progressive neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135492 - MI 025 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 025	2024/05/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.001 , -84.554 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production and off feed.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135377 - WY 001 - WYOMING

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
WY 001	2024/05/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Albany	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Wyoming	41.312 , -105.59 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production. In order to protect data confidentiality, the approximate location of this outbreak is reported as the laboratory that did the initial testing.

Species	Wildlife	Susceptible	Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------	-------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135373 - ID 020 - CANYON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 020	2024/05/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Canyon	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Canyon County	43.666 , -116.681 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135376 - ID 024 - PAYETTE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 024	2024/06/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Payette	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Payette County	44.078 , -116.929 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135375 - ID 021 - FRANKLIN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 021	2024/06/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Franklin	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Franklin county	42.096 , -111.878 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135374 - ID 023 - PAYETTE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 023	2024/06/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Payette	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Payette County	44.078 , -116.93 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135372 - MN 004 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 004	2024/06/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Lincoln	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	44.463 , -96.252 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135370 - MN 002 - BENTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MN 002	2024/05/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Benton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Benton County	45.666 , -93.908 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed consumption, fever, and abnormal milk.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135340 - IA 002 - SIOUX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 002	2024/06/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Sioux	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sioux County	43.005 , -96.059 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135335 - IA 001 - O'BRIEN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
IA 001	2024/05/31	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	O'Brien	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
O'Brien County	43.087 , -95.628 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135152 - TX 016 - RANDALL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 016	2024/04/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Randall	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Randall County	34.986 , -101.92 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decreased feed consumption and fever.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135151 - ID 019 - JEROME COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 019	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Jerome	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jerome County	42.727 , -114.514 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135150 - ID 018 - TWIN FALLS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 018	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.559 , -114.463 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135149 - ID 017 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 017	2024/05/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.534 , -113.786 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135147 - ID 016 - TWIN FALLS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 016	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.559 , -114.464 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135146 - ID 015 - GOODING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 015	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Gooding	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gooding County	42.939 , -114.712 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135145 - ID 014 - TWIN FALLS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 014	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.559 , -114.465 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135144 - ID 013 - TWIN FALLS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 013	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.559 , -114.466 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135143 - ID 012 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 012	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.534 , -113.787 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135142 - ID 011 - TWIN FALLS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 011	2024/05/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Twin Falls	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Twin Falls County	42.559 , -114.467 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included depressed appearance.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135140 - TX 018 - COMANCHE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 018	2024/05/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Comanche	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Comanche County	31.898 , -98.604 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135139 - TX 017 - ERATH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 017	2024/04/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Erath	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erath County	32.22 , -98.202 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and thick, colostrum-like milk.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135138 - SD 005 - SOUTH DAKOTA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
SD 005	2024/05/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Hughes	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
South Dakota	44.37 , -100.349 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135137 - MI 024 - OTTAWA COUTNY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 024	2024/05/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ottawa	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ottawa Coutny	43.062 , -86.226 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, fever, decreased rumination and

colostrum-like milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135135 - MI 022 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 022	2024/05/18	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.001 , -84.556 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included thick yellow milk and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_135134 - MI 021 - CALHOUN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 021	2024/05/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Calhoun	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Calhoun County	42.316 , -85.175 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, thick yellow milk, diarrhea and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134788 - ID 007 - JEROME COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 007	2024/05/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Jerome	-	Backyard
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jerome County	42.727 , -114.515 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic alpacas (Vicugna pacos) with close contact to HPAI H5N1 infected birds on an HPAI affected backyard WOAHPoultry premises. Clinical signs included depressed appearance, mild respiratory signs and nasal discharge. Additional testing to determine if this is multifactorial is ongoing. H5N1 was detected in the following sample types: nasal swabs and milk from adult females, and brain tissue from an aborted alpaca fetus.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
camelidae	NEW	-	-	-	-	-	-
(domestic)	TOTAL	18	6	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134997 - SD 004 - SOUTH DAKOTA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
SD 004	2024/05/19	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Hughes	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit

South Dakota

44.37 , -100.35
(Approximate location)

-

Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included abnormal milk, fever, reduced feed and water intake and reduced ruminations. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134996 - SD 003 - SOUTH DAKOTA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
SD 003	2024/05/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Hughes	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
South Dakota	44.37 , -100.351 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134995 - SD 002 - SOUTH DAKOTA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
SD 002	2024/05/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT

South Dakota	Hughes	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
South Dakota	44.37 , -100.352 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. To protect data confidentiality, the approximate location of this premises is reported as the state capitol.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133750 - TX 009 - DALLAM COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 009	2024/03/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Dallam	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dallam County	36.062 , -102.52 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decreased feed consumption and rumen motility, fever, mastitis and tacky manure.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133962 - TX 010 - DALLAM COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 010	2024/03/15	-	-

FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Dallam	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dallam County	36.062 , -102.519 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical sign in lactating cattle included a drop in milk production, diarrhea, dehydration, mastitis and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134784 - TX 014 - HALE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 014	2024/05/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Hale	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hale County	34.181 , -101.703 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, decreased feed consumption and abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134994 - CO 004 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 004	2024/05/17	-	-

FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.693 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decreased feed intake, diarrhea, fever and abnormal milk.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134993 - CO 003 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 003	2024/05/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.424 , -104.694 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, decrease in feed and water intake, diarrhea, fever and abnormal milk.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134992 - TX 015 - LAMB COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
--------------------	------------	----------	---------------------------

TX 015	2024/05/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Lamb	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lamb County	33.92 , -102.329 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Herd was identified through from positive specimens taken for pre-movement testing.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134991 - ID 010 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 010	2024/05/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.534 , -113.788 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and depressed appearance.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL	
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134990 - MI 020 - IONIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
---------------------------	-------------------	-----------------	----------------------------------

MI 020	2024/05/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ionia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ionia County	42.983 , -85.055 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134989 - MI 019 - GRATIOT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 019	2024/04/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Gratiot	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gratiot County	43.291 , -84.599 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134988 - MI 018 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
---------------------------	-------------------	-----------------	----------------------------------

MI 018	2024/05/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.001 , -84.557 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134987 - MI 017 - GRATIOT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 017	2024/05/09	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Gratiot	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gratiot County	43.291 , -84.6 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134986 - MI 016 - IONIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
---------------------------	-------------------	-----------------	----------------------------------

MI 016	2024/04/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ionia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ionia County	42.983 , -85.056 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, fever and abnormal milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134783 - MI 015 - GRATIOT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 015	2024/05/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Gratiot	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gratiot County	43.291 , -84.601 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and thick milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL	
MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134787 - ID 009 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
---------------------------	-------------------	-----------------	----------------------------------

ID 009	2024/05/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.534 , -113.789 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134786 - ID 008 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 008	2024/05/15	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.534 , -113.79 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134785 - ID 006 - MINIDOKA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
---------------------------	-------------------	-----------------	----------------------------------

ID 006	2024/05/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Minidoka	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Minidoka County	42.619 , -113.677 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134663 - ID 005 - JEROME COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 005	2024/05/08	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Jerome	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jerome County	42.727 , -114.516	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134662 - ID 004 - JEROME COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 004	2024/05/05	-	-

FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Jerome	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jerome County	42.727 , -114.517 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, mastitis, decrease in feed intake and abnormal manure.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134661 - MI 014 - GRATIOT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 014	2024/05/04	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Gratiot	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gratiot County	43.291 , -84.602 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and thick milk.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134660 - MI 013 - CLINTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
--------------------	------------	----------	---------------------------

MI 013	2024/05/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Clinton	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Clinton County	43.001 , -84.602 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134659 - MI 012 - ALLEGAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 012	2024/04/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Allegan	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Allegan County	42.529 , -85.852 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, diarrhea to tacky manure and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134658 - MI 011 - INGHAM COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
---------------------------	-------------------	-----------------	----------------------------------

MI 011	2024/04/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ingham	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ingham County	42.73 , -84.556 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, decreased rumination, thick yellow milk, fever and diarrhea.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134657 - TX 013 - LAMB COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 013	2024/04/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Lamb	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lamb County	33.929 , -102.33 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a mild decrease in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134529 - MI 007 - BARRY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 007	2024/04/06	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Barry	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Barry County	42.649 , -85.29 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production and colostrum-like milk.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134533 - CO 002 - COLORADO

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 002	2024/04/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Broomfield	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Colorado	39.918 , -105.121 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed consumption and colostrum-like milk. In order to protect data confidentiality, the second administrative division represents the approximate location of the Colorado Department of Agriculture.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134532 - MI 010 - GRATIOT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 010	2024/04/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Gratiot	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gratiot County	43.291 , -84.603 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, fever, decreased rumination and thick yellow milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134531 - MI 009 - ISABELLA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 009	2024/04/26	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Isabella	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Isabella County	43.607 , -84.776 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, diarrhea, fever and creamy milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134530 - MI 008 - IONIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 008	2024/04/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ionia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ionia County	42.983 , -85.29 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production, thick milk and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134528 - ID 003 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 003	2024/04/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.534 , -113.791 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

-

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134123 - MI 003 - IONIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 003	2024/04/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ionia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ionia County	42.983 , -85.06 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. HPAI H5N1 clade 2.3.4.4b was also detected in two wild Virginia opossums (Didelphis virginiana) and a feral barn cat (Felis catus) on the affected dairy premises.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
virginia opossum (wild)	NEW	-	-	-	-	-
	TOTAL	-	2	-	-	-
bovine (domestic)	NEW	-	-	-	-	-
	TOTAL	-	-	-	-	-
domestic cat (wild)	NEW	-	-	-	-	-
feral	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133965 - NC 001 - NORTH CAROLINA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NC 001	2024/04/04	2024/05/03	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
North Carolina	Wake	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
North Carolina	35.776 , -78.64 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. In order to protect data confidentiality, the second administrative division represents the approximate location of the laboratory that conducted the initial testing.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134390 - CO 001 - COLORADO

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
CO 001	2024/04/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Broomfield	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Colorado	39.918 , -105.123 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased rumen motility, decreased feed consumption, fever, and colostrum-like milk. In order to protect data confidentiality, the second administrative division represents the approximate location of the Colorado Department of Agriculture.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134389 - NM 001 - CURRY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 001	2024/03/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	34.403 , -103.195 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production. HPAI H5N1 was detected in feral barn cats on the premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	-	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134388 - NM 008 - CURRY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 008	2024/03/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	34.403 , -103.196 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134221 - TX 006 - LAMB COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 006	2024/03/23	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Lamb	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lamb County	33.921 , -102.333 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased rumination and decreased feed intake.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134222 - MI 006 - IONIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 006	2024/04/07	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Ionia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ionia County	42.982 , -85.059 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased rumination and thick, yellow milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134223 - ID 002 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 002	2024/04/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.535 , -113.792 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed intake and decreased milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134126 - KS 004 - STEVENS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
KS 004	2024/03/22	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kansas	Stevens	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Stevens County	37.177 , -101.346 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_134128 - NM 007 - CURRY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 007	2024/04/02	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	34.403 , -103.197 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133957 - OH 001 - WOOD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
OH 001	2024/03/27	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Ohio	Wood	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Wood County	41.377 , -83.648 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed consumption, drop in milk production and yellow/thickened milk. HPAI H5N1 clade 2.3.4.4b was detected in a barn cat on the affected premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	-	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133742 - NM 002 - CURRY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 002	2024/03/16	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Farm

LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER				Measuring unit	
Curry County	34.403 , -103.201 (Approximate location)	-				Animal	
AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included acute decrease in production. HPAI H5N1 clade 2.3.4.4b was detected in a barn cat on the affected premises and a wild racoon (Procyon lotor) on the affected premises.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat (wild)	NEW	-	-	-	-	-	-
feral	TOTAL	-	-	-	-	-	-
raccoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-
METHOD OF DIAGNOSTIC							
Diagnostic test, Clinical							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES			
-				-			
OB_133967 - NM 006 - CURRY COUNTY							
OUTBREAK REFERENCE		START DATE		END DATE		DETAILED CHARACTERISATION	
NM 006		2024/04/01		-		-	
FIRST ADMINISTRATIVE DIVISION		SECOND ADMINISTRATIVE DIVISION		THIRD ADMINISTRATIVE DIVISION		EPIDEMIOLOGICAL UNIT	
New Mexico		Curry		-		Farm	
LOCATION		Latitude, Longitude		OUTBREAKS IN CLUSTER		Measuring unit	
Curry County		34.403 , -103.197 (Approximate location)		-		Animal	
AFFECTED POPULATION DESCRIPTION							
A commercial dairy premises. Clinical signs in lactating cattle included mastitis. HPAI H5N1 clade 2.3.4.4b was detected in barn cats on the affected premises.							
Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	-	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-
METHOD OF DIAGNOSTIC							
Clinical, Diagnostic test							
CONTROL MEASURES DIFFERENT FROM EVENT LEVEL							
MEASURES NOT IMPLEMENTED				ADDITIONAL MEASURES			
-				-			

OB_134129 - TX 012 - HARTLEY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 012	2024/04/03	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Hartley	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hartley County	36.051 , -102.514 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included mastitis.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133964 - SD 001 - BROWN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
SD 001	2024/03/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Brown	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Brown County	45.465 , -98.487 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical sign in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133966 - TX 003 - HALE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 003	2024/03/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Hale	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hale County	34.185 , -101.701 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical sign in lactating cattle included a drop in milk production, decreased feed consumption, pyrexia and increased somatic cell counts.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133963 - TX 011 - CASTRO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 011	2024/03/10	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Castro	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Castro County	34.551 , -102.311 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical sign in lactating cattle included a drop in milk production and loose manure.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_133961 - NM 005 - CURRY COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 005	2024/04/01	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	34.403 , -103.198 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical sign in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_133960 - NM 004 - CURRY COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 004	2024/03/29	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	34.403 , -103.199 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical sign in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_133959 - NM 003 - CURRY COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
NM 003	2024/03/28	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Curry	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	34.403 , -103.2 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical sign in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-
OB_133958 - MI 002 - MONTCALM COUNTY			

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 002	2024/03/30	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Montcalm	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Montcalm County	43.292 , -85.082 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production and fever.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
-			-

OB_133113 - STEVENS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/02/24	2024/03/26	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Stevens	-	Backyard
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Stevens County	45.587 , -95.909 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic neonatal goats (Capra hircus) with close contact to HPAI infected birds on an HPAI affected WOA non-poultry premises. Clinical signs included neurologic deficits and death. Quarantine was released on 26 Mar 2024.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
goats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	165	5	5	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED			ADDITIONAL MEASURES
Disinfection Official disposal of carcasses, by-products and waste Surveillance within the restricted zone Movement control			Quarantine

OB_133490 - KS 001 - SEWARD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
KS 001	2024/03/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kansas	Seward	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Seward County	37.043 , -100.921 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included an acute drop in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	0	0	0	0

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_133743 - KS 002 - KEARNY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
KS 002	2024/03/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kansas	Kearny	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Kearny County	37.943 , -101.256 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included a drop in milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_133741 - KS 003 - GRAY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
KS 003	2024/03/25	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kansas	Gray	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gray County	37.804 , -100.349 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included acute drop in milk production.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133746 - TX 004 - MOORE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 004	2024/03/14	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Moore	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Moore County	35.856 , -101.972 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production, constipation and mastitis.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133747 - TX 005 - LAMB COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 005	2024/03/21	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Lamb	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lamb County	33.92 , -102.333 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included acute decrease in milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133748 - TX 007 - HALE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 007	2024/03/11	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Hale	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hale County	34.185 , -101.702 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included off feed, decreased milk production, anorexia, tacky manure, thickened yellow-milk and fever. H5N1 was detected in one feral barn cat on the premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	-	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133749 - TX 008 - DALLAM COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 008	2024/03/17	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Dallam	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dallam County	36.062 , -102.521 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased rumination, tacky manure, creamy/thick milk. Pneumonia noted in some cows. HPAI H5N1 was detected in barn cats on the premises.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------	-------	--------	------------------------	--	------------

domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	-	-	-	-	-
bovine (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133786 - ID 001 - CASSIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
ID 001	2024/03/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Cassia	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cassia County	42.535 , -113.793 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased feed intake with decreased milk production.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133740 - MI 001 - MONTCALM COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
MI 001	2024/03/20	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Montcalm	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Montcalm County	43.292 , -85.083 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included production drop, fever and thick yellow milk.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133744 - TX 001 - CASTRO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
TX 001	2024/03/13	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Castro	-	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Castro County	34.551 , -102.312 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

A commercial dairy premises. Clinical signs in lactating cattle included decreased milk production and increased somatic cell counts.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bovine	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	-	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_133751 - KING COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/12/01	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	King	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
King County	47.554 , -122.098 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (Lynx rufus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-
OB_115216 - SALT LAKE COUNTY	

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/09	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Salt Lake	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Salt Lake County	40.76 , -111.887 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor). Note 2024/02/14 : the 'Susceptible' column of quantitative data, initially filled with 1 puma (mountain lion), was left blank. The 1 puma is reported in the 'Cases' column.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-
OB_115192 - LARIMER COUNTY	

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/21	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.588 , -105.081 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunks (Mephitis mephitis). Note 2024/02/14 : the 'Susceptible' column of quantitative data, initially filled with 4 striped skunks, was left blank. The 4 striped skunks are reported in the 'Cases' column.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	4	3	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_131970 - JEFFERSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/08	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Jefferson	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jefferson County	46.237 , -112.122 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). Screened negative for rabies

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats (domestic)	NEW	-	-	-	-	-	-
	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_131947 - TREASURE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/09	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Treasure	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Treasure County	46.291 , -107.234 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Feral domestic cat (Felis catus). Screened negative for rabies

Species	Wildlife	Susceptible	Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------	-------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_131946 - SANDERS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/11/12	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Sanders	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sanders County	47.591 , -115.35 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). Screened negative for rabies

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-
(domestic)	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_112841 - SPOKANE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/11	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Spokane	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Spokane County	47.666 , -117.429 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (Lynx rufus). Clinical signs included ataxia, dyspnea and death.

Species	Wildlife	Susceptible Cases	Deaths	Killed and	Slaughtered/ Killed for	Vaccinated
---------	----------	-------------------	--------	------------	-------------------------	------------

	type				Disposed of	commercial use	
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_112842 - DANE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/09	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Dane	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dane County	43.072 , -89.382 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_112347 - MADISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/10	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nebraska	Madison	-	Backyard
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Madison County	41.844 , -97.455 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). Outside cat that had been missing for 2 days. Clinical signs included seizures and excessive reaction to touch, light and sound. Samples were collected on a second domestic cat on the same property 21 Jan 2023.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	2	-	2	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_113158 - HOT SPRINGS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/08	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Hot Springs	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hot Springs County	43.647 , -108.208 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes). Samples were collected from a mortality event.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_113410 - CROOK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/23	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Crook	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Crook County	44.303 , -120.844 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunks (Mephitis mephitis). Samples were collected from wildlife mortalities.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-

(wild) wild TOTAL - 2 2 - - -

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

- -

OB_113935 - GUNNISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/14	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Gunnison	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gunnison County	38.543 , -106.92 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor). Samples were collected from a wildlife mortality.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

- -

OB_113936 - PUEBLO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/24	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Pueblo	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Pueblo County	38.276 , -104.611 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes). Samples collected from a wildlife mortality.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_113938 - GUNNISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/02	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Gunnison	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gunnison County	38.552 , -106.919 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor). Samples were collected from a wildlife mortality.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_113939 - BOULDER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/25	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Boulder	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Boulder County	40.019 , -105.278 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor). Samples were collected from a wildlife mortality.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114390 - EL PASO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/07	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	El Paso	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
El Paso County	38.83 , -104.826 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (Lynx rufus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114391 - RAWLINS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/01/27	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kansas	Rawlins	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Rawlins County	39.808 , -101.04 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114832 - SANDERS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/09	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Sanders	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sanders County	47.595 , -115.35 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild racoon (Procyon lotor). Clinical signs included neurologic abnormalities.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
raccoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114834 - GRAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/13	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Grand	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Grand County	40.072 , -106.109 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114836 - JEFFERSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/14	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Jefferson	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jefferson County	39.728 , -105.202 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (Lynx rufus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114837 - NATRONA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/03	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Natrona	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Natrona County	42.852 , -106.326 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_115209 - TOMPKINS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/20	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Tompkins	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Tompkins County	42.442 , -76.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*). Clinical signs included abnormal behavior.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114650 - BIG HORN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/03	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Big Horn	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Big Horn County	44.488 , -108.047 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Two wild mountain lions (*Puma concolor*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	2	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_115798 - CUSTER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/28	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Custer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Custer County	46.41 , -105.843 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Two wild striped skunks (Mephitis mephitis). Clinical signs included lethargic behavior.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	2	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_115799 - LAKE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/28	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Lake	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lake County	47.693 , -114.166 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild racoon (Procyon lotor). Clinical signs included neurologic abnormalities.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
racoon (northern	NEW	-	-	-	-	-	-
racoon) (wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_115595 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/24	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nebraska	Lincoln	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	41.134 , -100.751 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116006 - CARSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/06	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Texas	Carson	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Carson County	35.346 , -101.382 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116007 - LARIMER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/02	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Larimer	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Larimer County	40.573 , -105.034 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*). Clinical signs included neurologic abnormalities.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_124669 - JEFFERSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/08/18	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Jefferson	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jefferson County	48.112 , -122.768 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild harbour seals (*Phoca vitulina*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	5	5	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_128403 - MISSOULA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/11/22	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Missoula	-	Backyard
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Missoula County	46.873 , -114.0 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Feral domestic cat (Felis catus) found in a chicken coop on an HPAI affected premises. The cat was exhibiting neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_128760 - NORTH SLOPE BOROUGH

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/08/27	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	North Slope	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
North Slope Borough	71.292 , -156.782 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild immature male polar bear (Ursus maritimus). The bear was found dead.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
polar bear (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_129000 - NAVAJO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/08/26	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Arizona	Navajo	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Navajo County	34.87 , -110.156 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild Abert's squirrel (Sciurus aberti).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
abert's squirrel (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_131500 - TAYLOR COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/12/27	2023/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Kentucky	Taylor	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Taylor County	37.342 , -85.343 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild raccoon (Procyon lotor). Samples were collected from a morbidity / mortality investigation.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
raccoon (northern raccoon) (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_123248 - MINERAL COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/25	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Mineral	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Mineral County	47.193 , -114.89 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor). Animal was found dead.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116580 - DOUGLAS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/04	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Douglas	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Douglas County	43.211 , -123.341 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild American marten (Martes americana).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
american marten	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116671 - GALLATIN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/17	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Gallatin	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gallatin County	45.676 , -111.01 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*). Clinical signs included abnormal behavior.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116672 - MONO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/14	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Mono	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Mono County	38.256 , -119.229 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lions (*Puma concolor*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	2	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116805 - HOT SPRINGS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/22	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Hot Springs	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hot Springs County	43.647 , -108.201 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Feral domestic cat (Felis catus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
domestic cat	NEW	-	-	-	-	-	-
(wild) feral	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116999 - BUFFALO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/30	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nebraska	Buffalo	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Buffalo County	40.689 , -99.082 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cat (Felis catus). Clinical signs included lethargy and anorexia.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117000 - MATANUSKA-SUSITNA BOROUGH

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/16	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	Matanuska-Susitna	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Matanuska-Susitna Borough	61.602 , -149.107 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117127 - TETON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/27	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Teton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Teton County	43.473 , -110.761 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (*Puma concolor*).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117309 - CHAFFEE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/23	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Chaffee	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Chaffee County	38.539 , -105.999 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117306 - HUNTINGDON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/01	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Pennsylvania	Huntingdon	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Huntingdon County	40.484 , -78.008 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox kits (*Vulpes vulpes*). Clinical signs included seizures.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	4	-	3	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117463 - DANE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/05	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Dane	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dane County	43.071 , -89.384 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117465 - SAN JUAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/10	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	San Juan	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
San Juan County	36.726 , -108.243 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*). Clinical signs included neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117466 - VALENCIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/01	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New Mexico	Valencia	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Valencia County	34.805 , -106.718 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*). Clinical signs included neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117505 - CATTARAUGUS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/10	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Cattaraugus	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cattaraugus County	42.086 , -78.45 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117464 - BOULDER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/30	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Boulder	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Boulder County	40.015 , -105.289 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red foxes (*Vulpes vulpes*).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	2	2	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117676 - MODOC COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/28	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Modoc	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Modoc County	41.483 , -120.54 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lions (*Puma concolor*).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	3	3	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117307 - TOMPKINS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/06	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Tompkins	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Tompkins County	42.442 , -76.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red foxes (*Vulpes vulpes*) and wild Virginia opossum (*Didelphis virginiana*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	3	3	-	-	-
virginia opossum (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117884 - ROSEBUD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/13	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Rosebud	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Rosebud County	46.265 , -106.68 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*). Clinical signs included lethargic behavior and subsequent death.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk (wild)	NEW	-	-	-	-	-	-
	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117885 - MADISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/14	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Madison	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Madison County	45.294 , -111.943 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor). Animal was found dead with no signs of trauma.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117834 - MONROE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/13	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Monroe	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Monroe County	43.154 , -77.613 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118114 - WASHINGTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/24	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Rhode Island	Washington	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Washington County	41.448 , -71.47 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox kits (*Vulpes vulpes*). One kit was found dead, the second kit displayed neurologic signs and subsequently died.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	2	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118115 - ROCK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/27	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nebraska	Rock	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Rock County	42.583 , -99.536 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (*Puma concolor*). Samples were collected from a deceased adult female with signs of abnormal hemorrhage.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118159 - GOSHEN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/03	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wyoming	Goshen	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Goshen County	42.066 , -104.183 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor). Samples were collected as part of a morbidity/mortality investigation.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118645 - ROUTT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/05/02	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Routt	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Routt County	40.485 , -106.831 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118646 - CAYUGA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/05/03	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Cayuga	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cayuga County	42.93 , -76.569 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118648 - WALLOWA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/27	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Wallowa	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Wallowa County	45.474 , -117.277 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_117835 - WAYNE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/13	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Wayne	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Wayne County	43.063 , -76.993 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red foxes (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	2	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118803 - NORTHAMPTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/28	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Pennsylvania	Northampton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Northampton County	40.579 , -75.39 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118923 - SALT LAKE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/09	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Salt Lake	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Salt Lake County	40.719 , -111.888 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (Puma concolor).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118975 - ERIE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/05/12	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Erie	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erie County	42.884 , -78.878 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_119117 - CASS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/30	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Cass	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cass County	47.101 , -94.58 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild black bear (*Ursus americanus*). Clinical signs included abnormal behavior.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
american black bear	NEW	-	-	-	-	-	-
(black bear) (wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_119124 - BUTTE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/02/14	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Butte	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Butte County	39.53 , -121.58 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild mountain lion (*Puma concolor*). Samples were collected from a wild animal mortality.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
puma (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_119423 - MARIPOSA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/04/27	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Mariposa	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Mariposa County	37.498 , -119.967 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild fisher (Pekania pennanti).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
fisher (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_119894 - TRINITY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/03	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Trinity	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Trinity County	40.735 , -122.941 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild fisher (Pekania pennanti).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
fisher (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118932 - EL DORADO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/05/08	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	El Dorado	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
El Dorado County	38.727 , -120.828 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild raccoons (Procyon lotor).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
raccoon (northern	NEW	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	4	2	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_118647 - YORK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/05/02	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	York	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
York County	43.474 , -70.715 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red foxes (Vulpes vulpes). Litter of fox kits found dead.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	2	2	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_120133 - ALPENA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/06/01	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Alpena	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Alpena County	45.069 , -83.44 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_121233 - HUNTINGDON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/05/07	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Pennsylvania	Huntingdon	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Huntingdon County	40.484 , -78.008 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_116097 - PARK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2023/03/14	2023/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Park	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Park County	45.66 , -110.547 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (*Mephitis mephitis*). Clinical signs included neurologic abnormalities.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_113159 - BUTTE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/27	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
California	Butte	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Butte County	39.524 , -121.573 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild bobcat (*Lynx rufus*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_113937 - ALAMOSA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/27	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Alamosa	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Alamosa County	37.446 , -105.878 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*). Samples were collected from a wildlife mortality.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_113619 - HYDE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/26	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
North Carolina	Hyde	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hyde County	35.42 , -76.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild black bear (*Ursus americanus*). Samples were collected as part of a morbidity / mortality investigation.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
american black bear	NEW	-	-	-	-	-	-
(black bear) (wild)	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_111889 - CURRY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/19	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Curry	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Curry County	42.417 , -124.42 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild racoon (Procyon lotor). Clinical signs included neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
raccoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_111891 - LINN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/16	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Linn	-	Backyard
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Linn County	44.634 , -123.106 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Domestic cats (Felis catus) at a backyard premises. Clinical signs included labored breathing, anorexia, depression and dehydration. Cats were housed adjacent to HPAI positive domestic chickens (WOAH non-poultry premises). Highly pathogenic avian influenza (HPAI) H5, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed on swabs taken from both cats. N1 was confirmed on one cat but N typing could not be confirmed on the second cat.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
cats	NEW	-	-	-	-	-	-
(domestic)	TOTAL	-	2	1	1	-	-

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_112344 - CASCADE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/16	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Cascade	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cascade County	47.508 , -111.3 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis). Clinical signs included neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_112345 - FLATHEAD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/16	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Flathead	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Flathead County	48.188 , -114.31 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild grizzly bear (Ursus arctos horribilis). Clinical signs included abnormal behavior and neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
brown bear (grizzly bear)	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_111890 - ISLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/07	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Island	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Island County	48.217 , -122.686 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild racoon (Procyon lotor).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
racoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_112083 - SPINK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/07	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
South Dakota	Spink	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Spink County	44.875 , -98.514 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_110460 - MADISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/12/02	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Madison	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Madison County	45.294 , -111.944 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_110099 - KODIAK ISLAND

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/11/29	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	Kodiak Island	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Kodiak Island	57.788 , -152.404 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild Kodiak brown bear (*Ursus arctos middendorffi*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
brown bear (grizzly bear) (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_110098 - COLUMBIA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/11/28	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Oregon	Columbia	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Columbia County	45.855 , -122.814 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunks (*Mephitis mephitis*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	6	6	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_109185 - HOONAH-ANGOON CENSUS AREA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/11/20	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	Skagway-Yakutat-Angoon	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hoonah-Angoon Census Area	58.11 , -135.44 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild American black bear (*Ursus americanus*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
american black bear	NEW	-	-	-	-	-	-
(black bear) (wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_109184 - DOUGLAS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/11/15	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Douglas	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Douglas County	46.721 , -92.098 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_109183 - JEFFERSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/11/04	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Jefferson	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jefferson County	43.67 , -111.913 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunks (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	3	2	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_114833 - WINNEBAGO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/11/01	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Winnebago	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Winnebago County	44.018 , -88.538 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild northern river otter (*Lontra canadensis*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
north american river otter (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_110100 - TETON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/10/29	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Teton	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Teton County	47.811 , -112.182 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild grizzly bear (*Ursus arctos horribilis*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
brown bear (grizzly bear) (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_108919 - ITASCA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/10/21	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Itasca	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Itasca County	47.237 , -93.526 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_108466 - TOMPKINS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/10/20	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Tompkins	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Tompkins County	42.455 , -76.501 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_108467 - GALLATIN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/10/20	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Montana	Gallatin	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gallatin County	45.694 , -111.032 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_108826 - WELD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/10/17	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Weld	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Weld County	40.425 , -104.693 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild striped skunk (Mephitis mephitis).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_113934 - HUERFANO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/10/08	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Colorado	Huerfano	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Huerfano County	37.621 , -104.776 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild American black bear (*Ursus americanus*). Clinical signs included abnormal behavior and neurologic signs.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
american black bear	NEW	-	-	-	-	-	-
(black bear) (wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_108405 - COOK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/10/04	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Illinois	Cook	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cook County	41.876 , -87.646 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild Virginia opossum (*Didelphis virginiana*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
virginia opossum	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_113754 - MADISON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/09/20	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Madison	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Madison County	43.823 , -111.774 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red fox (Vulpes vulpes). Clinical signs included abnormal behavior.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_107582 - CAYUGA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/09/19	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Cayuga	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cayuga County	42.904 , -76.541 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Wild red foxes (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	4	4	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_107151 - NEW YORK

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/09/17	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Tompkins	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
New York	42.447 , -76.464 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Captive Amur leopard (*Panthera pardus orientalis*). Note: To protect data confidentiality, the location used for this outbreak is that of the New York State Veterinary Diagnostic Laboratory, where the animal's samples were initially tested.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
amur leopard	NEW	-	-	-	-	-	-
(wild) captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105635 - ADA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/22	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Ada	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Ada County	43.651 , -116.255 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild skunk (*Mephitis mephitis*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105969 - YORK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/13	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	York	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
York County	43.499 , -70.724 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor Seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test**CONTROL MEASURES DIFFERENT FROM EVENT LEVEL**

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105637 - YORK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/10	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	York	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
York County	43.537 , -70.77 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105638 - YORK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/09	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	York	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
York County	43.5 , -70.723 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test**CONTROL MEASURES DIFFERENT FROM EVENT LEVEL**

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105639 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/09	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.645 , -70.276 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105640 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/08	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.689 , -70.254 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test**CONTROL MEASURES DIFFERENT FROM EVENT LEVEL**

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105641 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/07	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.659 , -70.251 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105636 - SAGADAHOC COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/05	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Sagadahoc	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sagadahoc County	43.928 , -69.838 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test**CONTROL MEASURES DIFFERENT FROM EVENT LEVEL**

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104930 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/02	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.719 , -70.306 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104931 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/02	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Lincoln	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	44.033 , -69.642 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test**CONTROL MEASURES DIFFERENT FROM EVENT LEVEL**

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104932 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/01	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.672 , -70.258 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104933 - SAGADAHOC COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/07/01	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Sagadahoc	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sagadahoc County	43.907 , -69.833 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Grey seal (Halichoerus grypus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
gray seal (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTICDiagnostic test,
Clinical**CONTROL MEASURES DIFFERENT FROM EVENT LEVEL**

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_111888 - NEBRASKA

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/20	2022/12/31	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Nebraska	Lancaster	-	Zoo
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Nebraska	40.833 , -96.663 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

Captive wild grizzly bear (Ursus arctos horribilis); captive wild Amur tiger (Panthera tigris); captive wild mountain lion (Puma concolor) at a zoo facility. Clinical signs included sudden death (mountain lion) and neurologic signs (grizzly bear). Note: To protect data confidentiality, the location used for this outbreak is that of the Nebraska Veterinary Diagnostic Center, where the animals' samples were initially tested.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
tiger (wild) captive	NEW	-	-	-	-	-	-
	TOTAL	-	1	1	-	-	-
puma (wild) captive	NEW	-	-	-	-	-	-
	TOTAL	-	1	1	-	-	-

brown bear (grizzly bear) (wild) captive	NEW	-	-	-	-	-	-
	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104935 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/29	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.653 , -70.286 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal (wild) wild	NEW	-	-	-	-	-
	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104928 - STEVENS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/29	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Stevens	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Stevens County	48.457 , -117.905 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Raccoon (Procyon lotor).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

raccoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104934 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/28	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.649 , -70.331 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104709 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/27	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Lincoln	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	44.066 , -69.7 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------	-------	--------	------------------------	--	------------

harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104708 - SAGADAHOC COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/26	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Sagadahoc	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Sagadahoc County	43.912 , -69.819 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104706 - CUMBERLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/24	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	Cumberland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cumberland County	43.658 , -70.269 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

harbor seal	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104705 - YORK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/22	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Maine	York	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
York County	43.499 , -70.723 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Harbor seal (Phoca vitulina).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
harbor seal	NEW	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104527 - IRON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/20	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Iron	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Iron County	46.108 , -88.318 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Raccoon (Procyon lotor).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
---------	---------------	-------------------	--------	------------------------	--	------------

raccoon (northern	NEW	-	-	-	-	-	-
raccoon) (wild) wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_104929 - NOME

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/13	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	Nome	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Nome	64.53 , -165.422 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Red fox (*Vulpes vulpes*). This HPAI H5N1 2.3.4.4b strain contains at least one internal gene of North American wild bird lineage.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_104525 - MUSKEGON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/08	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Muskegon	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Muskegon County	43.265 , -86.229 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-

wild TOTAL - 1 1 - - -

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

- -

OB_104927 - ADAMS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/07	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Adams	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Adams County	44.965 , -116.461 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild striped skunks (Mephitis mephitis) at a rehabilitation facility.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-
(wild) captive	TOTAL	-	2	-	2	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

Movement control -

OB_104158 - FRANKLIN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/06	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Washington	Franklin	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Franklin County	46.218 , -119.023 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Racoons (Procyon lotor)

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
raccoon (northern	NEW	-	-	-	-	-

raccoon) (wild) wild TOTAL - 4 2 - - -

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

- -

OB_104112 - OSCEOLA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/05	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Osceola	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Osceola County	43.881 , -85.503 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

- -

OB_104526 - LATAH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/06/05	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Idaho	Latah	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Latah County	46.732 , -117.021 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild Striped skunk (Mephitis mephitis) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
striped skunk	NEW	-	-	-	-	-	-

(wild) captive TOTAL - 1 - 1 - -

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
Movement control	-

OB_104029 - OSCEOLA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/19	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Osceola	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Osceola County	43.876 , -85.498 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104026 - DICKEY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/18	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
North Dakota	Dickey	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dickey County	45.996 , -98.536 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-

wild	TOTAL	-	1	1	-	-	-
------	-------	---	---	---	---	---	---

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_104031 - BURLEIGH COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/18	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
North Dakota	Burleigh	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Burleigh County	46.773 , -100.808 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_104113 - OTSEGO COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/18	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Otsego	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Otsego County	44.998 , -84.685 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-

wild TOTAL - 1 1 - - -

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104524 - BAY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/18	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Bay	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Bay County	43.596 , -83.86 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-

OB_104522 - BAY COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/15	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Bay	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Bay County	43.597 , -83.899 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-

wild	TOTAL	-	1	1	-	-	-
------	-------	---	---	---	---	---	---

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_104523 - GLADWIN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/14	2022/06/30	-

FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Gladwin	-	Not applicable

LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Gladwin County	43.981 , -84.502 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_104025 - ITASCA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/13	2022/06/30	-

FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Itasca	-	Other

LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Itasca County	47.216 , -93.499 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-

captive	TOTAL	-	1	-	1	-	-
---------	-------	---	---	---	---	---	---

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

Movement control	-
------------------	---

OB_103756 - CEDAR COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/11	2022/06/30	-

FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Cedar	-	Not applicable

LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Cedar County	41.768 , -91.141 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
--------------------------	---------------------

-	-
---	---

OB_103746 - HENNEPIN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-

FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Hennepin	-	Other

LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hennepin County	44.964 , -93.321 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kit (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103747 - WASHINGTON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Washington	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Washington County	45.063 , -92.831 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kit (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103754 - NIAGARA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Niagara	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Niagara County	43.169 , -78.697 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_103757 - ALEUTIANS WEST

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Alaska	Aleutians West	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Aleutians West	53.515 , -166.964 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION--Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104024 - STEARNS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Stearns	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Stearns County	45.527 , -94.165 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION--Wild red fox kit (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTICClinical,
Diagnostic test**CONTROL MEASURES DIFFERENT FROM EVENT LEVEL**

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104111 - MIDLAND COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Midland	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Midland County	43.613 , -84.25 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red foxes (Vulpes vulpes).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104520 - DAKOTA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Dakota	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dakota County	44.739 , -92.838 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild Red fox (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
captive	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_104519 - HENNEPIN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/10	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Hennepin	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hennepin County	44.922 , -93.236 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild Red fox (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103117 - HANCOCK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/06	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Hancock	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Hancock County	43.094 , -93.592 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox kit (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_103748 - GRANT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/06	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Grant	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Grant County	42.841 , -90.709 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red foxes (*Vulpes vulpes*) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	2	1	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103182 - DANE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/05	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Dane	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dane County	43.104 , -89.285 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kit (*Vulpes vulpes*) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_104023 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/05	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Lincoln	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	45.178 , -89.667 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Bobcat (Lynx rufus).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_103750 - ADAMS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/03	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Adams	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Adams County	43.976 , -89.812 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red foxes (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	2	-	2	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_104159 - WEXFORD COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/03	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Wexford	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Wexford County	44.252 , -85.37 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Coyote (Canis latrans)

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
coyote (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_103752 - ERIE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/27	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Erie	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erie County	42.88 , -78.878 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red foxes (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	2	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_102891 - WAUSHARA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/24	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Waushara	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Waushara County	44.078 , -89.293 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kit (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_104022 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/24	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Lincoln	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	45.171 , -89.688 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Bobcat (Lynx rufus)

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_103114 - LAPEER COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/22	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Lapeer	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lapeer County	43.04 , -83.331 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kit (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103115 - MACOMB COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/22	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Macomb	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Macomb County	42.592 , -82.862 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kits (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	2	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103116 - SAINT CLAIR COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/22	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Saint Clair	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Saint Clair County	42.988 , -82.862 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kit (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103118 - ANOKA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/22	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Anoka	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Anoka County	45.212 , -93.373 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox kit (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_102890 - ROCK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/19	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Rock	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Rock County	42.745 , -88.974 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kit (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_104018 - ROCK COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/19	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Rock	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Rock County	42.726 , -88.992 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103751 - SAINT LAWRENCE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/15	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Saint Lawrence	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Saint Lawrence County	44.592 , -75.172 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red foxes (Vulpes vulpes).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	2	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_105634 - SAINT CROIX COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/14	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Saint Croix	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Saint Croix County	44.963 , -92.752 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Fisher (Pekania pennanti).

Species	Wildlife type	Susceptible Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
fisher (wild)	NEW	-	-	-	-	-
wild	TOTAL	-	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104021 - DANE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/12	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Dane	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dane County	43.138 , -89.297 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control -

OB_103753 - TOMPKINS COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/11	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Tompkins	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Tompkins County	42.443 , -76.515 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104020 - JEFFERSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/11	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Jefferson	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jefferson County	43.021 , -88.816 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_103113 - JEFFERSON COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/09	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Jefferson	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Jefferson County	43.027 , -88.796 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox kits (Vulpes vulpes) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	2	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_104528 - CHIPPEWA COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/31	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Michigan	Chippewa	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Chippewa County	46.47 , -84.383 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104027 - SCOTT COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/29	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Minnesota	Scott	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Scott County	44.794 , -93.431 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (*Vulpes vulpes*) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
captive	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_104521 - SALT LAKE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/26	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Utah	Salt Lake	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Salt Lake County	40.787 , -111.949 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,
Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

OB_103758 - ERIE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/20	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
New York	Erie	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Erie County	42.877 , -78.818 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild red fox (*Vulpes vulpes*).

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	-	1	-	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-

OB_104156 - BUCHANAN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/20	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Iowa	Buchanan	-	Other
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Buchanan County	42.454 , -91.84 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Captive wild Virginia Opossums (*Didelphis virginiana*) at a rehabilitation facility.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
virginia opossum	NEW	-	-	-	-	-	-
(wild) captive	TOTAL	-	2	1	1	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

Movement control

-

OB_105976 - DIXIE COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/03/30	2022/06/30	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Florida	Dixie	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Dixie County	29.628 , -83.114 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Common bottlenose dolphin (*Tursiops truncatus*). This HPAI H5N1 2.3.4.4b strain contains at least one internal gene of North American wild bird lineage.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bottlenose dolphin	NEW	-	-	-	-	-	-
(wild) wild	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,
Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED	ADDITIONAL MEASURES
-	-