2020 Spring Instructor: Y.C. Hung

國立清華大學

Introduction

Q1:

Example: A spring-mass system (ch 5.1.1)

equilibrium - m-

A mass m is attached to a spring with a spring constant K.

The motion of the mass follows Newton's 2nd law:

 $\sum F = ma = m \frac{d^2y}{dt^2}$

What are the forces that the mass experiences?

- "external force": Fext

- "restoring force" of the spring (Hooke's law)

- "damping force" due to the resistance from air

$$\sum f = \text{Fext} + \text{Frespoing} + \text{Fdamping} = m \frac{d^2y}{dt^2}$$

$$\Rightarrow \text{Fext} - ky - b \frac{dy}{dt} = m \frac{d^2y}{dt^2}$$

(Note: In this system, a driving force Fext is applied, cansing the changes of the displacement y. So we call Fext is the of the system.

and y is the of the system.

Now, consider a totally different system. In a circuit class, you will be dealing with circuit problems with R, L, C components.

For a LRC-series circuit driven by a voltage source VC+).

By Kirchhoff's 2nd law, the charges of the circuit can be related to the driving voltage by

 \Rightarrow

This is the circuit analogue of the spring-mass system. In the two completely different systems, not only the

resulting DEs have the same form, but each term has similar physical interpretation.

ex: mass-spring () LRC ckt

From the above discussion, we then know


- Many different engineering /physics systems involve changes of quantities under some operation conditions, that can be described by DEs.
- > Many systems yield the same form of DE with similar physical interpretations.

In this class, we will leave how to solve some of the most communly used DES in engineering / physics.

Q2: What are we interested in these systems?

Thow do the responses of the systems change (with time).

ex:



(Note: Because yor 9 is a function of time (depend on time), we call "t" is the independent variable.

"y" is the dependent variable.


- > Will this system be stable? (What is the "long-term behavior" of the system?)
- How do the responses change under faitherent driving forces?

 (inputs)

 different values of parameters?

Q3: What do we need to learn in this class?

-> learn how to "model" a system



- () Identity the quantities

 finder variables
 dep variables
 input (driving force)

 output (response)

 parameters
- 2) Based on the system descriptions, create the DE.

DE relating
the quantities

a \frac{1}{at^2} + b \frac{1}{at} + c y = V

-> learn how to solve DEs
Three types of approaches to solve DES