Specifications of Samsung - SL-M2876ND/XIP Multi-function Laser Printer (White)

POWER AND OPERATING REQUIREMENTS	
Power consumption (standby)	50 W
Power consumption (active)	400 W

GENERAL

Functions	Print, Copy, Scan
Brand	Samsung
Internal Memory	128 MB
Printing Output	Monochrome
Standby Noise Level	26 db
Type	Multi-function
Display	2 Line LCD
Model Name	SL-M2876ND/XIP
Printer Languages	SPL, PCL6, PCL5e
Part Number	SL-M2876ND/XIP
Printing Method	Laser
Active Noise Level	50 dB
Additional Features	Power Consumption: 1.1 W (Power Save), Noise Level: Less than 52 dBA (Platen Copying), Less than 53 dBA (ADF Copying), First Copy Out Time (Mono): ADF (Less than 15 sec), Platen (Less than 14 sec), Copy Features: ID Copy, 2-up, 4-up, Collation Copy, Auto-fit, Copy Speed (Mono): 29 cpm (Letter), Scan...View More

DIMENSIONS AND WEIGHT

Weight	11.2 kg
Height	367 mm
Width	401 mm
Depth	362 mm

SCAN

Optical scanning resolution	1200 x 1200 dpi
Scan Type	Flatbed
Scan Method	Color Contact Image Sensor (CIS)

SALES PACKAGE

In The Box	Printer, Power Chord and User Manual

PAPER HANDLING

Output tray capacity	121 sheets
Multipurpose tray capacity	1 sheet
Output tray type	Face-Down, Face-Up
Auto Document Feeder	Yes, 40 Sheets
Input tray type	Standard Cassette
Input tray capacity	250 pages
Media types supported	Paper, Cardstock, Transparency, Labels, Envelopes
Media size supported	A4, A5, A6, B5 (ISO / JIS), No 10, DL, C5, C6

WARRANTY

1 Year Samsung India Warranty and Free Transit Insurance.

SYSTEM REQUIREMENTS

Operating System	Windows: XP, Vista, 7, 8, 2000, 2003, 2008, 2008R2, Mac OS X: 10.5 - 10.8, Linux
Processor	600 MHz Processor

CONNECTIVITY

USB support	USB 2.0
Ethernet Support	Yes, 10/100Base-TX

PRINT

Duty cycle (monthly, A4)	12000 pages
Duplex Print	Automatic
Print Speed Mono	28 ppm
First Print Out Time (Mono)	8.5 sec
Max Print Resolution (Mono)	4800 x 600 dpi

COPY

Maximum Multicopy	99 pages
Copy speed Mono	28 cpm
Copier resize	25 % - 400 %