

Test Report

Number: SHAH01892870

Applicant: NINGBO RE-COOK IMPORT&EXPORT CO., LTD
4/F, DEBANG BUILDING, NO.108
JINGHUA ROAD, NINGBO, CHINA
Attn: Lily

Date: Jan 21, 2026

Submitted sample said to be :

Action Product Category: : Household
Product Description: : frying pan ceramic with w. handle dif.cl 20cm
frying pan ceramic dia.24cm
frying pan ceramic dia.28cm
saucepan ceramic dia.18cm
Action Purchase Order Number: : A250012624;A250012625;A250012626;A250012627
Shipment Number: :
Action Item Number: : 3223480;3015948;3015986;3015949
Buyer: : ACTION
Agent: : Li & Fung
Vendor Name: : NINGBO RE-COOK IMP.& EXP. CO., LTD
Factory Name: : ZHEJIANG ECOWIN COOKWARE MANUFACTORY CO., LTD
Test Type: : Full-Test
Test submission: : 1st test
Previous test#: : -
Country of Origin: : China
Country of destination: : Germany, Belgium, France, Luxembourg, Austria, Poland, Netherland, Czech Republic, Italy, Slovakia, Spain, Portugal, Switzerland, Romania, Croatia, Slovenia
Receipt date of sample: : 14 Nov, 2025
Date of testing: : 14 Nov, 2025 To 17 Dec, 2025
Overall rating: : Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01892870



Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Bill Zhang
General Manager



Test Report

Number: SHAH01892870

Conclusion:

<u>Tested Sample</u>	<u>Standard</u>	<u>Result</u>
Tested Components of Submitted Sample	1 European Directive 94/62/EC and Amendments 2004/12/EC & 2005/20/EC & 2013/2/EU on Packaging and Packaging Waste for Toxic Elements Test	Pass
	2 Lead content requirement in Commission Regulation (EU) 2015/628 of 22 April 2015 Amending Annex XVII Entry 63 of the REACH Regulation (EC) No. 1907/2006	Pass
	3 Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII entry 23 of the REACH Regulation (EC) No. 1907/2006	Pass
	4 Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Entry 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013	Pass
	5 AfPS GS 2019:01 PAK (PAH) on Polycyclic Aromatic Hydrocarbons (PAHs) content	Pass
	6 EU POPs Regulation (EU) 2019/1021 on Short-Chain Chlorinated Paraffins (C10~C13)(SCCPs) Content	Pass
	7 Organotin content requirement in Annex XVII Entry 20 of the REACH Regulation (EC) No.1907/2006 & Amendment (EU) No.276/2010	Pass
	8 REACH Regulation (EC) No. 1907/2006 Annex XVII, Entry 51 & Amendments No. 552/2009 & (EU) 2018/2005 on Phthalates Content	Pass
	9 EU POPs Regulation (EU) 2019/1021 and its Amendments on Perfluorooctanoic Acid (PFOA), its Salts and PFOA-Related Substances Content	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01892870

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Tested Components of Submitted Sample	10 EU POPs Regulation (EU) 2019/1021 and its Amendments on Perfluorooctanesulfonic Acid and its Derivatives (PFOS) Content	Pass
	11 Selective PFAS content	See test conducted
	12 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.8, 2.9, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2023 837 Cadmium (Cd) Content	Pass
	13 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.8, 2.16, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2023 837 Art. 2b on Lead (Pb) Content	Pass
	14 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) and its Amendment(s) including AS 2012 6161 Annex 1.14 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2010 4763 Art. 22 on Organotin Content	Pass
	15 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 1.17, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) on Arsenic and Arsenic Compounds Content	Pass
	16 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 1.7, 2.17, 2.18 on Mercury and Mercury Compounds Content	Pass
	17 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.17 on Benzo[a]pyrene Content	Pass
	18 European Commission Regulation (EC) No. 1935/2004 on Sensory Evaluation	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01892870

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Tested Components of Submitted Sample	19 European Resolution CM/Res (2020)9 and the Supplementary Technical Guide on Metals and Alloys Used in Food Contact Materials and Articles(EDQM 2nd Edition, 2024) on Specific Migration of Heavy Metal	Pass
	20 Austria Federal Law Gazette No. 258/1960 (Dish Regulation) on Heavy Metal Content in Dishes and Equipment	Pass
	21 Slovakia- Výnos MP SR a MZ SR z 9. júna 2003 č.1799/2003-100 Annex No. 3 on Metal Composition for Aluminum Alloy Articles	Pass
	22 Czech Regulation-Vyhlášce č. 38/2001 Sb on Metal Composition for Aluminum Alloy Articles	Pass
	23 French arrêté of August 27, 1987 on Heavy Metal Composition for Aluminum Alloy Articles	Pass
	24 Italian Ministerial Decree 21/3/1973 and its Amendments on Metal Composition for Aluminum Alloy Articles	Pass
	25 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter IV on Overall Migration for Metal Materials	Pass
	26 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter IV and it's Amendment on Specific Migration of Heavy Metals for Metal Material	Pass
	27 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) and its Amendment, Annex A Chapter IV on Specific Migration of Zirconium for Metal Ware	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01892870

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Tested Components of Submitted Sample	28 Section 4 Commodities Made of Metal or Metal Alloys of Swiss Ordinance on Materials and Articles in Contact with Food (SR 817.023.21) and its Amendments on Heavy Metal Content for Metal or Metal Alloys	Pass
	29 Section 4 Commodities Made of Metal or Metal Alloys of Swiss Ordinance on Materials and Articles in Contact with Food (SR 817.023.21) and its Amendments on Specific Migration of Aluminium (For Materials in Contact with Fruit or Vegetable Juices)	Pass
	30 European Council Directive 84/500/EEC and Commission Directive 2005/31/EC on leachable lead and cadmium released from ceramic article intended to come into contact with foodstuff	Pass
	31 Austrian Ceramic Regulation BGBl. Nr. 893/1993 and BGBl. II Nr. 259/2006 on Leachable Lead, Cadmium, Zinc, Antimony and Barium Content Released from Ceramic Article Intended to Come into Contact with Foodstuff	Pass
	32 French DGCCRF Document Related to Inorganic Materials (Excluding Metals and Alloys) on Leachable Lead and Cadmium Content for Ceramics, Crystal, Glass, Glass Ceramic and Enamelled Objects	Pass
	33 French DGCCRF Document Related to Inorganic Materials (Excluding Metals and Alloys) on Migration of Aluminium, Cobalt and Arsenic Content	Pass
	34 German Bedarfsgegenstände-verordnung and Bavarian State Office for Health and Food Safety on Leachable Lead, Cadmium and Cobalt Content	Pass
	35 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter VI on Overall Migration	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01892870

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Tested Components of Submitted Sample	36 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter VI on Leachable Lead and Cadmium Content from Food Contact Ceramic Ware	Pass
	37 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter VI on Specific Migration of Heavy Metals on Ceramic / Enamel Ware	Pass
	38 Poland Dziennik Ustaw rok 2008 Nr 17 Poz. 113 on Leachable Lead and Cadmium Content from Ceramic Ware	Pass
	39 Czech Regulation-Vyhlášce č. 38/2001 Sb Annex No.9 on Leachable Lead and Cadmium for Glass, Glass Ceramics, Ceramics, Porcelain and Article with an Enamel Surface	Pass
	40 Spain Royal Decree 891/2006 of July 21 on Leachable Lead and Cadmium Content from Food Contact Ceramic Ware	Pass
	41 Slovakia- Výnos MP SR a MZ SR z 9. júna 2003 č.1799/2003-100) on Leachable Lead and Cadmium Content on Ceramicware	Pass
	42 Portugal Decree Law No. 190/ 2007 Annex III on Leachable Lead and Cadmium Content for Ceramic Article	Pass
	43 Belgium Royal Decree of 1 May 2006 on Leachable Lead and Cadmium Content	Pass
Submitted Sample	44 EN 12983-1:2023 Cookware—Domestic cookware for use on top of a stove, cooker or hob —Part 1: General requirements -Excluding clause 4 Materials	Pass
	45 ISO 9227:2022+A1:2024 Corrosion test in artificial atmospheres- Salt spray tests (NSS)	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01892870

Tests Conducted

1 European Directive 94/62/EC and it's Amendments on Packaging and Packaging Waste for Toxic Elements Test

As per European Directive 94/62/EC and Amendments 2004/12/EC & 2005/20/EC & 2013/2/EU on packaging and packaging waste, acid digestion method was used and total toxic elements and Hexavalent Chromium content were determined by Inductively Coupled Argon Plasma Spectrometry and by UV-Visible Spectrophotometry.

Test Item	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	(20)		
Lead (Pb)	ND	5	--
Cadmium (Cd)	ND	5	--
Mercury (Hg)	ND	5	--
Chromium VI (Cr (VI))	ND	5	--
Total	(0-20)	--	100

Remark: ND= Not detected (Less than detection limit)
ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Dec.13, 2025

2 REACH Regulation (EC) No 1907/2006 Annex XVII Entry 63 on Lead (Pb) Content

With reference to method IEC 62321-5:2013, microwave digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (%)					Reporting Limit (%)	Limit (%)
	(1+2+3)	(4+5+6)	(7)	(9+10+11)	(12+13)		
Lead (Pb)	ND	ND	ND	ND	ND	0.001	0.05

The limit was quoted according to Commission Regulation (EU) 2015/628 amending the REACH Regulation (EC) No 1907/2006 Annex XVII (Entry 63) for Lead content in articles which may be placed in the mouth by children during normal or reasonably foreseeable conditions of use.

Remark: ND = Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.26, 2025

Test Report

Number: SHAH01892870

Tests Conducted

3 REACH Regulation (EC) No. 1907/2006 ANNEX XVII Entry 23 on Cadmium (Cd) Content

With reference to methods EN 1122 (Method B)/ IEC 62321-5: 2013/ ISO 11885: 2007, acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

(Painted Article)

Test Item	Result (%)			Detection Limit (%)	Limit(%) (Max.)
	(1+2+3)	(4+5+6)	(7)		
Cadmium (Cd)	ND	ND	ND	0.0005	0.1

Remark: ND = Not Detected (Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.26, 2025

4 REACH Regulation (EC) No. 1907/2006 Annex XVII Entry 50 on Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019: 01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Other articles (non-Toy for children/non-children care articles)

Test Item	Result (mg/kg)			Detection Limit (mg/kg)	Limit (mg/kg)
	(1+2+3)	(4+5+6)	(7)		
Benzo(a)pyrene	ND	ND	ND	0.2	1
Benzo(e)pyrene	ND	ND	ND	0.2	1
Benzo(a)anthracene	ND	ND	ND	0.2	1
Chrysene	ND	ND	ND	0.2	1
Benzo(b)fluoranthene	ND	ND	ND	0.2	1
Benzo(j)fluoranthene	ND	ND	ND	0.2	1
Benzo(k)fluoranthene	ND	ND	ND	0.2	1
Dibenzo(a, h)anthracene	ND	ND	ND	0.2	1

The above limit was quoted according to Annex XVII Entry 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

Remark: ND = Not detected

Tested components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.24, 2025

Test Report

Number: SHAH01892870

Tests Conducted

5 AfPS GS 2019:01 PAK on Polycyclic Aromatic Hydrocarbons (PAHs) Content

As Per AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatography – Mass Spectrometer (GC/MS).

(I) Test Results:

Test Item	CAS No.	Result (in mg/kg)		
		(1+2+3)	(4+5+6)	(7)
1.Phenanthrene	85-01-8	ND	ND	ND
2.Anthracene	120-12-7	ND	ND	ND
3.Fluroanthene	206-44-0	ND	ND	ND
4.Pyrene	129-00-0	ND	ND	ND
Sum (4 PAHs):	--	ND	ND	ND
5.Naphthalene	91-20-3	ND	ND	ND
6.Benzo(a)Anthracene	56-55-3	ND	ND	ND
7.Chrysene	218-01-9	ND	ND	ND
8.Indeno(1,2,3-cd)Pyrene	193-39-5	ND	ND	ND
9.Benzo(b)Fluroanthene	205-99-2	ND	ND	ND
10.Benzo(k)Fluroanthene	207-08-9	ND	ND	ND
11.Benzo(a)Pyrene	50-32-8	ND	ND	ND
12.Dibenzo(a,h)Anthracene	53-70-3	ND	ND	ND
13.Benzo(g,h,i)Perylene	191-24-2	ND	ND	ND
14.Benzo(e)Pyrene	192-97-2	ND	ND	ND
15. Benzo(j)Fluroanthene	205-82-3	ND	ND	ND
Sum (15 PAHs):	--	ND	ND	ND
Classification of Samples: Category		3b	3b	2b

ND= Not detected (Less than reporting limit)

Reporting limit = 0.2 mg/kg

= Category was provided by the applicant.

Test Report

Number: SHAH01892870

Tests Conducted

(II) Limits for PAHs in Products:

Parameter	Category 1	Category 2		Category 3	
--	Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use - in toys according to Directive 2009/48/EC or -for the use by children up to 3 years of age	Materials that are not covered by Category 1, with long-term skin contact (longer than 30s) or repeated short-term skin contact if used as intended or foreseeable 2a. used by children 2b. other consumer products		Materials that are not covered by Category 1 or 2, with short-term skin contact (up to 30 s) when used as intended or foreseeable 3a. used by children 3b. other consumer products	
		2a	2b	3a	3b
Phenanthrene	--	--	--	--	--
Anthracene	--	--	--	--	--
Fluoranthene	--	--	--	--	--
Pyrene	--	--	--	--	--
Sum (4 PAHs):	<1	<5	<10	<20	<50
Naphthalene	<1	<2	<2	<10	<10
Benzo(a)Anthracene	<0.2	<0.2	<0.5	<0.5	<1
Chrysene	<0.2	<0.2	<0.5	<0.5	<1
Indeno(1,2,3-cd)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(b)Fluoranthene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(k)Fluoranthene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(a)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Dibenzo(a,h)Anthracene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(g,h,i)Perylene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(e)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(j)Fluoranthene	<0.2	<0.2	< 0.5	<0.5	<1
Sum (15 PAHs):	<1	<5	<10	<20	<50

Tested Component(s): See component list in the last section of this report

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.24, 2025

Test Report

Number: SHAH01892870

Tests Conducted

6 EU POPs Regulation (EU) 2019/1021 on Short-Chain Chlorinated Paraffins (C10~C13)(SCCPs) Content

By solvent extraction, followed by Gas Chromatography-Electron Capture Detector (GC-ECD) and Gas Chromatography-Negative Chemical Ionization-Mass Spectrometry (GC-NCI-MS) analysis.

(For Articles)

Test Item	Result (% w/w)			Detection Limit (% w/w)	Limit (% w/w)
	(1+2+3)	(4+5+6)	(7)		
Short-Chain Chlorinated Paraffins (C10~C13) (SCCPs)	ND	ND	ND	0.01	0.15

The limit was quoted according to Annex I Part A of Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) and its Amendments for Short-Chain Chlorinated Paraffins (C10~C13) (SCCPs) content.

Remark: ND = Not detected (Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

7 REACH Regulation (EC) No. 1907/2006 Annex XVII Entry 20 on Organotin Content

With reference to ISO/TS 16179: 2012, Organotin content was determined by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Test Item	Result (% w/w) of Tin			Detection Limit (%) of Tin	Limit (%) of Tin
	(1+2+3)	(4+5+6)	(7)		
Tri-substituted Organotin [@]	ND	ND	ND	0.0001	0.1
Dibutyl tin (DBT)	ND	ND	ND	0.0001	0.1
Diocetyl tin (DOT)	ND	ND	ND	0.0001	0.1

The above limit was quoted according to Annex XVII Entry 20 of the REACH Regulation (EC) No.1907/2006 & Amendment (EU) No.276/2010 for Organotin content.

Remarks: ND = Not detected (Less than detection limit)

[@] = The reported value was calculated by summation of the values of Tri-butyltin, Tri-phenyltin, Tri-methyltin, Tri-octyltin, Tri-cyclohexyltin

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

8 REACH Regulation (EC) No. 1907/2006 Annex XVII, Entry 51 & Amendments No. 552/2009 & (EU) 2018/2005 on Phthalates Content

With reference to ISO 8124-6: 2023 method A or C, followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis (External standard method).

Test Item	CAS No.	Result (%w/w)			Reporting Limit (%w/w)	Limit (%w/w)
		(1+2+3)	(4+5+6)	(7)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	--	0.1

The above limit was quoted according to Annex XVII Entry 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 for Phthalate content in articles.

Remark: ND = Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

9 EU POPs Regulation (EU) 2019/1021 and its Amendments on Perfluorooctanoic Acid (PFOA), its Salts and PFOA-Related Substances Content

With reference to CEN/TS 15968, by solvent extraction and followed by Liquid Chromatographic – Tandem Mass Spectrometric (LC-MS/MS) and Gas Chromatography–Mass Spectrometry (GC-MS) analysis.

Test Item	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)		
Perfluorooctanoic Acid (PFOA) and salts	ND	ND	ND	0.01	0.025
Perfluorooctanoic Acid (PFOA)-related compounds #	ND	ND	ND	0.1	1

The limit was quoted according to Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) and Amendment (EU) 2020/784 for Perfluorooctanoic acid (PFOA), its salts and PFOA-related substances content.

Remark: ND=Not Detected (Less than reporting limit)

= The reported value was calculated by summation of the values of 1H,1H,2H,2H-Perfluorodecylacrylate (8: 2 FTA) (CAS No. 27905-45-9), 1H,1H,2H,2H-Perfluoro-1-decanol (8: 2 FTOH) (CAS No. 678-39-7), Methyl perfluorooctanoate (MePFOA) (CAS No. 376-27-2), Ethyl perfluorooctanoate (EtPFOA) (CAS No. 3108-24-5), 1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8: 2 FTS) (CAS No. 39108-34-4), 1H,1H,2H,2H-Perfluorodecylmethacrylate (8: 2 FTMA) (CAS No. 1996-88-9) and 2H,2H-Perfluorodecanoic acid (H2PFDA) (CAS No. 27854-31-5). Other PFOA-related compounds may be also present in sample.

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Test Report

Number: SHAH01892870

Tests Conducted

Testing Period: Nov.14, 2025 To Nov.21, 2025

10 EU POPs Regulation (EU) 2019/1021 and its Amendments on Perfluorooctanesulfonic Acid and its Derivatives (PFOS) Content

WITH REFERENCE TO CEN/TS 15968, BY SOLVENT EXTRACTION AND FOLLOWED BY LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY (LC-MS/MS) ANALYSIS.

Test Item	Result (%)			Detection Limit	Limit
	(1)	(2)	(3)		
Perfluorooctanesulfonic acid and its derivatives (PFOS)#	ND	ND	ND	0.0001%	0.1%

Test Item	Result (mg/kg)			Detection Limit	Limit
	(1)	(2)	(3)		
Perfluorooctanesulfonic acid and its derivatives (PFOS)#	ND	ND	ND	0.1mg/kg	10mg/kg

The limit was quoted according to Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) for Perfluorooctanesulfonic acid and its derivatives (PFOS) content.

Remark: ND = Not Detected (Less than detection limit)

= The reported value was calculated by summation of the values of substances listed below:

No.	Substances	CAS No.
1	Perfluorooctanesulfonic acid	1763-23-1
2	Perfluorooctanesulfonic acid, potassium salt (PFOS-K)	2795-39-3
3	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
4	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
5	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
6	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)	56773-42-3
7	Didecyltrimethylammonium perfluorooctane sulfonate	251099-16-8
8	Perfluorooctanesulfonyl fluoride	307-35-7
9	Perfluorooctanesulfonamide	754-91-6
10	N-Methyl-Perfluorooctanesulfonamide	31506-32-8
11	Ethyl-Perfluorooctanesulfonamide	4151-50-2
12	N-Methyl-Perfluorooctanesulfonamidoethanol	24448-09-7
13	N-Ethyl-Perfluorooctanesulfonamidoethanol	1691-99-2

Other Perfluorooctanesulfonic Acid-related compounds may also be present in the sample.

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

11 PFAS Content

With reference to EN 17681-1:2025, per- and polyfluorinated alkyl substances (PFAS) contents are determined by alkaline hydrolysis and followed by Liquid Chromatographic / Tandem Mass Spectrometer (LC/MS/MS).

Test Item	Result (mg/kg)		
	(1)	(2)	(3)
PFAS Content Δ	ND	ND	ND

Remak: ND = Not Detected (Less than detection limit)

Δ = The reported value was calculated by summation of substances listed below:

No.	Substances	CAS No.	Detection Limit (mg/kg)
1	Perfluorobutanoic acid (PFBA)	375-22-4	0.01
2	Heptafluorobutyryl Fluoride*	335-42-2	0.01
3	Heptafluorobutyric anhydride*	336-59-4	0.01
4	Heptafluorobutanoic acid--piperazine (1/1)*	375-04-2	0.01
5	Heptafluorobutanoyl Bromide*	375-13-3	0.01
6	Heptafluorobutyryl chloride*	375-16-6	0.01
7	4-Chlorobenzene-1-diazonium heptafluorobutanoate--heptafluorobutanoic acid (1/1/1)*	630-31-9	0.01
8	Butanoic acid, 2,2,3,3,4,4,4-heptafluoro-, sodium salt (1:1)*	2218-54-4	0.01
9	heptafluorobutanoic acid- 1-phenylpiperazine(1:1)*	2263-11-8	0.01
10	Heptafluorobutanoic Acid Calcium Salt*	2366-98-5	0.01
11	Potassium perfluorobutanoate*	2966-54-3	0.01
12	Silver heptafluorobutyrate*	3794-64-7	0.01
13	Lithium Perfluorobutanoate*	4146-76-3	0.01
14	Ammonium perfluorobutanoate*	10495-86-0	0.01
15	Perfluorobutanoate*	45048-62-2	0.01
16	Rhodium(II) Heptafluorobutyrate Dimer*	73755-28-9	0.01
17	N5-(5-Hydroxy-4,6-dimethylpyrimidin-2-yl)-L-ornithine--heptafluorobutanoic acid (1/2)*	936233-19-1	0.01
18	Perfluoropentanoic acid (PFPeA)	2706-90-3	0.01
19	Perfluoropentanoic Anhydride*	308-28-1	0.01
20	Potassium perfluoropentanoate*	336-23-2	0.01
21	Nonafluoropentanoyl chloride*	375-60-0	0.01
22	Perfluoropentanoyl Fluoride*	375-62-2	0.01
23	Sodium perfluoropentanoate*	2706-89-0	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
24	Silver perfluoropentanoate*	2795-30-4	0.01
25	Perfluoropentanoate*	45167-47-3	0.01
26	Nonafluoropentanoic acid - 1-benzylthiourea*	64808-55-5	0.01
27	Ammonium perfluoropentanoate*	68259-11-0	0.01
28	Nonafluoropentanoyl bromide*	159623-35-5	0.01
29	Lithium perfluoropentanoate*	198482-22-3	0.01
30	Perfluorohexanoic acid (PFHxA)	307-24-4	0.01
31	Perfluorohexanoic anhydride*	308-13-4	0.01
32	Perfluorohexanoyl Chloride*	335-53-5	0.01
33	Silver perfluorohexanoate*	336-02-7	0.01
34	Perfluorohexanoyl Fluoride*	355-38-4	0.01
35	Undecafluorohexanoic acid-piperazine (1:1)*	423-47-2	0.01
36	1-phenylpiperazine; 2,2,3,3,4,4,5,5,6,6,6-undecafluorohexanoic acid*	985-60-4	0.01
37	Sodium perfluorohexanoate*	2923-26-4	0.01
38	Potassium perfluorohexanoate*	3109-94-2	0.01
39	Ammonium perfluorohexanoate (PFHxA-NH)*	21615-47-4	0.01
40	Lithium perfluorohexanoate*	90430-61-8	0.01
41	Perfluorohexanoate*	92612-52-7	0.01
42	Undecafluorohexanoic Acid--Hexan-1-Amine (1/1)*	565225-91-4	0.01
43	Perfluorohexanoyl Bromide*	1404193-66-3	0.01
44	Perfluoroheptanoic acid (PFHpA)	375-85-9	0.01
45	Perfluoroheptanoyl Fluoride*	375-84-8	0.01
46	Silver;2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptanoate*	424-05-5	0.01
47	Ammonium perfluoroheptanoate*	6130-43-4	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
48	Sodium perfluoroheptanoate*	20109-59-5	0.01
49	Potassium perfluoroheptanoate*	21049-36-5	0.01
50	Perfluoroheptanoyl Chloride*	52447-22-0	0.01
51	Lithium perfluoroheptanoate*	60871-90-1	0.01
52	Perfluoroheptanoic Anhydride*	78225-99-7	0.01
53	Perfluoroheptanoate*	120885-29-2	0.01
54	Perfluoroheptanoyl Bromide*	159623-34-4	0.01
55	Cesium 2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptanoate*	171198-24-6	0.01
56	Perfluorooctanoic acid (PFOA)	335-67-1	0.01
57	Perfluorooctanoyl Chloride*	335-64-8	0.01
58	Perfluorooctanoyl fluoride (PFOA-F) *	335-66-0	0.01
59	Silver perfluorooctanoate (PFOA-Ag) *	335-93-3	0.01
60	Sodium perfluorooctanoate (PFOA-Na) *	335-95-5	0.01
61	Pentadecafluorooctanoic acid--piperazine (2/1)*	423-52-9	0.01
62	pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1)*	1514-68-7	0.01
63	Potassium perfluorooctanoate (PFOA-K) *	2395-00-8	0.01
64	Ammonium pentadecafluorooctanoate (APFO)*	3825-26-1	0.01
65	Lithium perfluorooctanoate*	17125-58-5	0.01
66	Cesium Perfluorooctanoate*	17125-60-9	0.01
67	Perfluorooctanoate N,N,N-Trimethylmethanaminium*	32609-65-7	0.01
68	Perfluorooctanoic Anhydride*	33496-48-9	0.01
69	Cobalt perfluorooctanoate*	35965-01-6	0.01
70	Pentadecafluorooctanoate*	45285-51-6	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
71	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+)*	68141-02-6	0.01
72	Pentadecafluorooctanoic Acid--Pyridine (1/1)*	95658-47-2	0.01
73	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate(1:1:2) (PFOA-K(H ₂ O) ₂)*	98065-31-7	0.01
74	N,N,N-Triethylethanaminium perfluorooctanoate*	98241-25-9	0.01
75	Perfluorooctanoyl Bromide*	222037-87-8	0.01
76	Tetrapropylammonium perfluorooctanoate*	277749-00-5	0.01
77	N,N,N-Trimethyloctan-1-aminium pentadecafluorooctanoate*	927835-01-6	0.01
78	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. With ethanamine (1:1) (PFOA-C ₂ H ₇ N)*	1376936-03-6	0.01
79	Methyl perfluorooctanoate (Me-PFOA)*	376-27-2	0.01
80	Ethyl perfluorooctanoate (Et-PFOA)*	3108-24-5	0.01
81	Perfluorononanoic acid (PFNA)	375-95-1	0.01
82	Perfluorononanoyl Fluoride*	558-95-2	0.01
83	Perfluorononanoate ammonium salt (APFN) *	4149-60-4	0.01
84	Silver perfluorononanoate*	7358-16-9	0.01
85	Potassium perfluorononanoate (PFNA-K)*	21049-38-7	0.01
86	Perfluorononanoate Na-Salt (PFNA-Na) *	21049-39-8	0.01
87	Perfluorononanoyl Chloride*	52447-23-1	0.01
88	Lithium heptadecafluorononanoate*	60871-92-3	0.01
89	Perfluorononanoate*	72007-68-2	0.01
90	Methanaminium perfluorononanoate*	77032-23-6	0.01
91	Heptadecafluorononanoic acid--N-methylmethanamine (1/1)*	77032-24-7	0.01
92	Heptadecafluorononanoic acid--N-ethylethanamine (1/1)*	77032-27-0	0.01
93	Piperidinium perfluorononanoate*	95682-66-9	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
94	Heptadecafluorononanoic acid--aniline (1/1)*	95682-67-0	0.01
95	Perfluorononanoic Anhydride*	228407-54-3	0.01
96	Heptadecafluorononanoyl Bromide*	261503-42-8	0.01
97	4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium heptadecafluorononanoate*	298703-33-0	0.01
98	N,N-Diethylethanaminium heptadecafluorononanoate*	327176-80-7	0.01
99	Cyclohexanaminium perfluorononanoate*	328531-06-2	0.01
100	Perfluorodecanoic acid (PFDA)	335-76-2	0.01
101	Perfluorodecanoyl chloride*	307-38-0	0.01
102	Perfluorodecanoate ammonium salt (APFDA) *	3108-42-7	0.01
103	Perfluorodecanoate Na-salt (PFDA-Na) *	3830-45-3	0.01
104	Silver Perfluorodecanoate*	5784-82-7	0.01
105	Potassium Perfluorodecanoate*	51604-85-4	0.01
106	Perfluorodecanoate*	73829-36-4	0.01
107	Lithium Perfluorodecanoate*	84743-32-8	0.01
108	Perfluorodecanoic Anhydride*	942199-24-8	0.01
109	Perfluoroundecanoic acid (PFUDa)	2058-94-8	0.01
110	Ammonium perfluoroundecanoate*	4234-23-5	0.01
111	Potassium perfluoroundecanoate*	30377-53-8	0.01
112	Perfluoroundecanoic acid sodium salt*	60871-96-7	0.01
113	Calcium perfluoroundecanoate*	97163-17-2	0.01
114	Perfluoroundecanoate*	196859-54-8	0.01
115	Perfluorododecanoic acid (PFDoA)	307-55-1	0.01
116	Ammonium perfluorododecanoate*	3793-74-6	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
117	Sodium perfluorododecanoate*	60872-01-7	0.01
118	Perfluorododecanoate*	171978-95-3	0.01
119	Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.01
120	Ammonium perfluorotridecanoate*	4288-72-6	0.01
121	Perfluorotridecanoate*	862374-87-6	0.01
122	Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.01
123	Perfluorotetradecanoate*	365971-87-5	0.01
124	Perfluorobutanesulfonic acid (L-PFBS)	375-73-5	0.01
125	Perfluorobutansulfonyl fluoride*	375-72-4	0.01
126	1,1,2,2,3,3,4,4,4-Nonafluorobutane-1-sulfonyl chloride*	2991-84-6	0.01
127	N,N,N-triethylethanaminium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulfonate(PFBS- N(C ₂ H ₅) ₄)*	25628-08-4	0.01
128	Tetramethylammonium perfluorobutane sulfonate*	25628-17-5	0.01
129	Perfluorobutanesulfonate K-salt (PFBS-K)*	29420-49-3	0.01
130	Perfluorobutanesulfonic Anhydride*	36913-91-4	0.01
131	Perfluorobutanesulfonate*	45187-15-3	0.01
132	N,N,N-Tripropylpentan-1-aminium nonafluorobutane-1-sulfonate*	56773-55-8	0.01
133	Nonafluorobutanesulfonic Acid Hydrate (PFBS-H ₂ O)*	59933-66-3	0.01
134	1-Butanesulfonic acid,1,1,2,2,3,3,4,4,4-nonafluoro-,sodium salt (1:1)*	60453-92-1	0.01
135	Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate*	68259-10-9	0.01
136	Bis(2-hydroxyethyl)ammonium perfluorobutanesulfonate*	70225-18-2	0.01
137	Tetrabutylammonium perfluoro-1-butanesulfonate*	108427-52-7	0.01
138	N,N-Dibutyl-N-methylbutan-1-aminium nonafluorobutane-1-sulfonate*	124472-66-8	0.01
139	lithium perfluorobutanesulfonate*	131651-65-5	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
140	Triphenylsulfanium perfluorobutane sulfonate*	144317-44-2	0.01
141	Triethylammonium perfluorobutane sulfonate*	182059-38-7	0.01
142	Diphenyliodonium nonafluorobutane-1-sulfonate*	194999-82-1	0.01
143	bis(4-tert-butylphenyl)iodonium perfluorobutanesulfonate*	194999-85-4	0.01
144	1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate*	209482-18-8	0.01
145	dimethyl(phenyl)sulfanium perfluorobutanesulfonate*	220133-51-7	0.01
146	tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate*	220689-12-3	0.01
147	Tris(4-tert-butylphenyl)sulfonium perfluorobutanesulfonate*	241806-75-7	0.01
148	N-(2-Hydroxyethyl)-N,N-dimethyl-1-octanaminium perfluoro-1-butanesulfonate (1:1)*	334529-55-4	0.01
149	1-Hexadecylpyridinium perfluoro-1-butanesulfonate*	334529-62-3	0.01
150	1-Butylpyridinium perfluoro-1-butanesulfonate*	334529-64-5	0.01
151	N,N-Dimethyl-N-(propan-2-yl)propan-2-aminium nonafluorobutane-1-sulfonate*	374571-81-0	0.01
152	(4-Cyclohexylphenyl)(diphenyl)sulfanium nonafluorobutane-1-sulfonate*	425670-64-0	0.01
153	N-Methyl-N,N-dioctyl-1-octanaminium perfluoro-1-butanesulfonate*	495417-51-1	0.01
154	Zinc bis(nonafluoro-1-butanesulfonate)*	502457-69-4	0.01
155	morpholinium perfluorobutanesulfonate*	503155-89-3	0.01
156	magnesium perfluorobutanesulfonate*	507453-86-3	0.01
157	Sulfonium, tris(4-methylphenyl)-, salt with perfluoro-1-butanesulfonic acid (1:1)*	722538-68-3	0.01
158	[4-(2-tert-Butoxy-2-oxoethoxy)phenyl](diphenyl)sulfanium nonafluorobutane-1-sulfonate*	857285-80-4	0.01
159	1-(1-Methyl-1H-indol-3-yl)thiolan-1-ium nonafluorobutane-1-sulfonate*	867373-18-0	0.01
160	1-Methyl-3-octyl-1H-imidazolium perfluorobutanesulfonate*	905972-83-0	0.01
161	3-Hexyl-1-methyl-1H-Imidazolium perfluorobutanesulfonate*	1001557-05-6	0.01
162	1-Ethyl-3-methylpyridin-1-ium nonafluorobutane-1-sulfonate*	1015420-87-7	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
163	Perfluorohexanesulfonic acid (L-PFHxS)	355-46-4	0.01
164	Perfluorohexane sulphonyl fluoride*	423-50-7	0.01
165	Perfluorohexanesulfonate K-salt (PFHxS-K) *	3871-99-6	0.01
166	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1)*	41184-65-0	0.01
167	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt (3:1)*	41242-12-0	0.01
168	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, lithium salt (1:1)*	55120-77-9	0.01
169	Perfluorohexylsulfonyl chloride*	55591-23-6	0.01
170	ammonium perfluorohexane-1-sulphonate*	68259-08-5	0.01
171	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, zinc salt*	70136-72-0	0.01
172	tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1)*	70225-16-0	0.01
173	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1)*	72033-41-1	0.01
174	Perfluorohexanesulfonate NA-salt (PFHxS-Na) *	82382-12-5	0.01
175	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt (1:1)*	92011-17-1	0.01
176	Perfluorohexylsulfonate*	108427-53-8	0.01
177	N,N,N-tributylbutan-1-aminium tridecafluorohexane-1-sulfonate *	108427-54-9	0.01
178	N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate*	108427-55-0	0.01
179	Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) *	144116-10-9	0.01
180	Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	153443-35-7	0.01
181	Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)*	189274-31-5	0.01
182	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with 2-methyl-2-propanamine*	202189-84-2	0.01
183	Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	213740-81-9	0.01
184	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt*	341035-71-0	0.01
185	Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	341548-85-4	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
186	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1)*	350836-93-0	0.01
187	Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2)*	421555-73-9	0.01
188	Iodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic*	421555-74-0	0.01
189	Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	425670-70-8	0.01
190	Iodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)*	866621-50-3	0.01
191	Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) *	910606-39-2	0.01
192	Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	911027-68-4	0.01
193	Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 ^{3,7}]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 ^{3,7}]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate*	911027-69-5	0.01
194	Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	928049-42-7	0.01
195	Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) *	1000597-52-3	0.01
196	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1) *	1187817-57-7	0.01
197	Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1310480-24-0	0.01
198	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1310480-27-3	0.01
199	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1310480-28-4	0.01
200	Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1)*	1329995-45-0	0.01
201	Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1)*	1329995-69-8	0.01
202	Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1462414-59-0	0.01
203	Tetrabutylphosphonium perfluorohexane sulfonate*	2310194-12-6	0.01
204	Perfluoroheptanesulfonic acid (L-PFHpS)	375-92-8	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
205	Perfluoroheptanesulfonyl Fluoride*	335-71-7	0.01
206	Perfluoroheptanesulfonate Na-salt (PFHpS-Na)*	21934-50-9	0.01
207	Potassium Perfluoroheptanesulfonate (PFHpS-K)*	60270-55-5	0.01
208	Ammonium perfluoroheptanesulfonate*	68259-07-4	0.01
209	Bis(2-hydroxyethyl)ammonium perfluoroheptanesulfonate*	70225-15-9	0.01
210	Triethylammonium perfluoroheptane sulfonate*	72033-40-0	0.01
211	Lithium perfluoroheptanesulfonate*	117806-54-9	0.01
212	Perfluoroheptanesulfonate*	146689-46-5	0.01
213	Tetraethylammonium perfluoroheptane sulfonate*	439863-97-5	0.01
214	Perfluorooctanesulfonic acid (L-PFOS)	1763-23-1	0.01
215	Perfluorooctane Sulfonyl fluoride (POSF) *	307-35-7	0.01
216	Heptadecafluoro-1-Octanesulfonyl Chloride*	423-60-9	0.01
217	Potassium Perfluorooctanesulfonate (PFOS-K) *	2795-39-3	0.01
218	Sodium Perfluorooctanesulfonate (PFOS-Na)*	4021-47-0	0.01
219	1-Octanesulfonic acid,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, barium salt (2:1)*	4021-48-1	0.01
220	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)*	29081-56-9	0.01
221	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) *	29457-72-5	0.01
222	Perfluorooctanesulfonate*	45298-90-6	0.01
223	Triethylammonium perfluorooctane sulfonate*	54439-46-2	0.01
224	Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)*	56773-42-3	0.01
225	Tetramethylammonium perfluorooctane sulfonate*	56773-44-5	0.01
226	N,N,N-Tripropylpentan-1-aminium heptadecafluorooctane-1-sulfonate*	56773-56-9	0.01
227	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C ₂ H ₅) ₂ OH)*	70225-14-8	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
228	Piperidinium perfluorooctanesulfonate*	71463-74-6	0.01
229	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, ion(1-), tris(triphenylphosphine)rhodium(1+)*	88825-77-8	0.01
230	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, nickel salt*	89560-90-7	0.01
231	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, cobalt salt*	89560-91-8	0.01
232	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, iron salt*	89560-92-9	0.01
233	Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)*	91036-71-4	0.01
234	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, zinc salt*	91036-72-5	0.01
235	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, cesium salt*	92011-18-2	0.01
236	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, zirconium(4+) salt*	101360-77-4	0.01
237	Tetrabutylammonium perfluorooctanesulfonate*	111873-33-7	0.01
238	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with graphite*	114174-50-4	0.01
239	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, iron(3+) salt*	114519-83-4	0.01
240	N,N-Dibutyl-N-methylbutan-1-aminium heptadecafluorooctane-1-sulfonate*	124472-68-0	0.01
241	1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadeafluoro-, compd. with 1-octadecamine (1:1)*	127771-41-9	0.01
242	1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadeafluoro-, compd. with 1-teracosanamine (1:1)*	127771-42-0	0.01
243	1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadeafluoro-, compd. with 1-octanamine (1:1)*	127771-43-1	0.01
244	1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadeafluoro-, compd. with N-methyl-1-octadecanamine (1:1)*	127771-44-2	0.01
245	1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadeafluoro-, compd. with N,N-dimethyl-1-octadecanamine (1:1)*	127771-45-3	0.01
246	1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadeafluoro-, compd. with cyclohexanamine (1:1)*	127771-47-5	0.01
247	1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadeafluoro-, compd. with benzenamine (1:1)*	127771-48-6	0.01
248	Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, salt with perfluoro-1-octanesulfonic acid (1:1)*	213740-80-8	0.01
249	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA) *	251099-16-8	0.01
250	Diphenyl(2,4,6-trimethylphenyl)sulfonium perfluoro-1-octanesulfonate*	258341-99-0	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
251	1-Hexadecylpyridinium perfluoro-1-octanesulfonate*	334529-63-4	0.01
252	N,N,N-Triethyldecan-1-aminium heptadecafluorooctane-1-sulfonate*	773895-92-4	0.01
253	Tetrabutylphosphonium perfluorooctane sulfonate*	2185049-59-4	0.01
254	Perfluorooctanesulfonic acid diethylamine salt*	2205029-08-7	0.01
255	Perfluorodecanesulfonic acid (L-PFDS)	335-77-3	0.01
256	Perfluorodecanesulphonyl Fluoride*	307-51-7	0.01
257	Perfluorodecanesulfonate Na-salt (PFDS-Na) *	2806-15-7	0.01
258	Perfluorodecanesulfonate K-salt (PFDS-K) *	2806-16-8	0.01
259	Perfluorodecane sulfonic anhydride (PFDSA)*	51667-62-0	0.01
260	Perfluoroaliphatic Dean-sulfonate salt of NH ₄ (PFDS-NH)*	67906-42-7	0.01
261	Perfluorodecanesulfonate*	126105-34-8	0.01
262	Perfluorooctanesulfonamide (PFOSA)	754-91-6	0.01
263	Perfluorooctanesulfonamide potassium salt (1:1)*	76752-70-0	0.01
264	Perfluorooctanesulfonamide ammonium salt (1:1)*	76752-72-2	0.01
265	Perfluorooctanesulfonamide sodium salt (1:1)*	76752-78-8	0.01
266	Perfluorooctanesulfonamide lithium salt (1:1)*	76752-79-9	0.01
267	Heptadecafluorooctane-1-sulphonamide, compound with triethylamine (1:1)*	76752-82-4	0.01
268	N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA)	31506-32-8	0.01
269	N-Ethyl-Perfluorooctanesulfonamide (N-Et-FOSA)	4151-50-2	0.01
270	N-Methyl-Perfluorooctanesulfonamidoethanol(N-Me-FOSE alcohol)	24448-09-7	0.01
271	N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol)	1691-99-2	0.01
272	1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	27619-97-2	0.01
273	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanesulphonyl chloride*	27619-89-2	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
274	6:2 Fluorotelomer sulfonate sodium salt*	27619-94-9	0.01
275	6:2 Fluorotelomer sulfonate potassium salt*	59587-38-1	0.01
276	6:2 Fluorotelomer sulfonate ammonium salt*	59587-39-2	0.01
277	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctane-1-sulfonate*	425670-75-3	0.01
278	6:2 Fluorotelomer sulfonate barium salt*	1807944-82-6	0.01
279	2H,2H,3H,3H-Perfluoroundecanoic acid (4HPFUnA)	34598-33-9	0.01
280	Lithium 3-(perfluorooctyl)propanoate*	67304-23-8	0.01
281	Potassium 2H,2H,3H,3H-Perfluoroundecanoate*	83310-58-1	0.01
282	Perfluoro-3-7-dimethyl octane carboxylate (PF-3,7-DMOA)	172155-07-6	0.01
283	7H-Dodecafluoro heptane carboxylate (HPFHpA)	1546-95-8	0.01
284	Ammonium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate*	376-34-1	0.01
285	Sodium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate*	2264-25-7	0.01
286	7H-Perfluoroheptanoyl Fluoride*	5927-65-1	0.01
287	7H-Perfluoroheptanoyl Chloride*	41405-35-0	0.01
288	7-H-Perfluoroheptanoate*	69681-35-2	0.01
289	7H-Perfluoroheptanoyl Iodide*	137741-05-0	0.01
290	7H-Perfluoroheptanoyl Bromide*	141893-84-7	0.01
291	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	0.01
292	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-Heptadecafluorodecanesulphonyl chloride*	27619-90-5	0.01
293	8:2 Fluorotelomer sulfonate sodium salt*	27619-96-1	0.01
294	8:2 Fluorotelomer sulfonate ammonium salt*	149724-40-3	0.01
295	Potassium 2-(perfluorooctyl)ethane-1 - sulfonate*	438237-73-1	0.01
296	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-Heptadecafluorodecane-1-sulfonate*	481071-78-7	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
297	1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2 FTS)	757124-72-4	0.01
298	4:2 Fluorotelomer sulfonate sodium*	27619-93-8	0.01
299	3,3,4,4,5,5,6,6,6-Nonafluorohexane-1-sulphonyl chloride*	65702-23-0	0.01
300	4:2 Fluorotelomer sulfonate*	414911-30-1	0.01
301	N-(Perfluoro-1-octanesulfonyl) Glycine	2806-24-8	0.01
302	N-[(Perfluorooctyl)Sulfonyl]Glycine Sodium Salt (1:1)*	115716-87-5	0.01
303	N-[(Perfluorooctyl)Sulfonyl]Glycinate*	909405-47-6	0.01
304	N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)*	75260-69-4	0.01
305	N-Methylperfluoro-1-octanesulfonamidoacetic Acid	2355-31-9	0.01
306	Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate*	70281-93-5	0.01
307	Cyclo-hexachloro(N-methyl-(N-(perfluorooctylsulphonyl)glycinato-O1:O1'))dihydroxytrichromium*	97298-47-0	0.01
308	2-(N-Methylperfluorooctanesulfonamido)acetate*	909405-48-7	0.01
309	N-Ethyl-N-(perfluoro-1-octanesulfonyl) Glycine	2991-50-6	0.01
310	Potassium N-ethyl-N-((heptadecafluorooctyl)sulphonyl)glycinate*	2991-51-7	0.01
311	Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate*	2991-52-8	0.01
312	Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate*	3871-50-9	0.01
313	Diaquatetrachloro[μ-[N-ethyl-N-[(perfluorooctyl)sulfonyl]glycinato-O1:O1']-μ-hydroxybis[2-methylpropanol]dichromium*	68891-96-3	0.01
314	2-(N-Ethyl-perfluorooctanesulfonamido)acetate*	909405-49-8	0.01
315	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid	13252-13-6	0.01
316	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionyl fluoride*	2062-98-8	0.01
317	Ammonium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propanoate (HFPO-DA-NH)*	62037-80-3	0.01
318	potassium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionate*	67118-55-2	0.01
319	Sodium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate*	67963-75-1	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
320	Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (+)-*	75579-39-4	0.01
321	Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (-)-*	75579-40-7	0.01
322	Perfluoro(2-propoxypropanoate)*	122499-17-6	0.01
323	2,3,3,3-Tetrafluoro-2-(heptafluoropropoxy)propanoic acid--N-propylpropan-1-amine (1/1)*	165951-17-7	0.01
324	Triethylammonium perfluoro-2-propoxypropanoate*	165951-18-8	0.01
325	4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate*	298703-31-8	0.01
326	Benzoic acid, 2,3,6-triiodo-, (1-methyl-3-piperidinyl)methyl ester, compd. with 2,3,3,3- tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoro propoxy)propanoate (1:1) (HFPO- C ₁₄ H ₁₆ I ₃ NO ₂)*	2412106-69-3	0.01
327	bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10 heptafluorodecyl) phosphate (8:2diPAP)	678-41-1	0.01
328	Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate*	57677-97-1	0.01
329	Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt*	93776-20-6	0.01
330	Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate*	114519-85-6	0.01
331	8:2 Fluorotelomer phosphate diester ion (1-)*	1411713-91-1	0.01
332	Perfluorononanesulfonic acid (PFNS)	68259-12-1	0.01
333	Ammonium nonadecafluorononanesulphonate*	17202-41-4	0.01
334	Perfluorononanesulfonate potassium*	29359-39-5	0.01
335	Nonadecafluorononanesulfonyl Fluoride*	68259-06-3	0.01
336	Sodium perfluoro-1-nonanesulfonate*	98789-57-2	0.01
337	Perfluorononanesulfonate*	474511-07-4	0.01
338	Perfluorododecanesulfonic acid (PFDoDS)	79780-39-5	0.01
339	Potassium perfluorododecanesulfonate*	85187-17-3	0.01
340	Perfluorododecanesulfonate*	343629-43-6	0.01
341	Sodium perfluoro-1-dodecanesulfonate*	1260224-54-1	0.01
342	Mono[2-(perfluorohexyl)ethyl] phosphate	57678-01-0	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
343	Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate*	2353-52-8	0.01
344	2-(Perfluorohexyl)ethanol dihydrogen phosphate bis(2-hydroxyethyl)amine*	57678-02-1	0.01
345	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt*	92401-44-0	0.01
346	Sodium 1H,1H,2H,2H-perfluorooctylphosphate*	144965-22-0	0.01
347	Monopotassium monoperfluorohexyl ethylphosphate*	150033-28-6	0.01
348	Diammonium 6:2 fluorotelomer phosphate monoester*	1000852-37-8	0.01
349	Bis[2-(perfluorohexyl)ethyl]phosphate	57677-95-9	0.01
350	Ammonium bis[2-(perfluorohexyl)ethyl] phosphate*	1764-95-0	0.01
351	Sodium bis[2-(perfluorohexyl)ethyl] phosphate*	407582-79-0	0.01
352	Bis(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphate ion(1-)*	667465-18-1	0.01
353	Perfluoropentanesulfonic acid (PFPeS)	2706-91-4	0.01
354	Potassium perfluoropentanesulfonate*	3872-25-1	0.01
355	Ammonium perfluoropentanesulfonate*	68259-09-6	0.01
356	Bis(2-hydroxyethyl)ammonium perfluoropentanesulfonate*	70225-17-1	0.01
357	Triethylammonium perfluoropentane sulfonate*	72033-42-2	0.01
358	Perfluoropentane sulfonic anhydride*	161877-72-1	0.01
359	Perfluoropentanesulfonate*	175905-36-9	0.01
360	Sodium perfluoropentanesulfonate*	630402-22-1	0.01
361	Lithium perfluoropentane sulfonate*	1046864-81-6	0.01
362	Perfluoro-1-tridecanesulfonic acid (PFTTrDS)	791563-89-8	0.01
363	Sodium Perfluorotridecanesulfonate*	174675-49-1	0.01
364	Perfluorohexane sulfonamide (PFHxSA)	41997-13-1	0.01
365	N-Ethyl-Perfluorohexanesulfamoylethanol (N-Et-FHxSE)	34455-03-3	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
366	2-(N-ethylperfluorooctanesulfamido)ethyl acrylate*	423-82-5	0.01
367	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester*	67906-70-1	0.01
368	N-Methyl-Perfluorohexanesulfamide (N-Me-FHxSA)	68259-15-4	0.01
369	N-Methyl-Perfluorohexanesulfamoylethanol (N-Me-FHxSE)	68555-75-9	0.01
370	2-[methyl[(tridecafluorohexyl)sulphonyl]amino]ethyl acrylate*	67584-57-0	0.01
371	2-Propenoic acid, 2-methyl-, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester*	67584-61-6	0.01
372	Perfluoroundecane sulfonic acid(PFUnDS)	749786-16-1	0.01
373	Trifluoromethanesulfonic acid	1493-13-6	0.01
374	Barium trifluoromethanesulphonate*	2794-60-7	0.01
375	Methanesulfonic acid, trifluoro-, silver(1+) salt*	2923-28-6	0.01
376	Potassium trifluoromethanesulfonate*	2926-27-4	0.01
377	Sodium trifluoromethanesulfonate*	2926-30-9	0.01
378	1-Ethylpyridinium trifluoromethanesulfonate*	3878-80-6	0.01
379	Lithium trifluoromethanesulfonate*	33454-82-9	0.01
380	Neodymium(III) trifluoromethanesulfonate*	34622-08-7	0.01
381	Lanthanum trifluoromethanesulfonate--water (1/3/1)*	34629-21-5	0.01
382	Yttrium trifluoromethanesulfonate--water (1/3/1)*	34629-25-9	0.01
383	Tetraethylammonium trifluoromethanesulphonate*	35895-69-3	0.01
384	Trifluoromethanesulfonate*	37181-39-8	0.01
385	Ammonium trifluoromethanesulfonate*	38542-94-8	0.01
386	Copper(2+) trifluoromethanesulfonate--benzene (1/2/1)*	42152-46-5	0.01
387	Mercury(II) trifluoromethanesulfonate*	49540-00-3	0.01
388	Trifluoromethanesulfonic acid--water (1/1)*	49789-04-0	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
389	europium trifluoromethanesulfonate*	52093-25-1	0.01
390	Lanthanum tris(trifluoromethanesulfonate)*	52093-26-2	0.01
391	Praseodymium(III) trifluoromethanesulfonate*	52093-27-3	0.01
392	Samarium(III) trifluoromethanesulfonate*	52093-28-4	0.01
393	Yttrium(III) trifluoromethanesulfonate*	52093-30-8	0.01
394	Pyridinium trifluoromethanesulfonate*	52193-54-1	0.01
395	Zinc trifluoromethanesulphonate*	54010-75-2	0.01
396	Ytterbium(3+) tris(trifluoromethanesulfonate)*	54761-04-5	0.01
397	Methanesulfonic acid, trifluoro-, calcium salt*	55120-75-7	0.01
398	Magnesium trifluoromethanesulfonate*	60871-83-2	0.01
399	Nickel(II) Trifluoromethanesulfonate*	60871-84-3	0.01
400	Tin(II) trifluoromethanesulfonate*	62086-04-8	0.01
401	Iron(III) trifluoromethanesulfonate*	63295-48-7	0.01
402	2-Ethenyl-1-(prop-2-en-1-yl)thian-1-ium trifluoromethanesulfonate*	66120-38-5	0.01
403	Tributyltin trifluoromethanesulfonate*	68725-14-4	0.01
404	Thallium(I) Trifluoromethanesulfonate*	73491-36-8	0.01
405	Gallium tris(trifluoromethanesulfonate)*	74974-60-0	0.01
406	Cerium(III) Triflate*	76089-77-5	0.01
407	Morpholin-4-ium trifluoromethanesulfonate*	77534-70-4	0.01
408	Pentaammine(trifluoromethanesulfonato)osmium(III) triflate*	83781-30-0	0.01
409	2-Chloro-1-methylpyridinium trifluoromethanesulphonate*	84030-18-2	0.01
410	Bismuth(III) trifluoromethanesulfonate*	88189-03-1	0.01
411	1-Fluoropyridinium triflate*	107263-95-6	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
412	Cerium(IV) trifluoromethanesulfonate*	107792-63-2	0.01
413	1,3-Dimethyl-1H-imidazol-3-ium trifluoromethanesulfonate*	121091-30-3	0.01
414	Lutetium(III) trifluoromethanesulfonate*	126857-69-0	0.01
415	Indium(III) trifluoromethanesulfonate*	128008-30-0	0.01
416	Dysprosium(III) trifluoromethanesulfonate*	139177-62-1	0.01
417	Holmium tris(trifluoromethanesulfonate)*	139177-63-2	0.01
418	Erbium(III) trifluoromethanesulfonate*	139177-64-3	0.01
419	Thulium(III) trifluoromethanesulfonate*	141478-68-4	0.01
420	Scandium(III) triflate*	144026-79-9	0.01
421	1-Ethyl-3-methylimidazolium trifluoromethanesulfonate*	145022-44-2	0.01
422	Terbium(III) trifluoromethanesulfonate*	148980-31-8	0.01
423	1-Butyl-3-methylimidazolium trifluoromethanesulfonate*	174899-66-2	0.01
424	1-Ethyl-2,3-dimethylimidazolium trifluoromethanesulfonate*	174899-72-0	0.01
425	Cerium(4+) trifluoromethanesulfonate--water (1/4/1)*	206996-62-5	0.01
426	Ytterbium(3+) trifluoromethanesulfonate--water (1/3/1)*	252976-51-5	0.01
427	2-Ethenyl-1-methylpyridin-1-ium trifluoromethanesulfonate*	339530-78-8	0.01
428	1-Butyl-1-methylpyrrolidinium trifluoromethanesulfonate*	367522-96-1	0.01
429	1-Butylpyridinium trifluoromethanesulfonate*	390423-43-5	0.01
430	1,2,3-Trimethyl-1H-imidazol-3-ium trifluoromethanesulfonate*	439286-64-3	0.01
431	Cerium(3+) trifluoromethanesulfonate--water (1/3/1)*	698999-65-4	0.01
432	1-Ethyl-1-methylpyrrolidinium trifluoromethanesulfonate*	893443-18-0	0.01
433	2-Fluoro-1-methylpyridin-1-ium trifluoromethanesulfonate*	921754-29-2	0.01
434	1-Methyl-1-propylpyrrolidinium trifluoromethanesulfonate*	1224852-54-3	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
435	1-Butyl-1-methylpiperidinium trifluoromethanesulfonate*	1357500-93-6	0.01
436	1-Butyl-2-methylpyridinium trifluoromethanesulfonate*	1770850-20-8	0.01
437	1-Hexylpyridinium trifluoromethanesulfonate*	623167-81-7	0.01
438	1-Butyl-2,3-dimethylimidazolium trifluoromethanesulfonate*	765910-73-4	0.01
439	Tetrapropylammonium trifluoromethanesulphonate*	35925-48-5	0.01
440	1-Methyl-3-hexylimidazolium trifluoromethylsulfonate*	460345-16-8	0.01
441	1-Butyl-3-methylpyridinium trifluoromethanesulfonate*	857841-32-8	0.01
442	1-Butyl-4-methylpyridinium trifluoromethanesulfonate*	882172-79-4	0.01
443	2,6-Dichloro-1-fluoropyridin-1-ium trifluoromethanesulfonate*	130433-68-0	0.01
444	1H-Benzimidazol-3-ium trifluoromethanesulfonate*	99257-95-1	0.01
445	2-dimethylsulfonioethyl(trimethyl)azanium;trifluoromethanesulfonate*	71956-00-8	0.01
446	N,N,N-Trimethyldecan-1-aminium trifluoromethanesulfonate*	922704-30-1	0.01
447	1-Hexyl-2,3-dimethylimidazolium trifluoromethansulfonate*	797789-01-6	0.01
448	1-Butyl-3-ethylpyridin-1-ium trifluoromethanesulfonate*	916730-37-5	0.01
449	Trifluoromethanesulphonic acid, compound with diethylamine (1:1)*	60933-18-8	0.01
450	1-Methyl-3-octylimidazolium trifluoromethanesulfonate*	403842-84-2	0.01
451	3,5-Dichloro-1-fluoropyridin-1-ium trifluoromethanesulfonate*	107264-06-2	0.01
452	N,N,N-Triethyl-2,2,2-trifluoroethan-1-aminium trifluoromethanesulfonate*	380230-73-9	0.01
453	1-Fluoro-2,4,6-trimethylpyridinium triflate*	107264-00-6	0.01
454	Trifluoromethanesulfonic acid--water (1/4)*	67603-24-1	0.01
455	Trifluoromethanesulfonic acid--guanidine (1/1)*	153756-25-3	0.01
456	1-Decyl-3-methylimidazolium trifluoromethanesulfonate*	412009-62-2	0.01
457	2-Chloro-3-methylbenzothiazolium trifluoromethanesulphonate*	61765-15-9	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
458	3-Methyl-1-octylpyridin-1-ium trifluoromethanesulfonate*	929602-03-9	0.01
459	Trifluoromethanesulfonic acid--difluoroxenon (1/1)*	39274-39-0	0.01
460	2-Fluoro-1-methylquinolin-1-ium trifluoromethanesulfonate*	921754-32-7	0.01
461	Imidazole trifluoromethanesulfonate*	29727-06-8	0.01
462	Trifluoromethanesulfonic acid--water (1/5)*	67736-91-8	0.01
463	Methanesulfonic acid, 1,1,1-trifluoro-, compd. with N,N-diethylethanamine (1:1)*	646-58-2	0.01
464	1-Dodecyl-3-methylimidazolium trifluoromethanesulfonate*	404001-52-1	0.01
465	2-Chloro-1-methylquinolin-1-ium trifluoromethanesulfonate*	921754-34-9	0.01
466	Trifluoromethanesulfonic acid--2-methyl-1H-imidazole (1/1)*	869728-20-1	0.01
467	Diphenyliodonium trifluoromethanesulfonate*	66003-76-7	0.01
468	2-Benzyloxy-1-methylpyridinium triflate*	882980-43-0	0.01
469	Trifluoromethanesulfonic acid--1-ethyl-1H-imidazole (1/1)*	501693-46-5	0.01
470	Trifluoromethanesulfonic acid--water (1/6)*	67603-25-2	0.01
471	Trifluoromethanesulfonic acid--(pyrrolidin-1-yl)acetonitrile (1/1)*	573987-48-1	0.01
472	(4-Methoxyphenyl)(phenyl)iodonium trifluoromethanesulfonate*	115298-63-0	0.01
473	Diphenylammonium Trifluoromethanesulfonate*	164411-06-7	0.01
474	N-(2-Bromoethyl)-N,N-dimethylhexadecan-1-aminium trifluoromethanesulfonate*	67675-60-9	0.01
475	Trifluoromethanesulfonic acid--1-butyl-1H-imidazole (1/1)*	916729-76-5	0.01
476	4-(3-Butyl-1-imidazolio)-1-butanefluorobutanesulfonic acid triflate*	439937-63-0	0.01
477	4-(Ethoxycarbonyl)-N,N,N-trimethylanilinium trifluoromethanesulfonate*	124915-06-6	0.01
478	(2-Bromoethyl)(diphenyl)sulfonium trifluoromethanesulfonate*	247129-85-7	0.01
479	Pyrylium, 2,6-bis(1,1-dimethylethyl)-, 1,1,1-trifluoromethanesulfonate (1:1)*	125455-66-5	0.01
480	Methyltrioctylammonium trifluoromethanesulfonate*	121107-18-4	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
481	(4-Methylthiophenyl)methyl phenyl sulfonium triflate*	187868-29-7	0.01
482	3-(Imidazole-1-sulfonyl)-1-methyl-3h-imidazol-1-ium triflate*	489471-57-0	0.01
483	1-Carbobenzoxy-3-methylimidazolium Triflate*	163080-99-7	0.01
484	2-(Difluoromethyl)-3-methyl-1-(trimethylsilyl)-1H-imidazol-3-ium trifluoromethanesulfonate*	341529-11-1	0.01
485	Thiopyrylium, 2,6-bis(1,1-dimethylethyl)-4-methyl-, salt with trifluoromethanesulfonic acid (1:1)*	125109-86-6	0.01
486	2,6-Di-tert-butyl-4-methylpyran-1-ium trifluoromethanesulfonate*	59643-43-5	0.01
487	N-[2-(Acetyloxy)ethyl]-N,N-dimethylhexadecan-1-aminium trifluoromethanesulfonate*	67675-62-1	0.01
488	N-[2-(Acetylsulfanyl)ethyl]-N,N-dimethylhexadecan-1-aminium trifluoromethanesulfonate*	67675-66-5	0.01
489	5-(Trifluoromethyl)dibenzo[b,d]thiophen-5-ium trifluoromethanesulfonate*	129946-88-9	0.01
490	(3-Methylphenyl)(2,4,6-trimethylphenyl)iodonium triflate*	197245-87-7	0.01
491	Diphenyl(trifluoromethyl)sulfanium trifluoromethanesulfonate*	147531-11-1	0.01
492	2-dimethylsulfonioethyl-hexadecyl-dimethylazanium;trifluoromethanesulfonate*	71955-98-1	0.01
493	(2-Methylphenyl)(2,4,6-trimethylphenyl)iodanium trifluoromethanesulfonate*	210823-54-4	0.01
494	(4-Methylphenyl)(2,4,6-trimethylphenyl)iodanium trifluoromethanesulfonate*	1204518-02-4	0.01
495	1,1'-Carbonylbis(3-methyl-1H-imidazol-3-ium) bis(trifluoromethanesulfonate)*	120418-31-7	0.01
496	(Heptafluoropropyl)(phenyl)iodanium trifluoromethanesulfonate*	77758-79-3	0.01
497	5-(Trifluoromethyl)dibenzo[b,d]selenophen-5-ium trifluoromethanesulfonate*	129922-33-4	0.01
498	Phenyl[2-(trimethylsilyl)phenyl]iodanium trifluoromethanesulfonate*	164594-13-2	0.01
499	(1,1,1,2,3,3,3-Heptafluoropropan-2-yl)(phenyl)iodanium trifluoromethanesulfonate*	82959-18-0	0.01
500	1-(1,1-Difluoro-2-hydroxy-2-phenylethyl)-3-methyl-1H-imidazol-3-ium trifluoromethanesulfonate*	341529-20-2	0.01
501	Trifluoromethanesulfonic acid--(naphthalen-1-yl)phosphane (1/1)*	820252-60-6	0.01
502	Trifluoromethanesulfonic acid--water (2/1)*	57072-74-9	0.01
503	Bis(1,5-cyclooctadiene)rhodium(I) trifluoromethanesulfonate*	99326-34-8	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
504	1-p-toluenesulfonylmethylpyridinium triflate*	58747-50-5	0.01
505	4-(Butoxysulfonyl)-N,N,N-trimethylanilinium trifluoromethanesulfonate*	61165-46-6	0.01
506	N-(2-Azidoethyl)-N,N-dimethylhexadecan-1-aminium trifluoromethanesulfonate*	67675-64-3	0.01
507	(3-Bromophenyl)(2,4,6-trimethylphenyl)iodanium trifluoromethanesulfonate*	1203709-76-5	0.01
508	1-[Difluoro(trimethylsilyl)methyl]-4-(dimethylamino)pyridin-1-ium trifluoromethanesulfonate*	368873-80-7	0.01
509	Trifluoromethanesulfonic acid--(pyridin-4-yl)methanesulfonyl chloride (1/1)*	130820-89-2	0.01
510	Trifluoromethanesulfonic acid--(pyridin-2-yl)methanesulfonyl chloride (1/1)*	882564-09-2	0.01
511	Trifluoromethanesulfonic acid--manganese (2/1)*	55120-76-8	0.01
512	Trifluoromethanesulfonic acid--methyl (E)-2-phenyldiazene-1-carboximidothioate (1/1)*	682743-54-0	0.01
513	Sulfonium, triphenyl-, 1,1,1-trifluoromethanesulfonate (1:1)*	66003-78-9	0.01
514	(4-Methylphenyl)(diphenyl)sulfanium trifluoromethanesulfonate*	81416-37-7	0.01
515	(4-Fluorophenyl)(diphenyl)sulfanium trifluoromethanesulfonate*	154093-57-9	0.01
516	(4-Iodophenyl)(diphenyl)sulfanium trifluoromethanesulfonate*	255056-46-3	0.01
517	N,N,N-Trimethyl-4-[(octyloxy)sulfonyl]anilinium trifluoromethanesulfonate*	61165-44-4	0.01
518	1H,1H,2H,2H-Perfluorododecanesulfonic acid (10:2 FTS)	120226-60-0	0.01
519	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-Henicosafuorododecane-1-sulphonyl chloride*	27619-91-6	0.01
520	Sodium 1H,1H,2H,2H-perfluorododecanesulfonate (10:2)*	108026-35-3	0.01
521	Perfluoroheptane-1-sulfinic acid	769067-51-8	0.01
522	Perfluoroheptanesulfinate Na-salt*	68555-66-8	0.01
523	Perfluorooctadecanoic Acid (PFODA)	16517-11-6	0.01
524	Perfluorooctadecanoate anion*	798556-82-8	0.01
525	Perfluorohexadecanoic Acid (PFHxDA)	67905-19-5	0.01
526	Hentriacontafuorohexadecanoate anion*	1214264-30-8	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
527	3-Perfluoropentyl propanoic acid (5:3 FTCA)	914637-49-3	0.01
528	2H,2H,3H,3H-Perfluorooctanoate*	1799325-94-2	0.01
529	Perfluorooctylphosphonic acid	40143-78-0	0.01
530	(Heptadecafluorooctyl)phosphonic acid--4-methylaniline (1/1)*	1263361-03-0	0.01
531	4,8-Dioxa-3H-perfluorononanoic acid (DONA)	919005-14-4	0.01
532	Ammonium 4,8-dioxa-3H-perfluorononanoate*	958445-44-8	0.01
533	Potassium 2,2,3-trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate*	1087271-46-2	0.01
534	2,2,3-Trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate*	2127366-90-7	0.01
535	Sodium 4,8-dioxa-3H-perfluorononanoate*	2250081-67-3	0.01
536	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF ₃ ONS)	756426-58-1	0.01
537	Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate*	73606-19-6	0.01
538	Ammonium perfluoro-2-[(6-chlorohexyl)oxy]ethane-1-sulfonate*	1383434-28-3	0.01
539	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF ₃ OUdS)	763051-92-9	0.01
540	Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate*	83329-89-9	0.01
541	Perfluoropentadecanoic acid (PFPeDA)	141074-63-7	0.01
542	Nonacosafuoropentadecanoate*	1214264-29-5	0.01
543	Perfluoro-3-methoxypropanoic acid(PFMPA)	377-73-1	0.01
544	Perfluoro-4-methoxybutanoic acid(PFMBA)	863090-89-5	0.01
545	Nonafluoro-3,6-dioxaheptanoic acid(NFDHA)	151772-58-6	0.01
546	Perfluoro(2-ethoxyethane)sulfonic acid(PFEESA)	113507-82-7	0.01
547	3-Perfluoroheptyl propanoic acid(7:3 FTCA)	812-70-4	0.01
548	Perfluoro-1-butanefulfonamide	30334-69-1	0.01
549	2H,2H,3H,3H-Perfluoroheptanoic acid	80705-13-1	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
550	2H,2H,3H,3H-Perfluorononanoic acid	27854-30-4	0.01
551	(Perfluorohexyl)ethyl (perfluorooctyl)ethyl hydrogen phosphate	943913-15-3	0.01
552	Perfluoropropane sulfonic acid	423-41-6	0.01
553	Perfluoropropane sulfonate*	110676-15-8	0.01
554	Sodium perfluoro-1-propanesulfonate*	359868-82-9	0.01
555	Perfluoro-p-ethylcyclohexylsulfonic acid	646-83-3	0.01
556	Potassium perfluoro-4-ethylcyclohexanesulfonate*	335-24-0	0.01
557	Perfluoro-p-ethylcyclohexanesulfonate*	80988-54-1	0.01
558	Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	68957-32-4	0.01
559	Sodium N-ethyl-N-((tridecafluorohexyl)sulphonyl)glycinate*	68555-70-4	0.01
560	Potassium N-ethyl-N-(perfluorohexylsulphonyl)glycinate*	67584-53-6	0.01
561	Hexafluoropropylene oxide trimer acid	13252-14-7	0.01
562	2,3,3,3-Tetrafluoro-2-[1,1,2,3,3,3-hexafluoro-2-(heptafluoropropoxy)propoxy]propanoic acid--ammonia (1/1)*	13043-05-5	0.01
563	Potassium perfluoro(2-(2-propoxypropoxy)propanoate)*	67118-57-4	0.01
564	Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid, sodium salt*	67963-76-2	0.01
565	Triethylaminium perfluoro-2-(2-propoxypropoxy)propanoate*	165951-19-9	0.01
566	Methanaminium perfluoro-2-(2-propoxypropoxy)propanoate*	328065-29-8	0.01
567	2,3,3,3-Tetrafluoro-2-[1,1,2,3,3,3-hexafluoro-2-(heptafluoropropoxy)propoxy]propanoic acid--N-methylmethanamine (1/1)*	328065-54-9	0.01
568	11H-Perfluoroundecanoic acid	1765-48-6	0.01
569	Potassium 11H-perfluoroundecanoate*	307-71-1	0.01
570	Ammonium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-eicosafluoroundecanoate*	5081-2-7	0.01
571	11-H-Perfluoroundecanoate*	69681-37-4	0.01
572	Bis(trifluoromethane)sulfonimide	82113-65-3	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
573	Lithium bis[(trifluoromethyl)sulfonyl]azanide*	90076-65-6	0.01
574	Bis(perfluoromethylsulfonyl)imide anion*	98837-98-0	0.01
575	N,N,N-Triethylethanaminium bis(trifluoromethanesulfonyl)azanide*	161401-26-9	0.01
576	Zinc bis[bis(trifluoromethanesulfonyl)azanide]*	168106-25-0	0.01
577	1-Ethyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide*	174899-82-2	0.01
578	1-Butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide*	174899-83-3	0.01
579	Scandium(III) trifluoromethanesulfonimide*	176726-07-1	0.01
580	1-Methyl-3-octylimidazolium bis(trifluoromethylsulfonyl)imide*	178631-04-4	0.01
581	Silver triflimide*	189114-61-2	0.01
582	1-Methyl-3-propylimidazolium bis(trifluoromethylsulfonyl)imide*	216299-72-8	0.01
583	1-Ethyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide*	223436-99-5	0.01
584	Butyltrimethylammonium bis(trifluoromethylsulfonyl)imide*	258273-75-5	0.01
585	Triethylsulfonium bis(trifluoromethanesulfonyl)imide*	321746-49-0	0.01
586	Methyltrioctylammonium bis(trifluoromethylsulfonyl)imide*	375395-33-8	0.01
587	1-Hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide*	382150-50-7	0.01
588	Tributylmethylammonium bis(trifluoromethylsulfonyl)imide*	405514-94-5	0.01
589	1-Decyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide*	433337-23-6	0.01
590	Indium tris[bis(trifluoromethanesulfonyl)azanide]*	460096-11-1	0.01
591	1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide*	623580-02-9	0.01
592	Diethylmethylsulfonium bis(trifluoromethylsulfonyl)imide*	792188-85-3	0.01
593	Choline bis(trifluoromethylsulfonyl)imide*	827027-25-8	0.01
594	1-Dodecyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide*	404001-48-5	0.01
595	Trihexyltetradecylphosphonium bis(trifluoromethylsulfonyl)imide*	460092-03-9	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
596	1-Methyl-1-propylpiperidinium bis(trifluoromethylsulfonyl)imide*	608140-12-1	0.01
597	1-Methyl-1-propylpyrrolidinium bis(trifluoromethylsulfonyl)imide*	223437-05-6	0.01
598	1-Butyl-1-methylpyrrolidinium bis(trifluoromethanesulfonyl)imide*	223437-11-4	0.01
599	Tributyl(methyl)phosphonium bis(trifluoromethanesulfonyl)azanide*	324575-10-2	0.01
600	1-Ethyl-2,3-dimethylimidazolium bis(trifluoromethylsulfonyl)imide*	174899-90-2	0.01
601	1-Butyl-2,3-dimethylimidazolium bis(trifluoromethylsulfonyl)imide*	350493-08-2	0.01
602	1-Hexadecyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide*	404001-50-9	0.01
603	1,2-Dimethyl-3-propylimidazolium bis(trifluoromethylsulfonyl)imide*	169051-76-7	0.01
604	N,N,N-Tributylbutan-1-aminium bis(trifluoromethanesulfonyl)azanide*	210230-40-3	0.01
605	1-Butyl-3-methylpyridin-1-ium bis(trifluoromethanesulfonyl)azanide*	344790-86-9	0.01
606	1-Methyl-3-tetradecylimidazolium bis(trifluoromethylsulfonyl)imide*	404001-49-6	0.01
607	1-Ethyl-3-methylpyridin-1-ium bis(trifluoromethanesulfonyl)azanide*	841251-37-4	0.01
608	3-Methyl-1-propylpyridin-1-ium bis(trifluoromethanesulfonyl)azanide*	817575-06-7	0.01
609	1-(3-Cyanopropyl)pyridin-1-ium bis(trifluoromethanesulfonyl)azanide*	820972-37-0	0.01
610	N,N,N-Triethylpentan-1-aminium bis(trifluoromethanesulfonyl)azanide*	906478-91-9	0.01
611	N,N,N-Trimethylpropan-1-aminium bis(trifluoromethanesulfonyl)azanide*	268536-05-6	0.01
612	1,3-Dimethoxy-1H-imidazol-3-ium bis(trifluoromethanesulfonyl)azanide*	951021-03-7	0.01
613	1,3-Dihydroxy-1H-imidazol-3-ium bis(trifluoromethanesulfonyl)azanide*	951021-12-8	0.01
614	1-(3-Cyanopropyl)-3-methylimidazolium bis(trifluoromethylsulfonyl)amide*	778593-18-3	0.01
615	Tributyl(2-methoxyethyl)phosphonium bis(trifluoromethanesulfonyl)azanide*	959698-44-3	0.01
616	N-Ethyl-N,N-dimethylpropan-1-aminium bis(trifluoromethanesulfonyl)azanide*	258273-77-7	0.01
617	Gold(1+) bis(trifluoromethanesulfonyl)azanide--triphenylphosphane (1/1/1)*	866395-16-6	0.01
618	bis(trifluoromethylsulfonyl)azanide;diethyl-(2-methoxyethyl)-methylazanum*	464927-84-2	0.01

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
619	1,3-Bis(cyanomethyl)-1H-imidazol-3-ium bis(trifluoromethanesulfonyl)azanide*	934047-87-7	0.01
620	1,3-Dimethoxy-2-methyl-1H-imidazol-3-ium bis(trifluoromethanesulfonyl)azanide*	1017254-63-5	0.01
621	1,3-Dihydroxy-2-methyl-1H-imidazol-3-ium bis(trifluoromethanesulfonyl)azanide*	1215211-93-0	0.01
622	1,3-Bis(3-cyanopropyl)-1H-imidazol-3-ium bis(trifluoromethanesulfonyl)azanide*	925704-81-0	0.01
623	3-Methyl-1-(prop-2-en-1-yl)-1H-imidazol-3-ium bis(trifluoromethanesulfonyl)azanide*	655249-87-9	0.01
624	1-Methyl-3-((perfluorobutyl)ethyl)-1H-imidazolium N,N-bis(perfluoromethanesulfonyl)amide*	872672-61-2	0.01
625	Gold(1+) bis(trifluoromethanesulfonyl)azanide--dicyclohexyl[2',4',6'-tri(propan-2-yl)[1,1'-biphenyl]-2-yl]phosphane (1/1/1)*	934506-10-2	0.01
626	N-[3-(dimethylamino)propyl]tridecafluorohexanesulphonamide	50598-28-2	0.01
627	10:2 Fluortelomerphosphatemonoester (10:2 monoPAP)	57678-05-4	0.1
628	10:2 Fluortelomer diammonium dihydrogen phosphate*	93857-45-5	0.1
629	10:2 Fluortelomerphosphatediester (10:2 diPAP)	1895-26-7	0.1
630	Bis((perfluorodecyl)ethyl) hydrogen phosphate 2,2'-iminodiethanol*	57677-98-2	0.1
631	Ammonium bis((perfluorodecyl)ethyl) phosphate*	93776-21-7	0.1
632	Mono[2-(perfluorooctyl)ethyl]phosphate (8:2 MonoPAP)	57678-03-2	0.1
633	8:2 Fluortelomer diammonium phosphate*	93857-44-4	0.1
634	Sodium 1H,1H,2H,2H-perfluorodecylphosphate*	130771-95-8	0.1
635	Disodium 1H,1H,2H,2H-perfluorodecylphosphate*	438237-75-3	0.1
636	1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH)	647-42-7	0.1
637	1H,1H,2H,2H-Perfluorooctylacrylate (6:2 FTA)*	17527-29-6	0.1
638	1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMA)*	2144-53-8	0.1
639	1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	0.1
640	1H,1H,2H,2H-Perfluorodecylacrylate (8:2 FTA)*	27905-45-9	0.1
641	1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)*	1996-88-9	0.1

Test Report

Number: SHAH01892870

Tests Conducted

No.	Substances	CAS No.	Detection Limit (mg/kg)
642	1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2 FTOH)	865-86-1	0.1
643	1H,1H,2H,2H-Perfluorododecylacrylate (10:2 FTA)*	17741-60-5	0.1
644	1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA)*	2144-54-9	0.1
645	1H,1H,2H,2H-Perfluorotetradecanol (12:2 FTOH)	39239-77-5	0.1
646	Pentafluoropropionic acid (PFPrA)	422-64-0	0.1
647	Potassium perfluoropropanoate*	378-76-7	0.1
648	Sodium perfluoropropanoate*	378-77-8	0.1
649	Silver pentafluoropropionate*	509-09-1	0.1
650	Pentafluoropropanoic acid--1-phenylpiperazine (1/1)*	893-87-8	0.1
651	Pentafluoropropanoic acid--piperazine (1/1)*	1690-94-4	0.1
652	Ammonium pentafluoropropionate*	2730-58-7	0.1
653	Perfluoropropanoate*	44864-55-3	0.1
654	Imidazole perfluoropropionic acid salt*	200705-90-4	0.1
655	1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N-methylbutane-1-sulphonamide	34454-97-2	0.1
656	3-Perfluoropropyl propanoic acid(3:3 FTCA)	356-02-5	0.1
657	1H,1H,2H,2H-Perfluoro-1-hexanol (4:2 FTOH)	2043-47-2	0.4
658	1H,1H,2H,2H-Perfluorohexyl methacrylate (4:2 FTMA)*	1799-84-4	0.4
659	1H,1H,2H,2H-Nonafluorohexyl acrylate (4:2 FTA)*	52591-27-2	0.4

* = The test result is based on the corresponding PFAS anions or PFAS moiety after hydrolysis.

Remark: # = The submitted samples were not subjected to the scope of the standard. The tests performed as per the application's request.

As requested by the applicant, test was conducted only on component(s) listed in this report.

Tested Component(s): See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

- 12 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.8, 2.9, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2023 837 Cadmium (Cd) Content

With reference to IEC 62321-5:2013, acid digestion method was used and followed by Inductively Coupled Argon Plasma Spectrometry.

(For Wet paints; Plastics; Metal parts of jewellery and hair accessories)

Test Item	Result (%)			Detection Limit (%)	Limit (%)
	(1+2+3)	(4+5+6)	(7)		
Cadmium and Cadmium Compounds Δ	ND	ND	ND	0.001	0.01

(For Wood-based materials)

Test Item	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	(8)		
Cadmium and Cadmium Compounds Δ	ND	10	50

The limit was quoted according to Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.8, 2.9, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2023 837 Cadmium (Cd) Content.

Remark: ND = Not detected (Less than detection limit)
 Δ = Determination was based on elemental analysis.

Tested component(s): See component list in the last section of this report.

Date Sample Received: Nov.14, 2025
Testing Period: Nov.14, 2025 To Nov.26, 2025

- 13 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.8, 2.16, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2023 837 Art. 2b on Lead (Pb) Content

With reference to IEC 62321-5:2013, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

(For Wood-based materials)

Test Item	Result (%)	Detection Limit (%)	Limit (%)
	(8)		
Lead (Pb)	ND	0.001	0.009

(For (Wet) paints and varnishes)

Test Item	Result (%)			Detection Limit (%)	Limit (%)
	(1+2+3)	(4+5+6)	(7)		
Lead (Pb)	ND	ND	ND	0.001	0.01

The limit was quoted according to Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.8, 2.16, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2023 837 Art. 2b on Lead (Pb) content.

Remark: ND = Not detected (less than detection limit)

Test Report

Number: SHAH01892870

Tests Conducted

Tested Components: See component list in last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.26, 2025

- 14 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) and its Amendment(s) including AS 2012 6161 Annex 1.14 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2010 4763 Art. 22 on Organotin Content

With reference to ISO/TS 16179:2012, followed by Gas Chromatography Mass Spectrometry (GC-MS) analysis.

Test Item	Result (%) of Tin			Detection Limit (%) of Tin	Limit (%) of Tin
	(1+2+3)	(4+5+6)	(7)		
Tri-substituted organotin [^]	ND	ND	ND	0.0001	0.1
Dibutyltin (DBT)	ND	ND	ND	0.0001	0.1
Dioctyltin (DOT)	ND	ND	ND	0.0001	0.1

The limit was quoted according to Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) and its Amendment(s) including AS 2012 6161 Annex 1.14 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) including AS 2010 4763 Art. 22 on Organotin content.

Remark: ND = Not detected (Less than detection limit)

[^] = The reported value was calculated by summation of the values of Tri-butyltin, Tri-phenyltin, Tri-methyltin, Tri-octyltin, Tri-cyclohexyltin.

Tested Components: See component list in last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

- 15 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 1.17, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its Amendment(s) on Arsenic and Arsenic Compounds Content

By acid digestion, and following by Inductively Coupled Plasma Optical Emission Spectrometer analysis.

(For Wood-based materials)

Test Item	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	(8)		
Arsenic and Arsenic Compounds Δ	ND	10	25

The limit was quoted according to Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 1.17, 2.17 and Human Contact Ordinance (HKV, SR 817.023.41) and its amendment(s) on arsenic and arsenic compounds content.

Remark: ND = Not detected (Less than detection limit)
 Δ = Determination was based on elemental analysis.

Tested component(s): See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.26, 2025

- 16 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 1.7, 2.17, 2.18 on Mercury and Mercury Compounds Content

By acid digestion, and following by Inductively Coupled Plasma Optical Emission Spectrometer analysis.

(For Wood-based materials)

Test Item	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	(8)		
Mercury and Mercury Compounds Δ	ND	10	25

The limit was quoted according to Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 1.7, 2.17, 2.18 on Mercury and Mercury compounds content.

Remark: ND = Not detected (Less than detection limit)
 Δ = Determination was based on elemental analysis.

Tested component(s): See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.26, 2025

Test Report

Number: SHAH01892870

Tests Conducted

17 Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.17 on Benzo[a]pyrene Content

Solvent extraction was used and followed by Gas Chromatography-Mass Spectrometric (GC-MS) analysis.

Test Item	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	(8)		
Benzo[a]pyrene	ND	0.2	0.5

The limit was quoted according to Swiss Chemical Risk Reduction Ordinance (ChemRRV, SR 814.81) Annexes 2.17 on Benzo[a]pyrene Content for Wood-based Materials.

Remark: ND = Not detected (Less than detection limit)

Tested component: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.24, 2025

18 European Commission Regulation (EC) No. 1935/2004 on Sensory Evaluation

With reference to DIN 10955.

I. Test Procedure:

Sample was thoroughly rinsed with distilled water and then filled with distilled water to capacity. Filled sample was kept at temperature 100 °C for 2 hours. Off-odour and off-taste was evaluated with 6 panelists using control sample of distilled water.

II. Test Result:

Test Item	Result			Requirement
	(17)	(18)	(19)	
Odour	0	0	0	2.5 (max.)
Taste	0	0	0	2.5 (max.)

Intensity scale:

- 0 = No perceptible odour / Off-taste
- 1 = Odour / Off-taste just perceptible (but still difficult to define)
- 2 = Slight odour / Off-taste
- 3 = Distinct odour / Off-taste
- 4 = Strong odour / Off-taste

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

- 19 European Resolution CM/Res(2020)9 and the Supplementary Technical Guide on Metals and Alloys Used in Food Contact Materials and Articles(EDQM 2nd Edition, 2024) on Specific Migration of Heavy Metal

With reference to EU Resolution CM/Res (2020)9 and the supplementary Technical Guide on metals and alloys used in food contact materials and articles(EDQM 2nd Edition,2024) and JRC guideline 2021, migration test was conducted and heavy metal content were determined by Inductively Coupled Plasma Mass Spectrometer (ICP-MS) with reference to ISO 17294-2: 2016.

I. Test Condition:

Food Simulant: Citric Acid (5 g/L)

Temperature: 100 °C

Time: 2 hours

II. Test Result:

Test Item	Result (1 st Test) (mg/kg)	Result (2 nd Test) (mg/kg)	Result (1 st Test) + Result (2 nd Test) (mg/kg) (14)	7*Limit (mg/kg)	Result (3 rd Test) (mg/kg) (14)	Limit (mg/kg)
Silver (Ag)	<0.01	<0.01	<0.01	0.56	<0.01	0.08
Aluminium (Al)	<1	<1	<1	35	<1	5
Chromium (III) (Cr III)^	<0.05	<0.05	<0.05	7	<0.05	1
Cobalt (Co)	<0.004	<0.004	<0.004	0.14	<0.004	0.02
Copper (Cu)	<0.5	<0.5	<0.5	28	<0.5	4
Iron (Fe)	<1	<1	<1	280	<1	40
Manganese (Mn)	<0.1	<0.1	<0.1	3.85	<0.1	0.55
Molybdenum(Mo)	<0.02	<0.02	<0.02	0.84	<0.02	0.12
Nickel (Ni)	<0.02	<0.02	<0.02	0.98	<0.02	0.14
Tin (Sn)	<10	<10	<10	700	<10	100
Vanadium (V)	<0.002	<0.002	<0.002	0.07	<0.002	0.01
Zinc (Zn)	<1	<1	<1	35	<1	5
Zirconium (Zr)	<1	<1	<1	14	<1	2
Antimony (Sb)	<0.005	<0.005	<0.005	0.28	<0.005	0.04
Arsenic (As)	<0.0004	<0.0004	<0.0004	0.014	<0.0004	0.002
Barium (Ba)	<0.1	<0.1	<0.1	8.4	<0.1	1.2
Beryllium (Be)	<0.002	<0.002	<0.002	0.07	<0.002	0.01
Cadmium (Cd)	<0.001	<0.001	<0.001	0.035	<0.001	0.005
Lead (Pb)	<0.002	<0.002	<0.002	0.070	<0.002	0.010
Lithium (Li)	<0.005	<0.005	<0.005	0.336	<0.005	0.048
Mercury (Hg)	<0.0005	<0.0005	<0.0005	0.021	<0.0005	0.003
Thallium (Tl)	<0.00002	<0.00002	<0.00002	0.007	<0.00002	0.0001
Magnesium (Mg)	<5	<5	<5	--	<5	--
Titanium (Ti)	<0.1	<0.1	<0.1	--	<0.1	--

Test Report

Number: SHAH01892870

Tests Conducted

Test Item	Result (1 st Test) (mg/kg)	Result (2 nd Test) (mg/kg)	Result (1 st Test) + Result (2 nd Test) (mg/kg) (15)	7*Limit (mg/kg)	Result (3 rd Test) (mg/kg) (15)	Limit (mg/kg)
Silver (Ag)	<0.01	<0.01	<0.01	0.56	<0.01	0.08
Aluminium (Al)	<1	<1	<1	35	<1	5
Chromium (III) (Cr III)^	<0.05	<0.05	<0.05	7	<0.05	1
Cobalt (Co)	<0.004	<0.004	<0.004	0.14	<0.004	0.02
Copper (Cu)	<0.5	<0.5	<0.5	28	<0.5	4
Iron (Fe)	<1	<1	<1	280	<1	40
Manganese (Mn)	<0.1	<0.1	<0.1	3.85	<0.1	0.55
Molybdenum(Mo)	<0.02	<0.02	<0.02	0.84	<0.02	0.12
Nickel (Ni)	<0.02	<0.02	<0.02	0.98	<0.02	0.14
Tin (Sn)	<10	<10	<10	700	<10	100
Vanadium (V)	<0.002	<0.002	<0.002	0.07	<0.002	0.01
Zinc (Zn)	<1	<1	<1	35	<1	5
Zirconium (Zr)	<1	<1	<1	14	<1	2
Antimony (Sb)	<0.005	<0.005	<0.005	0.28	<0.005	0.04
Arsenic (As)	<0.0004	<0.0004	<0.0004	0.014	<0.0004	0.002
Barium (Ba)	<0.1	<0.1	<0.1	8.4	<0.1	1.2
Beryllium (Be)	<0.002	<0.002	<0.002	0.07	<0.002	0.01
Cadmium (Cd)	<0.001	<0.001	<0.001	0.035	<0.001	0.005
Lead (Pb)	<0.002	<0.002	<0.002	0.070	<0.002	0.010
Lithium (Li)	<0.005	<0.005	<0.005	0.336	<0.005	0.048
Mercury (Hg)	<0.0005	<0.0005	<0.0005	0.021	<0.0005	0.003
Thallium (Tl)	<0.00002	<0.00002	<0.00002	0.007	<0.00002	0.0001
Magnesium (Mg)	<5	<5	<5	--	<5	--
Titanium (Ti)	<0.1	<0.1	<0.1	--	<0.1	--

Test Item	Result (1 st Test) (mg/kg)	Result (2 nd Test) (mg/kg)	Result (1 st Test) + Result (2 nd Test) (mg/kg) (16)	7*Limit (mg/kg)	Result (3 rd Test) (mg/kg) (16)	Limit (mg/kg)
Silver (Ag)	<0.01	<0.01	<0.01	0.56	<0.01	0.08
Aluminium (Al)	<1	<1	<1	35	<1	5
Chromium (III) (Cr III)^	<0.05	<0.05	<0.05	7	<0.05	1
Cobalt (Co)	<0.004	<0.004	<0.004	0.14	<0.004	0.02
Copper (Cu)	<0.5	<0.5	<0.5	28	<0.5	4
Iron (Fe)	<1	<1	<1	280	<1	40
Manganese (Mn)	<0.1	<0.1	<0.1	3.85	<0.1	0.55
Molybdenum(Mo)	<0.02	<0.02	<0.02	0.84	<0.02	0.12
Nickel (Ni)	<0.02	<0.02	<0.02	0.98	<0.02	0.14
Tin (Sn)	<10	<10	<10	700	<10	100
Vanadium (V)	<0.002	<0.002	<0.002	0.07	<0.002	0.01
Zinc (Zn)	<1	<1	<1	35	<1	5

Test Report

Number: SHAH01892870

Tests Conducted

Zirconium (Zr)	<1	<1	<1	14	<1	2
Antimony (Sb)	<0.005	<0.005	<0.005	0.28	<0.005	0.04
Arsenic (As)	<0.0004	<0.0004	<0.0004	0.014	<0.0004	0.002
Barium (Ba)	<0.1	<0.1	<0.1	8.4	<0.1	1.2
Beryllium (Be)	<0.002	<0.002	<0.002	0.07	<0.002	0.01
Cadmium (Cd)	<0.001	<0.001	<0.001	0.035	<0.001	0.005
Lead (Pb)	<0.002	<0.002	<0.002	0.070	<0.002	0.010
Lithium (Li)	<0.005	<0.005	<0.005	0.336	<0.005	0.048
Mercury (Hg)	<0.0005	<0.0005	<0.0005	0.021	<0.0005	0.003
Thallium (Tl)	<0.00002	<0.00002	<0.00002	0.007	<0.00002	0.0001
Magnesium (Mg)	<5	<5	<5	--	<5	--
Titanium (Ti)	<0.1	<0.1	<0.1	--	<0.1	--

Ratio of food contact surface area to volume of component (14)~(16) used to establish the compliance of material or article = 5.58 dm² : 800 mL.

Remark: ^ = Chromium (III) content was derived from migration results of total Chromium.

The submitted component is a repeated use article. The migration test was carried out three times on the same article. The sum of the results of the first and second tests should not exceed seven times the limit (Result 1st test + Result 2nd test < 7 * limit) and the Result 3rd test shouldn't exceed the limit.

Tested Component: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

20 Austria Federal Law Gazette No. 258/1960 (Dish Regulation) on Heavy Metal Content in Dishes and Equipment

Acid digestion method was used, followed by Inductively Coupled Argon Plasma Spectrometry (ICP-OES) analysis.

Test Item	Result (%)	Detection Limit (%)	Limit (% Max.)
	(13)		
Lead (Pb)	0.0014	0.001	0.15
Cadmium (Cd)	ND	0.0005	0.15
Arsenic (As)	ND	0.001	ND
Antimony (Sb)	ND	0.001	ND
Beryllium (Be)	ND	0.001	ND
Manganeses (Mn)	0.6290	0.001	1.5

Remark: ND = Not Detected (Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.26, 2025

21 Slovakia- Výnos MP SR a MZ SR z 9. júna 2003 č.1799/2003-100 Annex No. 3 on Metal Composition for Aluminum Alloy Articles

By Energy Dispersive X-Ray Fluorescence Spectroscopy (EDX) and Inductively Coupled Plasma Spectrophotometric (ICP-OES) analysis.

Test Item	Result (% w/w)	Reporting Limit (% w/w)	Limit (% w/w)
	(13)		
Silicon (Si)	0.13	0.01	15.0 max.
Manganese (Mn)	0.64	0.01	6.0 max.
Iron (Fe)	0.50	0.01	1.0 max.
Copper (Cu)	0.01	0.01	2.5 max.
Antimony (Sb)	ND	0.01	0.1 max.
Chromium (Cr)	ND	0.01	0.3 max.
Arsenic (As)	ND	0.01	0.05 max.
Lead (Pb)	ND	0.01	0.05 max.
Bismuth (Bi)	ND	0.01	0.2 max
Cadmium (Cd)	ND	0.01	0.01 max.

Remark: ND = Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

22 Czech Regulation-Vyhlášce č. 38/2001 Sb on Metal Composition for Aluminum Alloy Articles

By Energy Dispersive X-Ray Fluorescence Spectroscopy (EDX) and Inductively Coupled Plasma (ICP) Spectrophotometric analysis.

(Aluminium Alloy)

Test Item		Result (% w/w)	Reporting Limit (% w/w)	Limit (% w/w)
		(13)		
Silicon (Si)		0.13	0.01	13.5 max.
Magnesium (Mg)		0.04	0.01	11.0 max.
Manganese (Mn)		0.64	0.01	4.0 max.
Nickel (Ni)		ND	0.01	3.0 max.
Iron (Fe)		0.50	0.01	2.0 max.
Copper (Cu)		0.01	0.01	0.6 max.
Antimony (Sb)		ND	0.01	0.2 max.
Chromium (Cr)		ND	0.01	0.35 max.
Titanium (Ti)		0.02	0.01	0.3 max.
Zirconium (Zr)		ND	0.01	0.3 max.
Zinc (Zn)		0.01	0.01	0.25 max.
Strontium (Sr)		ND	0.01	0.2 max.
Tin (Sn)		ND	0.01	0.10 max.
Arsenic (As)		ND	0.01	0.05 max.
Tantalum (Ta)		ND	0.01	0.05 max.
Beryllium (Be)		ND	0.01	0.05 max.
Thallium (Tl)		ND	0.01	0.05 max.
Lead (Pb)		ND	0.01	0.05 max.
Other elements	Gallium (Ga)	0.02	0.01	0.05 max.
	Vanadium (V)	0.01	0.01	0.05 max.
Sum of Arsenic, Tantalum, Lead, Beryllium, Thallium and other elements		0.03	-	0.15 max.

Remark: ND = Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

23 French arrêté of August 27, 1987 on Heavy Metal Composition for Aluminum Alloy Articles

By X-Ray Fluorescence Spectroscopy and Inductively Coupled Plasma (ICP) Spectrophotometric analysis.

(Aluminium Alloy)

Test Item		Result (%, w/w)	Reporting Limit (%, w/w)	Limit (%, w/w)
		(13)		
Silicon (Si)		0.13	0.01	13.5 max.
Magnesium (Mg)		0.04	0.01	11.0 max.
Manganese (Mn)		0.64	0.01	4.0 max.
Nickel (Ni)		ND	0.01	3.0 max.
Iron (Fe)		0.50	0.01	2.0max.
Copper (Cu)		0.01	0.01	0.60 max.
Antimony (Sb)		ND	0.01	0.40 max.
Chromium (Cr)		ND	0.01	0.35 max.
Titanium (Ti)		0.02	0.01	0.30 max.
Zirconium (Zr)		ND	0.01	0.30 max.
Zinc (Zn)		0.01	0.01	0.25 max.
Strontium (Sr)		ND	0.01	0.20 max.
Tin (Sn)		ND	0.01	0.10 max.
Arsenic (As)		ND	0.01	0.05 max.
Tantalum (Ta)		ND	0.01	0.05 max.
Beryllium (Be)		ND	0.01	0.05 max.
Thallium (Tl)		ND	0.01	0.05 max.
Lead (Pb)		ND	0.01	0.05 max.
Other elements	Gallium (Ga)	0.02	0.01	0.05 max.
	Vanadium (V)	0.01	0.01	0.05 max.
Sum of Arsenic, Tantalum, Lead, Beryllium, Thallium and other elements		0.03	-	0.15 max.

Remark: ND = Not Detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

24 Italian Ministerial Decree 21/3/1973 and its Amendments on Metal Composition for Aluminum Alloy Articles

By Energy Dispersive X-Ray Fluorescence Spectroscopy (EDX) and Inductively Coupled Plasma Spectrophotometric (ICP-OES) analysis.

(Aluminum alloys obtained by melting)

Test Item	Result (% w/w)	Reporting Limit (% w/w)	Limit (% w/w)
	(13)		
Antimony (Sb)	ND	0.01	0.20 max.
Chromium (Cr)	ND	0.01	0.35 max.
Iron (Fe)	0.50	0.01	2.0 max.
Magnesium (Mg)	0.04	0.01	11.0 max.
Manganese (Mn)	0.64	0.01	4.0max.
Nickel (Ni)	ND	0.01	3.0 max.
Copper (Cu)	0.01	0.01	0.6 max.
Silicon (Si)	0.13	0.01	13.5 max.
Tin (Sn)	ND	0.01	0.10 max.
Strontium (Sr)	ND	0.01	0.20 max.
Titanium (Ti)	0.02	0.01	0.3 max.
Zirconium (Zr)	ND	0.01	0.3 max.
Zinc (Zn)	0.01	0.01	0.25 max.
Silver (Ag)	ND	0.01	0.05 max.

Remark: ND = Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

- 25 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter IV on Overall Migration for Metal Materials

As per Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex B.

I. Test Condition:

Tested Component	Food Simulant	Time (hour)	Temperature (°C)
(4)	10% (v/v) Ethanol	4	100
	3% (w/v) Acetic Acid	4	100
	Fatty Food Simulant	2	175
(5)	10% (v/v) Ethanol	4	100
	3% (w/v) Acetic Acid	4	100
	Fatty Food Simulant	2	175
(6)	10% (v/v) Ethanol	4	100
	3% (w/v) Acetic Acid	4	100
	Fatty Food Simulant	2	175

II. Test Result:

Food Simulant	Result (mg/kg)									Limit (mg/kg)
	(14)			(15)			(16)			
	1 st	2 nd	3 rd	1 st	2 nd	3 rd	1 st	2 nd	3 rd	
10% (v/v) Ethanol	ND	ND	ND	ND	ND	ND	ND	ND	ND	60
3% (w/v) Acetic Acid	47	23	13	48	29	18	46	25	13	60
Fatty Food Simulant	ND	ND	ND	ND	ND	ND	ND	ND	ND	60

Requirement:

Result of 3rd migration < OML, and

Result of 1st migration ≥ 2nd migration ≥ 3rd migration after consideration of result uncertainty.

Remark: ND = Not detected

Reporting Limit = 10 mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

- 26 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter IV and it's Amendment on Specific Migration of Heavy Metals for Metal Material

With reference to Annex B of Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen), followed by Inductively Coupled Plasma –Mass Spectrometry (ICP-MS) analysis.

I. Test Condition:

Food Simulant	Time and Temperature
3% (w/v) Acetic acid	2 hours at 100 °C

II. Test Result:

Test Item	Result (mg/kg)									Reporting Limit (mg/kg)	Limit (mg/kg)
	(14)			(15)			(16)				
	1 st	2 nd	3 rd	1 st	2 nd	3 rd	1 st	2 nd	3 rd		
Silver (Ag)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.08
Aluminum (Al)	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	5
Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.04
Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	0.002
Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	1.2
Beryllium (Be)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.01
Bismuth (Bi)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	1
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	0.005
Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.25
Cobalt (Co)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.02
Copper (Cu)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	4
Iron (Fe)	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	40
Lithium (Li)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.048
Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.01
Manganese (Mn)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	1.8
Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.003
Molybdenum (Mo)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.12
Nickel (Ni)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.14
Vanadium (V)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.01
Thallium (Tl)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00005	0.0001
Tin (Sn)	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	100
Zinc (Zn)	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	5

Requirement:

Result of 3rd migration < SML, and

Result of 1st migration ≥ 2nd migration ≥ 3rd migration after consideration of result uncertainty.

Ratio of food contact surface area to volume of component (14)~(16) used to establish the compliance of material or article = 4.6 dm² : 1200 mL.

Remark: ND = Not detected

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

- 27 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) and its Amendment, Annex A Chapter IV on Specific Migration of Zirconium for Metal Ware

Sample with 1.5 % citric acid as food simulant, and selection of test condition by Commission Regulation (EU) No. 10/2011, 3 successive migrations were taken and migration solutions were analyzed by Inductively Coupled Plasma – Mass Spectrometry (ICP-MS).

I. Test Condition:

Tested Component	Time (Hours)	Temperature(°C)
(14)	2	100
(15)	2	100
(16)	2	100

II. Test Result:

Test Item	Result(mg/kg)									Reporting Limit (mg/kg)	Limit (mg/kg)
	(14)			(15)			(16)				
	1 st	2 nd	3 rd	1 st	2 nd	3 rd	1 st	2 nd	3 rd		
Zirconium (Zr)	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	2

Requirement:

Result of 3rd migration < SML, and

Result of 1st migration ≥ 2nd migration ≥ 3rd migration after consideration of result uncertainty.

Remark: ND = Not detected

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

28 Swiss Ordinance on Materials and Articles in Contact with Food (SR 817.023.21) and its Amendments on Heavy Metal Content of Metal or Metal Alloys (With or Without Coating)

As per Swiss Ordinance on Materials and Articles in Contact with Food (SR 817.023.21) section 4 and its amendments, acid digestion method was used and heavy metals content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (% w/w)	Detection Limit (% w/w)	Limit (% w/w)
	(13)		
Total Lead (Pb)	0.0014	0.001	0.050
Total Cadmium (Cd)	ND	0.001	0.010
Total Arsenic (As)	ND	0.001	0.030

Remark: ND= Not detected (Less than detection limit)

Tested Component: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.16, 2025

29 Swiss Ordinance on Materials and Articles in Contact with Food (SR 817.023.21) and its Amendments on Specific Migration of Aluminium (For Materials in Contact with Fruit or Vegetable Juices)

As per Swiss Ordinance on Materials and Articles in Contact with Food (SR 817.023.21) section 4 and its amendments.

I. Test Condition:

Food Simulant: 3% (w/v) Acetic Acid

Temperature: 100 °C

Time: 2 hours

II. Test Result:

iv. Test Result:					
Test Item	Result (mg/L)			Detection Limit (mg/L)	Limit (mg/L)
	(14)				
	1 st Migration	2 nd Migration	3 rd Migration		
Aluminium	ND	ND	ND	1	10

Test Item	Result (mg/L)			Detection Limit (mg/L)	Limit (mg/L)
	(15)				
	1 st Migration	2 nd Migration	3 rd Migration		
Aluminium	ND	ND	ND	1	10

Test Item	Result (mg/L)			Detection Limit (mg/L)	Limit (mg/L)
	(16)				
	1 st Migration	2 nd Migration	3 rd Migration		
Aluminium	ND	ND	ND	1	10

Remark: ND= Not Detected (Less than detection limit)

Tested Components: See component list in the last section of this report.

Test Report

Number: SHAH01892870

Tests Conducted

Date Sample Received: Nov.14, 2025
Testing Period: Nov.14, 2025 To Nov.21, 2025

30 Directive 84/500/EEC on Leachable Lead and Cadmium Content

As per European Council Directive 84/500/EEC and Commission Directive 2005/31/EC by inductively coupled plasma emission spectrometer analysis.

Test Condition: 4% acetic acid, (20-24) °C, 24 hours

<u>Tested Component</u>	<u>Leaching Volume (mL)</u>	<u>Result (mg/L)</u>	
		<u>Lead</u>	<u>Cadmium</u>
(14)~(16)	1200	<0.2	<0.02
	Limit (Category 2):	4.0	0.3

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025
Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

31 Austrian Ceramic Regulation BGBl. Nr. 893/1993 & BGBl. II Nr. 259/2006 on Leachable Lead, Cadmium, Zinc, Antimony and Barium Content – Internal

As per Annex 2 of Austrian Ceramic Regulation BGBl. Nr. 893/1993 and BGBl. II Nr. 259/2006, followed by Inductively Coupled Argon Plasma (ICP) analysis.

I. Test Condition:

Food Simulant : 4% (w/v) Acetic Acid

Time and Temperature: (22 ±2) °C for (24±0.5) hours

II. Test Results:

Tested Component : (14)~(16)

<u>Specimen</u>	<u>Filling Volume</u> <u>(mL)</u>	<u>Lead</u> <u>(mg/L)</u>	<u>Cadmium</u> <u>(mg/L)</u>	<u>Result</u> <u>Zinc</u> <u>(mg)[#]</u>	<u>Antimony</u> <u>(mg)[#]</u>	<u>Barium</u> <u>(mg)[#]</u>
1	1200	<0.2	<0.02	<0.3	<0.1	<0.1
2	1200	<0.2	<0.02	<0.3	<0.1	<0.1
3	1200	<0.2	<0.02	<0.3	<0.1	<0.1
4	1200	<0.2	<0.02	<0.3	<0.1	<0.1
Limit (max):		1.5	0.1	3	1	1

Remark: [#]= Related to the filling volume

ND= Not detected

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

32 French DGCCRF Document Related to Inorganic Materials (Excluding Metals and Alloys) on Leachable Lead and Cadmium Content

As per DGCCRF document related to inorganic materials (excluding metals and alloys), by Atomic Absorption Spectrophotometric analysis.

<u>Tested Sample</u>	<u>Specimen</u>	<u>Leaching Volume (mL)</u>	<u>Result (mg/L)</u>	
			<u>Lead</u>	<u>Cadmium</u>
(14)~(16)	1	1200	<0.2	<0.02
	2	1200	<0.2	<0.02
	3	1200	<0.2	<0.02
	4	1200	<0.2	<0.02
	Average:		<0.2	<0.02
	Limit (Category 3):		1.5	0.1

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

33 French DGCCRF Document Related to Inorganic Materials (Excluding Metals and Alloys) on Migration of Aluminium, Cobalt and Arsenic Content

As per DGCCRF document related to inorganic materials (excluding metals and alloys), 3 successive migrations were taken and solutions of 3rd migration were analyzed by ICP/MS.

<u>Tested Component</u>	<u>Specimen</u>	<u>Leaching Volume (mL)</u>	<u>Result (mg/kg of Food Simulant)</u>		
			<u>Aluminium</u>	<u>Cobalt</u>	<u>Arsenic</u>
(14)~(16)	1	1200	<0.1	<0.005	ND(<0.002)
	2	1200	<0.1	<0.005	ND(<0.002)
	3	1200	<0.1	<0.005	ND(<0.002)
	4	1200	<0.1	<0.005	ND(<0.002)
	Average:		<0.1	<0.005	ND(<0.002)
	Limit:		1	0.02	ND(<0.002)

Remark: ND=Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

34 German Bedarfsgegenstände-verordnung and Bavarian State Office for Health and Food Safety on Leachable Lead, Cadmium and Cobalt Content

Test Report

Number: SHAH01892870

Tests Conducted

As per §64 LFGB B80.03-1 and B80.03-2, by Atomic Absorption Spectrophotometric (AAS) or Inductively Coupled Argon Plasma (ICP) analysis.

<u>Tested Sample</u>	<u>Specimen</u>	<u>Volume of Leaching Solution (mL)</u>	<u>Result</u>		
			<u>Lead (ppm)</u>	<u>Cadmium (ppm)</u>	<u>Cobalt (ppm)</u>
(14)~(16)	1	1200	<0.05	<0.03	<0.03
	2	1200	<0.05	<0.03	<0.03
	3	1200	<0.05	<0.03	<0.03
	4	1200	<0.05	<0.03	<0.03
Average:			<0.05	<0.03	<0.03
Limit (Hollowware):			1.5	0.1	0.05

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

35 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter VI on Overall Migration

As per Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex B chapter 4 and Commission Regulation (EU) No. 10/2011.

I. Test Condition:

<u>Tested Component</u>	<u>Food Simulant</u>	<u>Time (Hour)</u>	<u>Temperature (°C)</u>
(14)	3% (w/v) Acetic Acid	4	100
(15)	3% (w/v) Acetic Acid	4	100
(16)	3% (w/v) Acetic Acid	4	100

II. Test Result:

Food Simulant	Result (mg/kg)						Limit (mg/kg)
	(14)			(15)			
	1 st Migration	2 nd Migration	3 rd Migration	1 st Migration	2 nd Migration	3 rd Migration	
3% (w/v) Acetic Acid	47	23	13	48	4	18	60

Food Simulant	Result (mg/kg)			Limit (mg/kg)
	(16)			
	1 st Migration	2 nd Migration	3 rd Migration	
3% (w/v) Acetic Acid	46	25	13	60

Requirement:

Result of 3rd migration < OML, and

Result of 1st migration ≥ 2nd migration ≥ 3rd migration after consideration of result uncertainty.

Remark: Reporting limit = 10mg/kg

As per client's request, the above condition and food simulant were used for the test.

Tested Component(s): See component list in the last section of this report.

Test Report

Number: SHAH01892870

Tests Conducted

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

36 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter VI on Leachable Lead and Cadmium Content from Food Contact Ceramic Ware

As per Council Directive 84/500/EEC and its amendments, by Atomic Absorption Spectrophotometric (AAS)/ Inductively Coupled Plasma- Optical Emission Spectrometer (ICP-OES) analysis.

Tested Component	Specimen	Leaching Volume (mL)	Result (mg/L)	
			Lead	Cadmium
(14)~(16)	1	1200	<0.2	<0.02
	2	1200	<0.2	<0.02
	3	1200	<0.2	<0.02
	4	1200	<0.2	<0.02
	Average:		<0.2	<0.02
	Limit (Category 3):		1.5	0.1

Remark: Category: 3. Cooking ware, packaging and storage vessels having a capacity>3L,

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

- 37 Dutch Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen) Annex A Chapter VI on Specific Migration of Heavy Metals on Ceramic / Enamel Ware

With reference to Annex B of Commodities Act on Packagings and Consumer Articles Regulation (Warenwetregeling verpakkingen en gebruiksartikelen), followed by Inductively Coupled Plasma –Mass Spectrometry (ICP-MS) analysis.

I. Test Condition:

Food Simulant	Time and Temperature
3% (w/v) Acetic Acid	2 hours at 100 °C

II. Test Result:

Element	Result in mg/kg									Reporting Limit (mg/kg)	Limit (mg/kg)
	(14)			(15)			(16)				
	1 st	2 nd	3 rd	1 st	2 nd	3 rd	1 st	2 nd	3 rd		
Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.01
Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25	1
Boron (B)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	1
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	0.01
Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Cobalt (Co)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.05
Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	0.005
Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.1
Lithium (Li)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.6
Rubidium (Rb)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	1
Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.01
Strontium (Sr)	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	1

Requirement:

Result of 3rd migration < SML, and

Result of 1st migration ≥ 2nd migration ≥ 3rd migration after consideration of result uncertainty.

Remark: ND = Not detected

Ratio of food contact surface area to volume of component (14)~(16) used to establish the compliance of material or article = 4.6 dm² : 1200 mL.

Tested Component(s): See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.21, 2025

Test Report

Number: SHAH01892870

Tests Conducted

38 Poland Dziennik Ustaw rok 2008 Nr 17 Poz. 113 on Leachable Lead and Cadmium Content from Ceramic Ware

As per Poland Dziennik Ustaw rok 2008 Nr 17 Poz. 113, by Atomic Absorption Spectrophotometric (AAS) or Inductively Coupled Plasma- Optical Emission Spectrometer (ICP-OES) analysis.

<u>Tested Sample</u>	<u>Leaching Volume (mL)</u>	<u>Result (mg/L)</u>	
		<u>Lead</u>	<u>Cadmium</u>
(14)~(15)	1200	<0.2	<0.02
	Limit (Category 2):	4.0	0.3

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

39 Czech Regulation-Vyhlášce č. 38/2001 Sb Annex No.9 on Leachable Lead and Cadmium for Glass, Glass Ceramics, Ceramics, Porcelain and Article with an Enamel Surface

As per Chapter 2 of Czech Regulation-Vyhlášce č. 38/2001 Sb Annex No. 9, by Inductively Coupled Plasma Emission Spectrometer analysis.

<u>Tested Sample</u>	<u>Specimen</u>	<u>Leaching Volume (mL)</u>	<u>Result (mg/L)</u>	
			<u>Lead</u>	<u>Cadmium</u>
(14)~(16)	1	1200	<0.2	<0.02
	2	1200	<0.2	<0.02
	3	1200	<0.2	<0.02
	4	1200	<0.2	<0.02
	Average:		<0.2	<0.02
	Limit (Category 2):		4.0	0.3

Remark: ND = Not detected

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

40 Spain Royal Decree 891/2006 of July 21 on Leachable Lead and Cadmium Content from Food Contact Ceramic Ware

As per Royal Decree 891/2006 of July 21, by Atomic Absorption Spectrophotometer (AAS)/ Inductively Coupled Plasma- Optical Emission Spectrometer (ICP-OES) analysis.

Tested Component	Specimen	Leaching Volume (mL)	Result (mg/L)	
			Lead	Cadmium
(14)~(16)	1	1200	<0.2	<0.02
	2	1200	<0.2	<0.02
	3	1200	<0.2	<0.02
	4	1200	<0.2	<0.02
	Average:		<0.2	<0.02
	Limit (Category 3):		1.5	0.1

Remark: Category: 3. Cooking ware, packaging and storage vessels having a capacity>3L,

Detection Limit: Lead: 0.05 mg/L, Cadmium: 0.03 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

41 Slovakia- Výnos MP SR a MZ SR z 9. júna 2003 č.1799/2003-100) on Leachable Lead and Cadmium Content on Ceramicware

As per Annex No 12 of Slovakia- Výnos MP SR a MZ SR z 9. júna 2003 č.1799/2003-100, followed by Inductively Coupled Plasma Emission Spectrometer analysis.

I. Test Condition:

Food Simulant : 4% (w/v) Acetic acid

Time and Temperature: (22 ±2) °C for (24±0.5) hours

II. Test Results:

Tested Sample	Specimen	Leaching Volume (mL)	Result (mg/L)	
			Lead (Pb)	Cadmium (Cd)
(14)~(16)	1	1200	<0.2	<0.02
	2	1200	<0.2	<0.02
	3	1200	<0.2	<0.02
	4	1200	<0.2	<0.02
	Average:		<0.2	<0.02
	Limit (Category 3: Articles for cooking, baking):		1.5	0.1

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

42 Portugal Decree Law No. 190/ 2007 Annex III on Leachable Lead and Cadmium Content for Ceramic Article

As per Annex I and Annex II of Portugal Decree Law No. 190/ 2007, by Inductively Coupled Plasma Emission Spectrometer analysis.

Tested Component	Specimen	Leaching Volume (mL)	Result (mg/L)	
			Lead	Cadmium
(14)~(16)	1	1200	<0.2	<0.02
	2	1200	<0.2	<0.02
	3	1200	<0.2	<0.02
	4	1200	<0.2	<0.02
	Average:		<0.2	<0.02
	Limit (Category 2):		4.0	0.3

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

43 Belgium Royal Decree of 1 May 2006 on Leachable Lead and Cadmium Content

As per Royal Decree of 1 May 2006, by Inductively Coupled Plasma Emission Spectrometer analysis.

Tested Component	Specimen	Leaching Volume (mL)	Result (mg/L)	
			Lead	Cadmium
(14)~(16)	1	1200	<0.2	<0.02
	Limit (Category 2):		4.0	0.3

Detection Limit: Lead: 0.2 mg/L, Cadmium: 0.02 mg/L

Tested Components: See component list in the last section of this report.

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

Test Report

Number: SHAH01892870

Tests Conducted

44. EN 12983-1:2023 Cookware—Domestic Cookware for Use on Top of a Sove, Cooker or Hob —Part 1: General Requirements

With reference to EN 12983-1:2023 Cookware—Domestic cookware for use on top of a stove, cooker or hob —Part 1: General requirements, the submitted sample were subjected to the following test:

Number of sample tested: Three (3) pieces per style, total Four (4) styles.

Sample description:

A: Saucepan ceramic dia. 18 cm

B: Fry pan ceramic w. handle dif. Cl 20 cm

C: Fry pan ceramic dia. 24 cm

D: Fry pan ceramic dia. 28 cm

Initial inspection: No any damage was found

Executive summary:

Clause	Test Items and requirements	Rating
6	Construction	-
6.1	General	-
6.1.1	Stability	P
6.1.2	Hygiene	P
6.1.3	Mechanical hazards	P
6.2	Geometry	-
6.2.1	Dimensions	See Remarks 1 & 2
6.2.2	Capacity	No claim Record: A: 2.0 L B: 1.3L C: 2.05 L D: 2.95 L
6.2.3	Diameters	P Claim: A: Ø18 cm B: Ø20 cm C: Ø24 cm D: Ø28 cm R: A: Diameter 18 cm B: Diameter 19.6 cm C: Diameter 24 cm D: Diameter 27.8 cm
6.2.4	Sizes for non-circular products	NA
6.2.5	Base thickness	No claim Record: A: 3 mm B: 3 mm C: 3 mm D: 3 mm
6.2.6	Base form	P
7	Furniture	-
7.1	General	-
7.2	Selection of handles	P
7.3	Handle position with respect to cookware	P
7.4	Knob design	NA

Test Report

Number: SHAH01892870

Tests Conducted

Clause	Test Items and requirements	Rating
6	Construction	-
6.1	General	-
6.1.1	Stability	P
6.1.2	Hygiene	P
6.1.3	Mechanical hazards	P
7.5	Lid design	NA
7.6	Resistance to burning	P
7.7	Heat resistance	P
7.8	Torque resistance	P
7.9	Bending strength	P
7.10	Fatigue resistance	P
7.11	Resistance to pull off handle assembly	P
7.12	Thermal hazards	P
8	Coatings	-
8.1	Vitreous enamel and solgel on any substrate	-
8.1.1	Citric acid test at room temperature	NA
8.1.2	Boiling water test	NA
8.1.3	Thermal shock test	NA
8.1.4	Resistance to impact	NA
8.1.5	Adhesion test for vitreous enamel on aluminum	NA
8.2	Hard anodized aluminum	-
8.2.1	Thickness	NA
8.2.2	Stain resistance	NA
8.2.3	Alkali resistance	NA
8.2.4	Hardness	NA
8.3	Organic external coatings	-
8.3.1	Cross-cut adhesion test	P
8.3.2	Pencil hardness test	P
8.3.3	Pencil hardness test at elevated temperatures	P
8.4	Interior non-stick coatings	-
8.4.1	General	-
8.4.2	Cross-cut adhesion test on organic coating	NA
8.4.3	Non-stick performance	NA
8.4.4	Corrosion resistance	NA
9	Performance	-
9.1	Pouring	For A: P For B, C, D: NA
9.2	Base stability under shock conditions	P
9.3	Heat distribution	P
9.4	Suitability for use with various heat sources	-
9.4.1	Declaration of suitability	P
9.4.2	Suitability for glass ceramic hobs with radiant or halogen heaters	P
9.4.3	Suitability for gas burners and electric radiant ring	P
9.4.4	Suitability with electric solid plate	P
10	Product information	-
10.1	Point of sale information	See Remarks 1 & 3
10.2	Care and use instructions – General instructions	See Remarks 1 & 4

P=Pass, F=Fail, NA=Not Applicable, NR=Not Request, NC = Not Conducted

Test Report

Number: SHAH01892870

Tests Conducted

Remarks:

1. The evaluation or testing related to packaging or labeling is based on the artwork submitted by the applicant rather than the actual sample of packaging or labeling.
2. Client waived the issue of no points of measurement of claimed dimensions on artwork.
3. Client waived the issue of graphic symbols on artwork not in accordance with EN 14916 or ISO 7000.
4. Client waived the issue of no advice on what to do if the product proves to be unsatisfactory on artwork.

45. Salt Spray Test

With reference to ISO 9227:2022+A1:2024 Corrosion test in artificial atmospheres- salt spray tests, the submitted samples were subjected to the following test (Modification=1% salt spray):

Neutral salt spray test (NSS):

Testing condition:

1. Sodium chloride (NaCl) solution concentration = 10 g/L $\pm$ 1 g/L
2. pH = 6.5 - 7.2
3. Chamber temperature = 33 - 37°C
4. Average collection rate = (1~2) m/h.80 cm²
5. Exposure period = 24 hours

Client's requirement: Criteria rating 8 or Ri1 respectively

Corrosion evaluation:

With reference to ISO 4628/3:2024: paints and varnishes-Evaluation of degradation of coatings-Designation of quantity and size of defects, and of intensity of uniform changes in appearance-Part3: Assessment of degree of rusting, the tested submitted samples were evaluated as following:

<u>Tested Specimens/sample</u>	<u>Result of degree</u>
Frying pan ceramic with w. handle (see picture 1)	Ri 1

Test Report

Number: SHAH01892870

Tests Conducted

Remark:
The rusting degree corresponding to area rusted were listed as below:


Degree	Area rusted %
Ri 0/WRi 0	0
Ri 1/WRi 1	0.05
Ri 2/WRi 2	0.5
Ri 3/WRi 3	1
Ri 4/WRi 4	8
Ri 5/WRi 5	40/50



Picture 1:Sample after salt spray test



Picture 2: Artwork



Picture 3: Artwork



Picture 4: Artwork

Test Report

Number: SHAH01892870

Tests Conducted



Picture 5: Artwork

Date Sample Received: Nov.14, 2025

Testing Period: Nov.14, 2025 To Nov.20, 2025

All the tests were performed on components as below from the receipt product.

Components list :

- (1) Bright green ceramic coating on metal. (inner body)
- (2) Bright beige-yellow ceramic coating on metal. (inner body)
- (3) Bright khaki ceramic coating on metal. (inner body)
- (4) Green coating on metal. (outer body & handle connector)
- (5) Beige-yellow coating on metal. (outer body & handle connector)
- (6) Khaki coating on metal. (outer body & handle connector)
- (7) Transparent coating on wood. (handle)
- (8) Natural color solid wood excluding coating. (handle)
- (9) Laser gold color metal. (screw fixer handle)
- (10) Silver color metal. (washer fixer handle)
- (11) Silver color metal excluding coating. (handle connector)
- (12) Bright silver color metal. (pot bottom)
- (13) Silver color metal excluding coatings. (pot body) AL
- (14) Silver color metal with bright green ceramic coating. (inner pot body) AL
- (15) Silver color metal with bright beige-yellow ceramic coating. (inner pot body) AL
- (16) Silver color metal with bright ceramic khaki coating. (inner pot body) AL

Test Report

Number: SHAH01892870

Tests Conducted

- (17) Whole sample. (green style)
- (18) Whole sample. (beige-yellow style)
- (19) Whole sample. (khaki style)
- (20) White paper card with transparent adhesive plastic film and underlying coatings. (paper sleeve)

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Ltd., Shanghai