

# Contoso Safety 360

<input checked="" type="checkbox"/> Hazardous Condition	<input checked="" type="checkbox"/> At Risk Behavior	<input type="checkbox"/> Safety Suggestion	<input checked="" type="checkbox"/> Safety Recognition
---	--	--	--

<input type="checkbox"/> Equipment <input checked="" type="checkbox"/> Slips, Trips, Falls <input type="checkbox"/> Electrical <input type="checkbox"/> Ergonomics	<input checked="" type="checkbox"/> Material Handling <input type="checkbox"/> Spill, Release, Environmental <input type="checkbox"/> PPE <input type="checkbox"/> Other Safety
---	--

<input checked="" type="checkbox"/> Significant	<input type="checkbox"/> Not Significant
---	--

Findings: Three workers tripped today at equipment floor section 19  
workers: Rovenia Vogli, Piet Smit, Gezahegne Mulugeta

Suggested Solutions: Swat team to assess and resolve critical issues and also  
send the three workers to site clinic to triage

Submitter: Rovenia Vogli

Department: Operations

Date: February 21, 2022

Owner: Altin Mali

Solutions: Fix the problems on the floor – cleaned up slippery materials

Target Date: February 21, 2022

Close Date: February 22, 2022

Submitter Approval: Yes