

100% passed

14 executed

18 seconds ago

last run

7.24 seconds

duration

GitHub Actions

Git Ref [b922f33](#)
Job [11951125741](#)



Linux



OpenJDK 64-Bit Server
VM 17.0.13+11



cucumber-jvm 7.19.0

You can search with plain text or [Cucumber Tag Expressions](#) to filter the output

✓ classpath:features/accountsLogin.feature

Feature: Accounts login endpoints.

Background:

- ✓ **Given** the system is ready and i log with email "john.doe@example.com" and password "password123"

Scenario: Logged account information

- ✓ **When** i request this users account information
✓ **Then** i should receive the code 200

Scenario: Logged account amount

- ✓ **When** i request this users account amount
✓ **Then** i should receive the amount

✓ classpath:features/createCards.feature

Feature: Testing the cards creation registering a new user with random parameters.

Scenario Outline: A customer registers, creates N Accounts and M cards associated to those accounts.

- ✓ **Given** The customer registers with <naccounts> accounts, <ncards> cards and an initial amount of <amount>
✓ **When** The customer logs in with their register credentials
✓ **And** The customer checks their cards
✓ **Then** The customer gets a <status> status response

Examples:

| | naccounts | ncards | amount | status |
|---|-----------|--------|--------|--------|
| ✓ | 1 | 1 | 140 | 200 |
| ✓ | 1 | 0 | 20 | 200 |
| ✓ | 1 | 4 | 130 | 200 |

| | naccounts | ncards | amount | status |
|---|-----------|--------|--------|--------|
| ✓ | 2 | 2 | 231 | 200 |

✓ classpath:features/customerRegistrationUpdate.feature

Feature: Customer Registration and Update

Scenario: A customer registers with a new account, updates their name and credentials, and verifies the changes

- ✓ **Given** The customer registers with random email, name, surname and password
- ✓ **And** The customer logs in with their register credentials
- ✓ **When** The customer updates their name to "Rafa" and surname "Laguna"
- ✓ **And** The customer updates their email to "rafa.laguna6@example.com" and password to "newPassword123"
- ✓ **Then** The customer's name, surname, email and password have been updated "successfully"

✓ classpath:features/feature1.feature

Feature: User authentication

As a user, I want to be able to register, login, and logout in the application.

Background:

- ✓ **Given** the system is ready for user authentication

Scenario: Register a new customer

- ✓ **When** I register with name "John", surname "Doe", email "probando4@example.com" and password "password123" and I log in
- ✓ **Then** I should receive a message "You have registered successfully."

Scenario: Login with valid credentials

- ✓ **Given** I have registered with name "John", surname "Doe", email "probando4@example.com" and password "password123"
- ✓ **When** I login with email "probando4@example.com" and password "password123"
- ✓ **Then** I should receive a message "Correct authentication"

Scenario: Login with invalid credentials

- ✓ **When** I login with email "invalid@example.com" and password "wrongpassword"
- ✓ **Then** I should receive a message "Invalid credentials"

Scenario: Logout after logging in

- ✓ **Given** I have logged in with email "probando3@example.com" and password "password123"
- ✓ **When** I log out
- ✓ **Then** I should receive a message "Logged out successfully. Cookies cleared."

✓ classpath:features/lessThan1kTransfer.feature

Feature: Check Transfer Not Enough Money in Sender User

Scenario Outline: A customer with an account with less than 1000€ does a transfer to another user of 1500€

- ✓ **Given** The customer registers with <numberOfAccounts> accounts, <ncards> cards and an initial amount of <money>
- ✓ **And** The customer logs in with their register credentials
- ✓ **And** The receiving customer has an account with id <receiverAccountId>
- ✓ **When** The customer make a transfer with their main account and transferAmount <transferAmount> to an account with id <receiverAccountId>
- ✓ **Then** The customer gets a <status> status response and message: <message>

Examples:

| | numberOfAccounts | ncards | money | receiverAccountId | transferAmount | status | message |
|---|------------------|--------|-------|-------------------|----------------|--------|---|
| ✓ | 1 | 0 | 800 | 2 | 1500 | 400 | "Transfer cannot be completed. Not enough money or blocked receiver." |

✓ ✓ classpath:features/loginTest.feature

Feature: LoginTest with GenericSteps and AuthenticationTestSteps

Scenario Outline: The customer logs in with a user to test GenericSteps

- ✓ **When** The customer logs in with email "<email>" and password "<password>"
- ✓ **Then** The customer gets a <status> status response and message: "<message>"

Examples:

| | email | password | status | message |
|---|----------------------|-------------|--------|------------------------|
| ✓ | john.doe@example.com | password123 | 200 | Correct authentication |
| ✓ | john.doe@example.com | password13 | 400 | Invalid credentials |