主題

邱紹庭*

March 12, 2021

段落一: 中文測試

測試引用 [1].

段落二: English Section

English is a West Germanic language first spoken in early medieval England, which has eventually become the leading language of international discourse in the 21st century

段落二之一: 圖片, tcolorbox, table

左邊的圖為 1a; 右邊則為 1b




Figure 1: Chang et al. 的 COVID-19 預測圖 [1])

^{*}Correspondence: ightharpoonup r07945001@ntu.edu.tw

主題 (左邊) 主題 (右邊)

隨機 SEIR 模型

S 從一個狀態轉換到下一個階段的人數以 N 表示 (狀態的分類在 $Fig.\ 1$)。由於每個人轉換狀態的機率為 Bernoulli 機率分佈,群體下的機率則可以用下面的方程式表示:

$$N_{S_{c_i} \to E_{c_i}}^{(t)} \sim Binom(S_{c_1}^{(t)}, \lambda_{c_1}^{(t)})$$
 (1)

$$N_{E_{c_i} \to 1_{c_i}}^{(t)} \sim Binom(E_{c_i}^{(t)}, 1/\delta_E)$$
 (2)

$$N_{1_{c_1} \to R_{c_i}}^{(t)} \sim Binom(I_{c_i}^{(t)}, 1/\delta_i)$$
 (3)

 $N_{i o j}^t$ 指的是在時間 t 時由 i 狀態轉換至 j 狀態的人數。

Data	連結
A	https://github.com/nytimes/
	covid-19-data
A	https://github.com/CSSEGISandData/
	COVID-19
預測工具	
SEIR 的 deterministic model (Python)[1]	https://github.com/ihmeuw/
	covid-model-seiir-pipeline/

References

[1] Serina Chang, Emma Pierson, Pang Wei Koh, Jaline Gerardin, Beth Redbird, David Grusky, and Jure Leskovec. Mobility network models of covid-19 explain inequities and inform reopening. *Nature*, 589(7840):82–87, 2021.