



Now write on 100-200 words on what you have done, in grammatically correct business English prose.

The goal of Lab 2 was to get the student familiar with the profile and dataset utilities. Backing out of the ISPF menu takes us to the TSO prompt, allowing us to view and alter profile settings and all databases associated with our account. Changing our profile prefix allows us to limit the datasets we view to make navigation simpler. Back inside the ISPF menu we are shown how to navigate datasets using the data set list utility, moving from prefix to dataset to members. Using the command columns on the left we can enter and view datasets and their members by typing v and pressing enter. Finally the PFSHOW command allows us to show and hide the function key reminders at the bottom of the screen, giving us more lines to work with on the monitor when the reminders aren't needed.

We are at the TSO ready prompt.



My profile prefix



The image shows a terminal window with a dark background and red text. The window title bar at the top reads "x3270-4 184.105.60.27". The terminal content displays a series of commands and their outputs in red. The first line is "READY". The second line is "profile". The third line is "IKJ56688I CHAR(0) LINE(0) PROMPT INTERCOM NOPAUSE MSGID MODE WTPMS". The fourth line is "G NORECOVER PREFIX(EMMA081) PLANGUAGE(ENU) SLANGUAGE(ENU) VARSTORAGE(LOW)". The fifth line is "IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL". The sixth line is "READY". A green cursor is visible on the line "READY". The terminal window has a menu bar with "File" and "Options". At the bottom of the window, there is a taskbar with several icons and a status bar showing "4B", "TS002", and "007/001".

```
READY
profile
IKJ56688I CHAR(0) LINE(0) PROMPT INTERCOM NOPAUSE MSGID MODE WTPMS
G NORECOVER PREFIX(EMMA081) PLANGUAGE(ENU) SLANGUAGE(ENU) VARSTORAGE(LOW)
IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL
READY
```

My profile settings




The screenshot shows a terminal window with a dark background and red text. The window title is 'x3270-4 184.105.60.27'. The terminal content displays the configuration for three different profiles: 'profile', 'profile noprefix', and 'profile prefix'. Each profile configuration includes a header line with 'IKJ56688I' and a body of settings including 'CHAR(0)', 'LINE(0)', 'PROMPT', 'INTERCOM', 'NOPAUSE', 'MSGID', 'MODE', 'WTPMS', 'G', 'NORECOVER', 'PREFIX(EMMA081)', 'PLANGUAGE(ENU)', 'SLANGUAGE(ENU)', and 'VARSTORAGE(LOW)'. The 'profile prefix' section shows a prompt 'IKJ56700A ENTER PREFIX -' followed by the input 'EMMA081'. The terminal ends with a green cursor line.

```
READY
profile
IKJ56688I CHAR(0) LINE(0) PROMPT INTERCOM NOPAUSE MSGID MODE WTPMS
G NORECOVER PREFIX(EMMA081) PLANGUAGE(ENU) SLANGUAGE(ENU) VARSTORAGE(LOW)
IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL
READY
profile noprefix
READY
profile
IKJ56688I CHAR(0) LINE(0) PROMPT INTERCOM NOPAUSE MSGID MODE WTPMS
G NORECOVER NOPREFIX PLANGUAGE(ENU) SLANGUAGE(ENU) VARSTORAGE(LOW)
IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL
READY
profile prefix
IKJ56700A ENTER PREFIX -
EMMA081
READY
profile
IKJ56688I CHAR(0) LINE(0) PROMPT INTERCOM NOPAUSE MSGID MODE WTPMS
G NORECOVER PREFIX(EMMA081) PLANGUAGE(ENU) SLANGUAGE(ENU) VARSTORAGE(LOW)
IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL
READY
█
```

4B TS002 023/001

My catalog items listed



The screenshot shows a terminal window with a dark background. The title bar at the top reads 'x3270-4 184.105.60.27'. Below the title bar is a menu bar with 'File' and 'Options'. The main area of the terminal displays the following text in red and green: 'LISTC' in green, followed by 'IN CATALOG:Z24A.MASTER.CATALOG', 'EMMA081.BROADCAST', 'EMMA081.ISPF.ISPPROF', 'EMMA081.SPFLOG1.LIST', and 'READY' in red. A green cursor is positioned at the end of the 'READY' line. At the bottom of the terminal, there is a status bar with '4B' on the left, 'TS002' in the center, and '007/001' on the right.

```
LISTC
IN CATALOG:Z24A.MASTER.CATALOG
EMMA081.BROADCAST
EMMA081.ISPF.ISPPROF
EMMA081.SPFLOG1.LIST
READY
```

4B TS002 007/001

SYS1 DATASETS

FileOptions

MenuOptionsViewUtilitiesCompilersHelp

DSLIST - Data Sets Matching SYS1Row 1 of 396

Command - Enter "/" to select action	Message	Volume
SYS1.AACBCNTL		24AD02
SYS1.AADFMAC1		24AD02
SYS1.AADRLIB		24AD02
SYS1.AADRYLIB		24AD02
SYS1.AAXREXEC		24AD02
SYS1.ABDTCLIO		24AD02
SYS1.ABDTHELP		24AD02
SYS1.ABDTMAC		24AD02
SYS1.ABDTMOD		24AD02
SYS1.ABDTMSG		24AD02
SYS1.ABDTPNLO		24AD02
SYS1.ABDTSAMP		24AD02
SYS1.ABLSCLIO		24AD02
SYS1.ABLSKEL0		24AD02
SYS1.ABLSMSG0		24AD02
SYS1.ABLSPNLO		24AD02
SYS1.ABLSTBL0		24AD02
SYS1.ABMFMOD0		24AD02
SYS1.ABPXEXEC		24AD02
SYS1.ABPXMENU		24AD02
SYS1.ABPXMOD1		24AD02
SYS1.ABPXPENU		24AD02
SYS1.ABPXSPC		24AD02
SYS1.ABPXTENU		24AD02
SYS1.ABPXXMLS		24AD02
SYS1.ACBDCLST		24AD02
SYS1.ACBDHENU		24AD02
SYS1.ACBDMENU		24AD01
SYS1.ACBDMOD1		24AD02
SYS1.ACBDMOD2		24AD02
SYS1.ACBDPENU		24AD02
SYS1.ACBDTEMP		24AD02
SYS1.ACBDTENU		24AD02
SYS1.ACBROBRM		24AD02


Command ==>F1=HelpF2=SplitF3=ExitF5=RfindF7=UpF8=DownF9=SwapF10=LeftF11=RightF12=Cancel

4B

TS002041/015

Scroll ==>PAGE

Sys1.proclib Dataset



Members of SYS1.PROCLIB

Menu Functions Confirm Utilities Help							
VIEW	SYS1.PROCLIB		Row 0000001 of 0000055				
	Name	Prompt	Size	Created	Changed	ID	
-----	C24AAOR1		13	2018/09/13	2020/10/27 14:29:09	RKSDEV	
-----	C24ASTND		12	2018/09/13	2020/08/31 20:19:20	RKSDEV	
-----	C24ATOR1		12	2018/09/13	2020/10/05 11:06:27	RKSDEV	
-----	DB2ICISC		109	2020/09/21	2021/05/12 16:03:31	RKSDEV	
-----	DFHDBCMP		165	2020/09/21	2020/12/11 17:56:38	IBMUSER	
-----	DFHSTART		154	2020/08/31	2025/12/07 18:52:33	IBMUSER	
-----	DFHYITDL		164	2020/09/21	2020/12/10 11:19:15	IBMUSER	
-----	DSNHASM						
-----	DSNUPROC						
-----	DSN1ADMT		41	2020/11/24	2020/11/24 14:54:02	RKSDEV	
-----	DSN1ADMZ						
-----	DSN1DBM1						
-----	DSN1DIST		12	2020/12/16	2020/12/16 07:58:09	RKSDEV	
-----	DSN1MSTR						
-----	DSN1WLM						
-----	DSN1WLMC						
-----	DSN1WLMD						
-----	DSN1WLMG						
-----	DSN1WLMJ						
-----	DSN1WLMM						
-----	DSN1WLMP						
-----	DSN1WLMR						
-----	DSN1WLMU						
-----	DSN1WLMW						
-----	DSN1WLMX						
-----	DSN1WLM1						
-----	DSN2DBM1		26	2021/12/13	2021/12/13 11:20:56	IBMUSER	
-----	DSN2DIST		12	2020/12/16	2021/12/13 12:34:49	IBMUSER	
-----	DSN2MSTR		18	2021/12/13	2021/12/13 11:19:40	IBMUSER	
-----	FTPD		104	2020/08/22	2020/08/22 21:01:53	IBMUSER	
-----	HIS		20	2020/08/22	2021/09/23 09:51:11	IBMUSER	
-----	ICEPROC						
-----	IGYMCL						
-----	IJKABRUP		46	2020/07/10	2021/05/22 10:16:04	IBMUSER	
-----	IKJACCNT		46	2020/07/10	2025/04/10 17:11:44	IBMUSER	
-----	IKJACQMF		49	2020/07/10	2021/05/22 08:57:16	RKSDEV	
Command ==>					Scroll ==> PAGE		
F1=Help		F2=Split	F3=Exit	F5=Rfind	F7=Up	F8=Down	F9=Swap
F10=Left		F11=Right	F12=Cancel				
4B					TS002	041/015	

Member DFHSTART of SYS1.PROCLIB

```
x3270-4 184.105.60.27
File Options

File Edit Edit.Settings Menu Utilities Compilers Test Help

VIEW      SYS1.PROCLIB(DFHSTART) - 01.22      Columns 00001 00072
***** ***** Top of Data *****
==MSG> -Warning- The UNDO command is not available until you change
==MSG> your edit profile using the command RECOVERY ON.
000001 /** *****
000002 /**
000003 /**
000004 /**
000005 /**      Licensed Materials - Property of IBM
000006 /**
000007 /**      5655-Y04
000008 /**
000009 /**      (C) Copyright IBM Corp. 1991, 2016 All Rights Reserved.
000010 /**
000011 /**
000012 /**
000013 /**
000014 /** STATUS = 7.3.0
000015 /**
000016 /** CHANGE ACTIVITY :
000017 /**
000018 /**      $MOD(DFHSTART),COMP(INSTALL),PROD(CICS) ):
000019 /**
000020 /** PN= REASON REL YYMMDD HDXXIII : REMARKS
000021 /** $01= A29022 650 070221 HD4PALS : Migrate PK29022 from SPA R640
000022 /** $L0= Base 321 91 HD3SCWG : Base
000023 /** $L1= 839 630 030619 HDCQMDB : Convert JVM launcher and DTC to
000024 /** $L2= 852 640 040813 HD3SCWG : Add MQ library SCSQLOAD
000025 /** $L3= 852 640 040918 HD3SCWG : Add SCSQANLE SCSQCICS SCSQAUTH
000026 /** $L4= 807 650 051101 HD3SCWG : Add SEYUAUTH to STEPLIB
000027 /** $L5= R18731 670 100902 HDAFDRB : Update REG setting
000028 /** $L6= R00114 670 101118 HD3SCWG : Default REG to 1150M + MEMLIMIT
000029 /** $P1= D06371 630 030321 HDFVGB : Pull DFHSTART parms and DOCS int
000030 /** $P2= D07561 630 030516 HDCQMDB : Remove references to DFHJVM
000031 /** $P3= D08500 630 030723 HDCQMDB : XPLink library changes
000032 /** $P4= D09282 630 031006 HD3SCWG : Increase region size to 64M
000033 /** $P5= D18467 650 070417 HD3SCWG : Remove SEYUAUTH
000034 /** $P6= D25567 660 090330 HD4IAEC : Update GCD AMP BUFSP
Command ==>
F1=Help      F2=Split      F3=Exit      F4=Expand      F5=Rfind      F6=Rchange
F7=Up        F8=Down      F9=Scroll    F10=Left      F11=Right     F12=Cancel
TS002      041/015
```

PFSHOW OFF

```

x3270-4 184.105.60.27
File Options

File Edit Edit.Settings Menu Utilities Compilers Test Help

VIEW          SYS1.PROCLIB(DFHSTART) - 01.22          Columns 00001 00072
*****
***** Top of Data *****
==MSG> -Warning- The UNDO command is not available until you change
==MSG> your edit profile using the command RECOVERY ON.
000001 /*******
000002 /**
000003 /**
000004 /**
000005 /** Licensed Materials - Property of IBM
000006 /**
000007 /** 5655-Y04
000008 /**
000009 /** (C) Copyright IBM Corp. 1991, 2016 All Rights Reserved.
000010 /**
000011 /**
000012 /**
000013 /**
000014 /** STATUS = 7.3.0
000015 /**
000016 /** CHANGE ACTIVITY :
000017 /**
000018 /** $MOD(DFHSTART),COMP(INSTALL),PROD(CICS) ):
000019 /**
000020 /** PN= REASON REL YYMMDD HDXXIII : REMARKS
000021 /** $01= A29022 650 070221 HD4PALS : Migrate PK29022 from SPA R640
000022 /** $L0= Base 321 91 HD3SCWG : Base
000023 /** $L1= 839 630 030619 HDCQMDB : Convert JVM launcher and DTC to
000024 /** $L2= 852 640 040813 HD3SCWG : Add MQ library SCSQLOAD
000025 /** $L3= 852 640 040918 HD3SCWG : Add SCSQANLE SCSQCICS SCSQAUTH
000026 /** $L4= 807 650 051101 HD3SCWG : Add SEYUAUTH to STEPLIB
000027 /** $L5= R18731 670 100902 HDAFDRB : Update REG setting
000028 /** $L6= R00114 670 101118 HD3SCWG : Default REG to 1150M + MEMLIMIT
000029 /** $P1= D06371 630 030321 HDFVGB : Pull DFHSTART parms and DOCS int
000030 /** $P2= D07561 630 030516 HDCQMDB : Remove references to DFHJVM
000031 /** $P3= D08500 630 030723 HDCQMDB : XPLink library changes
000032 /** $P4= D09282 630 031006 HD3SCWG : Increase region size to 64M
000033 /** $P5= D18467 650 070417 HD3SCWG : Remove SEYUAUTH
000034 /** $P6= D25567 660 090330 HD4IAEC : Update GCD AMP BUFSP
000035 /** D51430 680 120514 HDIDNCS : MEMLIMIT to 8G
000036 /** D41652 680 120614 HDJYISB : Add USSHOME + CICSSVC
Command ==>
Scroll ==> PAGE
4B TS002 043/015

```

PFSHOW ON

```

x3270-4 184.105.60.27
File Options

File Edit Edit.Settings Menu Utilities Compilers Test Help

VIEW          SYS1.PROCLIB(DFHSTART) - 01.22          Columns 00001 00072
*****
***** Top of Data *****
==MSG> -Warning- The UNDO command is not available until you change
==MSG> your edit profile using the command RECOVERY ON.
000001 /*******
000002 /**
000003 /**
000004 /**
000005 /** Licensed Materials - Property of IBM
000006 /**
000007 /** 5655-Y04
000008 /**
000009 /** (C) Copyright IBM Corp. 1991, 2016 All Rights Reserved.
000010 /**
000011 /**
000012 /**
000013 /**
000014 /** STATUS = 7.3.0
000015 /**
000016 /** CHANGE ACTIVITY :
000017 /**
000018 /** $MOD(DFHSTART),COMP(INSTALL),PROD(CICS) :
000019 /**
000020 /** PN= REASON REL YYMMDD HDXXIII : REMARKS
000021 /** $01= A29022 650 070221 HD4PALS : Migrate PK29022 from SPA R640
000022 /** $L0= Base 321 91 HD3SCWG : Base
000023 /** $L1= 839 630 030619 HDCQMDB : Convert JVM launcher and DTC to
000024 /** $L2= 852 640 040813 HD3SCWG : Add MQ library SCSQLOAD
000025 /** $L3= 852 640 040918 HD3SCWG : Add SCSQANLE SCSQCICS SCSQAUTH
000026 /** $L4= 807 650 051101 HD3SCWG : Add SEYUAUTH to STEPLIB
000027 /** $L5= R18731 670 100902 HDAFDRB : Update REG setting
000028 /** $L6= R00114 670 101118 HD3SCWG : Default REG to 1150M + MEMLIMIT
000029 /** $P1= D06371 630 030321 HDFVGB : Pull DFHSTART parms and DOCS int
000030 /** $P2= D07561 630 030516 HDCQMDB : Remove references to DFHJVM
000031 /** $P3= D08500 630 030723 HDCQMDB : XPLink library changes
000032 /** $P4= D09282 630 031006 HD3SCWG : Increase region size to 64M
000033 /** $P5= D18467 650 070417 HD3SCWG : Remove SEYUAUTH
000034 /** $P6= D25567 660 090330 HD4IAEC : Update GCD AMP BUFSP
Command ==>
F1=Help F2=Split F3=Exit F4=Expand F5=Rfind F6=Rchange
F7=Up F8=Down F9=Scroll F10=Left F11=Right F12=Cancel
TS002 041/015

```