


## Lab 2, Spring 22

These lab exercises will help you develop skills in using TSO and ISPF. These skills are required for performing lab exercises in the remainder of this text. To perform the lab exercises, each student or team needs a TSO user ID and password (for assistance, see the instructor).

### Logging on to z/OS and entering TSO commands


Establish a 3270 connection with z/OS using a workstation 3270 emulator and log on with your user ID (we will call this *yourid*). Enter the ISPF Primary Options Menu as you have in the previous labs. Then you will need to get to a **TSO READY** prompt. You can do this by either enter =exit from the Option line or just pressing the F3 key. You should see the screen below.



**PRINT THIS SCREEN AND LABEL IT “We are at the TSO READY Prompt.”**

### PROFILE

The Profile default is to PREFIX your commands with YOUR user id Note the screen below:




**PRINT THIS SCREEN AND LABEL IT “My Profile Prefix”**

### PROFILE NOPREFIX

## Lab 2, Spring 22

This command changes your profile so TSO will not place a prefix at the beginning of your commands. Specifying PROFILE PREFIX (with a value) or NOPREFIX (by itself) tells the system whether to use a value (such as your user ID) to find files in the system. NOPREFIX tells the system not to bother limiting the results to files beginning with your user ID (for example) as it would otherwise do by default.



The screenshot shows a TSO terminal window titled 'Vista TN3270 Session A'. The terminal displays the following commands and their outputs:


```
profile
IKJ56688I CHAR(0) LINE(0)  PROMPT  INTERCOM  NOPAUSE MSGID  NOMODE  WTPMS
G  NORECOVER NOPREFIX      PLANGUAG(ENU) SLANGUAG(ENU) VARSTORAGE(LOW)
IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL
READY
profile noprefix
READY
profile
IKJ56688I CHAR(0) LINE(0)  PROMPT  INTERCOM  NOPAUSE MSGID  NOMODE  WTPMS
G  NORECOVER NOPREFIX      PLANGUAG(ENU) SLANGUAG(ENU) VARSTORAGE(LOW)
IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL
READY
profile prefix
IKJ56700A ENTER PREFIX -
kc02071
READY
profile
IKJ56688I CHAR(0) LINE(0)  PROMPT  INTERCOM  NOPAUSE MSGID  NOMODE  WTPMS
G  NORECOVER PREFIX(KC02071) PLANGUAG(ENU) SLANGUAG(ENU) VARSTORAGE(LOW)
IKJ56689I DEFAULT LINE/CHARACTER DELETE CHARACTERS IN EFFECT FOR THIS TERMINAL
READY
```

The status bar at the bottom shows: Ma 0.0 09/02/11.245 08:38AM zos.kctr.marist.edu a 22,1

this screen and label it “MY PROFILE SETTINGS.” NOTE: If you don’t follow these directions carefully you may be locked out of your system and I will have to take precious class time to fix this so please pay attention.

## LISTC

The LISTCAT command (or LISTC, for short) lists the data sets in a particular catalog. Your 3270 emulator has a PA1 (attention) key. You can use the PA1 key to end the command output. **Note:** When you see the three asterisks (\*\*\*), it indicates that your screen is filled and there is more data. Press Enter to see more data or use the PA keypad to clear the screen (in the 3270 emulator, the PA keypad is on the top menu).



The screenshot shows a TSO terminal window titled 'Vista TN3270 Session A'. The terminal displays the output of the LISTC command:

```
LISTC
IN CATALOG:USERCAT, KCTR
KCB2071.AREA.CODES
KCB2071.ASM.DAT
KCB2071.ASM.SRC
KCB2071.CARLOG.LIST
KCB2071.CARTEST.LIB.SOURCE
KCB2071.CATE.DR1R1
KCB2071.CICSTST2.CNTL
KCB2071.COBOL.LIST
KCB2071.COBOL.LIST2
KCB2071.COBOL1.LIST
KCB2071.C12.$H3030.D1TYPE
KCB2071.C12.$H3030.HALFDATA
KCB2071.C12.$H3030.IEODGIN
KCB2071.C12.$H3030.LOABLD
KCB2071.C12.$H3030.PROCLD
KCB2071.C12.$H3030.SYSIN
KCB2071.DB2.INCLUDE
KCB2071.DD1R
KCB2071.DD1R.0
KCB2071.DD1R.1
KCB2071.DD1R.A
```

The status bar at the bottom shows: 8:51 AM

PRINT THIS SCREEN AND LABEL IT “My Catalog Items Listed”


## USING ISPF

Enter into the ISPF menu-driven interface of TSO by typing “ISPF” from the TSO READY Prompt.

### Navigating through the ISPF menu options and displaying datasets.


From the ISPF Primary Option Menu, do the following:

1. Select **3 (Utilities)**, then select **4 (Dslist)** from the Utility Selection Panel.
2. Enter **SYS1** on the Dsname Level input field and press Enter. You will see the following datasets:



**PRINT THIS SCREEN AND LABEL IT “SYS1 DATASETS”.**

3. Use F8 to page down or forward, F7 to page up or backward, F10 to shift left and F11 to shift right. Then exit back to the Data Set List Utility with F3.
4. Enter **SYS1.PROCLIB** on the Dsname Level input field and press Enter. You will see the following dataset listed.



**PRINT THIS SCREEN AND LABEL IT “THE SYS1.PROCLIB DATASET”**

## Lab 2, Spring 22

Enter v (view) in the command column to the left of SYS1.PROCLIB and press ENTER. You will see the following.

```
Menu Functions Confirm Utilities Help

VIEW      SYS1.PROCLIB      Row 00001 of 00075
Name      Prompt      Size  Created      Changed      ID
-----
$$$COTI0M 29 1983/12/15 1991/07/22 09:27:00 SYS1P0
ANFWPROC
AOPPRINT
AOPSTART
AOPSTOP
APIJPJCL
APPC
ASCH
ASCHINT
ASMAC
ASMACG
ASMACL
ASMACLG
ASMFCL    16 1978/08/02 1992/03/16 19:09:00 SYS1P0
ASMFCLG   25 1978/08/02 1992/03/16 19:10:00 SYS1P0
ASMFCL    29 1978/08/02 1992/03/16 19:10:00 SYS1P0
ASMFCLG   31 1978/08/02 1992/03/16 19:10:00 SYS1P0
Command ==> Scroll ==> PAGE
F1=Help  F2=Split F3=Exit  F5=Rfind F7=Up    F8=Down  F9=Swap
F10=Left F11=Right F12=Cancel
```

**PRINT THIS SCREEN AND LABEL IT “MEMBERS OF SYS1.PROCLIB”**

```
Menu Functions Confirm Utilities Help

VIEW      SYS1.PROCLIB      Row 00005 of 00075
Name      Prompt      Size  Created      Changed      ID
-----
AOPSTOP
APIJPJCL
APPC
ASCH
ASCHINT
ASMAC
ASMACG
ASMACL
ASMACLG
ASMFCL    16 1978/08/02 1992/03/16 19:09:00 SYS1P0
ASMFCLG   25 1978/08/02 1992/03/16 19:10:00 SYS1P0
ASMFCL    29 1978/08/02 1992/03/16 19:10:00 SYS1P0
ASMFCLG   31 1978/08/02 1992/03/16 19:10:00 SYS1P0
Command ==> Scroll ==> PAGE
F1=Help  F2=Split F3=Exit  F5=Rfind F7=Up    F8=Down  F9=Swap
F10=Left F11=Right F12=Cancel

File Edit Edit Settings Menu Utilities Compilers Test Help

VIEW      SYS1.PROCLIB(ASMACG) - 01.00      Columns 00001 00072
***** ***** Top of Data *****
--MSG-- -CAUTION- Profile changed to NUMBER ON STD (from NUMBER OFF).
--MSG-- Data has valid standard numbers.
--MSG-- -CAUTION- Profile changed to CAPS ON (from CAPS OFF) because the
--MSG-- data does not contain any lower case characters.
--MSG-- -Warning- the UNDO command is not available until you change
--MSG-- your edit profile using the command RECOVERY ON.
000010 //ASMACG
000020 ***
000030 //*** ASMACG
000040 //
000050 //** THIS PROCEDURE RUNS THE HIGH LEVEL ASSEMBLER AND WILL USE
000060 //** THE LOADER PROGRAM TO RUN THE NEWLY ASSEMBLED PROGRAM.
000070 //
000080 EXEC PGM=ASMA00
000090 //SYS1.00 DSN=SYS1.PROCLIB,DISP=SHR
000100 //SYSUT1 DSN=88SYSUT1.SPACE=(4096,(120,120),,ROUND),UNIT=VIO,
000110 //
000120 //
Command ==> Scroll ==> PAGE
F1=Help  F2=Split F3=Exit  F5=Rfind F6=Rchange F7=Up
F8=Down  F9=Swap F10=Left F11=Right F12=Cancel
```

**PRINT THIS SCREEN AND LABEL IT “Member [name of the member you selected] of the SYS1.PROCLIB DATASET”**

5. Enter PFSHOW OFF and then PFSHOW ON. What is the difference? How is this useful? **PRINT BOTH PFSHOW ON SCREEN AND PFSHOW OFF SCREEN and label them.**

**Now write on 100-200 words on what you have done, in grammatically correct business English prose. I will be grading for spelling, punctuation, and word usage. Post ONE DOCUMENT to the LMS.**