

Lab 3 Move/Copy

We now begin our practice with data sets. We will need to copy over several working libraries you don't have, so we will copy in existing libraries from user CWSEAY, who you have access to in READ ONLY mode.

Copying a Dataset

In this part of the lab we will copy a dataset that we will be using during the term.

1. Log in to the system, and bring up the ISPF screen.
2. From the main menu of ISPF enter 3 at the OPTION line. This will put you in the Utility panel.

```

Utility Selection Panel

Option ==> _____ More: +

1 Library      Compress or print data set. Print index listing. Print,
                rename, delete, browse, edit or view members
2 Data Set     Allocate, rename, delete, catalog, uncatalog, or display
                information of an entire data set
3 Move/Copy    Move, or copy members or data sets
4 Dslist       Print or display (to process) list of data set names.
                Print or display VTDC information
5 Reset        Reset statistics for members of ISPF library
6 Hardcopy     Initiate hardcopy output
7 Transfer     Download ISPF Client/Server or Transfer data set
8 Outlist      Display, delete, or print held job output
9 Commands     Create/change an application command table
11 Format      Format definition for formatted data Edit/Browse
12 SuperC      Compare data sets (Standard Dialog)
13 SuperCE     Compare data sets Extended (Extended Dialog)
14 Search-For  Search data sets for strings of data (Standard Dialog)
15 Search-ForE Search data sets for strings of data Extended (Extended Dialog)
16 Tables      ISPF Table Utility
F1=Help      F3=Exit      F10=Actions F12=Cancel

Ma 0.0 01/19/11.019 06:28PM zos.kctr.marist.edu a 4,14

```

3. From the Utility Selection Panel, enter 3 (Move/Copy).

```

Move/Copy Utility

Option ==> _____

C Copy data set or member(s)      CP Copy and print
M Move data set or member(s)      MP Move and print

Specify "From" Data Set below, then press Enter key

From ISPF Library:
Project . . . _____ (--- Options C and CP only ---)
Group . . . _____
Type . . . _____
Member . . . _____ (Blank or pattern for member list,
                        "*" for all members)

From Other Partitioned or Sequential Data Set:
Name . . . _____
Volume Serial . . . _____ (If not cataloged)

Data Set Password . . . _____ (If password protected)

F1=Help      F3=Exit      F10=Actions F12=Cancel

Ma 0.0 01/19/11.019 06:29PM zos.kctr.marist.edu a 4,14

```

4. We need to copy an important library, the LANG.SOURCE library that contains source code. In the 'From Other Partitioned or Sequential Data Set:' in the Name field, enter 'CWSEAY.LANG.SOURCE' (make sure you include the single quotes). Place a C in the Option field to indicate we want to copy the data. Press ENTER. **MAKE SURE TO USE SINGLE QUOTES.**

```

Vista T16270 Session A
File Edit Page Transfer Macro Options Window Help
Menu RefList Utilities Help

Move/Copy Utility

C Copy data set or member(s)      CP Copy and print
M Move data set or member(s)      MP Move and print

Specify "From" Data Set below, then press Enter key

From ISPF Library:
Project . . . _____ (--- Options C and CP only ---)
Group . . . _____ . . . _____ . . . _____
Type . . . _____
Member . . . _____ (Blank or pattern for member list,
                        "*" for all members)

From Other Partitioned or Sequential Data Set:
Name . . . . . 'ZPROF.ZSCHOLAR.LANG.SOURCE'
Volume Serial . . . _____ (If not cataloged)
Data Set Password . . . _____ (If password protected)

Option ==> C
F1=Help F3=Exit F10=Actions F12=Cancel

Ma 0.0 01/19/11.019 06:35PM zos.kctr.marist.edu a 18,25

```

5. In the TO filed, put LANG.SOURCE (the system will add your ID as a prefix for the dataset). The system will prompt you to make sure you want to copy the file. Press ENTER.

```

Vista T16270 Session A
File Edit Page Transfer Macro Options Window Help
Menu RefList Utilities Help

COPY From ZPROF.ZSCHOLAR.LANG.SOURCE

Specify "To" Data Set Below

To ISPF Library: Options:
Project . . . _____ Enter "/" to select option
Group . . . _____ Replace like-named members
Type . . . _____ Z Process member aliases

To Other Partitioned or Sequential Data Set:
Name . . . . . LANG.SOURCE
Volume Serial . . . _____ (If not cataloged)
Data Set Password . . . _____ (If password protected)

To Data Set Options:
Sequential Disposition Pack Option SCLM Setting
1 1. Mod 3 1. Yes 3 1. SCLM
2 2. Old 2 2. No 2 2. Non-SCLM
3 3. Default 3 3. As is

Command ==> C
F1=Help F3=Exit F10=Actions F12=Cancel

Ma 0.0 01/19/11.019 06:38PM zos.kctr.marist.edu a 13,25

```

6. Enter 1 to Allocate the same file attributes as the file we are copying, and press ENTER.

```

Menu RefList Utilities Help
C Allocate Target Data Set
S Specified data set KC03A38.LANG.SOURCE
T does not exist.
T If you wish to allocate this data set, select one of the options
D below.
T Allocation Options:
D 1 1. Allocate using the attributes of:
T ZPROF.ZSCHOLAR.LANG.SOURCE
D 2. Specify allocation attributes
T _ Use existing SMS attributes for option 1
D Instructions:
T Press ENTER to allocate data set.
T Command ==>
F1=Help F3=Exit F12=Cancel

3. Default 3. As is
Command ==>
F1=Help F3=Exit F10=Actions F12=Cancel
Ma 0.0 01/19/11.019 06:53PM zos.kctr.marist.edu a 11,9

```

Place 1 as above and press enter here

7. Place S's to ONE of the members of the dataset to mark them to be copied and press ENTER.

```

Menu Functions Utilities Help
COPY ZPROF.ZSCHOLAR.LANG.S TO KC03A38.LANG.SOURCE Row 00001 of 00015
Name Prompt Size Created Changed ID
S ASM
S ASMLE
S C
S CLIST
S CLIST2
S COB0B2
S COB0L 23 2005/08/29 2007/01/31 18:58:12 KC03AF0
S COB0L2
S C2
S MQ
S PLIOB2
S PL1
S PL12
S REXX
S REXX2
**End**
Command ==>
F1=Help F3=Exit F5=Rfind F12=Cancel
Ma 0.0 01/19/11.019 08:57PM zos.kctr.marist.edu a 23,15

```

8. This screen verifies that you have copied the members from the dataset CWSEAY.LANG.SOURCE TO YOURID.LANG.SOURCE. NOTE: if you see “NO-REPL” instead of “COPIED” that means the data set or member already exists.

```

COPY      ZPROF.ZSCHOLAR.LANG.S TO KC03A38.LANG.SOURCE  Row 00001 of 00015
Name      Prompt      Size      Created      Changed      ID
. ASM      *COPIED
. ASMLE    *COPIED
. C        *COPIED
. CLIST    *COPIED
. CLIST2   *COPIED
. COB0B2   *COPIED
. COB0L    *COPIED      23    2005/08/29    2007/01/31 18:58:12    KC03AF0
. COB0L2   *COPIED
. C2       *COPIED
. MQ       *COPIED
. PLI0B2   *COPIED
. PL1      *COPIED
. PL12     *COPIED
. REXX     *COPIED
. REXX2    *COPIED
**End**

Command ==>
F1=Help  F3=Exit  F5=Rfind  F12=Cancel
Ma 0.1 01/19/11.019 08:58PM zos.kctr.marist.edu a 23,15

```

You need two other libraries- LANG.LOAD and LANG.CNTL. Copy these libraries from the user CWSEAY’S data set as you did above, and take a screenshot verifying that you did so. Label each screen appropriately. **PLEASE MAKE SURE YOU COPY BOTH OF THESE LIBRARIES BECAUSE WE WILL NEED THEM.**

Now we are going to add **members** to the dataset **YOURID.LANG.SOURCE**

1. From the ISPF Main Menu, enter 3.4 (this will put you all the way into Dataset List Utility).

```

ISPF Primary Option Menu


0 Settings      Terminal and user parameters      User ID . : KC03A38
1 View         Display source data or listings      Time . . : 20:34
2 Edit         Create or change source data          Terminal : 3278
3 Utilities     Perform utility functions           Screen . : 1
4 Foreground   Interactive language processing      Language : ENGLISH
5 Batch        Submit job for language processing    Appl ID . : ISP
6 Command      Enter TSO or Workstation commands    TSO logon : IKJACCNT
7 Dialog Test  Perform dialog testing              TSO prefix: KC03A38
9 IBM Products IBM program development products  System ID : ADCC
10 SCLM        SW Configuration Library Manager    MVS acct. : ACCTH
11 Workplace   ISPF Object/Action Workplace        Release . : ISPF 5.9
12 DB2         DB2 interactive functions
13 SDSF        SDSF
0 +XDC         Interactive Debugging with XDC
1 IPCS         Interactive Problem Analysis

Enter X to Terminate using log/list defaults

Option ==> 3.4
F1=Help  F3=Exit  F10=Actions  F12=Cancel
Ma 0.0 01/19/11.019 08:35PM zos.kctr.marist.edu a 23,17

```

2. In the Dataset List Utility in the Dsname field Level (3.4 from the Main Options Panel), enter LANG.SOURCE (without the single quotes), and press ENTER.



```

Vista TR6270 Session A
File Edit Page Transfer Macro Options Window Help

Menu RefList RefMode Utilities Help

Data Set List Utility

blank Display data set list          P Print data set list      More: +
V Display VTOC information          PV Print VTOC information

Enter one or both of the parameters below:
Dsname Level . . . LANG.SOURCE
Volume serial . . .

Data set list options
Initial View
1. Volume
2. Space
3. Attrib
4. Total


Enter "/" to select option
/ Confirm Data Set Delete
/ Confirm Member Delete
/ Include Additional Qualifiers
/ Display Catalog Name
/ Display Total Tracks
/ Prefix Dsname Level

When the data set list is displayed, enter either:
Option ==>
F1=Help      F2=Split      F3=Exit      F7=Backward  F8=Forward  F9=Swap
F10=Actions  F12=Cancel

Me 0.0 09/02/14.245 12:31AM zos.kctr.marist.edu a 22,14

```

3. Put an E (you can use E to edit OR view). to the left of the dataset name and enter the dataset to view the members



```

Vista TR6270 Session A
File Edit Page Transfer Macro Options Window Help

Menu Options View Utilities Compilers Help


DSLIST - Data Sets Matching KC03A38.LANG.SOURCE Row 1 of 1

Command - Enter "/" to select action      Message      Volume
-----
e_ KC03A38.LANG.SOURCE                    KCTR20
***** End of Data Set list *****

Command ==>
F1=Help      F3=Exit      F5=Rfind  F12=Cancel
Scroll ==> PAGE

Me 0.0 01/19/11.019 09:05PM zos.kctr.marist.edu a 7,6


```



**PS THIS SCREEN AND LABEL IT “I have copied these files to my dataset
[YOURID].LANG.SOURCE”**

Now we will add the members.

- While in the dataset, enter S NEWMEM1 at the command line. This tells the system you want to add a member named NEWMEM1 to the dataset [YOURID].LANG.SOURCE



- You have created the member NEWMEM1 in dataset YOURID.LANG.SOURCE. Now you need to put some data in it. In the editing area as shown below, type Hey, this is a new member for dataset [YOURID].LANG.SOURCE

Vista TN3270 Session A

File Edit Font Transfer Macro Options Window Help

File Edit Edit_Settings Menu Utilities Compilers Test Help

```
EDIT          KC03A38.LANG.SOURCE(NEWMEM1) - 01.00          Columns 00001 00072
***** ***** Top of Data *****
==MSG> -Warning- The UNDO command is not available until you change
==MSG> your edit profile using the command RECOVERY ON.
```

HEY, THIS IS A NEWMEMBER FOR DATASET KC03A3.LANG.SOURCE_

Command ==>

Scroll ==> PAGE

F1=Help F3=Exit F5=Rfind F6=Rchange F12=Cancel

Mo 0.1 01/20/11.020 10:47PM zos.kctr.marist.edu A 11/59

Windows taskbar shows icons for Labs, XM, Vist..., Lab ..., and system clock at 10:47 PM.

PRINT THIS SCREEN AND LABEL IT "MY NEW MEMBER IN LANG.SOURCE"

6. Then press F3 to save the member.
7. Repeat steps 1-3 above to create two more members, NEWMEM2 and NEWMEM3. Add text to each member as you did for NEWMEM1.

Turn in: Your screenshots and a 100 to 200 word writeup describing what you have done and post it to Canvas.