Table 1: Principal internal reader comparisons. Values are percentages with conditional 95% bootstrap confidence intervals.

Cohort	Method	Sensitivity [95% CI]	Specificity [95% CI]
629	T2W DenseNet	57.04 [49.30, 64.79]	88.50 [85.63, 91.38]
629	Reader mean	46.01 [39.20, 52.58]	93.91 [92.20, 95.62]
474	T2W DenseNet	41.55 [33.80, 49.30]	86.75 [82.83, 90.36]
474	Reader mean	46.01 [39.20, 52.58]	91.67 [89.25, 93.78]
357	T2W DenseNet	30.28 [23.24, 38.05]	89.77 [85.58, 93.49]
357	Reader mean	46.01 [39.20, 52.58]	87.29 [83.41, 90.70]

Table 2: Paired differences between internal T2W DenseNet-121 and the arithmetic reader mean, in percentage points. Confidence intervals use the same 1,000 paired patient bootstrap replicates as Table 1. Intervals crossing zero do not establish equivalence.

Cohort	Metric	AI minus reader mean	95% CI
629	Sensitivity	11.03	[3.05, 18.78]
629	Specificity	-5.41	[-8.08, -2.80]
474	Sensitivity	-4.46	[-13.15, 3.76]
474	Specificity	-4.92	[-8.43, -1.41]
357	Sensitivity	-15.73	[-23.94, -7.51]
357	Specificity	2.48	[-2.48, 7.45]

Table 3: Evaluation on the same 357 histopathology-confirmed patients (142 high-risk, 215 low-risk). Broad and IPMN-only predictions and thresholds are frozen from the original tasks; histopathology-only rows use separately retrained models. Values are percentages. AUCs use pooled held-out probabilities; their intervals are conditional 95% bootstrap confidence intervals.

Evaluation	Training task	MRI	Sens	Spec	AUC [95% CI]
Internal	Broad	T1W	48.59	80.00	67.13 [61.39, 73.19]
Internal	Broad	T2W	57.04	78.60	67.26 [61.58, 73.02]
Internal	IPMN-only	T1W	45.77	81.40	66.51 [60.77, 72.61]
Internal	IPMN-only	T2W	41.55	80.93	62.15 [56.23, 68.60]
Internal	Histopathology-only	T1W	26.76	86.51	61.11 [55.05, 67.56]
Internal	Histopathology-only	T2W	30.28	89.77	62.35 [56.23, 68.90]
External	Broad	T1W	48.59	78.14	68.22 [62.45, 73.89]
External	Broad	T2W	49.30	76.74	72.01 [66.70, 77.25]
External	IPMN-only	T1W	36.62	84.19	62.21 [56.49, 68.31]
External	IPMN-only	T2W	47.89	84.19	64.63 [58.98, 70.46]
External	Histopathology-only	T1W	23.94	90.23	54.77 [48.29, 61.66]
External	Histopathology-only	T2W	64.08	71.16	66.58 [60.96, 72.34]

Table 4: Matched AUC summaries for the broad task. Internal and external estimates use the same patients within each modality (652 T1W; 655 T2W). Center means are unweighted averages over the same seven centers. Values are percentages; these are descriptive point estimates.

Method	MRI	Pooled int.	Pooled ext.	Center int.	Center ext.
Centralized	T1W	74.94	71.35	68.74	74.22
Centralized	T2W	78.17	77.49	68.57	71.18
FedAvg	T1W	71.35	66.90	67.82	73.12
FedAvg	T2W	68.63	65.15	61.99	72.28
FedProx (0.1)	T1W	73.27	62.54	69.61	73.80
FedProx (0.1)	T2W	66.85	74.18	61.25	68.61
FedProx (0.3)	T1W	74.20	65.89	72.83	72.09
FedProx (0.3)	T2W	65.72	62.35	59.42	71.00