CRITICAL CARE NURSING · LECTURE 5 · QUESTION BANK

General Traumas & Triage

الإصابات العامة والفرز — بنك الأسئلة

20	6	12
Past exam questions	NCLEX-style	Flashcards

المصادر اللي اتجمعت منها أسئلة المحاضرة دي:

أسئلة سابقة

جنب كل سؤال مصدره. لو السؤال اتكرر في كذا امتحان مكتوب كل مرة بمصدرها، وعليه علامة "تكرر". الإجابات كلها في آخر الملف.

اللَّهُمَّ لا سَهْلَ إِلَّا ما جَعَلْتَهُ سَهْلًا، وأنتَ تَجْعَلُ الحَزْنَ إذا شِئْتَ سَهْلًا — صلِّ على النبي ﷺ

Part A · Past Exam Questions

أسئلة الدفعات السابقة

1 أسئلة سابقة

A patient with which of the following conditions would be identified by the nurse as experiencing a critical illness ?

a. ChronicairflowlimitationwhoseBP:110/72mmHg, P:110b/m, R:16 br/min
b. Post car accident whoseBP:124/74mmHg, P:74b/m, R:18br/min
c. Acute bronchospasm and whose BP: 100/60 mmHg, P: 124 b/m, R: 32 br/min
d. Onhemodialysis whoseBP:98/50mmHg, P:108b/m, R:12 br/min

2 أسئلة سابقة

You have responded to a motor vehicle crash involving a small bus carrying (6) passengers and a driver and a tractor trailer with a driver. The bus appears to have rolled over and landed on its wheels in the roadway and the tractor trailer is jackknifed in a nearby ditch. Tag the following patients using the TRIAGE code - The driver of the tractor trailer who has been ejected from the vehicle and is trapped under the wheels. His pupils are dilated, and he is pulseless and non breathing (.....)

a. Red
b. Yellow
c. Green
d. Black

3 أسئلة سابقة

You have responded to a motor vehicle crash involving a small bus carrying (6) passengers and a driver and a tractor trailer with a driver. The bus appears to have rolled over and landed on its wheels in the roadway and the tractor trailer is jackknifed in a nearby ditch. An elderly woman who has no apparent injuries, but who is complaining of severe chest pain. She is pale and having obvious respiratory distress. (.....)

a. Red
b. Yellow
c. Green
d. Black

4 أسئلة سابقة

Youhaverespondedtoamotorvehiclecrashinvolvingasmallbuscarrying(6)passengersandadriver andatractortrailerwithadriver.Thebusappearstohaverolledoverandlandedonitswheelsinthe roadwayandthetractortrailerisjackknifedinanearbyditch. Ayoungwomanwhohasbilaterallowerlimbsbonesinjurieswithlimitationofmovement

a. Yellow
b. Black
c. Red
d. Green

5 أسئلة سابقة

You have responded to a motor vehicle crash involving a small bus carrying (6) passengers and a driver and a tractor trailer with a driver. The bus appears to have rolled over and landed on its wheels in the roadway and the tractor trailer is jackknifed in a nearby ditch. An approximately 15-year-old female who is screaming that her leg hurts

a. Green
b. Black
c. Yellow
d. Red

6 أسئلة سابقة

Which of the following nursing diagnosis should receive the highest priority

a. Impairedgas exchangerelatedto increasedbloodflow
b. Fluidvolume excess relatedto peripheralvascular disease
c. Risk for injuryrelatedtoedema
d. Altered peripheral tissue perfusion related to venous congestion

7 أسئلة سابقة

Which of the following is the triage category you would allocate for a 15 year old patient, who arrived at the ED with a small laceration on his forehead He says that he can't move his legs Upon assessment, he had a RR of 20 bt/min, strong pulses, and capillary refill time of less than 2 seconds

a. Black
b. Green
c. Red
d. Yellow

8 أسئلة سابقة

Triage' system is based upon the principle of treating

a. Patients in order of priority
b. Theonewho comes first
c. Thequickest andeasiest first
d. Thosewho complainthemost first

9 أسئلة سابقة

You would allocate which of the following triage tags for an elderly woman who is complaining of severe chest pain, pale and having obvious respiratory distress ?

a. Green
b. Red
c. Yellow
d. Black

10 أسئلة سابقة

Which of the following is a triage tags would be allocated for 75-year-old male with deep cuts to both forearms. Resp. rate 20. Capillary refill greater than 2secs. Alert and oriented

a. Red
b. Black
c. Green
d. Yellow

11 أسئلة سابقة

Which of the following is a triage tags would be allocated for a 34-year-old man who is unresponsive with exposed brain matters ?

a. Red
b. Black
c. Green
d. Yellow

12 A patient is admitted to the emergency department with head trauma resulting from an accident. The patient opens both eyes to painful stimuli, makes incomprehensible sounds, and flexes to pain. Using the Glasgow Coma Scale, which score will the nurse document in the ?patient's medical record

أسئلة سابقة

a. 8
b. 9
c. 12
d. 15

13 A catastrophic disaster has occurred 5 miles from the hospital you are working in. The hospital's disaster plan is activated and the wounded are brought to the hospital. You're helping triage the survivors. One of the wounded is able to walk around and has minor lacerations on the arms, hands, chest, and legs. You would place what color tag on this survivor?

أسئلة سابقة

a. Red
b. Yellow
c. Green
d. Black

14 Which of the following is expected to occur during compensatory stage of shock?

أسئلة سابقة

a. Secretion of antidiuretic hormone
b. Decreased heart rate and cardiac contractility
c. Inhibition of aldosterone secretion
d. Vasodilation to increase systemic vascular resistance

15 Which of the following interventions should the nurse consider for a patient who has been admitted with cardiogenic shock?

أسئلة سابقة

a. Broad spectrum antibiotics
b. Starting rapid fluid infusion
c. Administering Morphine IV
d. Starting inotropic medications

16 Which of the following conditions can lead to obstructive shock?

أسئلة سابقة

a. Cardiac tamponade
b. Severe hemorrhage
c. Myocardial infarction
d. Spinal analgesia

17 When assessing a patient who is experiencing anaphylactic shock, which of the following could be an expected manifestation:

أسئلة سابقة

a. Hypertension
b. Bronchospasm
c. Bradycardia
d. Polyuria

18 While assessing chest sounds for a patient with cardiogenic shock, inspiratory crackles were heard, this may be due to:

أسئلة سابقة

a. Bronchospasm
b. Pulmonary congestion
c. Airway narrowing
d. Cardiac tamponade

19 Which of the following is an assessment finding that will help the nurse to confirm a diagnosis of neurogenic shock?

أسئلة سابقة

a. Inspiratory crackles
b. Heart rate 45 beats/min
c. Cool, clammy extremities
d. Temperature 101.2°F (38.4°C)

20 Which of the following drug classes is typically used to treat neurogenic shock? Beta-blocker Loop diuretic Vasopressors Calcium-channel blocker Upon assessment of a patient in the ED, which of the following could be a sign of septic shock? 1. Hyperthermia 2.Confusion 3. Tachycardia 4.Poor Skin Turgor 1,2,3 1,3,4 1,2,4 2,3,4 The following is the treatment of choice to Hypovolemic shock: _Provide a large amount of oral fluids _Administer intramuscular vasopressors _Administer large volume of 0.45 normal saline _Quickly replace fluids intravenously as possible Which of the following findings indicates that rehydration is successfully achieved in a patient with hypovolemic shock ? HCT = 54% CVP = 8 mm Hg MAP = 45 mm Hg HCO3= 24 mEq/I Which of the following lab. results indicate that a patient with shock, has anaerobic metabolism? Amonia 18 m/dl Potassium 4.5 mEq/dl Serum Lactate 9 mmol/l Bicarbonate 23 mEq/dl During....stage of shock , the signs and symptoms are very subtle. However, cells are experiencing ...due to the lack of tissue perfusion, which causes the cells to switch from... metabolism to... metabolism. A. Proliferative, hyperoxia, anaerobic, aerobic B. Initial, hypoxia, aerobic, anaerobic C. Compensatory, hypoxia, anaerobic, aerobic D. Fibrotic, hypoxia, aerobic, anaerobic During what stage of shock does the body attempt to utilize the hormonal, neural, and biochemical responses of the body? A. Refractory B. Initial C. Proliferative D. Compensatory During shock, when a patient experiences a drop in cardiac output, the body tries to compensate by stimulating the sympathetic nervous system, which causes the release of ...and....This will lead to? A. acetylcholine and dopamine, vasodilation B. epinephrine and norepinephrine, vasodilation C. dopamine and epinephrine, vasoconstriction D. norepinephrine and epinephrine, vasoconstriction During what stage of shock is the unable to compensate for tissue perfusion and the body's cell start to experience hypoxic injury that result in.... capillary permeability? A. Refractory, increased B. Intial, decreased C. Compensatory, increased D. Progressive, increased All types of shock during the compensatory (early) stage will cause a patient to experience cold and clammy (moist or sweaty) skin. True False Which stage of shock is irreversible and unmanageable? A. Progressive B. Initial C. Compensatory D. Refractory The first-line of treatment for a patient with anaphylaxis is to administer:

أسئلة سابقة

a. Epinephrine
b. Norepinephrine
c. Dopamine hydrochloride
d. Dobutamine hydrochloride

Part B · NCLEX-Style Practice

أسئلة على طريقة NCLEX (إضافة)

N1 In START triage, a patient who can walk is tagged: NCLEX

a. Red
b. Yellow
c. Green
d. Black

N2 The 'golden hour' refers to: NCLEX

a. The first hour after admission to ICU
b. The critical period after injury when definitive care improves survival
c. Time to surgery after diagnosis
d. First hour of shift

N3 Select ALL components of the primary survey. SELECT ALL

a. Airway with C-spine protection
b. Breathing
c. Circulation and hemorrhage control
d. Disability (neuro)
e. Detailed history

N4 Which type of shock is caused by cardiac tamponade? NCLEX

a. Hypovolemic
b. Obstructive
c. Distributive
d. Cardiogenic

N5 An expected finding in the compensatory stage of shock is: NCLEX

a. Bradycardia
b. Secretion of ADH and tachycardia
c. Vasodilation
d. Polyuria

N6 A black triage tag indicates: NCLEX

a. Immediate care
b. Delayed care
c. Minor
d. Deceased or expectant

Part C · Quizlet Flashcards

كروت مراجعة سريعة

غطّي العمود الأبيض بورقة واختبر نفسك: شوف المصطلح وقول التعريف.

Trauma	Physical injury by external force.	**Golden hour**	First hour after injury.
Primary survey	ABCDE.	**Secondary survey**	Head-to-toe + history (AMPLE).
START triage	Red immediate, yellow delayed, green minor, black dead.	**Shock types**	Hypovolemic, cardiogenic, distributive, obstructive.
Obstructive shock	Tamponade, tension pneumothorax, PE.	**Anaphylaxis**	Bronchospasm; epinephrine first.
Cardiogenic shock	Inotropes; crackles from pulmonary congestion.	**Compensatory stage**	ADH, tachycardia, vasoconstriction.
Trauma triad	Hypothermia, acidosis, coagulopathy.	**Mechanism of injury**	Blunt vs penetrating.

Answer Key

الإجابات

1. c — Acute bronchospasm and whose BP: 100/60 mmHg, P: 124 b/m, R: 32 br/min

2. d — Black

3. a — Red

4. a — Yellow

5. d — Red

6. d — Altered peripheral tissue perfusion related to venous congestion

7. d — Yellow

8. a — Patients in order of priority

9. b — Red

10. a — Red

11. b — Black

12. a — 8

13. c — Green

14. a — Secretion of antidiuretic hormone

15. d — Starting inotropic medications

16. a — Cardiac tamponade

17. b — Bronchospasm

18. b — Pulmonary congestion

19. b — Heart rate 45 beats/min

20. a — Epinephrine

N1. c — Green
Walking wounded = minor (green).

N2. b — The critical period after injury when definitive care improves survival
Rapid assessment and treatment in the first hour reduces mortality.

N3. a, b, c, d — Airway with C-spine protection; Breathing; Circulation and hemorrhage control; Disability (neuro)
History belongs to the secondary survey.

N4. b — Obstructive
Obstruction to cardiac filling/outflow.

N5. b — Secretion of ADH and tachycardia
Sympathetic and hormonal compensation.

N6. d — Deceased or expectant
Red immediate, yellow delayed, green minor, black dead/expectant.