PEDIATRIC NURSING (THEORY) · LECTURE 11 · QUESTION BANK

Nephrotic Syndrome & AGN

المتلازمة الكلوية والتهاب الكلى الحاد — بنك الأسئلة

75	6	12
Past exam questions	NCLEX-style	Flashcards

المصادر اللي اتجمعت منها أسئلة المحاضرة دي:

أسئلة سابقة · كويز 2 – 2022 · كويز 2 – 2021 · ميدترم 2024 (ترم أول 2023-2024) · ميدترم 2022

جنب كل سؤال مصدره. لو السؤال اتكرر في كذا امتحان مكتوب كل مرة بمصدرها، وعليه علامة "تكرر". الإجابات كلها في آخر الملف.

اللَّهُمَّ لا سَهْلَ إِلَّا ما جَعَلْتَهُ سَهْلًا، وأنتَ تَجْعَلُ الحَزْنَ إذا شِئْتَ سَهْلًا — صلِّ على النبي ﷺ

Part A · Past Exam Questions

أسئلة الدفعات السابقة

1 ميدترم 2022

The nurse assessing a child with acute post-streptococcal glomerulonephritis should be alert for which finding?

a. Weight gain
b. Increased urine output
c. Hypotension
d. Tea-colored urine

2 ميدترم 2022

A nurse is assigned to care for a child with nephrotic syndrome. Which important parameter should be assessed daily? تكرر في 2 مصادر

a. Blood urea nitrogen
b. Weight
c. Height
d. Activity tolerance

3 ميدترم 2024 (ترم أول 2023-2024)

A parent of a child with glomerulonephritis asks why the urine is an abnormal color. The nurse's best response is:

a. The urine is discolored because the child is receiving antihypertensives
b. There is blood in the child's urine that causes it to be tea-colored
c. Change of diet often causes the urine to be tea-colored
d. The child's urine is very concentrated, so it appears abnormal

4 ميدترم 2024 (ترم أول 2023-2024)

Which area of potential disturbance should be a prime consideration when planning ongoing nursing care for a child with nephrotic syndrome?

a. Body image
b. Sexual maturation
c. Muscle coordination
d. Intellectual development

5 A parent asks the nurse how to prevent the child from having minimal change nephrotic syndrome again. The nurse's best response is: تكرر في 2 مصادر — كويز 2 – 2021

a. Keep the child away from sick playmates
b. It is rare for a child to have a relapse after recovery
c. Decrease sodium in the child's diet
d. Unfortunately, relapses cannot be prevented

6 Which of the following signs and symptoms are characteristic of nephrotic syndrome? — كويز 2 – 2022

a. Hypertension, edema, hematuria
b. Hypertension, edema, proteinuria
c. Gross hematuria, fever, proteinuria
d. Poor appetite, edema, proteinuria

7 A parent asks the nurse how to prevent the child from having nephrotic syndrome again. The nurse's best response is: — كويز 2 – 2022

a. Unfortunately, relapses cannot be prevented
b. Decrease sodium in the child's diet
c. Keep the child away from sick playmates
d. It is rare for a child to have a relapse after recovery

8 Which finding typically is the earliest sign of improvement in a child with acute glomerulonephritis? — كويز 2 – 2022

a. Increased urine output
b. Increased appetite
c. Increased energy level
d. Decreased diarrhea

9 Nephrotic syndrome is primarily characterized by: — أسئلة سابقة

a. Hematuria
b. High creatinine levels
c. Massive proteinuria
d. Urinary tract obstruction

10 The most common cause of nephrotic syndrome in children is: — أسئلة سابقة

a. FSGS
b. Membranous nephropathy
c. Minimal change disease
d. Lupus nephritis

11 A key difference between nephritis and nephrosis is: — أسئلة سابقة

a. Foamy urine in nephritis
b. Inflammation in nephrosis
c. Edema in nephritis only
d. Inflammation is a main feature of nephritis

12 Which of the following is a complication of nephrotic syndrome? — أسئلة سابقة

a. Hypotension
b. Weak immune system (infection)
c. Hyperkalemia
d. Anemia

13 Which diagnostic tool confirms kidney tissue damage? — أسئلة سابقة

a. CT scan
b. Urinalysis
c. Blood test
d. Kidney biopsy

أسئلة سابقة

14 **Nephritis is commonly caused by:**

a. Hyperlipidemia
b. Autoimmune diseases
c. Minimal change disease
d. Nephrotoxic drugs only

أسئلة سابقة

15 **Which medication is used to manage high cholesterol in nephrosis?**

a. Furosemide
b. Atorvastatin
c. Penicillin
d. Prednisone

أسئلة سابقة

16 **In nephritis, which symptom is common?**

a. Massive proteinuria
b. Foamy urine
c. Hypertension
d. Severe hyperlipidemia

أسئلة سابقة

17 **Which dietary recommendation is common for both nephritis and nephrosis?**

a. High-sodium intake
b. High-protein diet
c. Low-protein, low-sodium diet
d. No dietary restrictions

أسئلة سابقة

18 **What is the purpose of corticosteroids in nephritis treatment?**

a. Lower blood pressure
b. Control fluid retention
c. Treat infections
d. Reduce inflammation

أسئلة سابقة

19 **The nurse a child with acute post streptococcal glomerulonephritis should be alert for which finding**

a. Weight gain
b. Increased urine output
c. Hypotension
d. Tea colored urine

أسئلة سابقة

20 **Which finding typically is the earliest sign of improvement in case of child with acute glomerulonephritis**

a. Increased urine output
b. Increased appetite
c. Increased energy level

أسئلة سابقة

21 **Glomerulonephritis refers to inflammation of the glomeruli of the kidneys. (True / False)**

a. True
b. False

أسئلة سابقة

22 **Acute post-streptococcal GN (APSGN) is the less common post-infectious renal disease. (True / False)**

a. True
b. False

أسئلة سابقة

23 **Acute glomerulonephritis incidence in males to females is:**

a. 2:1
b. 1:2
c. 1:1

24 The following are considered methods of diagnosing AGN: أسئلة سابقة

a. Urinalysis
b. History and clinical manifestations
c. Physical examination
d. Laboratory findings
e. All of the above

25 Therapeutic treatment of AGN includes all of the following except أسئلة سابقة

a. Antibiotic such as penicillin
b. Antihypertensive
c. Anticonvulsant
d. Diuretics
e. Antihistaminic

26 A parent of a child with glomerulonephritis asks the nurse why the urine is abnormal color the nurse's best response is أسئلة سابقة

a. The urine is discolored because the child is receiving antihypertensive
b. There is blood in the child's urine that causes it to be tea colored
c. Change diet often causes the urine to be tea colored
d. Child's urine is very concentrated so it appears to be abnormal

27 Nursing management of AGN includes أسئلة سابقة

a. Restrict protein intake
b. Maintain potassium and fluid restrictions
c. Monitor heart rate and RR

28 A 5-year-old male with AGN has mild facial edema, tea-colored urine and BP 165/110. Which interventions will you include in his plan of care? (Select all that apply) أسئلة سابقة

a. Initiate and maintain a high-sodium diet daily
b. Monitor intake and output hourly
c. Encourage ambulation every 2 hours while awake
d. Assess color of urine after every void
e. Weigh the patient daily on a standing scale
f. Encourage the patient to consume 4 L of fluid per day

29 While providing care to a pediatric patient with acute glomerulonephritis, you note the urine output to be 10 mL/hr. The patient weighs 30 lbs. As the nurse, you will want to limit what type of foods from the patient's diet? أسئلة سابقة

a. Calcium-rich foods
b. Potassium-rich foods
c. Purine -rich foods
d. None of the above because the patient's urinary output is normal based on the patient's weight.

30 A patient who is experiencing poststreptococcal glomerulonephritis has edema mainly in the face and around the eyes. As the nurse, you know to expect the edema to be more prominent during the? أسئلة سابقة

a. Evening
b. Afternoon
c. Morning
d. Bedtime

31 Which patient below is at MOST RISK for developing acute glomerulonephritis? أسئلة سابقة

a. A 3 year old male who has a positive ASO titer.
b. A 5 year old male who is recovering from an appendectomy.
c. An 18 year old male who is diagnosed with HIV.
d. A 6 year old female newly diagnosed with measles.

32 Which of the following are NOT signs and symptoms of acute post-streptococcal glomerulonephritis? (Select all that apply) أسئلة سابقة

a. Hypotension
b. Increased glomerular filtration rate
c. Cola-colored urine
d. Massive proteinuria
e. Elevated BUN and creatinine
f. Mild swelling in the face or eyes

33 Post-streptococcal glomerulonephritis is a type of NEPHROTIC syndrome, meaning both RBCs and protein leak from the inflamed glomerulus. (True / False) أسئلة سابقة

a. True
b. False

34 Within the past month, the admission rate of patients with poststreptococcal glomerulonephritis has doubled on your unit. You are proving an in-service to your colleagues about this condition. Which statement is CORRECT about this condition? أسئلة سابقة

a. "This condition tends to present 6 months after a strep infection of the throat or skin."
b. "It is important the patient consumes a diet rich in potassium based foods due to the risk of hypokalemia."
c. "Patients are less likely to experience hematuria with this condition."
d. "This condition is not caused by the streptococcal bacteria attacking the glomerulus, but by the immune system's response to the bacteria by creating an antigen-antibody complex which inflames the glomerulus."

35 Glomerulonephritis (nephritic syndrome) is a kidney disorder. This disorder affects the glomeruli (clusters of microscopic blood vessels with small pores through which blood is filtered). Glomerulonephritis is characterized by swelling (edema), high blood pressure, and which of the following? أسئلة سابقة

a. Red blood cells in urine
b. An inability to urinate
c. An increased desire for salt
d. Extreme thirst

36 Acute glomerulonephritis most often occurs as a complication of which of the following? أسئلة سابقة

a. A back injury
b. Poor nutrition
c. A streptococcal infection
d. A viral infection

37 Urinalysis results include proteinuria, many red blood cells and red blood cell casts, and 1-2 white blood cells per high power field. Which of the following diseases best fits with these findings? أسئلة سابقة

a. Acute cystitis
b. Acute pyelonephritis
c. Chronic pyelonephritis
d. Acute post-streptococcal glomerulonephritis
e. Minimal change disease

38 The nurse is caring for a child admitted with acute glomerulonephritis. Which of the following clinical manifestations would likely have been noted in the child with this diagnosis? أسئلة سابقة

a. Smoky colored urine
b. Jaundiced skin
c. Strawberry red tongue
d. Loose, dark stools

39 A child diagnosed acute glomerulonephritis will most likely have a history of which of the following? أسئلة سابقة

a. Recent illness such as strep throat
b. Hemorrhage or history of bruising easily
c. Sibling diagnosed with the same disease
d. Hearing loss with impaired speech development

40 A school nurse is trying to prevent poststreptococcal glomerulonephritis in children. Which of the following would be the best way to prevent this? أسئلة سابقة

a. Prophylactic antibiotics after strep throat are important.
b. Tell parents to give ibuprofen if their child has a sore throat.
c. All children in the child's class should be tested for strep throat if there is a positive.
d. Encourage the child to take all the antibiotics if diagnosed with strep throat.

41 You obtain a history from the mother of a child with glomerulonephritis about how he became ill. Which of the following would you expect her to tell you she noticed? أسئلة سابقة

a. Headache, loss of appetite
b. Dark brown urine
c. Loss of weight, oliguria
d. Diuresis and pallor

42 The caregiver of a child being treated at home for acute glomerulonephritis calls the nurse reporting that her daughter has just had a convulsion. The child is resting comfortably but the caregiver would like to know what to do. The nurse would instruct the caregiver to do which of the following actions? أسئلة سابقة

a. Give the child fluids and report back to the nurse in a few hours.
b. Take the child's blood pressure and report the findings to the nurse while the nurse is still on the phone.
c. Give the child a diuretic and report back to the nurse in a few hours.
d. Weigh the child in the same clothes

43 A symptom often seen in acute glomerulonephritis is edema. The most common site the edema is first noted is in which area of the body? أسئلة سابقة

a. Sacrum
b. Eyes
c. Hands
d. Ankles

44 A child has been admitted to the hospital with a diagnosis of acute glomerulonephritis. During history-taking the nurse first asks the child's parents about a recent history of: أسئلة سابقة

a. Bleeding ulcer
b. Deep vein thrombosis
c. Myocardial infarction
d. Streptococcal infection

45 The child has been diagnosed to have glomerulonephritis. What should the nurse observe in the urine? أسئلة سابقة

a. Blood
b. Pus
c. White blood cells
d. Glucose

46 You're collecting a urine sample on a patient who is experiencing proteinuria due to nephrotic syndrome. As the nurse, you know the urine will appear: أسئلة سابقة

a. Tea-colored
b. Orange and frothy
c. Dark and foamy
d. Straw-colored

47 The characteristic features of nephrotic syndrome are? أسئلة سابقة

a. Heavy proteinuria (greater than 3.5 g/24 hr in adults or 40 mg/sq.m/hr in children)
b. Hypoalbunemia (less than 2.5 g/dL)
c. Edema
d. Hyperlipidemia
e. All the above

48 Which of the following are uncommon findings in a patient with idiopathic nephrotic syndrome? أسئلة سابقة

a. Abdominal pain
b. Anorexia and Irritability
c. Hypertension
d. Gross hematuria
e. Both C and D

49 Which of the following statements about nephrotic syndrome are true? أسئلة سابقة

a. Most children (90%) with nephrotic syndrome have a form of idiopathic nephrotic syndrome
b. Minimal change disease (85%) is the most common cause of idiopathic nephrotic syndrome
c. The remaining 10% who do not have idiopathic NS have secondary NS related to systemic or glomerular diseases such as membranous nephropathy or membranoproliferative glomerulonephritis
d. All the above statements are true

50 A patient is diagnosed with nephrotic syndrome. Which signs and symptoms are common in this condition? أسئلة سابقة

a. Foamy, frothy urine
b. Massive proteinuria
c. Edema
d. Hypoalbuminemia
e. All of the above
f. None of the above

51 Select the most common type of medications that may be ordered by a physician to treat nephrotic syndrome: أسئلة سابقة

a. Corticosteroids
b. Antihypertensives
c. Diuretics
d. Both a and c

52 Each of the following features are characteristic of the nephrotic syndrome except: أسئلة سابقة

a. Marked proteinuria
b. Hypoalbuminemia
c. Edema
d. Hypertension

53 The child with nephrotic syndrome who has ascites and difficulty breathing is probably most comfortable sleeping in which position? أسئلة سابقة

a. Supine
b. Sims' position
c. Prone
d. Fowler's

54 In caring for a child with nephrotic syndrome, which of the following interventions will be included in the child's plan of care? أسئلة سابقة

a. Ambulating three to four times a day
b. Testing the urine for glucose levels regularly
c. Increasing fluid intake by 50 cc an hour
d. Weighing on the same scale each day

55 The nurse is caring for a child with nephrotic syndrome. The child is noted to have edema. The edema would most likely be seen where on this child? أسئلة سابقة

a. Sacrum
b. Abdomen
c. Eyes and ankles
d. Fingers

56 The nurse is caring for an 8-year-old hospitalized child with nephrotic syndrome. Which of the following nursing interventions would be appropriate for this child? أسئلة سابقة

a. Test the urine for ketones twice a day
b. Weigh the child once a week.
c. Administer antipyretics as needed.
d. Measure the abdominal girth daily.

57 An 11-year-old boy presents to your office with pitting edema and proteinuria exceeding 3.5g in 24 hours. You suspect that this patient has experienced a loss of polyanions in his glomerular basement membranes. Which of the following findings would confirm your diagnosis? أسئلة سابقة

a. WBC casts in the urine
b. RBC casts in the urine
c. Selective albuminuria
d. Negatively birefringent crystals in the urine
e. Bence-Jones proteinuria

58 Three-year-old Carlo has been admitted to the pediatric unit with a tentative diagnosis of nephrotic syndrome. The diagnosis of Idiopathic Nephrotic Syndrome has been confirmed. Which unexpected finding would the nurse report? أسئلة سابقة

a. Proteinuria
b. Distended abdomen
c. Blood in the urine
d. Elevated serum lipid levels

59 Three-year-old Carlo has been admitted to the pediatric unit with a tentative diagnosis of nephrotic syndrome. Carlo's potential for impairment of skin integrity is related to: أسئلة سابقة

a. Joint inflammation
b. Drug therapy
c. Edema
d. Generalized body rash

60 Prednisone is prescribed for Carlo. The nurse evaluate its effectiveness by

أسئلة سابقة

a. Checking his BP every 4 hours
b. Checking his urine for protein
c. Weighing him each morning before breakfast
d. Observing him for behavioral changes

61 A 6 year old male is diagnosed with nephrotic syndrome. In your nursing care plan you will include which of the following as a nursing diagnosis for this patient?

أسئلة سابقة

a. Risk for infection
b. Deficient fluid volume
c. Constipation
d. Overflow urinary incontinence

62 Which patient below is NOT at risk for developing nephrotic syndrome?

أسئلة سابقة

a. An 8 year old male with diabetes mellitus.
b. A 5 year old female diagnosed with minimal change disease.
c. A 10 year old male with Lupus.
d. A 7 year old male recently diagnosed with Goodpasture's Syndrome.

63 The mother of a child recently diagnosed with nephrotic syndrome asks how to identify early signs of relapse. You tell her to monitor the child for:

أسئلة سابقة

a. Weight loss
b. Protein in the urine using an over-the-counter kit
c. Tea-colored urine
d. Swelling in the legs, hands, face, or abdomen
e. A and C
f. B and D

64 A student describes the signs and symptoms of nephrotic syndrome. Which statements require re-education? (Select all that apply)

أسئلة سابقة

a. Slight proteinuria
b. Hypoalbuminemia
c. Edema
d. Hyperlipidemia
e. Tea-colored urine
f. Hypertension

65 You're providing care to a 6-year-old male patient who is receiving treatment for nephrotic syndrome. Which assessment finding below requires you to notify the physician immediately?

أسئلة سابقة

a. Frothy, dark urine
b. Redden area on the patient's left leg that is swollen and warm
c. Elevated lipid level on morning labs
d. Urine test results that shows proteinuria

66 As the nurse, you know that it is important to implement a low sodium diet for a patient with nephrotic syndrome. However, it is important to implement what other type of diet due to another complication associated with this syndrome?

أسئلة سابقة

a. Low-phosphate
b. Low-fat
c. High-carbohydrate
d. Low-potassium

67 A parent asks the nurse how to prevent the child from having minimal change nephrotic syndrome again the nurse's best response تكرر في 2 مصادر

أسئلة سابقة

a. Keep the child away from sick playmates
b. It is rare for a child to have a relapse after recovery
c. Decrease sodium in child
d. Unfortunately, relapses, cannot be prevented

68 A nurse is assigned to care for a child with nephrotic syndrome which important parameter should be assessed daily تكرر في 2 مصادر

أسئلة سابقة

a. Blood urea nitrogen
b. Weight
c. Height
d. Activity tolerance

69 Which of the following signs and symptoms are characteristics of the nephrotic syndrome?

أسئلة سابقة

a. Hypertension, edema, hematuria
b. Hypertension, edema, proteinuria
c. Gross hematuria, fever, proteinuria
d. Por appetite, edema, proteinuria

70 A parent asks the nurse how to prevent the child form having nephrotic syndrome again the nurse's best response is

أسئلة سابقة

a. Unfortunately, relapses, cannot be prevented
b. Decrease sodium in child diet
c. Keep the child away from sick playmates
d. It is rare a child to have a relapse after recovery

71 Which of the following areas of potential disturbances should be a prime consideration when planning ongoing nursing care for child with nephrotic syndrome

أسئلة سابقة

a. Body image
b. Sexual maturation
c. Muscle coordination
d. Intellectual development

72 Nephrotic syndrome is a clinical state that characterized by

أسئلة سابقة

a. Massive proteinuria
b. Hypoproteinemia
c. Sever edema
d. Hyperlipidemia
e. All of the above

73 Secondary NS is idiopathic nephrosis or minimal change nephrotic syndrome

أسئلة سابقة

a. True
b. False

74 All of the following considered therapeutic management of nephrotic syndrome except

أسئلة سابقة

a. Corticosteroids
b. Antibiotic
c. Alkylating agent
d. Analgesic
e. I.V albumin

75 Relapse considered one of complication of NS

أسئلة سابقة

a. True
b. False

Part B · NCLEX-Style Practice

أسئلة على طريقة NCLEX (إضافة)

N1 The classic triad of nephrotic syndrome includes: NCLEX

a. Hematuria, hypertension, oliguria
b. Massive proteinuria, hypoalbuminemia, edema
c. Fever, rash, arthritis
d. Polyuria, polydipsia, weight loss

N2 A child with AGN has tea-colored urine. The nurse explains this is due to: NCLEX

a. Medication
b. Hematuria
c. Bilirubin
d. Concentrated urine

N3 Select ALL appropriate nursing actions for a child with nephrotic syndrome. SELECT ALL

a. Weigh daily on the same scale
b. Measure abdominal girth daily
c. Protect from infection
d. Encourage a high-sodium diet
e. Provide meticulous skin care

N4 AGN most commonly follows which infection? NCLEX

a. Viral hepatitis
b. Group A beta-hemolytic streptococcal throat or skin infection
c. Urinary tract infection
d. Measles

N5 The earliest sign of improvement in AGN is: NCLEX

a. Increased appetite
b. Increased urine output (diuresis)
c. Normal ESR
d. Weight gain

N6 The first-line drug for idiopathic (minimal change) nephrotic syndrome is: NCLEX

a. Penicillin
b. Prednisone (corticosteroids)
c. Digoxin
d. Furosemide alone

Part C · Quizlet Flashcards

كروت مراجعة سريعة

غطّي العمود الأبيض بورقة واختبر نفسك: شوف المصطلح وقول التعريف.

Nephrotic syndrome	Massive proteinuria, hypoalbuminemia, edema, hyperlipidemia.	**Minimal change disease**	Most common cause of childhood NS (~85%); steroid-responsive.
NS urine	Dark, frothy/foamy.	**NS edema**	Periorbital (morning) → generalized, ascites.
NS key nursing	Daily weight, abdominal girth, skin care, infection prevention, body image.	**NS relapse prevention**	Avoid sick contacts (infection triggers relapse).

AGN	Immune-complex glomerulonephritis 1–3 weeks after group A strep infection.
AGN urine	Tea/cola-colored (hematuria), oliguria, mild proteinuria.
AGN signs	Periorbital edema, hypertension, oliguria, hematuria.
AGN improvement sign	Increased urine output.
AGN with convulsion	Suspect hypertensive encephalopathy — check BP.
Nephritic vs nephrotic	Nephritic: RBCs + protein, HTN. Nephrotic: massive protein only.

Answer Key

الإجابات

1. d — Tea-colored urine

2. b — Weight

3. b — There is blood in the child's urine that causes it to be tea-colored

4. a — Body image

5. a — Keep the child away from sick playmates

6. d — Poor appetite, edema, proteinuria

7. c — Keep the child away from sick playmates
واتصحّح غلط ✗ — الإجابة (decrease sodium) في الصورة الطالب اختار الصح: keep the child away from sick playmates (العدوى أشهر سبب للانتكاس).

8. a — Increased urine output

9. c — Massive proteinuria
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

10. c — Minimal change disease
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

11. d — Inflammation is a main feature of nephritis
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

12. b — Weak immune system (infection)
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

13. d — Kidney biopsy
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

14. b — Autoimmune diseases
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

15. b — Atorvastatin
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

16. c — Hypertension
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

17. c — Low-protein, low-sodium diet
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

18. d — Reduce inflammation
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

19. d — Tea colored urine

20. a — Increased urine output

21. a — True

22. b — False

23. a — 2:1

24. c — All of the above

25. c — Antihistaminic

26. b — There is blood in the child's urine that causes it to be tea colored

27. a — Restrict protein intake
الأدق حسب الملخص: تقييد الصوديوم والبروتين يتقيّد بس لو في oliguria، والسوائل والبوتاسيوم في حالة الـ azotemia. إجابة البنك: restrict protein.

28. b, d, e — Monitor intake and output hourly; Assess color of urine after every void; Weigh the patient daily on a standing scale

29. b — Potassium-rich foods

30. c — Morning

31. a — A 3 year old male who has a positive ASO titer.

32. a, b, d — Hypotension; Increased glomerular filtration rate; Massive proteinuria

33. b — False
APSGN is a NEPHRITIC syndrome (RBCs + protein leak); nephrotic syndrome = protein only.

34. d — "This condition is not caused by the streptococcal bacteria attacking the glomerulus, but by the immune system's response to the bacteria by creating an antigen-antibody complex which inflames the glomerulus."

35. a — Red blood cells in urine

36. c — A streptococcal infection

37. d — Acute post-streptococcal glomerulonephritis

38. a — Smoky colored urine

39. a — Recent illness such as strep throat

40. d — Encourage the child to take all the antibiotics if diagnosed with strep throat.

41. b — Dark brown urine

42. b — Take the child's blood pressure and report the findings to the nurse while the nurse is still on the phone.

43. b — Eyes

44. d — Streptococcal infection

45. a — Blood

46. c — Dark and foamy

47. e — All the above

48. e — Both C and D

49. d — All the above statements are true

50. c — All of the above

51. a — Corticosteroids

52. d — Hypertension

53. d — Fowler's

54. d — Weighing on the same scale each day

55. c — Eyes and ankles

56. d — Measure the abdominal girth daily.

57. c — Selective albuminuria

58. c — Blood in the urine

59. c — Edema

60. b — Checking his urine for protein

61. a — Risk for infection

62. d — A 7 year old male recently diagnosed with Goodpasture's Syndrome.

63. f — B and D

64. a, e, f — Slight proteinuria; Tea-colored urine; Hypertension

65. b — Redden area on the patient's left leg that is swollen and warm

66. b — Low-fat

67. a — Keep the child away from sick playmates

68. b — Weight

69. d — Por appetite, edema, proteinuria

70. c — Keep the child away from sick playmates

71. a — Body image

72. e — All of the above

73. b — False

74. d — Analgesic

75. a — True

N1. b — Massive proteinuria, hypoalbuminemia, edema
Nephrotic syndrome = massive proteinuria, hypoalbuminemia, generalized edema (± hyperlipidemia).

N2. b — Hematuria
Immune-complex glomerular inflammation lets RBCs leak into the urine, giving a cola/tea color.

N3. a, b, c, e — Weigh daily on the same scale; Measure abdominal girth daily; Protect from infection; Provide meticulous skin care
Monitor fluid status, protect edematous skin and prevent infection (steroids + protein loss); sodium is restricted during edema.

N4. b — Group A beta-hemolytic streptococcal throat or skin infection
Post-streptococcal GN appears 1–3 weeks after a streptococcal pharyngitis or impetigo.

N5. b — Increased urine output (diuresis)
Diuresis is the first sign of recovery, followed by reduction in edema and blood pressure.

N6. b — Prednisone (corticosteroids)
Most children with minimal change disease respond to corticosteroids.