PEDIATRIC NURSING (THEORY) · LECTURE 4 · QUESTION BANK

GIT Congenital Anomalies

العيوب الخلقية في الجهاز الهضمي — بنك الأسئلة

51	6	12
Past exam questions	NCLEX-style	Flashcards

المصادر اللي اتجمعت منها أسئلة المحاضرة دي:

ميدترم 2020 · ميدترم 2021 · ميدترم 2022 · ميدترم 2024 (ترم أول 2023-2024) · كويز 1 – 2021 · كويز 1 – 2022 · كويز 1 (ملف Quiz 1 and 2) · كويز 1 – ترم تاني 2025 · كويز 1 إعادة – ترم تاني 2023/2024 · كويز 1 – 2023/2024 (شعبة 4) · كويز 1 أطفال نظري (Microsoft Forms) · كويز (ملف DOC-2022) · تجميعة صور ميدترمات سابقة · أسئلة سابقة

جنب كل سؤال مصدره. لو السؤال اتكرر في كذا امتحان مكتوب كل مرة بمصدرها، وعليه علامة "تكرر". الإجابات كلها في آخر الملف.

اللَّهُمَّ لا سَهْلَ إِلَّا ما جَعَلْتَهُ سَهْلًا، وأنتَ تَجْعَلُ الحَزْنَ إذا شِئْتَ سَهْلًا — صلِّ على النبي ﷺ

Part A · Past Exam Questions

أسئلة الدفعات السابقة

1 Which of the following is the nurse's priority in the plan of care for an infant admitted with pyloric stenosis? تكرر في 4 مصادر — ميدترم 2020

a. Evaluate hydration status
b. Assess tissue perfusion
c. Assess respiratory status
d. Maintain thermoregulation

2 A newborn's failure to pass meconium within 24 hours after birth indicates which of the following? تكرر في 2 مصادر — ميدترم 2020

a. Intussusception
b. Abdominal wall defect
c. Imperforate anus
d. Aganglionic megacolon

3 When the nurse observes that the infant has respiratory distress and the apical pulse is auscultated on the right side, the nurse suspects the infant has: تكرر في 3 مصادر — ميدترم 2020

a. Pyloric stenosis
b. Cleft palate
c. Diaphragmatic hernia
d. Biliary atresia

4 For an infant undergoing surgery to repair tracheo-esophageal fistula, it is essential that nursing care is directed toward prevention of: تكرر في 2 مصادر — ميدترم 2020

a. Projectile vomiting
b. Dehydration
c. Aspiration
d. Abdominal distension

5 The position of choice postoperatively for a child with cleft palate is: تكرر في 2 مصادر — ميدترم 2020

a. Upright
b. On one side
c. Prone
d. Supine

6 A nurse is assessing a neonate with esophageal atresia. Which finding should the nurse expect to encounter? تكرر في 2 مصادر — ميدترم 2021

a. Presence of feeding reflexes
b. Increase in saliva
c. Gastric tube easily passed
d. Feeding without difficulty

7 A priority post-operative care for an infant with cleft lip and palate is: تكرر في 3 مصادر — ميدترم 2022

a. Protect the operative site from infection and injury
b. Provide family support and education
c. Spend good time and play with the infant
d. Provide a safe environment to prevent falling

8 Preoperatively, an infant with biliary atresia must be provided with ..... formula: تكرر في 2 مصادر — ميدترم 2022

a. Intravenous routine for age
b. Water-soluble vitamin containing
c. High-caloric fatty total parenteral
d. A regular routine age group

9 When planning care for the infant with cleft lip and palate, the priority nursing action is: تكرر في 2 مصادر — ميدترم 2024 (ترم أول 2023-2024)

a. Burp the baby frequently
b. Temporarily avoid breastfeeding
c. Put the child in supine position
d. Prevent the baby from crying

10 The position of choice postoperatively for a child with cleft palate is: تكرر في 2 مصادر — كويز 1 – 2021

a. Supine
b. Prone
c. Upright
d. One side

11 The main goal of preoperative nursing care for a newborn with esophageal atresia with tracheoesophageal fistula is: تكرر في 2 مصادر — كويز 1 – 2021

a. Promote growth
b. Maintain skin intact
c. Prevent aspiration
d. Prevent pain

12 Which of the following is expected to be found in a child with congenital diaphragmatic hernia? — كويز 1 – 2022

a. A palpable mass in the right upper quadrant
b. Scaphoid abdomen and diminished breath sounds
c. Weight loss and bloody diarrhea
d. Severe, crampy abdominal pain and lethargy

13 Which data does the nurse expect to find when assessing a child with pyloric stenosis? — كويز 1 – 2022

a. Watery diarrhea
b. Projectile vomiting
c. Increased urine output
d. Vomiting large amounts of bile

14 Which clinical manifestations would the nurse expect to observe while caring for the child diagnosed with intussusception? تكرر في 2 مصادر

كويز 1 – 2023/2024 (شعبة 4)

a. Currant jelly stool
b. Foul-smelling stool
c. Dark brown stool
d. Watery stool

15 Which clinical manifestations would the nurse expect to assess in the child diagnosed with Hirschsprung's disease? تكرر في 2 مصادر

كويز 1 – 2023/2024 (شعبة 4)

a. Bloody diarrhea, fever, and vomiting
b. Irritability, severe abdominal cramps and fecal soiling
c. Constipation and passage of ribbon-like stool
d. Respiratory distress and scaphoid abdomen

16 Preoperative care for an infant with biliary atresia includes providing formula with:

كويز 1 إعادة – ترم ثاني 2023/2024

a. Artificial milk
b. Low sugar
c. Water-soluble vitamins
d. High salt

17 A priority post-operative care for an infant with cleft lip and palate is to:

كويز 1 إعادة – ترم ثاني 2023/2024

a. Protect the operative site from infection or injury
b. Keep a safe environment to prevent falling
c. Provide family support and education
d. Spend good time and play with the infant

18 Which of the following is expected to be found while assessing a child with congenital diaphragmatic hernia?

كويز 1 – ترم ثاني 2025

a. Severe abdominal distension
b. Diminished breathing sounds
c. Weight loss and bloody diarrhea
d. Severe, crampy abdominal pain

19 Which of the following is an important preoperative nursing intervention for a child with Hirschsprung disease?

كويز 1 – ترم ثاني 2025

a. Limiting the child's fluid intake
b. Avoid giving stool softeners or enemas
c. Providing large frequent feedings
d. Measure abdominal girth periodically

20 Which clinical manifestations would the nurse expect to assess in a child diagnosed with Hirschsprung's disease?

كويز 1 (ملف Quiz 1 and 2)

a. Constipation and passage of ribbon-like stool
b. Irritability, severe abdominal cramps and fecal soiling
c. Respiratory distress and scaphoid abdomen
d. Bloody diarrhea, fever, and vomiting

21 Which of the following is the nurse's priority in the plan of care for an infant admitted with pyloric stenosis? تكرر في 4 مصادر

كويز 1 أطفال نظري (Microsoft Forms)

a. Assesses respiratory status
b. Evaluates hydration status
c. Assesses tissue perfusion
d. Maintains thermoregulation

22 A priority post-operative care for an infant with cleft lip and palate is: كويز 1 أطفال نظري (Microsoft Forms)

تكرر في 3 مصادر

a. Provides family support and education
b. Provides a safe environment to prevent falling
c. Spends good time and plays with infants
d. Protects operative sites from infection and injury

23 The nurse is caring for a 4-month-old who has just had an isolated cleft lip repaired. Select the best position in the immediate post-operative period: كويز (ملف DOC-2022)

تكرر في 2 مصادر

a. Prone
b. Supine
c. Left side-lying
d. Right side-lying

24 The nurse monitors a newborn with a suspected diagnosis of imperforate anus. Which is a clinical manifestation associated with this disorder? كويز (ملف DOC-2022) تكرر في 2 مصادر

a. The passage of currant jelly-like stools
b. Palpated mass in the abdomen
c. Failure to pass meconium immediately after birth
d. Bile-stained fecal emesis

25 Which of the following is the nurse's priority in the plan of care for an infant admitted with pyloric stenosis? تجميعة صور ميدترمات سابقة تكرر في 4 مصادر

a. Assess respiratory status
b. Maintain thermoregulation
c. Evaluate hydration status
d. Assess tissue perfusion

26 For an infant undergoing surgery to repair tracheo-esophageal fistula, it is essential that nursing care is directed toward prevention of: تجميعة صور ميدترمات سابقة تكرر في 2 مصادر

a. Projectile vomiting
b. Abdominal distension
c. Dehydration
d. Aspiration

27 When the nurse observes that the infant has respiratory distress and the apical pulse is auscultated on the right side, the nurse suspects the infant has: تجميعة صور ميدترمات سابقة

تكرر في 3 مصادر

a. Pyloric stenosis
b. Biliary atresia
c. Cleft palate
d. Diaphragmatic hernia

28 For an infant undergoing surgery to repair tracheo-esophageal fistula, it is essential that nursing care is directed toward prevention of: تجميعة صور ميدترمات سابقة تكرر في 2 مصادر

a. Projectile vomiting
b. Abdominal distension
c. Dehydration
d. Aspiration

29 The nurse is reviewing the record of a child with a diagnosis of Hirschsprung disease. Which data should the nurse expect to note? تجميعة صور ميدترمات سابقة

a. Ribbon-like, foul-smelling stools
b. Jaundice, pruritus, irritability
c. Increased urine output
d. Projectile vomiting

30 For an infant undergoing surgery to repair tracheo-esophageal fistula, it is essential that nursing care is directed toward prevention of: تكرر في 2 مصادر تجميعة صور ميدترمات سابقة

a. Projectile vomiting
b. Dehydration
c. Aspiration
d. Abdominal distension

31 Which of the following is the nurse's priority in the plan of care for an infant admitted with pyloric stenosis? تكرر في 4 مصادر تجميعة صور ميدترمات سابقة

a. Evaluate hydration status
b. Assess tissue perfusion
c. Assess respiratory status
d. Maintain thermoregulation

32 A newborn's failure to pass meconium within 24 hours after birth indicates which of the following? تكرر في 2 مصادر تجميعة صور ميدترمات سابقة

a. Intussusception
b. Abdominal wall defect
c. Imperforate anus
d. Aganglionic megacolon

33 A newborn's failure to pass meconium within 24 hours after birth indicates which of the following? تكرر في 2 مصادر تجميعة صور ميدترمات سابقة

a. Intussusception
b. Imperforate anus
c. Abdominal wall defect
d. Aganglionic megacolon

34 When the nurse observes that the infant has respiratory distress and the apical pulse is auscultated on the right side, the nurse suspects the infant has: تكرر في 3 مصادر تجميعة صور ميدترمات سابقة

a. Pyloric stenosis
b. Cleft palate
c. Diaphragmatic hernia
d. Biliary atresia

35 When the child has forceful projectile vomiting and visible gastric peristalsis, the nurse anticipates that the infant has ..... تجميعة صور ميدترمات سابقة

a. Intussusception
b. Extrahepatic biliary atresia
c. Hypertrophic pyloric stenosis
d. Hirschsprung disease

36 A priority post-operative care for an infant with cleft lip and palate is: تكرر في 3 مصادر أسئلة سابقة

a. Protect operative site from infection and injury.
b. Provide family support and education.
c. Spend good time and play with infant.
d. Provide safe environment to prevent falling.

37 Preoperatively, an infant with biliary atresia must be provided with.....formula: أسئلة سابقة
تكرر في 2 مصادر

a. Intravenous routine for age.
b. Water soluble vitamin containing.
c. High caloric fatty total parenteral.
d. A regular routine age group.

38 Position of choice postoperatively to child with cleft palate is: أسئلة سابقة

a. Supine
b. Prone
c. Upright
d. One side

39 The main goal of preoperative nursing care for a new born with esophageal atresia with tracheoesophageal fistula تكرر في 2 مصادر أسئلة سابقة

a. Promote growth
b. Maintain skin intact
c. Prevent aspiration
d. Prevent pain

40 Which of the following is the nurses' priority in the plan of care for an infant admitted with pyloric stenosis? تكرر في 4 مصادر أسئلة سابقة

a. Assess respiratory status
b. Maintain thermo-regulation
c. Evaluate hydration status
d. Assess tissue perfusion

41 For an infant undergoes surgery to repair tracheo-esophageal fistula, it is essential that the nursing care directed toward prevention of: أسئلة سابقة

a. Aspiration
b. Abdominal distension
c. Projectile vomiting
d. Dehydration

42 When the nurse observes that the infant has respiratory distress and the apical pulse auscultated on the right side; the nurse suspect the infant has: تكرر في 3 مصادر أسئلة سابقة

a. Pyloric stenosis
b. Biliary atresia
c. Cleft palate
d. Diaphragmatic hernia

43 The nurse is reviewing the record of a child with a diagnosis of Hirschsprung's Disease. Which data should the nurse expect to note? أسئلة سابقة

a. Rkibbon like, foul-smelling stools
b. Jaundice. Pruritus, irritability
c. Increased urine output
d. Projectile vomiting

44 A newborn's failure to pass meconium within 24 hours after birth indicate which of the following? أسئلة سابقة

a. Intussusception
b. Abdominal wall defect
c. Imperforated anus
d. A ganglionic mega colon

45 When the child has forceful projectile vomiting and visible gastric peristalsis. Based on these findings, the nurse anticipates that the infant has..... أسئلة سابقة

a. Intussusception
b. Extra hepatic biliary atresia
c. Hypertrophic pyloric stenosis
d. Hirschsprngs' disease.

46 A nurse is assessing a neonate with esophageal atresia. Which finding should the nurse expect to encounter? تكرر في 2 مصادر أسئلة سابقة

a. Presence of feeding reflexes.
b. Increase in saliva.
c. Gastric tube easily passed.
d. Feeding without difficulty.

47 The nurse is caring for a 4-month-old who has just had an isolated cleft lip repaired. Select the best position for the child in the immediate post-operative period تكرر في 2 مصادر أسئلة سابقة

a. Prone
b. Supine.
c. Left side-lying
d. Right side-lying.

48 The nurse monitors a newborn with a suspected diagnosis of imperforate anus. Which is a clinical manifestation associated with this disorder ? تكرر في 2 مصادر أسئلة سابقة

a. The passage of currant jelly-like stools.
b. Palpated mass in the abdomen.
c. Failure to pass meconium immediately after birth.
d. Bile-stained fecal emesis

49 Which clinical manifestations would the nurse expect to assess in the child diagnosed with Hirschsprung's disease? تكرر في 2 مصادر أسئلة سابقة

a. Constipation and passage of ribbon- like stool.
b. Irritability, severe abdominal cramps and fecal soiling.
c. Respiratory distress and scaphoid abdomen.
d. Bloody diarrhea, fever, and vomiting.

50 Which clinical manifestations would the nurse expect to observe while caring for the child diagnosed with intussusception? تكرر في 2 مصادر أسئلة سابقة

a. Currant jelly stool
b. Foul-smelling stool
c. Dark brown stool
d. Watery stool

51 When planning care for the infant with cleft lip and palate, the priority nursing action is: تكرر في 2 مصادر أسئلة سابقة

a. Burp the baby frequently.
b. Temporarily avoid breastfeed
c. Put the child in supine position.
d. Prevent the baby from crying

Part B · NCLEX-Style Practice

أسئلة على طريقة NCLEX (إضافة)

N1 A newborn has frothy saliva, choking and cyanosis with the first feed. The nurse suspects: NCLEX

a. Pyloric stenosis
b. Esophageal atresia with TEF
c. Hirschsprung disease
d. Cleft lip

N2 **Preoperative positioning of an infant with EA/TEF is:** NCLEX

a. Flat supine
b. Head elevated 30–40° (prone or supine) with continuous suction of the pouch
c. Trendelenburg
d. Left side with head down

N3 **Select ALL expected findings in hypertrophic pyloric stenosis.** SELECT ALL

a. Projectile non-bilious vomiting
b. Olive-shaped mass in the right upper quadrant
c. Visible peristaltic waves
d. Currant-jelly stools
e. Hypochloremic metabolic alkalosis

N4 **After cleft lip repair, which device protects the suture line?** NCLEX

a. Mittens only
b. Elbow restraints and a Logan bow
c. Abdominal binder
d. Prone positioning

N5 **Which finding is typical of Hirschsprung disease in an older child?** NCLEX

a. Bloody diarrhea
b. Chronic constipation with ribbon-like, foul-smelling stools and abdominal distension
c. Projectile vomiting
d. Jaundice and clay stools

N6 **A newborn with congenital diaphragmatic hernia is in respiratory distress. The nurse should position the infant:** NCLEX

a. On the unaffected side
b. With head elevated and on the affected side
c. Prone with head down
d. Trendelenburg

Part C · Quizlet Flashcards

كروت مراجعة سريعة

غطّي العمود الأبيض بورقة واختبر نفسك: شوف المصطلح وقول التعريف.

Cleft lip post-op position	Supine or side-lying (never prone) + elbow restraints + Logan bow.	**Cleft palate post-op position**	Prone/side to drain secretions.
Cleft feeding	Upright, special nipple, burp frequently.	**EA/TEF signs**	3 C's: coughing, choking, cyanosis + excessive drooling; NG tube can't pass.
EA/TEF pre-op	NPO, head up 30–40°, continuous suction of upper pouch, gastrostomy.	**Pyloric stenosis**	Projectile non-bilious vomiting, olive mass RUQ, visible peristalsis, metabolic alkalosis.

Pyloric stenosis priority	Correct dehydration/electrolytes before pyloromyotomy.
Hirschsprung	Aganglionic colon; no meconium in 24–48 h; ribbon-like foul stools; distension.
Intussusception	Telescoping bowel; colicky pain, sausage mass, currant-jelly stool.
Imperforate anus	No anal opening; failure to pass meconium; check with first temperature.
Diaphragmatic hernia	Scaphoid abdomen, respiratory distress, bowel sounds in chest, heart sounds shifted right.
Biliary atresia	Jaundice, clay stools, dark urine; formula with fat-soluble vitamins/MCT pre-op (Kasai).

Answer Key

الإجابات

1. a — Evaluate hydration status

2. c — Imperforate anus
و imperforate anus: «في صورة الامتحان مكتوب «الإجابتين صح الاتنين بيسببوا عدم نزول العقي aganglionic megacolon (Hirschsprung).

3. c — Diaphragmatic hernia

4. c — Aspiration

5. c — Prone

6. b — Increase in saliva

7. a — Protect the operative site from infection and injury

8. b — Water-soluble vitamin containing

9. a — Burp the baby frequently

10. b — Prone

11. c — Prevent aspiration

12. b — Scaphoid abdomen and diminished breath sounds

13. b — Projectile vomiting

14. a — Currant jelly stool

15. c — Constipation and passage of ribbon-like stool

16. c — Water-soluble vitamins

17. a — Protect the operative site from infection or injury

18. b — Diminished breathing sounds

19. d — Measure abdominal girth periodically

20. a — Constipation and passage of ribbon-like stool

21. b — Evaluates hydration status

22. d — Protects operative sites from infection and injury

23. b — Supine

24. c — Failure to pass meconium immediately after birth

25. c — Evaluate hydration status

26. d — Aspiration

27. d — Diaphragmatic hernia

28. d — Aspiration

29. a — Ribbon-like, foul-smelling stools

30. c — Aspiration

31. a — Evaluate hydration status

32. c — Imperforate anus
و imperforate anus: «في صورة الامتحان مكتوب «الإجابتين صح الاتنين بيسببوا عدم نزول العقي aganglionic megacolon (Hirschsprung).

33. b — Imperforate anus
و imperforate anus: «في صورة الامتحان مكتوب «الإجابتين صح الاتنين بيسببوا عدم نزول العقي aganglionic megacolon (Hirschsprung).

34. c — Diaphragmatic hernia

35. c — Hypertrophic pyloric stenosis

36. a — Protect operative site from infection and injury.

37. b — Water soluble vitamin containing.

38. b — Prone

39. c — Prevent aspiration

40. c — Evaluate hydration status

41. a — Aspiration

42. d — Diaphragmatic hernia

43. a — Rkibbon like, foul-smelling stools

44. c — Imperforated anus
و imperforate anus: «في صورة الامتحان مكتوب «الإجابتين صح الاتنين بيسببوا عدم نزول العقي aganglionic megacolon (Hirschsprung).

45. c — Hypertrophic pyloric stenosis

46. b — Increase in saliva.

47. b — Supine.

48. c — Failure to pass meconium immediately after birth.

49. a — Constipation and passage of ribbon- like stool.

50. a — Currant jelly stool

51. a — Burp the baby frequently.

N1. b — Esophageal atresia with TEF
The 3 C's (coughing, choking, cyanosis) and excessive drooling are classic for EA/TEF; feeding must stop immediately.

N2. b — Head elevated 30–40° (prone or supine) with continuous suction of the pouch
Elevating the head and continuous suction reduce reflux and aspiration of secretions.

N3. a, b, c, e — Projectile non-bilious vomiting; Olive-shaped mass in the right upper quadrant; Visible peristaltic waves; Hypochloremic metabolic alkalosis
Currant-jelly stool belongs to intussusception; vomiting HCl leads to hypochloremic metabolic alkalosis.

N4. b — Elbow restraints and a Logan bow
Elbow restraints keep hands away from the lip and a Logan bow reduces tension; position supine or on the side, never prone, after lip repair.

N5. b — Chronic constipation with ribbon-like, foul-smelling stools and abdominal distension
Absence of ganglion cells → no peristalsis in the affected segment → obstruction, distension and ribbon-like stools.

N6. b — With head elevated and on the affected side
Lying on the affected side with head elevated lets the unaffected lung expand; avoid bag-mask ventilation that inflates the bowel.