MATERNAL & NEWBORN HEALTH NURSING · LECTURE 7 · QUESTION BANK

Antenatal Care

رعاية الحامل (متابعة الحمل) — بنك الأسئلة

17	8	13
Past exam questions	NCLEX-style	Flashcards

المصادر اللي اتجمعت منها أسئلة المحاضرة دي:

أسئلة سابقة · فاينال 2019–2020 (بنك الأسئلة) · ميدترم 2021–2022 · ميدترم 2022–2023

جنب كل سؤال مصدره. لو السؤال اتكرر في كذا امتحان مكتوب كل مرة بمصدرها، وعليه علامة "تكرر". الإجابات كلها في آخر الملف.

اللَّهُمَّ لا سَهْلَ إِلَّا ما جَعَلْتَهُ سَهْلًا، وأنتَ تَجْعَلُ الحَزْنَ إذا شِئْتَ سَهْلًا — صلِّ على النبي ﷺ

Part A · Past Exam Questions

أسئلة الدفعات السابقة


1 Which danger sign should be reported promptly during the antepartum period? — ميدترم 2022–2023

a. Constipation
b. Breast tenderness
c. Nasal stuffiness
d. Leaking amniotic fluid

2 Which fundal height indicates less than 12 weeks' gestation? — ميدترم 2022–2023

a. Uterus in the pelvis
b. Uterus at the xiphoid
c. Uterus in the abdomen
d. Uterus at the umbilicus

3 The midwife has just palpated the fundal height at the location noted on the picture (just below the xiphoid process). It is likely that the client is how many weeks pregnant? — ميدترم 2021–2022



a. 20 weeks
b. 28 weeks
c. 36 weeks
d. 40 weeks

4 A pregnant woman on her first antepartum visit has a 2-year-old son born at 40 weeks, a 5-year-old daughter born at 38 weeks, 7-year-old twin daughters born at 35 weeks, and a spontaneous abortion 3 years ago at 10 weeks. Her GTPAL is: ميدترم 2022–2021

a. G4 T3 P2 A1 L4
b. G5 T2 P2 A1 L4
c. G5 T2 P1 A1 L4
d. G4 T3 P1 A1 L4

5 Gravida refers to which of the following descriptions? ميدترم 2022–2021

a. A serious pregnancy
b. Number of times a female has been pregnant
c. Number of children a female has delivered
d. Number of term pregnancies a female has had

6 If the LMP is January 30, the expected date of delivery (EDD) is approximately: ميدترم 2022–2021

a. Oct. 7
b. Oct. 30
c. Nov. 7
d. Nov. 30

7 Shoes with low, broad heels plus good posture will prevent which prenatal discomfort? ميدترم 2022–2021

a. Backache
b. Vertigo
c. Leg cramps
d. Nausea

8 A pregnant client's LMP was September 10, 2019. Using Naegele's rule her EDD will be: تكرر في 2 مصادر فاينال 2020–2019 (بنك الأسئلة)

a. June 10, 2020
b. June 17, 2019
c. June 17, 2020
d. July 10, 2020

9 The nurse counsels a low-risk woman at 20 weeks' gestation to schedule her routine prenatal visits every: تكرر في 2 مصادر فاينال 2020–2019 (بنك الأسئلة)

a. 1 week
b. 2 weeks
c. 3 weeks
d. 4 weeks

10 To help reduce breast tenderness in the first trimester, the nurse tells the client to: أسئلة سابقة

a. Avoid wearing a bra
b. Wash nipples daily with soap and massage with lotion
c. Wear tight-fitting blouses for support
d. Wash the breasts with warm water and keep them dry

11 The first day of a client's last menstrual period was September 19, 2013. Using Naegele's rule, the estimated date of confinement is: أسئلة سابقة

a. July 26, 2013
b. June 12, 2014
c. June 26, 2014
d. July 12, 2014

12 A client pregnant with twins has a healthy 5-year-old delivered at 36 weeks 6 days and no history of abortion or fetal demise. Her GTPAL is: أسئلة سابقة

a. G3 T2 P0 A0 L1
b. G2 T0 P1 A0 L1
c. G1 T1 P1 A0 L1
d. G2 T0 P0 A0 L1

13 A pregnant client's LMP was September 10, 2019. Using Naegele's rule her EDD will be: أسئلة سابقة
تكرر في 2 مصادر

a. June 10, 2020
b. June 17, 2019
c. June 17, 2020
d. July 10, 2020

14 The nurse counsels a low-risk woman at 20 weeks' gestation to schedule her routine prenatal visits every: أسئلة سابقة
تكرر في 2 مصادر

a. 1 week
b. 2 weeks
c. 3 weeks
d. 4 weeks

15 Which finding in a primipara in the second trimester is abnormal and requires further testing? أسئلة سابقة

a. Consistent increase in fundal height
b. Fetal heart rate of 180 bpm
c. Braxton Hicks contractions
d. Quickening

16 A pregnant client's hemoglobin and hematocrit are low, indicating anemia. The nurse determines that the client is at risk for: أسئلة سابقة

a. A loud mouth
b. Low self-esteem
c. Hemorrhage
d. Postpartum infections

17 A nullipara is a woman who has delivered several times before. (True / False) أسئلة سابقة

a. True
b. False

Part B · NCLEX-Style Practice

أسئلة على طريقة NCLEX (إضافة)

N1 LMP is March 10. Using Naegele's rule, the EDD is: NCLEX

a. December 17
b. December 10
c. January 17
d. November 17

N2 A woman is pregnant for the 4th time; she had one term birth, one preterm birth (twins, both alive) and one miscarriage. Her GTPAL is: NCLEX

a. G4 T1 P1 A1 L3
b. G4 T2 P1 A1 L3
c. G3 T1 P1 A1 L2
d. G4 T1 P2 A1 L3

N3 Select ALL danger signs a pregnant woman should report immediately. SELECT ALL

a. Vaginal bleeding
b. Leaking of amniotic fluid
c. Severe headache with blurred vision
d. Decreased fetal movement
e. Mild ankle edema at night
f. Nasal stuffiness

N4 A low-risk woman at 32 weeks asks how often to come. The nurse answers: NCLEX

a. Every 4 weeks
b. Every 2 weeks
c. Every week
d. Only if problems occur

N5 Fundal height at the umbilicus corresponds to about: NCLEX

a. 12 weeks
b. 16 weeks
c. 20 weeks
d. 36 weeks

N6 To relieve backache in pregnancy, the nurse advises: NCLEX

a. High-heeled shoes
b. Low, broad-heeled shoes and good posture/pelvic tilt
c. Bed rest
d. Lifting with the back

N7 A woman at 10 weeks complains of morning nausea. Best advice: NCLEX

a. Drink large amounts of fluid with meals
b. Eat dry crackers before rising and small frequent meals
c. Skip breakfast
d. Lie flat after meals

N8 At the first antenatal visit, which laboratory test is routine? NCLEX

a. Blood group and Rh, CBC, urinalysis
b. Amniocentesis
c. Biophysical profile
d. Contraction stress test

Part C · Quizlet Flashcards

كروت مراجعة سريعة

غطّي العمود الأبيض بورقة واختبر نفسك: شوف المصطلح وقول التعريف.

Naegele's rule	LMP − 3 months + 7 days (+1 year)	**Gravida**	Number of pregnancies (including current)
Para	Births after viability (≥ 20–24 wk); twins = 1	**GTPAL**	Gravida, Term, Preterm, Abortions, Living
Term	38–41 (37–42) weeks	**Visit schedule**	q4 wk until 28 · q2 wk 28–36 · weekly after 36
Fundal height 12 wk	At symphysis pubis	**Fundal height 20 wk**	At umbilicus
Fundal height 36 wk	At xiphoid	**< 12 weeks**	Uterus still in the pelvis
Backache relief	Low broad heels, good posture, pelvic tilt	**Danger signs**	Bleeding, leaking fluid, severe headache/blurred vision, ↓ fetal movement, fever

Breast tenderness	Supportive bra; wash with warm water only, keep dry

Answer Key

الإجابات

1. d — Leaking amniotic fluid

2. a — Uterus in the pelvis

3. c — 36 weeks

4. c — G5 T2 P1 A1 L4

5. b — Number of times a female has been pregnant

6. c — Nov. 7
Naegele's rule: Jan 30 − 3 months + 7 days = Nov 6. Nov 7 is the closest option (the marked answer 'Oct. 7' on the screenshot is wrong).

7. a — Backache

8. c — June 17, 2020

9. d — 4 weeks

10. d — Wash the breasts with warm water and keep them dry

11. c — June 26, 2014

12. b — G2 T0 P1 A0 L1

13. c — June 17, 2020

14. d — 4 weeks

15. b — Fetal heart rate of 180 bpm

16. c — Hemorrhage
The original form key marked 'low self-esteem' (and the form's comment says the 'loud mouth' option is a joke). Clinically, anemia increases the risk of hemorrhage complications.

17. b — False

N1. a — December 17
Subtract 3 months (December) and add 7 days (17).

N2. a — G4 T1 P1 A1 L3
Twins count as one birth (P1) but two living children; current pregnancy counts in G.

N3. a, b, c, d — Vaginal bleeding; Leaking of amniotic fluid; Severe headache with blurred vision; Decreased fetal movement
Mild dependent edema and nasal stuffiness are common discomforts.

N4. b — Every 2 weeks
Usual schedule: every 4 weeks until 28, every 2 weeks 28–36, weekly after 36.

N5. c — 20 weeks
Symphysis 12 wk, umbilicus about 20 wk, xiphoid about 36 wk.

N6. b — Low, broad-heeled shoes and good posture/pelvic tilt
Good body mechanics, pelvic rocking and low broad heels reduce lordosis strain.

N7. b — Eat dry crackers before rising and small frequent meals
Dry carbohydrates before rising and small frequent meals reduce nausea.

N8. a — Blood group and Rh, CBC, urinalysis
Baseline labs include blood group/Rh, Hb, urine and infection screening.