PEDIATRIC MEDICINE · LECTURE 4 · QUESTION BANK

Respiratory Disorders in Children

أمراض الجهاز التنفسي عند الأطفال — بنك الأسئلة

41	6	12
Past exam questions	NCLEX-style	Flashcards

المصادر اللي اتجمعت منها أسئلة المحاضرة دي:

أسئلة سابقة · ميدترم 2021 (أطفال نظري) · ميدترم 2020 (أطفال نظري)

جنب كل سؤال مصدره. لو السؤال اتكرر في كذا امتحان مكتوب كل مرة بمصدرها، وعليه علامة "تكرر". الإجابات كلها في آخر الملف.

اللَّهُمَّ لا سَهْلَ إِلَّا ما جَعَلْتَهُ سَهْلًا، وأنتَ تَجْعَلُ الحَزْنَ إذا شِئْتَ سَهْلًا — صلِّ على النبي ﷺ

Part A · Past Exam Questions

أسئلة الدفعات السابقة

1 Which is the specific nursing diagnosis for a child with tonsillitis? — ميدترم 2020 (أطفال نظري)

a. Anxiety/fear related to unfamiliar event
b. Altered family process related to hospitalization
c. Impaired swallowing related to inflammation
d. High risk for injury

2 The primary therapeutic regimen for croup syndrome usually includes: — ميدترم 2021 (أطفال نظري)

a. Intubation, racemic epinephrine, and corticosteroids
b. Intubation, racemic epinephrine, and antibiotics
c. Vigilant assessment, racemic epinephrine, and antibiotics
d. Vigilant assessment, racemic epinephrine, and corticosteroids

3 In the postoperative period following a tonsillectomy, the child should be: — ميدترم 2021 (أطفال نظري)

a. Encouraged to cough and deep breathe
b. Observed for signs of hemorrhage
c. Suctioned vigorously to clear the airway
d. Placed in Trendelenburg position

4 What is the most important goal for a child with ineffective airway clearance? — ميدترم 2021 (أطفال نظري)

a. Providing adequate oral fluids
b. Reducing the child's anxiety
c. Mobilizing/clearing the child's secretions
d. Administering medication as ordered

5 What is a common symptom of upper respiratory tract infections? أسئلة سابقة

a. Wheezing
b. Nasal congestion
c. Cyanosis
d. Clubbing

6 Which microorganism is commonly associated with pneumonia in children? أسئلة سابقة

a. Streptococcus pneumoniae
b. Escherichia col
c. Candida albicans
d. Human papillomavirus

7 What is the mainstay treatment for viral respiratory infections? أسئلة سابقة

a. Antibiotics
b. Supportive care
c. Antifungals
d. Bronchodilators

8 What is the typical sound heard during asthma exacerbation? أسئلة سابقة

a. Crackles
b. Wheezing
c. Stridor
d. Silent chest

9 Which of the following is a risk factor for respiratory disorders in children? أسئلة سابقة

a. Vaccination
b. Passive smoking
c. Breastfeeding
d. Exercise

10 Which investigation is preferred to confirm pneumonia? أسئلة سابقة

a. Chest X-ray
b. ECG
c. Spirometry
d. Skin prick test

11 Which drug is used as a first-line treatment for acute bronchial asthma? أسئلة سابقة

a. Amoxicillin
b. Salbutamol
c. Prednisolone
d. Hydrocortisone

12 What is the most likely diagnosis in a child with barking cough and inspiratory stridor? أسئلة سابقة

a. Asthma
b. Croup
c. Pneumonia
d. Bronchitis

13 Which vaccine helps prevent certain respiratory infections? أسئلة سابقة

a. BCGB
b. Influenza vaccine
c. Hepatitis B vaccine
d. MMR

14 What is the typical clinical feature of bronchiolitis? أسئلة سابقة

a. Productive cough
b. Fever and cyanosis
c. Wheezing and respiratory distress
d. Pleural effusion

15 Which of the following conditions is considered a lower respiratory tract disorder? أسئلة سابقة

a. Pharyngitis
b. Tonsillitis
c. Bronchitis
d. Sinusitis

16 Which environmental factor is most harmful for children with asthma? أسئلة سابقة

a. High humidity
b. Polluted air
c. Cold temperature
d. Dry air

17 What is the hallmark of severe respiratory distress in infants? أسئلة سابقة

a. Crying loudly
b. Nasal flaring
c. Excessive sleep
d. Normal breathing rate

18 Which treatment is NOT suitable for viral bronchiolitis? أسئلة سابقة

a. Antibiotics
b. Oxygen therapy
c. Hydration
d. Supportive care

19 What is the most common pathogen causing bronchiolitis? أسئلة سابقة

a. RSV (Respiratory Syncytial Virus)
b. Adenovirus
c. Influenza virus
d. Mycoplasma pneumoniae

20 Which of the following is a complication of severe pneumonia? أسئلة سابقة

a. Otitis media
b. Pleural effusion
c. Nasal polyps
d. Conjunctivitis

21 What is the primary purpose of bronchodilators in asthma management? أسئلة سابقة

a. Treat infection
b. Relax airway muscles
c. Reduce fever
d. Increase oxygen absorption

22 Which symptom indicates respiratory failure in children? أسئلة سابقة

a. Tachycardia
b. Cyanosis
c. Dry cough
d. Mild fever

23 Which physical sign is most commonly associated with croup? أسئلة سابقة

a. Productive cough
b. Barking cough
c. Inspiratory crackles
d. Expiratory wheezing

24 What is the most appropriate initial management for mild croup? أسئلة سابقة

a. Intravenous antibiotics
b. Supportive care with humidified air
c. Nebulized bronchodilators
d. Mechanical ventilation

25 What is the hallmark symptom of foreign body aspiration in children? أسئلة سابقة

a. Sudden onset of coughing or choking
b. Chronic productive cough
c. High fever
d. Nasal congestion

26 Which investigation is most useful in diagnosing foreign body aspiration? أسئلة سابقة

a. Chest X-ray
b. CT scan
c. Bronchoscopy
d. Blood culture

27 Which of the following is a feature of severe asthma exacerbation? أسئلة سابقة

a. Silent chest
b. Increased appetite
c. Mild wheezing
d. No use of accessory muscles

28 Which age group is most commonly affected by bronchitis? أسئلة سابقة

a. Neonates (0–1 month)
b. Infants (2–12 months)
c. Toddlers (1–3 years)
d. School-aged children

29 What is the typical finding in chest auscultation of a child with pneumonia? أسئلة سابقة

a. Stridor
b. Wheezing
c. Crackles
d. Clear lung fields

30 Which factor significantly increases the risk of respiratory infections in infants? أسئلة سابقة

a. Breastfeeding
b. Malnutrition
c. Regular vaccination
d. Playing outdoors

31 Most common cause of bronchiolitis in infants: أسئلة سابقة

a. Influenza
b. RSV
c. Adenovirus
d. Rhinovirus

32 Hallmark symptom of croup: أسئلة سابقة

a. Productive cough
b. Hemoptysis
c. High fever and chest pain
d. Stridor and barking cough

33 A 2-year-old with sudden cough, wheezing and decreased breath sounds on the right most likely has: أسئلة سابقة

a. Asthma
b. Foreign body aspiration
c. Pneumonia
d. Bronchiolitis

34 Common cause of bacterial pneumonia in children under 5: أسئلة سابقة

a. Mycoplasma
b. Streptococcus pneumoniae
c. Chlamydia trachomatis
d. Staphylococcus aureus

35 First-line treatment for mild asthma in children: أسئلة سابقة

a. Inhaled SABA
b. Leukotriene antagonists
c. Oral steroids
d. Inhaled steroids

36 Most common bacterial cause of acute tonsillitis: أسئلة سابقة

a. H. influenzae
b. S. pneumoniae
c. Group A Streptococcus (S. pyogenes)
d. S. aureus

37 Investigation to confirm pneumonia: أسئلة سابقة

a. CBC
b. Chest X-ray
c. Blood culture
d. Pulse oximetry

38 Sign of severe respiratory distress in a child: أسئلة سابقة

a. Mild nasal flaring
b. Occasional cough
c. Grunting respiration
d. Sneezing

39 Primary mechanism of obstructive sleep apnea in obesity: أسئلة سابقة

a. Decreased surfactant
b. Allergic inflammation
c. Mechanical upper-airway obstruction during sleep
d. Impaired alveolar gas exchange

40 Key diagnostic feature of asthma in children: أسئلة سابقة

a. Persistent productive cough
b. Clubbing
c. Reversible airway obstruction
d. Unilateral wheezing

41 The immediate nursing care for a child admitted to the hospital with pneumonia should be: أسئلة سابقة

a. High-protein diet
b. Chest physiotherapy
c. Measure temperature
d. Bed rest

Part B · NCLEX-Style Practice

أسئلة على طريقة NCLEX (إضافة)

N1 A child has a barking cough and inspiratory stridor. The likely diagnosis is: NCLEX

a. Asthma
b. Croup (laryngotracheobronchitis)
c. Pneumonia
d. Bronchiolitis

N2 The most common cause of bronchiolitis is: NCLEX

a. Adenovirus
b. RSV
c. Streptococcus
d. Mycoplasma

N3 Select ALL signs of respiratory distress in an infant. SELECT ALL

a. Nasal flaring
b. Intercostal retractions
c. Grunting
d. Tachypnea
e. Bradypnea with calm sleep

N4 A 'silent chest' in an asthmatic child indicates: NCLEX

a. Improvement
b. Severe life-threatening exacerbation
c. Mild attack
d. Normal finding

N5 After tonsillectomy the nurse watches especially for: NCLEX

a. Frequent swallowing (bleeding)
b. Mild sore throat
c. Low-grade fever
d. Thirst

N6 First-line reliever in acute asthma is: NCLEX

a. Inhaled salbutamol
b. Amoxicillin
c. Montelukast daily
d. Antihistamine

Part C · Quizlet Flashcards

كروت مراجعة سريعة

غطّي العمود الأبيض بورقة واختبر نفسك: شوف المصطلح وقول التعريف.

URTI	Common cold, pharyngitis, tonsillitis, sinusitis, otitis.	**LRTI**	Bronchitis, bronchiolitis, pneumonia.
Croup	Barking cough, inspiratory stridor; humidified air, steroids, racemic epinephrine.	**Epiglottitis**	Drooling, tripod; don't examine throat.
Bronchiolitis	RSV; wheeze + distress in infants; supportive care.	**Pneumonia**	Fever, tachypnea, crackles; CXR; S. pneumoniae.
Asthma	Wheeze; salbutamol reliever; avoid smoke/pollution.	**Status asthmaticus**	Silent chest — emergency.
Foreign body	Sudden choking; bronchoscopy.	**Tonsillectomy**	Watch frequent swallowing = bleeding.
Respiratory failure	Cyanosis, altered consciousness.	**Risk factors**	Passive smoking, malnutrition, no vaccination.

Answer Key

الإجابات

1. c — Impaired swallowing related to inflammation

2. d — Vigilant assessment, racemic epinephrine, and corticosteroids

3. b — Observed for signs of hemorrhage

4. c — Mobilizing/clearing the child's secretions
نص الاختيار الصح كان مقصوص في صورة الميدترم («...the child's secretions») — اتكتب بالمعنى.

5. b — Nasal congestion

6. a — Streptococcus pneumoniae

7. b — Supportive care

8. b — Wheezing

9. b — Passive smoking

10. a — Chest X-ray

11. b — Salbutamol

12. b — Croup

13. b — Influenza vaccine

14. c — Wheezing and respiratory distress

15. c — Bronchitis

16. b — Polluted air

17. b — Nasal flaring

18. a — Antibiotics

19. a — RSV (Respiratory Syncytial Virus)

20. b — Pleural effusion

21. b — Relax airway muscles

22. b — Cyanosis

23. b — Barking cough

24. b — Supportive care with humidified air

25. a — Sudden onset of coughing or choking

26. c — Bronchoscopy

27. a — Silent chest

28. d — School-aged children

29. c — Crackles

30. b — Malnutrition

31. b — RSV
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

32. d — Stridor and barking cough
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

33. b — Foreign body aspiration
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

34. b — Streptococcus pneumoniae
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

35. a — Inhaled SABA
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

36. c — Group A Streptococcus (S. pyogenes)
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

37. b — Chest X-ray
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

38. c — Grunting respiration
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

39. c — Mechanical upper-airway obstruction during sleep
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

40. c — Reversible airway obstruction
إجابة مقترحة (المصدر مفيهوش إجابة رسمية).

41. b — Chest physiotherapy
إجابة الطالب في الصورة (chest physiotherapy) — إجابة مقترحة.

N1. b — Croup (laryngotracheobronchitis)
Croup: barking cough, stridor, hoarseness; treat with humidified air, steroids, racemic epinephrine.

N2. b — RSV
RSV; management is supportive (O2, hydration, suction) — antibiotics not indicated.

N3. a, b, c, d — Nasal flaring; Intercostal retractions; Grunting; Tachypnea
Cyanosis and decreasing consciousness indicate failure.

N4. b — Severe life-threatening exacerbation
Minimal air movement — status asthmaticus.

N5. a — Frequent swallowing (bleeding)
Frequent swallowing signals hemorrhage; avoid red fluids and straws.

N6. a — Inhaled salbutamol
Short-acting beta-2 agonist relaxes airway smooth muscle.