

SEGUIN MORRIS

Recruiting Intelligence Platform

Full Claude Code / Codex Handoff Package

Designed by CTRL Solutions

Internal bilingual multi-agent recruiting intelligence platform for refrigeration, HVAC-R, mechanical service, and mechanical construction recruiting.

Document purpose	Status
Prepare a complete implementation-ready handoff for Claude Code, with Codex used as corrector/reviewer.	Ready for local inspection and implementation planning.

Document Map

1. Company and source context
2. Product definition and scope
3. Multi-agent architecture
4. Technical stack and deployment
5. Data model and database schema plan
6. Repo structure plan
7. API and module plan
8. UI and branding plan
9. Implementation phases
10. Claude Code handoff prompt
11. Codex corrector prompts
12. Local implementation addendum
13. Pre-code gate and next steps

1. Company and Source Context

This document is built for Seguin Morris. The app itself is designed by CTRL Solutions and should show that credit in a professional secondary location such as the footer, About page, or Admin panel.

Seguin Morris company context

- Seguin Morris divisions include Public Utility, Energy, Telecom, Airport, Mechanical Construction, Design-Build, and Service.
- The most relevant first recruiting target is Mechanical Construction and Service.
- The Mechanical Construction division lists plumbing, heating and refrigeration, ventilation, and specialized systems.
- The Service division lists HVAC, mechanical, electric, and public utilities.
- The contact footprint includes Gatineau, Longueuil, Montreal, Ottawa, Quebec, Mississauga, Cambridge, Kitchener, Winnipeg, Edmonton, Vancouver, Detroit, Livonia, Iowa, and Barbados.

Source	Why it matters
Seguin Morris Divisions page	Confirms Mechanical Construction and Service as relevant divisions and validates HVAC-R / refrigeration recruiting focus.
Seguin Morris Contact page	Confirms multi-region expansion logic, including Vancouver and Detroit.
Uploaded refrigeration recruiting research PDF	Confirms DEP, DEC, AEC, CCQ, SF-1, SF-2, halocarbares, ASP 30h, and recruiting channel strategy.

Quebec refrigeration recruiting research context

- The most direct Quebec hiring pool is DEP Réfrigération 5386.
- Complementary technical pools include DEC Technologie de la mécanique du bâtiment 221.C0 and targeted AEC programs.
- The recruiting workflow must separate construction work under CCQ from non-construction/service work.
- The candidate vetting system must track CCQ apprentice/companion status, ASP Construction 30h, SF-1, SF-2, halocarbares, DEP, DEC, AEC, driver license, and role-specific experience.
- School outreach should target DEP centers, cégeps, AEC programs, placement offices, stage/ATE contacts, and cohort timing.
- The ideal student prospecting window starts approximately 90 to 180 days before completion and reactivates around 30 days before graduation.

2. Product Definition and Scope

The Seguin Morris Recruiting Intelligence Platform is an internal, bilingual, multi-user recruiting intelligence system. It helps recruiters find, organize, vet, rank, contact, and track qualified candidates for refrigeration, HVAC-R, mechanical service, and mechanical construction roles.

Decisions

- Internal tool only for Seguin Morris.
- Designed by CTRL Solutions.
- Bilingual interface, French and English.
- Multi-user with admin levels.
- Railway deployment.
- Python FastAPI backend preferred.
- PostgreSQL database.
- Gmail for mockup/testing, Microsoft 365 later.
- Fully automatic source collection where legally and technically allowed.
- Swappable LLM API provider.
- 12-month inactive lead retention.
- AI web/phone assistant planned for v2, with text mockup in v1.
- Seguin Morris visual style and logo in the app.

V1 must-haves

- Campaign creation by role, division, region, and required qualifications.
- Candidate lead CRM and pipeline board.
- Source directory with source policy controls.
- Multi-agent system for discovery, enrichment, vetting, ranking, outreach, reporting, and assistant knowledge.
- Email-connected outreach with human approval.
- School/program/event recruiting modules.
- Admin settings for users, roles, branding, email provider, LLM provider, retention, and source policy.
- Bilingual UI strings from the start.
- Reporting dashboards for sources, campaigns, recruiters, and conversion funnel.


V1 explicitly excluded

- Autonomous hiring decisions.
- Autonomous mass outreach without recruiter approval.
- Full production voice assistant.
- Full ATS replacement.
- HR onboarding, payroll, timesheets, or employee records.
- Immigration workflow automation.
- Background checks.

V2 parking lot

- Voice web assistant.
- AI phone assistant.
- Microsoft 365 production integration.
- ATS sync.
- Calendar scheduling.
- Recruiter browser extension.
- Multi-country expansion logic.
- Other trades beyond refrigeration/HVAC-R.
- Candidate self-service portal.

3. Multi-Agent Architecture



Agent	Responsibility
Employment Source Agent	Find candidate leads from approved job boards, employment sites, public profile sources, company career pages, and manual/browser capture workflows.
School Pipeline Agent	Find DEP, DEC, AEC programs, placement offices, stage/ATE contacts, cohort dates, open house pages, and school job boards.
Event Discovery Agent	Find career fairs, HVAC-R events, construction technology events, open houses, trade competitions, association events, and regional job fairs.
Lead Enrichment Agent	Deduplicate, normalize names/titles/regions, classify candidate type, detect missing data, and assign source confidence.
Candidate Vetting Agent	Flag job-relevant qualification signals such as DEP, DEC, AEC, CCQ, ASP 30h, SF-1, SF-2, halocarburess, driver license, and service experience.
Fit Ranking Agent	Score candidate fit against campaign requirements and explain the score.
Outreach Agent	Generate editable recruiter-approved candidate, school, event, and follow-up messages in French and English.
Email Sync Agent	Send approved emails, log sent messages, track replies, and keep the provider abstracted for Gmail now and Microsoft 365 later.
Assistant Knowledge Agent	Power the v1 text assistant mockup and prepare the v2 voice/web assistant using approved company knowledge only.
Reporting Agent	Track pipeline health, source performance, recruiter activity, response rates, and campaign conversion.

Candidate fit score model

Criterion	Weight
Required certification match	25
Refrigeration/HVAC-R relevance	20
Experience level fit	15
Region fit	15
Service/commercial/industrial fit	10

Contactability	10
Recency/source quality	5

Candidate vetting language rule

The AI must not make final hiring decisions. It may recommend human review and identify missing checks.

Correct:

Strong match, but recruiter must verify SF-1 and halocarburess.

Incorrect:

Hire this candidate.

Reject this candidate.

4. Technical Stack and Deployment

Layer	Decision
Frontend	Next.js preferred, React + Vite acceptable
Backend	Python FastAPI
Validation	Pydantic
Database	PostgreSQL
ORM/Migrations	SQLAlchemy or SQLModel + Alembic
Worker system	Celery + Redis preferred, Dramatiq + Redis acceptable
Scraping/browser tasks	Playwright where allowed by source policy
LLM providers	Swappable adapter: OpenAI, Anthropic, Gemini, Azure OpenAI, LM Studio, future provider
Email	Gmail mockup/testing, Microsoft 365 later
Hosting	Railway
Retention	12 months inactive lead retention

Railway services

web
api
worker
postgres
redis

Environment variables

DATABASE_URL
REDIS_URL
JWT_SECRET
LLM_PROVIDER
LLM_API_KEY
LLM_MODEL
GMAIL_CLIENT_ID
GMAIL_CLIENT_SECRET
MICROSOFT365_CLIENT_ID
MICROSOFT365_CLIENT_SECRET
APP_ENV

5. Required App Modules

Authentication
Users and roles
Campaigns
Candidates
Pipeline board

Sources
Agent runs
Schools and programs
Events
Outreach
Email integration
Reports
Assistant mockup
Admin settings
Audit logs
Branding

6. Required Screens

Screen	Purpose / contents
Login	Logo, language toggle, email/password login, professional enterprise look.
Dashboard	Active campaigns, new leads, qualified leads, outreach, replies, interviews, source performance, agent runs.
Campaigns	List, create, edit, pause, close, and launch agent runs.
Campaign Detail	Tabs for Overview, Candidates, Schools, Events, Agent Runs, Outreach, Reports.
Candidate Pipeline	Kanban stages: New, To Review, Contacted, Interested, Interview, Offer, Hired, Rejected, Archived.
Candidate Detail	Profile, fit score, explanation, source mentions, qualifications, notes, outreach history, audit trail.
Schools & Programs	Institution, program, program type, region, contact info, cohort dates, last contacted, recommended next action.
Events	Event name, date, location, audience, recruiting value score, recommended action.
Outreach Composer	Template selector, French/English toggle, editable subject/body, send and save draft actions.
Assistant Mockup	Chat interface, suggested questions, approved source/category display, safe unknown response.
Admin	Users, roles, branding, email provider, LLM provider, source rules, retention rules, audit logs.

7. Database Schema Plan

Use PostgreSQL. The initial schema should support candidates, campaigns, users, sources, school programs, events, agent runs, outreach, assistant knowledge, email settings, LLM settings, branding, audit logs, and retention jobs.

users

id UUID primary key
full_name TEXT not null
email TEXT unique not null
role_id UUID references roles(id)
preferred_language TEXT default 'fr'
status TEXT default 'active'
created_at TIMESTAMP
updated_at TIMESTAMP

roles

id UUID primary key
name TEXT unique not null
permissions JSONB not null
created_at TIMESTAMP
updated_at TIMESTAMP

campaigns

id UUID primary key
title TEXT not null
division TEXT not null
role_type TEXT not null
region TEXT not null
employment_type TEXT
requirements JSONB not null
status TEXT default 'draft'
created_by UUID references users(id)
created_at TIMESTAMP
updated_at TIMESTAMP

candidates

id UUID primary key
full_name TEXT
current_title TEXT
region TEXT
candidate_type TEXT default 'unknown'
contact_email TEXT
contact_phone TEXT
profile_url TEXT
fit_score INTEGER
fit_label TEXT
fit_summary TEXT
source_confidence INTEGER
pipeline_status TEXT default 'new'
consent_status TEXT default 'unknown'
last_seen_at TIMESTAMP
created_at TIMESTAMP
updated_at TIMESTAMP

campaign_candidates

id UUID primary key
campaign_id UUID references campaigns(id)
candidate_id UUID references candidates(id)
assigned_to UUID references users(id)
status TEXT default 'active'
created_at TIMESTAMP
updated_at TIMESTAMP
unique(campaign_id, candidate_id)

candidate_qualifications

id UUID primary key
candidate_id UUID references candidates(id)
qualification_type TEXT not null
qualification_status TEXT not null
evidence_text TEXT
source_url TEXT
verified_by_user_id UUID references users(id)
created_at TIMESTAMP
updated_at TIMESTAMP

lead_sources

id UUID primary key
name TEXT not null
source_type TEXT not null
url TEXT not null
access_method TEXT not null
allowed_to_scrape BOOLEAN default false

notes TEXT
last_checked_at TIMESTAMP
created_at TIMESTAMP
updated_at TIMESTAMP

source_mentions

id UUID primary key
candidate_id UUID references candidates(id)
source_id UUID references lead_sources(id)
source_url TEXT not null
excerpt TEXT
captured_at TIMESTAMP

agent_runs

id UUID primary key
campaign_id UUID references campaigns(id)
agent_type TEXT not null
status TEXT not null
input_payload JSONB
output_summary TEXT
error_log JSONB
started_at TIMESTAMP
completed_at TIMESTAMP
created_by UUID references users(id)

outreach_events

id UUID primary key
campaign_id UUID references campaigns(id)
candidate_id UUID references candidates(id)
school_program_id UUID references school_programs(id)
channel TEXT not null
direction TEXT not null
subject TEXT
body TEXT
language TEXT default 'fr'
status TEXT not null
provider TEXT
provider_message_id TEXT
sent_by_user_id UUID references users(id)
sent_at TIMESTAMP
created_at TIMESTAMP
updated_at TIMESTAMP

school_programs

id UUID primary key
institution_name TEXT not null
program_name TEXT not null
program_type TEXT not null
city TEXT
province TEXT
country TEXT default 'Canada'
public_contact_name TEXT
public_contact_email TEXT
public_contact_phone TEXT
cohort_start DATE
cohort_end DATE
notes TEXT
created_at TIMESTAMP
updated_at TIMESTAMP

recruiting_events

id UUID primary key
name TEXT not null
event_type TEXT not null
date_start DATE
date_end DATE
location TEXT
city TEXT
province TEXT
country TEXT
audience TEXT
contact_name TEXT
contact_email TEXT
source_url TEXT
recruiting_value_score INTEGER
recommended_action TEXT
created_at TIMESTAMP
updated_at TIMESTAMP

notes

id UUID primary key
entity_type TEXT not null
entity_id UUID not null
body TEXT not null
created_by UUID references users(id)
created_at TIMESTAMP
updated_at TIMESTAMP

knowledge_documents

id UUID primary key
title TEXT not null
category TEXT not null
language TEXT not null
source TEXT
content TEXT not null
status TEXT default 'active'
created_by UUID references users(id)
created_at TIMESTAMP
updated_at TIMESTAMP

assistant_queries

id UUID primary key
user_id UUID references users(id)
question TEXT not null
answer TEXT
language TEXT
sources JSONB
created_at TIMESTAMP

brand_settings

id UUID primary key
company_name TEXT default 'Seguin Morris'
primary_color TEXT
secondary_color TEXT
accent_color TEXT
logo_url TEXT
designed_by_label TEXT default 'Designed by CTRL Solutions'
created_at TIMESTAMP
updated_at TIMESTAMP

llm_settings

id UUID primary key
provider TEXT not null
model_name TEXT not null
base_url TEXT
api_key_secret_name TEXT
is_active BOOLEAN default true
settings JSONB
created_at TIMESTAMP
updated_at TIMESTAMP

email_settings

id UUID primary key
provider TEXT not null
account_email TEXT
is_active BOOLEAN default true
settings JSONB
created_at TIMESTAMP
updated_at TIMESTAMP

audit_logs

id UUID primary key
user_id UUID references users(id)
action TEXT not null
entity_type TEXT
entity_id UUID
metadata JSONB
created_at TIMESTAMP

retention_jobs

id UUID primary key
job_type TEXT not null
status TEXT not null
records_affected INTEGER default 0
started_at TIMESTAMP
completed_at TIMESTAMP
error_log JSONB

Qualification and source enums

qualification_type:
DEP
DEC
AEC
CCQ_APPRENTICE
CCQ_COMPANION
ASP_30H
SF1
SF2
HALOCARBURES
RBQ
DRIVER_LICENSE
UNKNOWN

qualification_status:
confirmed
claimed
inferred
missing
unknown

source_type:
job_board
school
association
event
social
company_site
government
manual

access_method:
api
public_page
browser_automation
manual_import
browser_capture

agent_type:
employment_source
school_pipeline
event_discovery
lead_enrichment
candidate_vetting
fit_ranking
outreach
email_sync
assistant_knowledge
reporting

8. Repo Structure Plan

/seguin-morris-recruiting
/apps
/web
/src
/app
/login
/dashboard
/campaigns
/candidates
/schools
/events
/sources
/outreach
/assistant
/admin
/components
/layout
/ui
/campaigns
/candidates
/pipeline
/schools
/events
/outreach
/assistant
/admin
/lib
/api
/auth
/i18n
/branding

- /styles
- /types
- /api
- /app
 - /main.py
 - /core
 - /config.py
 - /security.py
 - /database.py
 - /logging.py
 - /api
 - /routes
 - /auth.py
 - /users.py
 - /roles.py
 - /campaigns.py
 - /candidates.py
 - /sources.py
 - /schools.py
 - /events.py
 - /agent_runs.py
 - /outreach.py
 - /reports.py
 - /assistant.py
 - /settings.py
 - /models
 - /schemas
 - /services
 - /agents
 - /integrations
 - /llm
 - /email
 - /scraping
 - /workers
 - /utils
 - /alembic
 - /tests
 - /worker
 - /app
 - /worker.py
 - /tasks
 - /packages
 - /shared-types
 - /shared-config
 - /ui-tokens
 - /infra
 - /railway
 - /docker
 - /db
 - /docs
 - /blueprint
 - /source-policy
 - /branding
 - /api
 - /codex-review
 - README.md

9. API Route Plan

Module	Routes
Auth	POST /api/auth/login, POST /api/auth/logout, GET /api/auth/me
Users and roles	GET/POST/PATCH /api/users, GET /api/roles
Campaigns	GET/POST /api/campaigns, GET/PATCH /api/campaigns/{id}, POST /api/campaigns/{id}/run-agents
Candidates	GET/POST /api/candidates, GET/PATCH/DELETE /api/candidates/{id}, POST /api/candidates/{id}/score, POST /api/candidates/{id}/send-outreach
Schools	GET/POST /api/programs, GET/PATCH /api/programs/{id}, POST /api/programs/{id}/send-outreach
Events	GET/POST /api/events, GET/PATCH /api/events/{id}
Sources	GET/POST /api/sources, PATCH /api/sources/{id}, POST /api/sources/{id}/test
Agent runs	GET /api/agent-runs, GET /api/agent-runs/{id}
Reports	GET /api/reports/dashboard, GET /api/reports/campaign/{id}, GET /api/reports/sources, GET /api/reports/recruiters
Assistant	GET /api/assistant/faq, POST /api/assistant/query, GET/POST /api/assistant/documents
Settings	GET/PATCH /api/settings/branding, email, llm

10. Provider Abstractions

LLM provider interface

```
LLMClient.generate(prompt, options)
LLMClient.extract(text, schema, options)
LLMClient.classify(text, labels, options)
LLMClient.score(input, rubric, options)
LLMClient.summarize(text, options)
```

Supported LLM providers

OpenAI
Anthropic
Google Gemini
Azure OpenAI
LM Studio local
Future provider

Email provider interface

```
EmailClient.send_email()
EmailClient.get_thread()
EmailClient.list_replies()
EmailClient.create_draft()
EmailClient.sync_status()
```

11. Bilingual and Source Policy Requirements

- All user-facing labels must use translation keys.
- Supported languages are fr and en.
- Default language should be French unless user preference says otherwise.
- Every source must include `source_type`, `access_method`, `allowed_to_scrape`, `notes`, and `last_checked_at`.
- Automated scraping must not run unless `allowed_to_scrape = true`.

- If a source is not approved for scraping, use manual import, browser capture, API integration, or recruiter-assisted workflow.

i18n key examples:
 campaign.create
 candidate.fit_score
 outreach.send_email
 assistant.ask_question
 admin.llm_provider

12. Assistant Mockup Requirements

- Build a text assistant page in v1.
- Use approved knowledge documents only.
- Show source or category of answer.
- Refuse unknown questions safely.
- Support French and English.
- Prepare architecture for v2 voice/web assistant and phone assistant.

Example questions:
 What does Seguin Morris do?
 What kind of refrigeration jobs are available?
 Do you hire apprentices?
 What certifications are useful?
 How do I apply?
 Where are your offices?

13. Branding Requirements

- The UI must show the Seguin Morris logo area.
- The visual tone should be professional, industrial, modern, and trustworthy.
- Use Seguin Morris brand assets once provided.
- Until exact assets are available, use temporary placeholders and clearly mark them as temporary.
- Include Designed by CTRL Solutions in a secondary professional position.

Temporary color placeholders:
 primary_color: #1F2937
 secondary_color: #0F766E
 accent_color: #F97316

14. Implementation Phases

Phase	Deliverables
Phase 1: Scaffold	Repo structure, FastAPI running, web app running, PostgreSQL, Alembic, health check, auth placeholder, README.
Phase 2: Core data model	Models, migrations, seed roles, seed brand settings, sample campaign, CRUD for campaigns/candidates/sources.
Phase 3: Agent framework	Agent orchestrator, AgentRun integration, mock agents first, async execution, visible run status.
Phase 4: Candidate pipeline	Candidate list/detail, pipeline board, notes, qualifications, fit score display.
Phase 5: LLM adapter	Provider interface, one working provider, mock fallback, admin provider setting.
Phase 6: Outreach and email	Templates, draft generation, Gmail mock integration, send/log email, Microsoft 365-ready abstraction.
Phase 7: Reports	Dashboard KPIs, campaign report, source report, recruiter activity report.

15. Claude Code Handoff Prompt

You are the lead full-stack engineer for an internal company tool called Seguin Morris Recruiting Intelligence Platform, designed by CTRL Solutions.

Your job is to build the project cleanly, safely, and incrementally. Do not rush to code the full app at once. First inspect the local environment and existing project context. Then create or adapt the repo structure, schema, interfaces, and working scaffold. Codex will be used as a corrector/reviewer to validate architecture, security, schema, and implementation quality.

Core requirements:

- Internal tool for Seguin Morris.
- Bilingual UI, French and English.
- Multi-user accounts and role-based access.
- Seguin Morris branding and logo area.
- Designed by CTRL Solutions credit.
- Railway deployment.
- Python FastAPI backend.
- PostgreSQL database.
- Background worker system.
- Gmail integration for mockup/testing.
- Future Microsoft 365 integration.
- Swappable LLM API provider.
- Multi-agent architecture.
- 12-month inactive lead retention.
- AI assistant mockup in v1.
- Voice/web assistant planned for v2.

Hard rules:

- Do not hardcode LLM provider logic into agents.
- Do not hardcode Gmail into outreach business logic.
- Do not build scraping without checking allowed_to_scrape.
- Do not send outreach automatically without recruiter approval.
- Do not store unnecessary sensitive data.
- Do not treat AI score as a hiring decision.
- Do not build voice assistant in v1 beyond mockup.
- Do not skip audit logs for important actions.
- Do not skip role-based access.
- Do not use English-only UI strings.

16. Local Implementation Context Addendum

- Claude Code and Codex live on the local development machine.
- They may inspect the existing project files, installed tools, local environment, skills, docs, package managers, and CLI utilities before deciding how to implement.
- They should look for possible extra tools, skills, local wrappers, and existing scripts before reinventing them.
- If the spec conflicts with the local project structure, Claude should stop, identify the conflict, and prefer the existing working structure when coherent.
- Codex should review any major structural conflict before a refactor.

Claude Code local inspection checklist

1. Existing repo structure
2. Existing package files
3. Existing environment files or examples
4. Available local tools and CLIs

5. Existing skills, scripts, utilities, or templates
6. Existing Docker/Railway configuration
7. Existing database or migration setup
8. Existing frontend/backend conventions
9. Existing design assets, logos, or brand files
10. Existing documentation that may override assumptions in this brief

Local-first rule

If the handoff spec conflicts with files already present locally:

1. Stop and identify the conflict.
2. Prefer the existing working project structure when coherent.
3. Propose the smallest safe adjustment.
4. Avoid rewriting or replacing working systems unless necessary.
5. Ask Codex to review the conflict before major refactors.

Tool discovery instruction

Search for useful local or installed tools, including:

- project scripts
- package manager commands
- linting tools
- testing tools
- database tools
- Railway config
- Docker files
- existing API clients
- local agent frameworks
- scraping utilities
- browser automation tools
- LLM provider wrappers
- email provider utilities
- code generation helpers

17. Codex Corrector Prompts

Architecture review

Review this implementation for architecture consistency with the Seguin Morris Recruiting Intelligence Platform spec. Check that the code respects the multi-agent structure, FastAPI backend, swappable LLM provider, swappable email provider, role-based access, and Railway deployment requirements. Do not rewrite everything. Identify concrete problems and propose minimal corrections.

Database review

Review the database schema and migrations. Check relationships, indexes, naming consistency, auditability, retention support, and whether the schema can support candidates, campaigns, agent runs, sources, schools, events, outreach, assistant knowledge documents, and role-based access. Flag missing constraints or fields.

Security review

Review this code for security risks. Focus on authentication, role-based access, API key handling, email token storage, source scraping safeguards, personal data minimization, audit logs, and retention handling. Provide specific fixes only.

Agent review

Review the agent architecture. Confirm agents are modular, testable, and routed through an orchestrator. Confirm LLM calls go through the LLM adapter and that no provider is hardcoded. Confirm scraping respects `allowed_to_scrape` and `source_access_method`.

Email review

Review the email integration. Confirm Gmail is only the v1 mock/testing provider and that the business logic is abstracted enough to replace it with Microsoft 365 later. Confirm recruiter approval is required before sending.

UI review

Review the UI structure. Confirm it supports bilingual labels, role-based navigation, Seguin Morris branding, CTRL Solutions credit, campaign dashboard, candidate pipeline, school/event modules, outreach composer, assistant mockup, and admin settings.

Local inspection review

Review Claude Code's local inspection summary. Confirm whether the existing project structure should be extended, replaced, or partially migrated. Check for missing tools, risky assumptions, dependency conflicts, and whether the implementation plan still respects the Seguin Morris Recruiting Intelligence Platform spec. Do not rewrite the plan unless needed. Give concrete corrections and a recommended next step.

18. Pre-Code Gate and Next Steps

- Status before local inspection: READY FOR LOCAL INSPECTION AND IMPLEMENTATION PLANNING.
- Status after local inspection, if the structure is confirmed: READY FOR PHASE 1 IMPLEMENTATION.
- Do not blindly scaffold a new app if a usable local structure already exists.
- Choose whether to extend the existing structure, create a clean new structure, or migrate useful pieces into a new structure.

Pre-code gate checklist

Item	Status
Repo scaffold exists or local equivalent identified	To confirm locally
FastAPI health check works or can be added	To confirm locally
Web app loads or can be created	To confirm locally
PostgreSQL connects	To confirm locally
Alembic migrations work	To confirm locally
Redis/worker plan documented	To confirm locally
User roles seeded	To implement/confirm
LLM adapter interface exists	To implement/confirm
Email adapter interface exists	To implement/confirm
Source policy model exists	To implement/confirm
Branding placeholder exists	To implement/confirm
Bilingual i18n structure exists	To implement/confirm

19. Source Appendix

Source	Reference
Seguin Morris Divisions	https://seguinmorris.com/divisions/
Seguin Morris Contact	https://seguinmorris.com/contact-us/
Uploaded PDF	Seguin Morris Refrigeration Specialist (1).pdf, 18 pages, provided in this conversation.

Notes on compliance and scraping

- The app may be fully automatic only for sources that are approved and technically/legal-policy safe.
- Every source requires an explicit `allowed_to_scrape` flag and an `access_method`.
- When scraping is not allowed, the app should support API import, manual import, or recruiter-assisted browser capture.
- Candidate scoring is advisory and must remain explainable.