

TSIJ STRAG BRAGS

V-PLOW 2200 AVANT

	1			
				35
	12	Female screw M20 DIN985		15
	01	Female screw M16 Myloc DIN985		30
	8	Female screw M6 Myloc DIN985		67
	7	Female screw M5 Myloc DIN985		87
				LZ
	7	Screw M16x60 DIN933		97
	8	Screw M16x40 DIN603		52
	I .	Screw M12x25 DIN933		77
	†	Screw M10x12 DIN933		23
	8	Screw M6x20 DIN933		77
	7	Screw M5x60 DIN912		17
	7	Pan head screw M5x20 DIN7985		70
	7	35-9828-MHD garing obits		61
	Ţ	Washer	900.222	81
	_フ	Centering pipe	700.222	LΙ
	Ţ	К и р рег	710.222	91
	Ţ	Hydraulic set	255.900	SI
	7	Hydraulic cylinder ⊗50/28-510	255.005	ħΙ
	 ヤ	ni¶	020.882	εī
••	ヤ	Pin Ø25	100.222	77
	†	Spring 8x40x275 DIN17223		II
	Ž	əlxA	255.004	10
	I	Blade (shield) axle	010.882	6
	7	Blade	255.003	
	†	Spring support assembly	007.282	
	I	Blade support	009.222	9
	Ī	Blade support	255.500	
	Ī	Avant attachment	255.200	1
	I	Blade (shield)	255.300	
	Ī	Blade (shield)	255.200	
,	Ţ.	Frame	255.100	
	bc	· ·	ou.	oN
Notes		Ляте	Draw.	Pos.

]	[Rubber blade set Esp. order!!!	255.050	カヤ
1	[Spring pin DIV1481 @6-40		£t⁄
t	7	06-3⊘ 1841NIO niq gninq2		7 †
8	3	Spring pin DIV1481 @6-30		ΙÞ
t	7	Grease nipple R1/8"		07
7	ZE	Grease nipple M6x1K DIN71412		36
[7	Z	White reflector (screw attachment 🔊 6)	Esp.order!	38
7	7	Red reflector (screw attachment @6)	Esp.order!	LE
ţ	7	Conical seat washer \$\infty\$20 DIN6319		98
J	[Washer 12 DIN6798V		32
8	3	Washer 6 DIN125		7 E
t	7	Washer 5x15 DIN9021		33