

Edge trimmer with weed brush

Varaosakirja
Parts Manual
Dellista
Ersatzteilliste




Product no. A446497

Table Of Contents

| A446497 | EDGE TRIMMER WITH WEED BRUSH | 4 |
|---------|--|----|
| A447006 | BRUSH ASSEMBLY EDGE TRIMMER | 6 |
| A422665 | BRUSH, STEEL WIRE ROPE HD, WEED BRUSH | 8 |
| A447005 | CUTTING DISC ASSEMBLY EDGE TRIMMER | 10 |
| A444528 | SPLASH GUARD ASSEMBLY WEED BRUSH & EDGE | 12 |
| A450204 | MOUNTING BAR SUPPORT WHEEL ASSEMBLY EDGE | 14 |
| A421667 | SUPPORT WHEEL L, ON ATTACHMENT | 16 |
| A440868 | PIN ASSEMBLY D30-237 | 18 |
| A444611 | SUPPORT LEG ASSEMBLY EDGE TRIMMER | 20 |


A446497 EDGE TRIMMER WITH WEED BRUSH




A446497 EDGE TRIMMER WITH WEED BRUSH

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|--|-------|------|
| 1 | A450192 | 1 | FRAME EDGE TRIMMER SER3 | | - |
| 2 | A446723 | 1 | FRAME TUBE EDGE TRIMMER | | - |
| 3 | A446724 | 1 | INNER TUBE EDGE TRIMMER | | - |
| 4 | A446725 | 1 | ARTICULATION JOINT EDGE TRIMMER | | - |
| 5 | A447006 | 1 | BRUSH ASSEMBLY EDGE TRIMMER | | 6 |
| 6 | A446726 | 1 | TUBE, FRONT, EDGE TRIMMER | | - |
| 7 | A452689 | 1 | EYE BOLT M10*70 DIN 444 | | - |
| 8 | 72321 | 2 | HEXAGONAL NUT M10 DIN 934 | | - |
| 9 | 73121 | 2 | WASHER M10 A10,5 DIN 125 ZN | | - |
| 10 | A447005 | 1 | CUTTING DISC ASSEMBLY EDGE TRIMMER | | 10 |
| 11 | A444527 | 1 | SUPPORT BAR EDGE TRIMMER | | - |
| 12 | A444528 | 1 | SPLASH GUARD ASSEMBLY WEED BRUSH & EDGE | | 12 |
| 13 | A450204 | 1 | MOUNTING BAR SUPPORT WHEEL ASSEMBLY EDGE | | 14 |
| 14 | A447082 | 1 | LOCKING PIN D16-80 | | - |
| 15 | 72798 | 3 | GREASE NIPPLE R 1/8" STRAIGHT | | - |
| 16 | 66222 | 2 | TOP LINK CATO M20X2,5 L=280-415 | | - |
| 17 | 66218 | 1 | HANDLE, ADJUSTABLE L=92 F24/F19/M12 | | - |
| 18 | A440868 | 1 | PIN ASSEMBLY D30-237 | | 18 |
| 19 | A440813 | 1 | PIN D25-220 | | - |
| 20 | 74953 | 1 | LINCH PIN F8,0/F36 | | - |
| 21 | A444611 | 2 | SUPPORT LEG ASSEMBLY EDGE TRIMMER | | 20 |
| 22 | 72330 | 2 | HEXAGONAL NUT M16 NYLOC DIN 985 | | - |
| 23 | 72199 | 1 | HEXAGONAL SCREW M16*90 DIN 931 | | - |
| 24 | A43614 | 2 | DECAL AVANT ATTACHMENTS 65*100 | | - |
| 25 | 71727 | 1 | LINCH PIN 9,5 MM | | - |
| 26 | A418773 | 2 | PIVOT PIN F25-106 | | - |
| 27 | 73040 | 4 | HEXAGONAL SCREW M10*20 DIN 933 ZN | | - |
| 28 | 74531 | 2 | SPACER NORDLOCK M10, PAIR | | - |
| 29 | A46771 | 1 | DECAL PICTOGR. READ OPERATORS MANUAL | | - |
| 30 | A46772 | 1 | DECAL PICTOGR. NEVER GO UNDER UPLIFTED | | - |
| 31 | A46799 | 1 | DECAL PICTOGR. KEEP AWAY FROM THE MACHIN | | - |
| 32 | A46803 | 1 | DECAL PICTOGRAM DO NOT REACH OUT | | - |
| 33 | 72799 | 1 | GREASE NIPPLE M6 | | - |
| 34 | A446834 | 1 | TYPE PLATE EDGE TRIMMER SER3 | | - |
| 35 | A430193 | 4 | WASHER M16 A17 DIN 125 | | - |
| 36 | A447140 | 2 | BUSHING EDGE TRIMMER | | - |
| 37 | 72196 | 1 | HEXAGONAL SCREW M16*70 | | - |
| 38 | A446670 | 1 | SHAFT L=98 EDGE TRIMMER | | - |
| 39 | 73018 | 2 | WASHER M10 DIN 440 ZN | | - |
| 40 | 64146 | 1 | BINDING STRAP WITH CLIP, BLACK, L=400 | | - |
| 41 | A452702 | 1 | EXTENSION SPRING 3,5*30*100 | | - |
| 42 | A452705 | 1 | EXTENSION SPRING 5*36*172 | | - |

A447006 BRUSH ASSEMBLY EDGE TRIMMER






A447006 BRUSH ASSEMBLY EDGE TRIMMER

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|--|-------|------|
| 1 | A446727 | 1 | MIDDLE BRACKET BRUSH EDGE TRIMMER | | - |
| 2 | A446728 | 1 | MOUNTING BRACKET HYDR. MOTOR BRUSH | | - |
| 3 | A446825 | 1 | MOUNTING BRACKET SPLASH GUARD EDGE | | - |
| 4 | A447171 | 1 | MOUNTING PLATE EDGE TRIMMER | | - |
| 5 | A32258 | 1 | MOUNTING PLATE, SIDE BRUSH | | - |
| 6 | A422665 | 1 | BRUSH, STEEL WIRE ROPE HD, WEED BRUSH | | 8 |
| 7 | A447003 | 1 | HYDRAULIC COMPONENTS EDGE TRIMMER SER3 | | - |
| 8 | 74532 | 4 | WASHER NORDLOCK NL12 | | - |
| 9 | 72335 | 1 | HEXAGONAL NUT M20 DIN 985 NYLOC | | - |
| 10 | A446615 | 1 | WASHER D45/D20.5-3 | | - |
| 11 | 74842 | 4 | HEXAGONAL SCREW M12* 100 DIN 931 | | - |
| 12 | 72322 | 4 | HEXAGONAL NUT M 10 NYLOC DIN 985 | | - |
| 13 | 73121 | 8 | WASHER M10 A10,5 DIN 125 ZN | | - |
| 14 | 72151 | 4 | HEXAGONAL SCREW M10*30 DIN 933 ZN | | - |
| 15 | A412177 | 1 | WASHER | | - |
| 16 | 72132 | 1 | HEXAGONAL SCREW M 8*25 DIN 933 ZN | | - |
| 17 | 73006 | 2 | WASHER M12 DIN 440 | | - |
| 18 | A446636 | 2 | BUSHING | | - |
| 19 | 72324 | 4 | HEXAGONAL NUT M 12 NYLOC DIN 985 | | - |
| 20 | 73322 | 2 | HEXAGONAL SCREW M12*40 DIN 931 | | - |
| 21 | A427687 | 1 | PIVOT PIN D=15 | | - |
| 22 | 71725 | 1 | LINCH PIN 4,5 MM | | - |
| 23 | 74697 | 2 | CARRIAGE BOLT M12*45 DIN603 | | - |
| 24 | 71691 | 4 | WASHER M12 A13 DIN 125 | | - |
| 25 | 66218 | 1 | HANDLE, ADJUSTABLE L=92 F24/F19/M12 | | - |
| 26 | A448909 | 1 | WASHER 31/50 S=2 | | - |
| 27 | 72798 | 1 | GREASE NIPPLE R 1/8" STRAIGHT | | - |


A422665 BRUSH, STEEL WIRE ROPE HD, WEED BRUSH



A422665 BRUSH, STEEL WIRE ROPE HD, WEED BRUSH

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|-------------------------------------|-------|------|
| 1 | A422662 | 1 | MOUNTING PLATE WIRE ROPE BRUSH WEED | | - |
| 2 | A422669 | 16 | WIRE ROPE STEEL L=310 | | - |
| 3 | 73041 | 16 | HEXAGONAL SCREW M12* 25 DIN 933 | | - |
| 4 | 71691 | 16 | WASHER M12 A13 DIN 125 | | - |


A447005 CUTTING DISC ASSEMBLY EDGE TRIMMER



A447005 CUTTING DISC ASSEMBLY EDGE TRIMMER

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|--------------------------------------|-------|------|
| 1 | A446773 | 1 | YOKE CUTTING DISC RIGHT SIDE EDGE | | - |
| 2 | 66131 | 1 | CUTTING DISC F460/F80-5 EDGE TRIMMER | | - |
| 3 | 66132 | 1 | BEARINGS, EDGE TRIMMER | | - |
| 4 | 66133 | 1 | BEARING CAP F135/=123 | | - |
| 5 | 75060 | 1 | LINCH PIN 9,5 MM ZN | | - |
| 6 | A44664 | 1 | SPACER 10 MM, NYLON | | - |
| 7 | A44665 | 3 | SPACER 20 MM, NYLON | | - |
| 8 | 72133 | 1 | HEXAGONAL SCREW M8*30 DIN 933 | | - |
| 9 | 72320 | 1 | HEXAGONAL NUT M8 NYLOC DIN 985 | | - |


A444528 SPLASH GUARD ASSEMBLY WEED BRUSH & EDGE



A444528 SPLASH GUARD ASSEMBLY WEED BRUSH & EDGE

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|--|-------|------|
| 1 | A444580 | 1 | FRAME SPLASH GUARD EDGE TRIMMER | | - |
| 2 | A442614 | 1 | RUBBER PLATE SPLASH GUARD EDGE TRIMMER | | - |
| 3 | A442939 | 2 | MOUNTING PLATE WEED BRUSH | | - |
| 4 | 72318 | 6 | HEXAGONAL NUT M 6 DIN 985 NYLOC | | - |
| 5 | 74913 | 6 | CARRIAGE BOLT M6*20 DIN603 | | - |
| 6 | 71680 | 6 | WASHER M6 DIN 125 | | - |
| 7 | A436292 | 1 | PLUG PLASTIC BLACK | | - |


A450204 MOUNTING BAR SUPPORT WHEEL ASSEMBLY EDGE



A450204 MOUNTING BAR SUPPORT WHEEL ASSEMBLY EDGE

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|---|-------|------|
| 1 | A450203 | 1 | MOUNTING BAR SUPPORT WHEEL EDGE TRIMMER | | - |
| 2 | 73123 | 2 | WASHER M20 DIN 125 ZN | | - |
| 3 | 72335 | 1 | HEXAGONAL NUT M20 DIN 985 NYLOC | | - |
| 4 | 72798 | 1 | GREASE NIPPLE R 1/8" STRAIGHT | | - |
| 5 | A421667 | 1 | SUPPORT WHEEL L, ON ATTACHMENT | | 16 |
| 6 | A442163 | 1 | HEXAGONAL SCREW M20*140 DIN 931 | | - |
| 7 | A440864 | 1 | LOCKING PIN D15 EDGE TRIMMER SER3 | | - |
| 8 | 74862 | 1 | SPRING COTTER PIN 5 DIN 11024 | | - |


A421667 SUPPORT WHEEL L, ON ATTACHMENT



A421667 SUPPORT WHEEL L, ON ATTACHMENT

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|---------------------------------|-------|------|
| 1 | A37126 | 1 | YOKE, SUPPORT WHEEL L | | - |
| 2 | A421662 | 1 | WHEEL (TYRE+RIM) 13X5.00-6 | | - |
| 3 | A44665 | 4 | SPACER 20 MM, NYLON | | - |
| 4 | A44664 | 2 | SPACER 10 MM, NYLON | | - |
| 5 | 75088 | 1 | HEXAGONAL SCREW M16*190 DIN931 | | - |
| 6 | 72330 | 1 | HEXAGONAL NUT M16 NYLOC DIN 985 | | - |
| 7 | 75060 | 1 | LINCH PIN 9,5 MM ZN | | - |


A440868 PIN ASSEMBLY D30-237



A440868 PIN ASSEMBLY D30-237

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|-----------------------------------|-------|------|
| 1 | A440822 | 1 | PIN D30-237 | | - |
| 2 | 73006 | 1 | WASHER M12 DIN 440 | | - |
| 3 | 72165 | 1 | HEXAGONAL SCREW M12*20 DIN 933 | | - |
| 4 | 73040 | 1 | HEXAGONAL SCREW M10*20 DIN 933 ZN | | - |
| 5 | 74531 | 1 | SPACER NORDLOCK M10. PAIR | | - |

A444611 SUPPORT LEG ASSEMBLY EDGE TRIMMER



A444611 SUPPORT LEG ASSEMBLY EDGE TRIMMER

| REF | PART NO | QTY | DESCRIPTION | NOTES | PAGE |
|-----|---------|-----|---------------------------------|-------|------|
| 1 | A444612 | 1 | SUPPORT LEG EDGE TRIMMER | | - |
| 2 | A423368 | 1 | PIN F15 SUPPORT LEG U SNOW PLOW | | - |
| 3 | 74661 | 1 | PLUG 40*21*5 | | - |
| 4 | 71723 | 1 | HAIR PIN 3,2 | | - |



Varaosat Spare parts



Ylötie 1 33470 Ylöjärvi FINLAND

Tel. +358 3 347 8800 Fax +358 3 348 5511