

ESO Admin Hacks: Boost Your WEMSYS Scores in Three Easy Steps

Scott Culp

Brinnon Fire Department



<https://brinnonfire.org/>



The Problem

I have how
many WEMSIS
errors?



The process:

- ESO submits data to WEMSIS
- WEMSIS provides quarterly scores

What next?



Three Easy Steps

Listen to the Data

WEMSIS & Excel

Expose Needed Fields

ESO

Add Validation Rules

ESO



Three Easy Steps

Listen to the Data

- Retrieve WEMSIS scoring data
- Find most common errors
- Find most costly errors

Expose Needed Fields

Add Validation Rules

What you'll need:

- WEMSIS account
- Familiarity with Excel

To set up WEMSIS access, see <https://doh.wa.gov/public-health-provider-resources/emergency-medical-services-ems-systems/wemis-ems-data-registry/start-reporting>



Three Easy Steps

Listen to the Data

Expose Needed Fields

Add Validation Rules

- Retrieve WEMSIS scoring data



Access WEMSIS

ImageTrend Elite™

Jefferson Co. FPD #... ▾

Incidents ▾

Resources **1**

Tools ▾

Community ▾

Inbox

Scott Culp ▾

Announcements

Stay Aware of ImageTrend Updates

Sign up for notifications from ImageTrend to stay up-to-date on upcoming events, webinars and education - including a monthly update call *only* for ImageTrend clients.

<https://www1.imagetrend.com/event-notification-sign-up>

Posted: 07/01/2020 by Imagetrend Admin

WEMSIS Registration via SAW

- Each WEMSIS user needs his or her own WEMSIS account
- Administrators should create a WEMSIS account for a person *before* that person registers for WEMSIS through SecureAccess Washington (SAW)
- During SAW registration, a person will be asked for the user ID and password in his or her WEMSIS account
- Each WEMSIS user needs only *one* WEMSIS account. To add another agency to an existing account, contact the state WEMSIS administrator.

Posted: 04/23/2018 by Melissa Belgau

Show more ▾



Run Report

1

ImageTrend
Elite™

Jefferson Co. FPD #... ▾

Incidents ▾

Resources ▾

Tools ▾

Community ▾

Inbox

Scott Culp ▾

[Report Writer](#)

[Standard Reports](#)

[Next Gen Report Writer](#)

[CAD Overwrite Manager](#)

[Checklist Manager](#)

[CQI Form Manager](#)

[CQI Rules](#)

[Dynamic/Situation Tools](#)

[Form Manager](#)

[Preset Values](#)

[Print Report Manager](#)

[Validation](#)

[Worksheet Manager](#)

WEMSIS Registration via SAW

- Each WEMSIS user needs his or her own WEMSIS account
- Administrators should create a WEMSIS account for a person *before* that person registers for WEMSIS through SecureAccess Washington (SAW)
- During SAW registration, a person will be asked for the user ID and password in his or her WEMSIS account
- Each WEMSIS user needs only *one* WEMSIS account. To add another agency to an existing account, contact the state WEMSIS administrator.

Posted: 04/23/2018 by Melissa Belgau

Show more ▾



Run Report

ImageTrend Elite™ Jefferson Co. FPD #... Incidents Resources Tools Community Inbox Scott Culp

Create a Report

Load Dashboard »

1 Agency Record Identifier

My Reports + -

Shared Reports + -

2 QA/QI (2)

Agency Record Identifier List for Validation Warnings

Agency Record Identifier List for Validation Warnings- Burlington

ImageTrend Reports + -

Legend

Transactional Report

Analytical Tabular Report

Analytical Chart Report

Create a Transactional Report

Admin: Agency Location, Facility

Community Health: Patients

EMS: CHV/EMS Incidents, EMS Incidents

Fire: Fire Incidents

Inventory: Inventory

Investigation: Fire Investigation

NERIS Fire: NERIS Fire

Staff Reports: Personnel

Training: Training/Activity

Create a Group Report

Community Health: Patients

EMS: CHV/EMS Incidents, EMS Incidents

Sample EMS Reports: EMS Incidents, Fire Incidents

Create an Analytical Chart Report

Sample EMS Reports: EMS Incidents

Create a Bulk Export

EMS: EMS Incidents

Should have been named "List of WEMSIS Point Deductions"



Run Report

ImageTrend
Elite™

Jefferson Co. FPD #... ▾

Incidents ▾

Resources ▾

Tools ▾

Community ▾

Inbox

Scott Culp ▾

Create a Report

Load Dashboard »

Agency Record Identifier

My Reports

+

-

Shared Reports

+

-

QA/QI (2)

Agency Record Identifier List for Validation Warnings

Agency Record Identifier List for Validation Warnings- Burlington

ImageTrend Reports

+

-

Legend

Transactional Report

Analytical Tabular Report

Analytical Chart Report

Columns

Display

Grouping

Sorting

Criteria

Additional Options

Actions ▾

1

Generate Report »

Columns: Agency Record Identifier List for Validation Warnings

Data Set: EMS Incidents

Select Columns

Search:

Available

*Percent of Total

*Percent Rank

Agency 911 EMS Call Center Volume Per Year (dAgency.18)

Agency 911 EMS Call Center Volume Per Year Invalid (dAgency.1)

Agency 911 EMS Call Center Volume Per Year With Not Values (cAgency Active Status

Agency Annual 911 EMS Call Center Volume Range (dAgency.18)

Agency Annual 911 EMS Call Center Volume Range Sort Order (cAgency Annual EMS Billable Calls Range (dAgency.22)

Agency Annual EMS Billable Calls Range Sort Order (dAgency.22)

Agency Annual EMS Dispatch Volume Range (dAgency.19)

Agency Annual EMS Dispatch Volume Range Sort Order (dAgency.21)

Agency Annual EMS Patient Contact Volume Range (dAgency.21)

Agency Annual EMS Patient Contact Volume Range Sort Order (cAgency Annual EMS Patient Transport Volume Range (dAgency.2)

Agency Annual EMS Patient Transport Volume Range Sort Order (dAgency.15)

Agency Calendar Year (dAgency.15)

Agency Calendar Year Invalid (dAgency.15)

Agency County Population 2010

Agency County Total Area In Square Miles

Create Column...

Make Report Distinct: ☒ Yes ☐ No

Make this report only return DISTINCT rows

Selected

Response Incident Number (eResponse.03)

Response EMS Response Number (eResponse.04)

Incident Year

Incident Month Number

Agency Number (dAgency.02)

Agency Name (dAgency.03)

Incident Validation Rule Name

Incident Validation Rule Error Message

Incident Validation Rule Point Value

Incident Validity Score

Incident Crew Member Name Completing This Report (eOther.08)



Run Report

ImageTrend Elite™ Jefferson Co. FPD #... Incidents Resources Tools Community Inbox Scott Culp

Create a Report

Load Dashboard »

Agency Record Identifier

My Reports + -

Shared Reports + -

QA/QI (2)

- Agency Record Identifier List for Validation Warnings
- Agency Record Identifier List for Validation Warnings- Burlington

ImageTrend Reports + -

Legend

- Transactional Report
- Analytical Tabular Report
- Analytical Chart Report

Columns Display Grouping Sorting Criteria Additional Options Actions

3 Generate Report »

Reset Filters

Agency Record Identifier List for Validation Warnings

Filter Your Results

Agency Name contains 1 Brinnon (dAgency.03):

Incident Unit Notification 2 is on or after 01/01/2025 at 12:00 AM Current Time Dispatch Date (eTimes.03):



Run Report

ImageTrend Elite™

Jefferson Co. FPD #... ▾

Incidents ▾

Resources ▾

Tools ▾

Community ▾

Inbox

Scott Culp ▾

Create a Report

Load Dashboard »

Agency Record Identifier

My Reports

+

-

Shared Reports

+

-

QA/QI (2)

Agency Record Identifier List for Validation Warnings

Agency Record Identifier List for Validation Warnings- Burlington

ImageTrend Reports

+

-

Legend

Transactional Report

Analytical Tabular Report

Analytical Chart Report

Columns

Display

Grouping

Sorting

Criteria

Additional Options

Actions ▾

Generate Report »

IMAGETREND® Agency Record Identifier List for Validation Warnings

Response Incident Number (eResponse.03)	Response EMS Response Number (eResponse.04)	Incident Year	Incident Month Number	Agency Number (dAgency.02)	Agency Name (dAgency.03)	Validation Rule	Rule Error Message	Rule Point Value	Incident Validity Score	Incident Completion Rate (eOth)
2025-00000002	2025-00000002	2025	1	16D04	Jefferson Co. FPD #4-- Brinnon FD	3.5 National - Level of Care Provided per Protocol (eDisposition.32) Required for KPI	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	10	90	
2025-00000002	2025-00000002	2025	1	16D04	Jefferson Co. FPD #4-- Brinnon FD	3.5 National - Level of Care Provided per Protocol (eDisposition.32) Required for KPI	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	10	90	
2025-00000002	2025-00000002	2025	1	16D04	Jefferson Co. FPD #4-- Brinnon FD	3.5 National - Level of Care Provided per Protocol (eDisposition.32) Required for KPI	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	10	90	



Run Report

ImageTrend Elite™ Jefferson Co. FPD #... Incidents Resources Tools Community Inbox Scott Culp

Create a Report

Load Dashboard »

Agency Record Identifier

My Reports

Shared Reports

QA/QI (2)

Agency Record Identifier List for Validation Warnings

Agency Record Identifier List for Validation Warnings- Burlington

ImageTrend Reports

Legend

Transactional Report

Analytical Tabular Report

Analytical Chart Report

Columns Display Grouping Sorting Criteria Additional Options Actions

Generate Report »

Save

Save As...

Rename/Change Properties...

Schedule Report...

Export

Print...

PDF (5000 Rows Max)...

CSV (All Rows)...

Map...

Doc (This Page)...

HTML (This Page)...

XML (All Rows)...

1

2

3

Response Incident Number (eResponse.03)	Response EMS Response Number (eResponse.04)	Incident Year	Incident Month Number	Agency Number (dAgency.02)	Agency Name (dAgency.03)	Valid	Level of Care Provided per Protocol (eDisposition.32) Required for KPI	Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	Incident Validity Score	Incident Completion
2025-00000002	2025-00000002	2025	1	16D04	Jefferson Co. FPD #4-- Brinnon FD	3.5 National - Level of Care Provided per Protocol (eDisposition.32) Required for KPI	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	10	90	
2025-00000002	2025-00000002	2025	1	16D04	Jefferson Co. FPD #4-- Brinnon FD	3.5 National - Level of Care Provided per Protocol (eDisposition.32) Required for KPI	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	10	90	
2025-00000002	2025-00000002	2025	1	16D04	Jefferson Co. FPD #4-- Brinnon FD	3.5 National - Level of Care Provided per Protocol (eDisposition.32) Required for KPI	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	10	90	



Three Easy Steps

Listen to the Data


Expose Needed Fields

Add Validation Rules

- Retrieve WEMSIS scoring data
- Find most common errors




Open Report in Excel





Open Report in Excel





Open Report in Excel

1

AutoSave Off Agency-Record-Identifier-List-for-Validation-... Saved to this PC

File Home Insert Draw Page Layout Formulas Data Review View Automate Developer Help Comments Share

Paste Clipboard Font Alignment Number Styles Conditional Formatting Format as Table Cell Styles Cells Editing Add-ins

A1 : X ✓ fx Response Incident Number (eResponse.03)

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Response	Response	Incident Y	Incident M	Agency Nu	Agency Na	Validation	Rule Error	Rule Point	Incident V	Incident Crew	Member Name	Completing Th	
2	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
3	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
4	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
5	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Upc		10	45				
6	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	45				
7	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Possible I		10	45				
8	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 State - Trauma Tr			25	45				
9	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Upc		10	80				
10	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	80				
11	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
12	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	100				
13	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
14	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
15	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				



Open Report in Excel

Agency-Record-Identifier-List-for-Validation-Warning... • Saved to this PC

← Home New Open Share Info Save **1** Save As Print Export Close

Save As

Recent

- OneDrive - Brinnon Fire...
sculp@brinnonfire.com

Quick access

- Brinnon Fire Department
- Admin
- Brinnon Fire Department WEMSIS Documents
- Volunteers
- Show more...

Share Options

↑ Downloads

Agency-Record-Identifier-List-for-Validation-Warni...

2 Excel Workbook (*.xlsx)

3 Save

[More options...](#)

New Folder

Name ↑	Date modified
2025 Christmas Video	12/3/2025 1:45 PM
2025 WellsFargo Tax Doc...	1/30/2026 10:07 AM



Open Report in Excel

The screenshot shows an Excel spreadsheet titled "Agency-Record-Identifier-List-for-Validation-...". The ribbon is set to "Home". The active cell is A1, containing the formula "Response Incident Number (eResponse.03)". The table below contains 15 rows of data.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Response	Response	Incident Y	Incident M	Agency Nu	Agency Na	Validation	Rule Error	Rule Point	Incident V	Incident Crew	Member Name	Completing Th	
2	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
3	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
4	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
5	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Upc		10	45				
6	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	45				
7	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Possible I		10	45				
8	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 State - Trauma Tr			25	45				
9	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Upc		10	80				
10	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	80				
11	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
12	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	100				
13	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
14	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				
15	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of Ca		10	90				



Understand Occurrences

AutoSave Off Agency-Record-Identifier-List-for-Validation-... Saved to this PC

File **1** I Insert Draw Page Layout Formulas Data Review View Automate Developer Help Comments Share

2 Tables Illustrations Checkbox Recommended Charts Maps PivotChart Sparklines Filters Link Comment Text Sym

3 PivotTable Recommended PivotTables Table Forms

Response Incident Number (eResponse.03)

	E	F	G	H	I	J	K	L	M	N
	Agency Nu	Agency Na	Validation	Rule Error	Rule Point	Incident V	Incident Crew	Member Name	Completing Th	
2	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
3	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
4	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
5	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Acuity Upo	10	45		
6	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	45		
7	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Possible I	10	45		
8	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 State - Trauma Tr		25	45		
9	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Acuity Upo	10	80		
10	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	80		
11	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
12	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	100		
13	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
14	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
15	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		



Understand Occurrences

Microsoft Excel interface showing the "Insert" tab and a PivotTable creation dialog box.

The Excel window title is "Agency-Record-Identifier-List-for-Validation-...". The ribbon includes File, Home, Insert, Draw, Page Layout, Formulas, Data, Review, View, Automate, Developer, and Help. The "Insert" tab is active, showing options for Tables, Illustrations, Controls, Recommended Charts, Charts, Maps, PivotChart, Sparklines, Filters, Links, Comments, Text, and Symbols.

The formula bar shows "A1" and "Response Incident Number (eResponse.03)".

The data table below shows columns A through H:

	A	B	C	D	E	F	G	H
1	Response	Response	Incident Y	Incident M	Agency N	Agency N	Validation	Rule Error
2	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
3	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
4	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
5	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Up	
6	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
7	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Possible	
8	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 State - Trauma		
9	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Up	
10	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
11	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
12	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
13	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
14	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
15	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	

The PivotTable from table or range dialog box is open, showing the "Table/Range" as "Agency-Record-Identifier-List-f!\$A\$1:\$K\$718". The "Choose where you want the PivotTable to be placed" section has "New Worksheet" selected. The "Choose whether you want to analyze multiple tables" section has "Add this data to the Data Model" unchecked. The "OK" button is highlighted with a red box and a red number 1.



Understand Occurrences

AutoSave Off Agency-Record-Identifier-List-for-Validation-Warnings_2026-07-0...

File Home Insert Draw Page Layout Formulas Data Review View Automate Developer Help **PivotTable Analyze**

PivotTable Active Field Group Insert Slicer Insert Timeline Refresh Change Data Source Actions Calculations PivotChart Recommended PivotTables

Filter Data Tools

A3

PivotTable2

To build a report, choose fields from the PivotTable Field List

PivotTable Fields

Choose fields to add to report:

Search

- ☐ Response Incident Number (eResponse.03)
- ☐ Response EMS Response Number (eResponse.04)
- ☐ Incident Year
- ☐ Incident Month Number
- ☐ Agency Number (dAgency.02)
- ☐ Agency Name (dAgency.03)
- ☐ Validation Rule
- ☐ Rule Error Message
- ☐ Rule Point Value

Drag fields between areas below:

Filters	Columns
Rows	Σ Values

☐ Defer Layout Update Update

ings 100%



Understand Occurrences

1	
2	
3	Row Labels
4	A Stroke Severity (LAMS) Score between 0 and 5 is required for all stroke/TIA positive patients
5	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Eval
6	Alcohol/Drug Use Indicators is required for suspected opioid use.
7	Alternate Home Residence is required when the patient home zip code is missing. Enter "No
8	Date/Time Last Known Well is required when Patient Evaluation/Care is "Patient Evaluated a
9	Eye Assessment is required for suspected opioid use.
10	FAST Stroke Scale Type and Stroke Scale Result are required for all stroke/TIA patients. Use P
11	Incident City is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
12	Incident County is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
13	Incident State is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
14	Level of Care Provided per Protocol is required (with a value other than "No Care Provided")
15	Patient's Home ZIP Code is required when Patient Evaluation/Care is "Patient Evaluated and
16	Possible Injury is required when Type of Service Requested is "Emergency Response..." and
17	PSAP Call Time is required for non-traumatic cardiac arrest patients.
18	Time of Symptom Onset or Last Known Well is required for treated stroke, TIA, and seizure pa
19	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient
20	Trauma Triage Criteria (High Risk for Serious Injury) is required when there is a major traum
21	Grand Total
22	
23	
24	
25	
26	
27	
28	

PivotTable Fields

Choose fields to add to report:

Search

☒ **Response Incident Number (eResponse.03)**

☐ Response EMS Response Number (eResponse.04)

☐ Incident Year

☐ Incident Month Number

☐ Agency Number (dAgency.02)

☐ Agency Name (dAgency.03)

☐ Validation Rule

☒ **Rule Error Message**

☐ Rule Point Value

Drag fields between areas below:

Filters

Columns

Rows

Values

Rule Error Message

Count of Response Inci...



Understand Occurrences

3	Row Labels	Count of Response
4	A Stroke Severity (LAMS) Score between 0 and 5 is required for all stroke/TIA positive patients. Use Pertinent Negative if the exam can't be completed.	10
5	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	159
6	Alcohol/Drug Use Indicators is required for suspected opioid use.	1
7	Alternate Home Residence is required when the patient home zip code is missing. Enter "Not Applicable" if no other choice is appropriate.	36
8	Date/Time Last Known Well is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...", Stroke Scale Score is "Positive", or Cardiac Rhythm/ECG is "STEMI...".	8
9	Eye Assessment is required for suspected opioid use.	1
10	FAST Stroke Scale Type and Stroke Scale Result are required for all stroke/TIA patients. Use Pertinent Negative in Stroke Scale Result if the exam can't be completed.	16
11	Incident City is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	1
12	Incident County is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	1
13	Incident State is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	1
14	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	301
15	Patient's Home ZIP Code is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	18
16	Possible Injury is required when Type of Service Requested is "Emergency Response..." and Patient Evaluation/Care is "Patient Evaluated and Care Provided".	124
17	PSAP Call Time is required for non-traumatic cardiac arrest patients.	4
18	Time of Symptom Onset or Last Known Well is required for treated stroke, TIA, and seizure patients.	10
19	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".	2
20	Trauma Triage Criteria (High Risk for Serious Injury) is required when there is a major trauma, possible injury, or a pre-arrival trauma activation. Select "None Reported" or "Not Applicable" if no other choices are appropriate.	24
21	Grand Total	717
22		



Understand Occurrences

3	Row Labels		Response
4	A Stroke Severity (LAMS) Score between 0 and 5 is required for all stroke/TIA positive patients. U		10
5	can't be completed.		159
6	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided"		1
7	Alcohol/Drug Use Indicators is required for suspected opioid use.		36
8	Alternate Home Residence is required when the patient home zip code is mis		1
9	appropriate.		16
10	Date/Time Last Known Well is required when Patient Evaluation/Care is "Pati		1
11	Arrest is "Yes...", Stroke Scale Score is "Positive", or Cardiac Rhythm/ECG is "		1
12	Eye Assessment is required for suspected opioid use.		1
13	FAST Stroke Scale Type and Stroke Scale Result are required for all stroke/TIA		301
14	Result if the exam can't be completed.		18
15	Incident City is required unless Unit Disposition is "Cancelled Prior to Arrival		124
16	Incident County is required unless Unit Dispos		4
17	Incident State is required unless Unit Dis		10
18	Level of Care Provided per Protocol is rec		2
19	"Patient Evaluated and Care Provided".		24
20	Patient's Home ZIP Code is required when Patient Evaluation/Care is "Patient		717
21	Possible Injury is required when Type of Service Requested is "Emergency Res		
22	Evaluated and Care Provided".		
23	PSAP Call Time is required for non-traumatic cardiac arrest patients.		
24	Time of Symptom Onset or Last Known Well is required for treated stroke, TIA		
25	Transport Mode from Scene should not be recorded when Transport Disposit		
26	Transport".		
27	Trauma Triage Criteria (High Risk for Serious Injury) is required when there is a major trauma, possible injury, or a pre-arrival		
28	trauma activation. Select "None Reported" or "Not Applicable" if no other choices are appropriate.		
29	Grand Total		
30			



Understand Occurrences

3	Row Labels	Count of Response
4	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	301
5	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	159
6	Possible Injury is required when Type of Service Requested is "Emergency Response..." and Patient Evaluation/Care is "Patient Evaluated and Care Provided".	124
7	Alternate Home Residence is required when the patient home zip code is missing. Enter "Not Applicable" if no other choice is appropriate.	36
8	Trauma Triage Criteria (High Risk for Serious Injury) is required when there is a major trauma, possible injury, or a pre-arrival trauma activation. Select "None Reported" or "Not Applicable" if no other choices are appropriate.	24
9	Patient's Home ZIP Code is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	18
10	FAST Stroke Scale Type and Stroke Scale Result are required for all stroke/TIA patients. Use Pertinent Negative in Stroke Scale Result if the exam can't be completed.	16
11	Time of Symptom Onset or Last Known Well is required for treated stroke, TIA, and seizure patients.	10
12	A Stroke Severity (LAMS) Score between 0 and 5 is required for all stroke/TIA positive patients. Use Pertinent Negative if the exam can't be completed.	10
13	Date/Time Last Known Well is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...", Stroke Scale Score is "Positive", or Cardiac Rhythm/ECG is "STEMI...".	8
14	PSAP Call Time is required for non-traumatic cardiac arrest patients.	4
15	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".	2
16	Alcohol/Drug Use Indicators is required for suspected opioid use.	1
17	Eye Assessment is required for suspected opioid use.	1
18	Incident State is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	1
19	Incident City is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	1
20	Incident County is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	1
21	Grand Total	717
22		

More than half!



Three Easy Steps

Listen to the Data

- Retrieve WEMSIS scoring data
- Find most common errors
- Find most costly errors

Expose Needed Fields

Add Validation Rules



Understand Deductions

AutoSave Off Agency-Record-Identifier-List-for-Validation-... Saved to this PC

File **1** I Insert Draw Page Layout Formulas Data Review View Automate Developer Help Comments Share

2 Tables Illustrations Checkbox Recommended Charts Maps PivotChart Sparklines Filters Link Comment Text Sym

3 PivotTable Recommended PivotTables Table Forms

Response Incident Number (eResponse.03)

	E	F	G	H	I	J	K	L	M	N
	Agency Nu	Agency Na	Validation	Rule Error	Rule Point	Incident V	Incident Crew	Member Name	Completing Th	
2	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
3	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
4	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
5	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Acuity Upo	10	45		
6	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	45		
7	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Possible I	10	45		
8	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 State - Trauma Tr		25	45		
9	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Acuity Upo	10	80		
10	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	80		
11	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
12	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	100		
13	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
14	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		
15	2025-0000	2025-0000	2025	1 16D04	Jefferson (3.5 Nation	Level of Ca	10	90		



Understand Deductions

Microsoft Excel interface showing the "PivotTable from table or range" dialog box. The dialog box is open, displaying the "Select a table or range" section with the table range "Agency-Record-Identifier-List-f!\$A\$1:\$K\$718" selected. The "Choose where you want the PivotTable to be placed" section shows "New Worksheet" selected. The "Choose whether you want to analyze multiple tables" section shows "Add this data to the Data Model" unchecked. The "OK" button is highlighted with a red box and a red number 1.

Agency-Record-Identifier-List-for-Validation-... • Saved to this PC

File Home Insert Draw Page Layout Formulas Data Review View Automate Developer Help

Tables Illustrations Checkboxes Recommended Charts Maps PivotChart Sparklines Filters Link Comment Text Sym

Response Incident Number (eResponse.03)

	A	B	C	D	E	F	G	H
1	Response	Response	Incident Y	Incident M	Agency N	Agency N	Validation	Rule Error
2	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
3	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
4	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
5	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Up	
6	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
7	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Possible	
8	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 State - Trauma		
9	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Acuity Up	
10	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
11	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
12	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
13	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
14	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	
15	2025-0000	2025-0000	2025	1	16D04	Jefferson (3.5 Nation	Level of C	

PivotTable from table or range

Select a table or range

Table/Range: Agency-Record-Identifier-List-f!\$A\$1:\$K\$718

Choose where you want the PivotTable to be placed

☒ New Worksheet

☐ Existing Worksheet

Location:

Choose whether you want to analyze multiple tables

☐ Add this data to the Data Model

1 OK Cancel



Understand Deductions

AutoSave Off Agency-Record-Identifier-List-for-Validation-Warnings_2026-07-0...

File Home Insert Draw Page Layout Formulas Data Review View Automate Developer Help **PivotTable Analyze**

PivotTable Active Field Group Insert Slicer Insert Timeline Filter Connections Refresh Change Data Source Actions Calculations PivotChart Recommended PivotTables

A3

PivotTable2

To build a report, choose fields from the PivotTable Field List

PivotTable Fields

Choose fields to add to report:

Search

- ☐ Response Incident Number (eResponse.03)
- ☐ Response EMS Response Number (eResponse.04)
- ☐ Incident Year
- ☐ Incident Month Number
- ☐ Agency Number (dAgency.02)
- ☐ Agency Name (dAgency.03)
- ☐ Validation Rule
- ☐ Rule Error Message
- ☐ Rule Point Value

Drag fields between areas below:

Filters	Columns
Rows	Σ Values

☐ Defer Layout Update Update

ings 100%



Understand Deductions

1	
2	
3	Row Labels
4	A Stroke Severity (LAMS) Score between 0 and 5 is required for all stroke/TIA positive patients
5	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Eval
6	Alcohol/Drug Use Indicators is required for suspected opioid use.
7	Alternate Home Residence is required when the patient home zip code is missing. Enter "No
8	Date/Time Last Known Well is required when Patient Evaluation/Care is "Patient Evaluated a
9	Eye Assessment is required for suspected opioid use.
10	FAST Stroke Scale Type and Stroke Scale Result are required for all stroke/TIA patients. Use P
11	Incident City is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
12	Incident County is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
13	Incident State is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
14	Level of Care Provided per Protocol is required (with a value other than "No Care Provided")
15	Patient's Home ZIP Code is required when Patient Evaluation/Care is "Patient Evaluated and
16	Possible Injury is required when Type of Service Requested is "Emergency Response..." and
17	PSAP Call Time is required for non-traumatic cardiac arrest patients.
18	Time of Symptom Onset or Last Known Well is required for treated stroke, TIA, and seizure pa
19	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient
20	Trauma Triage Criteria (High Risk for Serious Injury) is required when there is a major traum
21	Grand Total
22	
23	
24	
25	
26	
27	
28	

PivotTable Fields

Choose fields to add to report:

Search

- ☐ Response Incident Number (eResponse.03)
- ☐ Response EMS Response Number (eResponse.04)
- ☐ Incident Year
- ☐ Incident Month Number
- ☐ Agency Number (dAgency.02)
- ☐ Agency Name (dAgency.03)
- ☐ Validation Rule
- ☒ Rule Error Message
- ☒ Rule Point Value

Drag fields between areas below:

Filters

Columns

Rows

Values

Rule Error Message

Sum of Rule Point Value



Understand Deductions

3	Row Labels	Sum of Rule Point V
4	A Stroke Severity (LAMS) Score between 0 and 5 is required for all stroke/TIA positive patients. Use Pertinent Negative if the exam can't be completed.	250
5	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	1590
6	Alcohol/Drug Use Indicators is required for suspected opioid use.	1
7	Alternate Home Residence is required when the patient home zip code is missing. Enter "Not Applicable" if no other choice is appropriate.	36
8	Date/Time Last Known Well is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...", Stroke Scale Score is "Positive", or Cardiac Rhythm/ECG is "STEMI..."	80
9	Eye Assessment is required for suspected opioid use.	1
10	FAST Stroke Scale Type and Stroke Scale Result are required for all stroke/TIA patients. Use Pertinent Negative in Stroke Scale Result if the exam can't be completed.	400
11	Incident City is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	5
12	Incident County is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	5
13	Incident State is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	5
14	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	3010
15	Patient's Home ZIP Code is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	90
16	Possible Injury is required when Type of Service Requested is "Emergency Response..." and Patient Evaluation/Care is "Patient Evaluated and Care Provided".	1240
17	PSAP Call Time is required for non-traumatic cardiac arrest patients.	100
18	Time of Symptom Onset or Last Known Well is required for treated stroke, TIA, and seizure patients.	100
19	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".	2
20	Trauma Triage Criteria (High Risk for Serious Injury) is required when there is a major trauma, possible injury, or a pre-arrival trauma activation. Select "None Reported" or "Not Applicable" if no other choices are appropriate.	600
21	Grand Total	7515



Right-click



Understand Deductions

3	Row Labels	Sum of Rule Point
4	Level of Care Provided per Protocol is required (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	3010
5	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	1590
6	Possible Injury is required when Type of Service Requested is "Emergency Response..." and Patient Evaluation/Care is "Patient Evaluated and Care Provided".	1240
7	Trauma Triage Criteria (High Risk for Serious Injury) is required when there is a major trauma, possible injury, or a pre-arrival trauma activation. Select "None Reported" or "Not Applicable" if no other choices are appropriate.	600
8	FAST Stroke Scale Type and Stroke Scale Result are required for all stroke/TIA patients. Use Pertinent Negative in Stroke Scale Result if the exam can't be completed.	400
9	A Stroke Severity (LAMS) Score between 0 and 5 is required for all stroke/TIA positive patients. Use Pertinent Negative if the exam can't be completed.	250
10	PSAP Call Time is required for non-traumatic cardiac arrest patients.	100
11	Time of Symptom Onset or Last Known Well is required for treated stroke, TIA, and seizure patients.	100
12	Patient's Home ZIP Code is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	90
13	Date/Time Last Known Well is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...", Stroke Scale Score is "Positive", or Cardiac Rhythm/ECG is "STEMI...".	80
14	Alternate Home Residence is required when the patient home zip code is missing. Enter "Not Applicable" if no other choice is appropriate.	36
15	Incident State is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	5
16	Incident City is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	5
17	Incident County is required unless Unit Disposition is "Cancelled Prior to Arrival at Scene".	5
18	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".	2
19	Eye Assessment is required for suspected opioid use.	1
20	Alcohol/Drug Use Indicators is required for suspected opioid use.	1
21	Grand Total	7515
22		

More than half!



Three Easy Steps

Listen to the Data

- Configure ESO to make visible the fields associated with our WEMSIS errors.

Expose Needed Fields

Add Validation Rules

What you'll need:

- Administrative rights in your ESO installation.
- Handy cheat sheet!



Did Someone Say Cheat Sheet?

- Sponsored by NW Region EMS Council (<https://www.nwrems.org/>)
 - One of 8 WA regional EMS councils
 - Clallum, Jefferson, Kitsap, Mason counties
- Top 25 WEMSIS errors experienced by member departments
 - Downloadable from https://github.com/NWREMS/ESO_WEMSIS
 - View it directly at https://github.com/NWREMS/ESO_WEMSIS/blob/main/ESO_WEMSIS_Fixes.md



Did Someone Say Cheat Sheet?

Screenshot of a GitHub repository page for NWREMS / ESO_WEMSIS.

The repository is public and contains a file named `ESO_WEMSIS_Fixes.md` in the `main` branch. The file is 27 lines (27 loc) and 14.8 KB in size.

The file content is a table with 5 columns: Rule ID, Rule Message, Fix Type, Fix, and Notes. The table is highlighted with a red border.

Rule ID	Rule Message	Fix Type	Fix	Notes
			Correct each flagged incident record as follows:	



Did Someone Say Checklist?

The descriptive message for the rule.

Step-by-step instructions

ES0_WEM5IS/ES0_WEM5IS_Fixes

github.com/NWREMS/ES0_WEM5IS/blob/main/ES0_WEM5IS_Fixes.md

Platform Solutions Resources Open Source Enterprise

NWREMS / ES0_WEM5IS Public

Code Issues Pull requests Actions

main ESO_WEM5IS / ES0_WEM5IS_Fixes.md

Scott Culp transcribe Excel to markdown

Preview Code Blame 27 lines (27 loc) · 14.8 KB

Rule ID	Rule Message	Fix Type	Fix	Notes
			Correct each flagged incident record as follows: 1. In ESO EHR, unlock the record.	
	Date/Time of Symptom must be arrived		Make the PSAP Call Date/Time field visible: 1. Navigate to ESO Admin EHR Incident Tab Configurable Fields. 2. Turn on the PSAP Call Date/Time field.	
182	PSAP Call Time is required for non-traumatic cardiac arrest patients.	Procedure	Correct each flagged incident record as follows: 1. In ESO EHR, unlock the record. 2. Navigate to Incident Times. 3. Click "Set Times". 4. Provide a time and day for the PSAP Call field, then click OK. 5. Lock the record.	This error typically occurs when a call is opened with Station A but then is transferred to Station B; the PSAP information isn't automatically added to Station B's call. We are working with Jeffcom to modify their procedures so that they add PSAP information to the Station B call in such cases.
	A Stroke Severity (LAMS)			Currently, ESO users cannot comply

Look up this rule by number at WEM5IS | Tools | Validation Rules.

ESO Configuration, Procedure, or None

Additional info when needed



Sample Fix

Rule ID	Rule Message	Fix Type	Fix	Notes
1236	Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".	ESO Configuration	Make the Final Patient Acuity field visible. 1. Navigate to ESO Admin EHR Narrative Tab Configurable Fields. 2. Turn on Final Patient Acuity. Require the Final Patient Acuity field. 1. Navigate to ESO Admin EHR Narrative Tab Configurable Validation. 2. Turn on Final Patient Acuity.	



Configure Visibility

NEW | Jefferson County FPD #4 (Brinnon) SC Account ▾

EHR Outcomes QM Tracker Fire Incide... Incidents Admin Assets Checklists More Apps



Configure Visibility

1

eso ADMIN

Search Admin (Ctrl+;)

Welcome

- > General
- > Security
- > Extracts
- Alerts
- Surveys
- > CAD
- 1 > EHR
 - > Incident Tab
 - > Patient Tab
 - > Vitals Tab
 - > Flowchart Tab
 - > Assessments Tab
 - > Narrative Tab
 - > Forms Tab
 - > Billing Tab
 - > Signatures Tab

One per EHR tab

ESO

W

Adm

From

To ge

Some of your product configuration.

ize your ESO product suite.

on to specific controls and

Fire products.

select a quick action below.



Configure Visibility

The screenshot shows the ESO ADMIN interface. On the left is a sidebar menu with a green 'Welcome' header and a list of categories: General, Security, Extracts, Alerts, Surveys, CAD, and EHR. The 'EHR' category is highlighted with a red box and a red arrow pointing to it, labeled with a red '1'. To the right of the sidebar, the 'EHR' section is expanded, showing a list of tabs: Incident Tab, Patient Tab, Vitals Tab, Flowchart Tab, Assessments Tab, Narrative Tab, Forms Tab, Billing Tab, and Signatures Tab. The 'Incident Tab' is highlighted with a red box and a red arrow pointing to it, labeled with a red '2'. To the right of the 'Incident Tab' list, a dropdown menu is shown, containing the following options: EHR, Incident Tab, Configurable Fields, Configurable Lists, and Configurable Validation. A red arrow points from the 'Incident Tab' in the list to the 'Incident Tab' in the dropdown. Another red arrow points from the 'Configurable Fields' option in the dropdown to a grey arrow pointing to the text 'Visible Fields'. A yellow banner at the bottom right of the dropdown menu contains the text 'Affects NEW records only!'.

1

2

Visible Fields

Affects NEW records only!



Configure Visibility

Rule Message

Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

Fix

Make the Final Patient Acuity field visible.

1. Navigate to ESO | Admin | EHR | Narrative Tab | Configurable Fields.
2. Turn on Final Patient Acuity.

Require the Final Patient Acuity field.

1. Navigate to ESO | Admin | EHR | Narrative Tab | Configurable Validation.
2. Turn on Final Patient Acuity.

1 EHR

2 Narrative Tab

3 Configurable Fields

4 Final Patient Acuity

CONFIGURABLE FIELDS

Search List Export Show All

Condition of Patient at Destination ON

Do you suspect an acute (new onset) stroke/... ON

Duration of Chief Complaint OFF

Duration of Secondary Complaint OFF

Final Patient Acuity ON

Height of Fall ON

How Patient Was Moved to Ambulance ON

How Patient Was Moved to Stretcher ON

How Patient Was Transported From Ambulan... ON

Initial Patient Acuity ON



Check Our Work

NEW

The logo for eso (Emergency Services Online) consists of a grid of dots to the left of the lowercase letters "eso".

The logo for Jefferson County FPD #4 (Brinnon) is a red Maltese cross with a yellow border, similar to the Brinnon Fire Dept logo, but with a different central emblem.

Jefferson County FPD #4 (Brinnon)

SC Account ▾

1

A blue square icon with a white medical symbol (a caduceus) inside.

EHR

20

A blue square icon with a white figure of a person with arms raised, surrounded by dots.

Outcomes

A blue square icon with a white checkmark inside.

QM

A blue square icon with a white location pin and a circular arrow around it.

Tracker

A red square icon with a white fire Maltese cross inside.

Fire Incide...

A red square icon with a white fire Maltese cross inside.

Incidents

A blue square icon with a white wrench inside.

Admin

A blue square icon with a white gear and a location pin inside.

Assets

A blue square icon with a white clipboard and a checkmark inside.

Checklists

A gray square icon with three white dots inside.

More Apps



Check Our Work

 EHR

CULP, SCOTT

Selected View
All Draft & Mobile Records 

Filters

No records found.
Change your filters and try again.

1

New Record

CAD Import



Check Our Work

Home | **eso** | PATIENT UNNAMED PATIENT | [Checkmark] | [Camera] | [Menu]

INCIDENT | PATIENT | VITALS | FLOWCHART | ASSESSMENTS **1** | **NARRATIVE** | FORMS | BILLING | SIGN

IMPRESSION

SIGNS/SYMPTOMS

TIMES

2 **COMPLAINT**

INJURIES

FACTORS

TRANSPORT

NARRATIVE

Chief Complaint

Secondary Complaint

Initial Patient Acuity

3 Final Patient Acuity

Patient's Level of Distress

Mild Moderate Severe None



Three Easy Steps

Listen to the Data

- Configure ESO to require the fields associated with our WEMSIS errors.

Expose Needed Fields

Add Validation Rules

What you'll need:

- Administrative rights in your ESO installation.
- Handy cheat sheet!



Configure Validation

The screenshot shows the ESO Admin interface. On the left is a sidebar menu with a green 'Welcome' header and a list of categories: General, Security, Extracts, Alerts, Surveys, CAD, and EHR. The 'EHR' category is highlighted with a red box and a red arrow pointing to it, labeled with a red '1'. To the right of the sidebar, the 'EHR' dropdown menu is open, showing a list of tabs: Incident Tab, Patient Tab, Vitals Tab, Flowchart Tab, Assessments Tab, Narrative Tab, Forms Tab, Billing Tab, and Signatures Tab. The 'Incident Tab' is highlighted with a red box and a red arrow pointing to it, labeled with a red '2'. To the right of the 'Incident Tab' dropdown, a second dropdown menu is shown, containing 'Configurable Fields', 'Configurable Lists', and 'Configurable Validation'. A red arrow points from the 'Incident Tab' dropdown to this second dropdown. A grey arrow points from the text 'Required Fields' to the 'Configurable Validation' option. A yellow banner with red text 'Affects NEW records only!' is positioned below the second dropdown. The background of the interface shows a 'Welcome' message and a search bar.

1

2

Required Fields

Affects NEW records only!



Configure Validation

Rule Message

Acuity Upon EMS Release of Patient is required when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

Fix

Make the Final Patient Acuity field visible.

1. Navigate to ESO | Admin | EHR | Narrative Tab | Configurable Fields.
2. Turn on Final Patient Acuity.

Require the Final Patient Acuity field.

1. Navigate to ESO | Admin | EHR | Narrative Tab | Configurable Validation.
2. Turn on Final Patient Acuity.

The screenshot displays the ESO Admin interface. The left sidebar contains a menu with the following items: Alerts, Surveys, CAD, EHR (1), Incident Tab, Patient Tab, Vitals Tab, Flowchart Tab, Assessments Tab, Narrative Tab (2), Configurable Fields, Configurable Lists, Configurable Validation (3), Forms Tab, Billing Tab, Signatures Tab, and Clinical Guidelines. The main panel is titled 'CONFIGURABLE VALIDATION' and includes a search bar, an export button, and a 'Show All' dropdown. A list of validation settings is shown, including 'Custom - How Patient was transported from ...', 'Custom - Patient's Level of Distress', 'Custom - Position of Patient During Transport', 'Custom - Protocol Used', 'Final Patient Acuity' (4), 'Final Patient Acuity Required for All Patient C...', 'How Patient was moved to Stretcher', 'Initial Patient Acuity', 'Initial Patient Acuity Required for All Patient ...', 'Last Known Well Required', and 'Last Known Well Required for Injury'. The 'Final Patient Acuity' setting is highlighted with a red box, and its toggle switch is turned ON.



Check Our Work

NEW

The logo for eso, consisting of a grid of dots followed by the letters "eso".

The logo for Jefferson County FPD #4 (Brinnon), featuring a red Maltese cross with a yellow border and a circular emblem inside.

Jefferson County FPD #4 (Brinnon)

SC Account ▾

1

A blue square icon with a white caduceus symbol.

EHR

20

A blue square icon with a white figure of a person with arms raised.

Outcomes

A blue square icon with a white checkmark.

QM

A blue square icon with a white location pin and a circular arrow.

Tracker

A red square icon with a white fire Maltese cross.

Fire Incide...

A red square icon with a white fire Maltese cross.

Incidents

A blue square icon with a white wrench.

Admin

A blue square icon with a white gear and a location pin.

Assets

A blue square icon with a white clipboard and a checkmark.

Checklists

A gray square icon with three white dots.

More Apps



Check Our Work

 EHR

CULP, SCOTT

Selected View
All Draft & Mobile Records 

Filters

No records found.
Change your filters and try again.

1

New Record

CAD Import



Check Our Work

eso PATIENT UNNAMED PATIENT

1

INCIDENT

PATIENT

VITALS

FLOWCHART

ASSESSMENTS

NARRATIVE

FORMS

BILLING

SIGNATURES

RESPONSE

Response

SCENE

Incident Number
260703-0932-BFD5

PERSONNEL

DISPOSITION

Run Number

DESTINATION

TIMES

Run Type

911 Resp... Other Routine Medical T... Emergency Response (I... Other

MILEAGE

Response Mode to Scene

Emergent Emergent Downgraded to Non-Emer... Non-Emerg... Other

ADDITIONAL

Response Mode Lights & Sirens Use




Check Our Work



PATIENT
UNNAMED PATIENT 



Validation Summary 

15
VALIDATION ISSUES
This incident

En Route	Required
On Scene	Required
Call Closed	Required
Narrative Tab	
Narrative	Required



Check Our Work

eso

PATIENT
UNNAMED PATIENT ▾

3

INCIDENT

PATIENT

VITALS

FLOWCHART

ASSESSMENTS

NARRATIVE

FORMS

BILLING

SIGN

RESPONSE

SCENE

PERSONNEL

DISPOSITION

DESTINATION

TIMES

MILEAGE

ADDITIONAL

Disposition

Unit Disposition

1 Patient Contact Made

Patient Evaluation and/or Care Disposition

2 Patient Evaluated and Care Provided

Crew Disposition

Transport Disposition



Check Our Work



PATIENT
UNNAMED PATIENT ▾

✕







Validation Summary

OK

41
VALIDATION ISSUES
This incident

Vital Signs	Required Diastolic BP
Vital Signs	Required Respiration Rate
Vital Signs	Required Pulse
Vital Signs	Required SpO2
Narrative Tab	
Chief Complaint	Required
Final Patient Acuity	Required
Last Known Well	Required



Call to Action

1. Try the fixes
2. Email sculp@brinnonfire.com with corrections
3. Contribute more fixes

Questions?

