Inkraft

A trilingual benchmark on Swiss social and health insurance law

Niklas Wichter
Team Apertool · Hack Apertus 2026 · Track 1B — Swiss Voices

Three sentence summary: Swiss residents, AHV branch offices, medical practices and social services need exact amounts, deadlines and responsibilities from Swiss social and health insurance law, and a model that states last year's rule is worse than one that says it does not know. Inkraft is a trilingual (German, French, Italian) short-answer benchmark of 327 questions (951 rows) in which every gold answer is backed by a verbatim quote from the authentic text of a federal act as of 1 October 2026, and for 53 amended provisions the previously valid answer is stored verbatim from the earlier Fedlex version, so that wrong answers split into *stale* (earlier law) and other errors. On release candidate v1.0.0-rc1 (automatically verified; human spot check in progress), Apertus 1.5 70B answers 51 % of rows correctly but only 8 % of the rows whose rule changed with a stored earlier answer, where it gives the earlier law in 29 % of the rows; with the cited paragraph in the prompt it reaches 97 % on the same rows, and a date in the prompt does not help.

Track: Apertus Readiness - Track 1B (Swiss Voices, Core Task Intelligence)
Event: Online
Team: Apertool — Niklas Wichter
Demo: project page https://inkraft.apertool.ch; Hugging Face dataset with test items, model responses, judgements and metadata (published with the submission)

Use of Apertus

- **Model:** swiss-ai/Apertus-v1.5-8B and swiss-ai/Apertus-v1.5-70B (Project Apertus et al., 2025; Swiss AI Initiative, 2026a)
- **How it is used:** evaluation (examinee). Apertus never drafts, fixes or checks items; Apertus-70B is used once as a *comparison* judge to measure self-preference, never for the reported scores.
- **Where it runs:** hosted Hack Apertus endpoint (OpenAI-compatible); any other endpoint via `LLM_BASE_URL`, `LLM_API_KEY`, `LLM_NAME`

Use Case Description

Every person living in Switzerland is insured under the Federal Health Insurance Act (KVG) and the old-age and survivors' insurance (AHV). Questions about deductibles, contribution rates, waiting periods, family allowances and registration deadlines reach municipal AHV branch offices, front-office staff in medical practices, social services and the insured themselves. Mistakes cost money: a missed switching deadline binds a person to an insurer for another year, a wrong waiting period delays an invalidity insurance (IV) claim. Public administrations already deploy Apertus (Swiss AI Initiative, 2026a), so the question is not only whether the model knows this law, but whether it knows the law *in force*.

Social insurance law changes on fixed dates. The minimum child allowance under Art. 5 para. 1 FamZG was CHF 200 per month until 2024 and is CHF 215 since the version of 1 January 2025; the deductible for original drugs with cheaper generics (Art. 38a para. 1 KLV) rose from 20 to 40 %. A model trained on older text may give the earlier figure with confidence. Language models have source-specific effective knowledge cutoffs (Cheng et al., 2024), legal hallucinations are frequent (Dahl et al., 2024), and outdated statutory knowledge has been shown for German law (Prior et al., 2026). Inkraft therefore separates three kinds of failure: an answer that matches the rule before an amendment (*stale*), an answer that matches no version (*other*, including near misses), and an honest refusal (*not attempted*).

Dataset Summary

Inkraft covers 19 federal acts and ordinances on health insurance (KVG, KVV, KLV), old-age, invalidity and supplementary benefits (AHVG, AHVV, IVG, IVV, ELG, ELV), accident insurance and the general part (UVG, ATSG), unemployment and income compensation (AVIG, AVIV, EOG), occupational pensions (BVG, BVV 2, BVV 3), family allowances (FamZG) and continued payment of wages (Art. 324a OR). Each item is a single-turn question with a short gold answer, accepted variants, *near-miss* answers (a related but wrong value) and, for amended provisions, the outdated answer. Every item is anchored to one paragraph: Fedlex ELI with version date and the verbatim quote in the language of the item. The as-of date is 1 October 2026 for all items.

Table 1 places Inkraft among related benchmarks. SwitzerlandQA (Project Apertus et al., 2025) covers Swiss civics including insurance, but as machine-translated multiple choice without sources. Swiss-Bench SBP-002 and 003 cover FINMA, data protection and contract law (Uenal, 2026a; 2026b), LEXam covers law exams (Fan et al., 2025), and Prior et al. measure outdated knowledge of German statutes (Prior et al., 2026). To our knowledge no open benchmark combines Swiss social insurance law, gold answers from three authentic language versions, an as-of date with the verbatim earlier rule, credit for abstention, and an exposure check against the published training data of the evaluated model.

Bench-mark	Domain, format	Stale	Abst.
Switzer-landQA	civics incl. insurance; MC	no	no
Swiss-Bench	FINMA, nDSG, OR; mixed	n. r.	n. r.
LEXam	law exams; open + MC	n. r.	n. r.
Prior et al.	German law; temporal QA	yes	n. r.
Inkraft	**social insurance; short, DE/FR/IT, fedlex quote**	**yes**	**yes**

Table 1: Related benchmarks. Stale: separates outdated from wrong answers. Abst.: credits abstention. n. r.: not reported in the abstract (for SwitzerlandQA: Appendix K of the Apertus report).

Release candidate **v1.0.0-rc1** (frozen 2026-10-13, `data/FREEZE.json`) has **327 German core questions, 951 rows**, 312 cores in all three languages. Question types: numeric 114, yes/no 66, procedural 61, temporal 45, calculation 20 (recomputed by the validator from cited inputs), false premise 18, term 3. Registers: professional 170, lay 157. The temporal bucket is set per *evidence sentence* over all stored versions: 248 cores cite a sentence unchanged since 2024, 79 a sentence that changed in 2024–2026; **53 of them are STALE pairs** (157 rows) whose earlier answer occurs verbatim in an earlier Fedlex version and differs from the current one. Drafting models: GPT-5.5 via Codex 98 cores, Claude 97, Gemini 86 (all disclosed per row, see below) and the open model Nemotron 3 Ultra 46 (33 of the 53 STALE pairs).

Data Collection Method

Truth comes from the statute, never from a language model. The pipeline runs Fedlex → paragraphs → version diff → drafting → automatic checks → independent second check → freeze → evaluation → human spot check. It fetches 20 acts from the Fedlex SPARQL endpoint in German, French and Italian: the consolidation applicable on 1 October 2026, the one applicable at the end of 2023, every version in between and published future versions (`src/fetch_fedlex.py`, URLs and SHA-256 in `data/sources/fedlex_manifest.v2.json`). Articles are split into paragraphs; `src/find_changes.py` diffs every paragraph across versions.

Drafting. 303 cores were drafted per paragraph by Claude, GPT-5.5 (Codex) and Gemini (an Antigravity agent) in early October; the gold answer must occur verbatim (or as a normalised number) in the paragraph. Because the version diff was the scarce resource, 160 further temporal candidates were drafted by the open model Nemotron 3 Ultra from ranked version diffs (prompt `nemotron-temporal-v2`, hash stored per row), including four found by a numeric diff of acts outside the first manifest (FamZG, EOV, KLV) and checked against the stored Fedlex versions. French and Italian questions are translations, but their gold answers and evidence come from the authentic French and Italian text of the same paragraph, because all three versions are equally binding (Swiss Confederation, 2023).

Automatic verification (`src/validate_items.py`, every row): schema; the evidence occurs verbatim in the cited paragraph of the version valid on the as-of date; the answer occurs in the evidence; the outdated answer occurs verbatim in an earlier stored version and differs from the current value; a near-miss value valid in an earlier version is rejected; calculation items are recomputed from inputs anchored in the cited text; duplicates; language and value consistency across DE/FR/IT; Swiss spelling and a PII scan. **v1.0.0-rc1: 0 errors on 951 rows**, 216 warnings (87 only flag a published later version).

Release rules (`src/auto_review.py`, fixed before any model output was scored; decisions logged per core in `data/review/auto/`): existing cores lose paragraph clusters and near-duplicates (19 dropped) and gain machine-proposed answer variants and outdated answers only when the validator passes (21 patched); a candidate needs no validator error, no duplicate and no "reject" in a pre-assessment, and its correction notes are applied by Nemotron and re-validated (`src/auto_fix.py`). Every remaining core then gets an **independent second check by Qwen3-235B** (`src/second_check.py`, a model family not used for drafting): answer supported by the paragraph, unambiguous question, no leak, equivalent languages, valid variants and near misses, and a real (not merely renamed) earlier rule. 15 of 335 cores were flagged; 8 were dropped, 7 calculation items were kept because the checker sees no calculation inputs while the validator recomputes them. Drop rates by drafting model: Codex 4.9 %, Claude 7.6 %, Gemini 9.5 %, Nemotron 71 % (114 of 160 candidates; most changes in the diff pool are renamings such as "ordentliches Rentenalter" → "Referenzalter").

Human check. All rows of rc1 have `status: auto_verified` and `needs_human_review: true`. A stratified random sample of 35 cores (15 of the 53 STALE pairs, 20 of the other 274) is checked by the curator against the linked paragraph, blind to model outputs (`src/make_check_file.py`, seed 20261013); the error rate per stratum with Wilson interval and every rejected core are reported with v1.0.0, and rejected cores are removed without new model calls. No item was selected, changed or removed on model outcomes.

Exposure check. Apertus 1.5 was trained on the Swiss legislation subset `switzerland_lexfind` of MultiLegalPile (Niklaus et al., 2024; Swiss AI Initiative, 2026b). For every row we search the verbatim current evidence and, for amended provisions, the earlier evidence in the German, French and Italian files at the published revision of 12 January 2024; we also count 13-gram overlaps between questions and the corpus (Brown et al., 2020; Sainz et al., 2023). On rc1 the current wording occurs in 564 rows, only the earlier wording in 84, neither in 277 (26 evidences too short). For the 135 `temporal` rows the current wording occurs once, the earlier one 76 times. 55 questions share a 13-gram with the corpus; they reuse statutory phrasing, the questions themselves are new.

Consent. No personal data is collected; vignettes use roles only. A consent form template for optional reviewers is provided (`docs/consent_form_template.md`).

Dataset Details

The statute texts are not protected by copyright (Art. 5 para. 1 URG) (Swiss Confederation, 2025); Fedlex linked data

is offered for free use (opendata.swiss, 2026). Questions, answers and metadata are released under CDLA-Permissive-2.0; the licence is stored per item. The intermediate MultiLegalPile files (CC BY-NC-SA) are analysed locally and not redistributed. The data card follows the Hack Apertus template, Datasheets and Data Cards (Gebru et al., 2021; Pushkarna et al., 2022); a canary GUID in every file lets model builders exclude the set from training (Srivastava et al., 2023).

Evaluation

Method

Grading follows SimpleQA (Wei et al., 2024): each answer is CORRECT, INCORRECT or NOT_ATTEMPTED; INCORRECT answers carry the subtype STALE (matches the outdated answer), NEAR_MISS or OTHER. Metrics: correct, incorrect and not-attempted rates, correct given attempted (CGA), F-score, hallucination rate I/(C+I), share of stale errors, penalised scores $C - \lambda \cdot I$ ($\lambda = 1, 3$) (Kalai et al., 2025; Wen et al., 2025), language consistency (same grade in DE, FR and IT) (Qi et al., 2023) and the open-book gain, which separates a knowledge gap from a reading gap. Intervals are 95 % Wilson or cluster bootstrap over cores (1,000 resamples); paired comparisons use exact McNemar tests.

Grading has three stages. (1) A deterministic pre-grade extracts numbers, number words, units and refusals in all three languages; it is a hint for the judge, never a grade. (2) The LLM judge **Qwen3-235B-A22B-2507** (OpenRouter, temperature 0), a family different from every examinee and every drafting model of the reported items, grades every answer against gold, variants, outdated and near-miss answers (Panickssery et al., 2024; Zheng et al., 2023). On 61 constructed answers with known grades it scores **61/61 on the grade** (gate 0.95) and 57/61 with subtype (four conflicting answers labelled near miss instead of other). (3) A human grades a stratified random 22 % sample of the judgements of the submitted run (Apertus 70B, `closed_dated`: 211 of 951) blind to the judge's grade; raw agreement and Cohen's κ with bootstrap interval are reported with v1.0.0 (Bavaresco et al., 2025; Cohen, 1960). As a diagnostic we also graded the main runs with Apertus-70B as judge: agreement with Qwen is $\kappa = 0.86$ on 70B answers and 0.93 on 8B answers, but Apertus-70B marks 48 more of its own answers correct (533 vs 485, +5.0 points), against +19 on the 8B's answers, a pattern consistent with self-preference; we therefore never use it for scores.

Evaluation setup and inference parameters

Conditions: `closed_dated` (main): system prompt on Swiss federal law with the date and the instruction to answer briefly and say when unsure; `open_book`: the same plus the cited paragraph; on all 327 German rows also `closed_swiss` (no date) and `closed_plain` (bare question). Parameters: temperature 0, top-p 1, max. 256 output tokens, seed 20261001, reasoning mode off, native chat template of the hosted Hack Apertus endpoint. Runs of 2026-10-13: 5,112 Apertus answers (0 failures after retries), 5,112 judge calls. Paid model use (OpenRouter, as reported per call): judge 0.44 USD, second check 0.06 USD; Nemotron was used free of charge.

Results

`closed_dated`	n	8B	70B
All rows	951	32.9 (30–36)	51.0 (48–54)
No earlier answer: correct	794	38.3 (35–42)	59.6 (56–63)
STALE pairs: correct	157	5.7 (3–11)	7.6 (4–13)
STALE pairs: **earlier law**	157	12.7 (8–19)	28.7 (22–36)
STALE pairs, open book	157	95.5 (91–98)	97.5 (94–99)
Corpus has current text	564	41.0 (37–45)	63.8 (60–68)
Corpus has no wording	277	25.6 (21–31)	38.6 (33–44)
Corpus has only earlier	84	7.1 (3–15)	11.9 (7–21)
… of which earlier law	84	21.4 (14–31)	34.5 (25–45)

Table 2: Main results on v1.0.0-rc1, % correct unless stated (Wilson 95 % CI), judge Qwen3-235B (`report/analysis.json`). Corpus rows: exposure bucket of the cited wording in MultiLegalPile. Incorrect / not attempted overall: 8B 55.4 / 11.7 %, 70B 47.9 / 1.1 %; F-score 0.35 and 0.51.

(1) Apertus knows the old law, not the new one. On the 157 STALE-pair rows the 70B is correct in 8 % and gives the earlier rule in 29 %, almost four times as often; for 24 of the 53 amended provisions it states the earlier value in at least one language. The 8B answers less (24 % not attempted) and is stale in 13 %. On the other rows the 70B is correct in 60 %. **(2) It is a knowledge gap, not a reading gap.** With the cited paragraph in the prompt both models answer 95–97 % of all rows and 96–97 % of the STALE-pair rows correctly (open-book gain +45 points for the 70B, +62 for the 8B); this also shows that the gold answers are recoverable from the cited text. **(3) Exposure tracks accuracy.** Where only the earlier wording occurs in the published training corpus, the 70B is correct in 12 % and stale in 35 %; where the current wording occurs, it is correct in 64 % (association; bucket, act and change date are confounded). **(4) The date does not help.** On the German rows the date in the system prompt changes the correct rate by −0.3 points for the 70B (11 vs 12 discordant rows, $p = 1.0$) and by −1.5 for the 8B ($p = 0.27$); the full system prompt (Swiss law and date) against the bare question adds +1.5 and +1.8 points ($p = 0.64$, 0.54). **(5) Size helps on stable law only.** The 70B beats the 8B on 224 rows and loses on 52 ($p < 0.001$), consistently in DE (53 %), FR (51 %) and IT (49 %); it gives the same grade in all three languages for 67 % of the cores (8B: 50 %).

Dataset Limitations

Only federal law; cantonal rules are excluded. v1.0.0-rc1 is verified by deterministic checks against Fedlex and one independent model check, not yet by a full human review; the human spot check covers 35 cores, and the second check flagged little (15 of 335), so it is a weak filter for subtle ambiguity. 281 of 327 cores were drafted by closed models (Claude, GPT-5.5, Gemini), disclosed per row; accuracy by drafting model is reported in `data/results.json`, but drafting model and question type are confounded (all calculation and false-premise items come from Gemini, 33 of 53 STALE pairs from Nemotron). French and Italian questions are model translations; answers come from the authentic texts. One annotator, not a native Swiss speaker. 20 % yes/no items (50 % guessing rate, reported separately). The STALE-pair set (53 cores) is limited by the version diff: most changes since 2024 are renamings or cross-reference renumbering, not new values. The as-of date ages; 29 cores already have a published later version. The exposure check




Figure 1: Grades per model and condition for unchanged rules, changed rules without stored earlier answer, and STALE pairs. Numbers are % of rows.

covers only the Swiss legislation subset of MultiLegalPile, not web crawls (Penedo et al., 2025; Su et al., 2025). Short answers measure knowledge, not the quality of advice.

Lessons Learnt and Recommendations

For the model: a date in the system prompt does not make Apertus more current, while the cited paragraph fixes almost every error, so the fix has to come from data or retrieval: a refreshed legislation corpus, retrieval with a version filter instead of parametric recall (Prior et al., 2026), and training abstention instead of rewarding guesses (Kalai et al., 2025). For the dataset: yearly updates on 1 January from the version diff, native-speaker review of French and Italian, a cantonal extension. For benchmark builders: the scarce resource is not drafting but real value changes; a paragraph diff over all intermediate versions plus a verbatim check of the earlier answer found 53 usable STALE pairs in 20 acts, and an independent judge family matters, since the examinee as judge was measurably lenient with itself.

Reproducibility

`make run` builds a Docker image (Python 3.12, no GPU, no API keys) and replays the scoring offline: it recomputes all eight result blocks from the stored responses (`data/responses/`) and judgements (`data/judgements/`) and compares them with `data/expected_results.json` (PASS/FAIL). `make run MODE=full` evaluates any OpenAI-compatible model given `LLM_*` and grades with `JUDGE_*` (smoke test: `LIMIT=50`). `scripts/run_after_freeze.sh` reruns calibration, generation, judging, scoring and the human sample page; `report/analysis.py` and `report/make_figures.py` recompute every number and the figure in this report. The dataset construction is scripted end to end (`src/fetch_fedlex.py` → `find_changes.py` → `gen_nemotron.py` → `validate_items.py` → `auto_fix.py` → `auto_review.py` → `second_check.py` → `after_review.py` → `freeze.py`). Seeds: 20261001 (generation), 20261016 (bootstrap), 20261013 (human samples). `make test` runs the unit tests.

License

This report and the documentation: CC-BY-4.0. Code: Apache-2.0. Dataset (questions, answers, metadata): CDLA-Permissive-2.0, licence stored per item in `metadata.jsonl`. Statute quotes: not protected by copyright (Art. 5 URG). The judge prompt adapts the SimpleQA grader of OpenAI simple-evals (MIT).

References

Bavaresco, A., Bernardi, R., Bertolazzi, L., Elliott, D., Fernández, R., Gatt, A., Ghaleb, E., Giulianelli, M., Hanna, M., Koller, A., Martins, A., Mondorf, P., Neplenbroek, V., Pezzelle, S., Plank, B., Schlangen, D., Suglia, A., Surikuchi, A. K., Takmaz, E., & Testoni, A. (2025). LLMs instead of Human Judges? A Large Scale Empirical Study across 20 NLP Evaluation Tasks. *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, 238–255. https://doi.org/10.18653/v1/2025.acl-short.20

Brown, T. B., Mann, B., Ryder, N., Subbiah, M., Kaplan, J., Dhariwal, P., Neelakantan, A., Shyam, P., Sastry, G., Askell, A., Agarwal, S., Herbert-Voss, A., Krueger, G., Henighan, T., Child, R., Ramesh, A., Ziegler, D. M., Wu, J., Winter, C., … Amodei, D. (2020). Language Models are Few-Shot Learners. *Advances in Neural Information Processing Systems 33 (Neurips 2020)*, 1877–1901. https://arxiv.org/abs/2005.14165

Cheng, J., Marone, M., Weller, O., Lawrie, D., Khashabi, D., & Van Durme, B. (2024,). *Dated Data: Tracing Knowledge Cutoffs in Large Language Models*. https://doi.org/10.48550/arXiv.2403.12958

Cohen, J. (1960). A Coefficient of Agreement for Nominal Scales. *Educational and Psychological Measurement*, *20*(1), 37–46. https://doi.org/10.1177/001316446002000104

Dahl, M., Magesh, V., Suzgun, M., & Ho, D. E. (2024). Large Legal Fictions: Profiling Legal Hallucinations in Large Language Models. *Journal of Legal Analysis*, *16*(1), 64–93. https://doi.org/10.1093/jla/laae003

Fan, Y., Ni, J., Merane, J., Tian, Y., Hermstrüwer, Y., Huang, Y., Akhtar, M., Salimbeni, E., Geering, F., Dreyer, O., Brunner, D., Leippold, M., Sachan, M., Stremitzer, A., Engel, C., Ash, E., & Niklaus, J. (2025,). *LEXam: Benchmarking Legal Reasoning on 340 Law Exams*. https://doi.org/10.48550/arXiv.2505.12864

Gebru, T., Morgenstern, J., Vecchione, B., Vaughan, J. W., Wallach, H., Daumé III, H., & Crawford, K. (2021). Datasheets for Datasets. *Communications of the ACM*, *64*(12), 86–92. https://doi.org/10.1145/3458723

Kalai, A. T., Nachum, O., Vempala, S. S., & Zhang, E. (2025,). *Why Language Models Hallucinate*. https://arxiv.org/abs/2509.04664

Niklaus, J., Matoshi, V., Stürmer, M., Chalkidis, I., & Ho, D. E. (2024). MultiLegalPile: A 689GB Multilingual Legal Corpus. *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 15077–15094. https://doi.org/10.18653/v1/2024.acl-long.805

opendata.swiss. (2026,). *Nutzungsbedingungen (Terms of Use)*. https://opendata.swiss/de/terms-of-use

Panickssery, A., Bowman, S. R., & Feng, S. (2024). LLM Evaluators Recognize and Favor Their Own Generations. *Advances in Neural Information Processing Systems 37 (Neurips 2024)*, 68772–68802. https://doi.org/10.52202/079017-2197

Penedo, G., Kydlíček, H., Sabolčec, V., Messmer, B., Foroutan, N., Kargaran, A. H., Raffel, C., Jaggi, M., Von Werra, L., & Wolf, T. (2025,). *FineWeb2: One Pipeline to Scale Them All – Adapting Pre-Training Data Processing to Every Language*. https://doi.org/10.48550/arXiv.2506.20920

Prior, M., Schultz, A., & Grabmair, M. (2026,). *Asking For An Old Friend: Diagnosing and Mitigating Temporal Failure Modes in LLM-based Statutory Question Answering*. https://doi.org/10.48550/arXiv.2605.23497

Project Apertus, Hernández-Cano, A., Hägele, A., Huang, A. H., Romanou, A., Solergibert, A.-J., Pasztor, B., Messmer, B., Garbaya, D., Ďurech, E. F., Hakimi, I., García Giraldo, J., Ismayilzada, M., Foroutan, N., Moalla, S., Chen, T., Sabolčec, V., Xu, Y., Aerni, M., … Schlag, I. (2025,). *Apertus: Democratizing Open and Compliant LLMs for Global Language Environments*. https://doi.org/10.48550/arXiv.2509.14233

Pushkarna, M., Zaldivar, A., & Kjartansson, O. (2022). Data Cards: Purposeful and Transparent Dataset Documentation for Responsible AI. *Proceedings of the 2022 ACM Conference on Fairness, Accountability, And Transparency (Facct '22)*, 1776–1826. https://doi.org/10.1145/3531146.3533231

Qi, J., Fernández, R., & Bisazza, A. (2023). Cross-Lingual Consistency of Factual Knowledge in Multilingual Language Models. *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, 10650–10666. https://doi.org/10.18653/v1/2023.emnlp-main.658

Sainz, O., Campos, J., Garcíia-Ferrero, I., Etxaniz, J., Lacalle, O. L. de, & Agirre, E. (2023). NLP Evaluation in Trouble: On the Need to Measure LLM Data Contamination for each Benchmark. *Findings of the Association for Computational Linguistics: EMNLP 2023*, 10776–10787. https://doi.org/10.18653/v1/2023.findings-emnlp.722

Srivastava, A., Rastogi, A., Rao, A., Shoeb, A. A. M., Abid, A., Fisch, A., Brown, A. R., Santoro, A., Gupta, A., Garriga-Alonso, A., Kluska, A., Lewkowycz, A., Agarwal, A., Power, A., Ray, A., Warstadt, A., Kocurek, A. W., Safaya, A., Tazarv, A., … Wu, Z. (2023). Beyond the Imitation Game: Quantifying and Extrapolating the Capabilities of Language Models. *Transactions on Machine Learning Research*. https://openreview.net/forum?id=uyTL5Bvosj

Su, D., Kong, K., Lin, Y., Jennings, J., Norick, B., Kliegl, M., Patwary, M., Shoeybi, M., & Catanzaro, B. (2025). Nemotron-CC: Transforming Common Crawl into a Refined Long-Horizon Pretraining Dataset. *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 2459–2475. https://doi.org/10.18653/v1/2025.acl-long.123

Swiss AI Initiative. (2026b,). *Apertus Data Transparency: Versioned Archives of Key Legal Documentation from the Apertus Releases*. https://github.com/swiss-ai/apertus-data-transparency

Swiss AI Initiative. (2026a,). *Apertus-v1.5-8B and Apertus-v1.5-70B: Model Cards*. https://huggingface.co/swiss-ai/Apertus-v1.5-8B

Swiss Confederation. (2023,). *Bundesgesetz über die Sammlungen des Bundesrechts und das Bundesblatt (Publikationsgesetz, PublG) vom 18. Juni 2004, SR 170.512, Art. 14 Sprachen der veröffentlichten Texte*. https://fedlex.data.admin.ch/eli/cc/2004/745

Swiss Confederation. (2025,). *Bundesgesetz über das Urheberrecht und verwandte Schutzrechte (Urheberrechtsgesetz, URG) vom 9. Oktober 1992, SR 231.1, Art. 5 Nicht geschützte Werke*. https://fedlex.data.admin.ch/eli/cc/1993/1798_1798_1798

Uenal, F. (2026b,). *Swiss-Bench 003: Evaluating LLM Reliability and Adversarial Security for Swiss Regulatory Contexts*. https://doi.org/10.48550/arXiv.2604.05872

Uenal, F. (2026a,). *Swiss-Bench SBP-002: A Frontier Model Comparison on Swiss Legal and Regulatory Tasks*. https://doi.org/10.48550/arXiv.2603.23646

Wei, J., Karina, N., Chung, H. W., Jiao, Y. J., Papay, S., Glaese, A., Schulman, J., & Fedus, W. (2024,). *Measuring Short-Form Factuality in Large Language Models*. https://doi.org/10.48550/arXiv.2411.04368

Wen, B., Yao, J., Feng, S., Xu, C., Tsvetkov, Y., Howe, B., & Wang, L. L. (2025). Know Your Limits: A Survey of Abstention in Large Language Models. *Transactions of the Association for Computational Linguistics*, *13*, 529–556. https://doi.org/10.1162/tacl_a_00754

Zheng, L., Chiang, W.-L., Sheng, Y., Zhuang, S., Wu, Z., Zhuang, Y., Lin, Z., Li, Z., Li, D., Xing, E. P., Zhang, H., Gonzalez, J. E., & Stoica, I. (2023). Judging LLM-as-a-Judge with MT-Bench and Chatbot Arena. *Advances in Neural Information Processing Systems 36 (Neurips 2023), Datasets and Benchmarks Track*, 46595–46623. https://doi.org/10.52202/075280-2020