Inkraft

A trilingual benchmark on Swiss social and health insurance law

Niklas Wichter
Team Apertool · Hack Apertus 2026 · Track 1B — Swiss Voices

Three sentence summary: Swiss residents, municipal AHV offices, medical practices and social services need exact amounts, deadlines and responsibilities from Swiss social and health insurance law, and a model that states last year's rule is worse than one that says it does not know. Inkraft is a trilingual (German, French, Italian) short-answer benchmark in which every gold answer is quoted from the authentic text of a federal act as of 1 October 2026 and, for amended provisions, the previously valid answer is stored as well, so that wrong answers split into *stale* and *invented*. On Apertus 1.5 8B and 70B we measure [TBD: correct, stale, invented and not-attempted rates per model and language].

Track: Apertus Readiness - Track 1B (Swiss Voices, Core Task Intelligence)
Event: Online
Team: Apertool — Niklas Wichter
Demo: [TBD: link to the Hugging Face dataset and the video]

Use of Apertus

- **Model:** swiss-ai/Apertus-v1.5-8B and swiss-ai/Apertus-v1.5-70B (Project Apertus et al., 2025; Swiss AI Initiative, 2026a)
- **How it is used:** evaluation
- **Where it runs:** hosted Hack Apertus endpoint (OpenAI-compatible); any other endpoint via `LLM_BASE_URL`, `LLM_API_KEY`, `LLM_NAME`

Use Case Description

Every person living in Switzerland is insured under the Federal Health Insurance Act (KVG) and the old-age and survivors' insurance (AHV). Questions about deductibles, contribution rates, waiting periods and registration deadlines reach municipal AHV branch offices, front-office staff in medical practices, social services and the insured themselves. Mistakes cost money: a missed switching deadline binds a person to an insurer for another year, a wrong waiting period delays an invalidity insurance (IV) claim. Public administrations already deploy Apertus (Swiss AI Initiative, 2026a), so the question is not only whether the model knows this law, but whether it knows the law *in force*.

Social insurance law changes on fixed dates. The minimum full AHV old-age pension in Art. 34 para. 5 AHVG was CHF 1,225 in the consolidated version of 1 January 2024 and is CHF 1,260 since the version of 1 January 2025. A model trained on older web text may give the earlier figure with confidence. Language models have source-specific effective knowledge cutoffs (Cheng et al., 2024), legal hallucinations are frequent (Dahl et al., 2024), and outdated statutory knowledge has been shown for German law (Prior et al., 2026). Inkraft therefore separates three kinds of failure: an answer that matches the rule before an amendment (*stale*), an answer that matches no version (*invented*), and an honest refusal (*not attempted*).

Dataset Summary

Inkraft targets the federal acts on health insurance (KVG, KVV), old-age, invalidity and supplementary benefits (AHVG, IVG, ELG), accident insurance and the general part of social insurance law (UVG, ATSG), and continued payment of wages in case of illness (Art. 324a OR). Each item is a single-turn question with a short gold answer, accepted variants, *near-miss* answers (a related but wrong value, e.g. the amount for children instead of adults) and, for amended provisions, the outdated answer. Every item is anchored to one paragraph: fedlex ELI with version date and the verbatim quote in the language of the item. The as-of date is 1 October 2026 for all items.

Table 1 places Inkraft among related benchmarks. SwitzerlandQA (Project Apertus et al., 2025) covers Swiss civics including insurance, but as machine-translated multiple choice without sources. Swiss-Bench SBP-002 and 003 cover FINMA, data protection and contract law (Uenal, 2026a; 2026b), LEXam covers law exams (Fan et al., 2025), and Prior et al. measure outdated knowledge of German statutes (Prior et al., 2026). To our knowledge no open benchmark combines Swiss social insurance law, gold answers from three authentic language versions, an as-of date with the previous rule, credit for abstention, and an exposure check against the published training data of the evaluated model.

Benchmark	Domain, format	Stale	Abst.
SwitzerlandQA	civics incl. insurance; MC	no	no
Swiss-Bench	FINMA, nDSG, OR; mixed	n. r.	n. r.
LEXam	law exams; open + MC	n. r.	n. r.
Prior et al.	German law; temporal QA	yes	n. r.
Inkraft	**social insurance; short, DE/FR/IT, fedlex quote**	**yes**	**yes**

Table 1: Related benchmarks. Stale: separates outdated from wrong answers. Abst.: credits abstention. n. r.: not reported in the abstract (for SwitzerlandQA: Appendix K of the Apertus report).

Table 2 describes the current draft (not yet frozen; every row is still marked for human review). It comprises **303 German core questions** and **879 rows in total**; 288 cores exist in all three languages (DE, FR, IT). All cores are

LLM drafts: 105 by Claude, 103 by GPT-5.5 (Codex) and 95 by Gemini (gemini-3.8-flash in an Antigravity agent); the Gemini cores contain all 20 calculation items (`calc`) and all 20 false-premise items (`false_premise`). No item is hand-written yet. 16 cores are `temporal` items whose provision was amended since 2024.

Domain	Cores	Question type	Cores
Accident insurance / ATSG	56	numeric	129
Health insurance, insured	56	yes / no	65
AHV	44	procedural	50
IV / EL	42	calc	20
EO / ALV	37	false_premise	20
Occupational pensions & 3a (BVG / BVV3)	24	temporal	16
Health insurance, billing	24	term	3
Wage during illness (OR)	20	**Total**	**303**

Table 2: Draft (not frozen), German cores by domain and question type (879 total rows across DE, FR, IT). Automatic checks against fedlex: 0 errors.

Data Collection Method

Truth comes from the statute, never from a language model. The pipeline runs fedlex → paragraphs → item drafting → automatic checks → review → freeze (v1.0.0) → evaluation. It fetches the acts from the fedlex SPARQL endpoint in German, French and Italian: the consolidation applicable on 1 October 2026, the one applicable at the end of 2023 for `temporal` items, and every already published future version to flag provisions that will change. Articles are split into paragraphs.

Two routes create items. (a) *LLM-drafted, then human-reviewed:* a drafting model receives a single paragraph and proposes a question, answer variants and near misses; the gold answer must occur verbatim (or as a normalised number) in that paragraph, otherwise the draft is rejected automatically. The draft questions were written this way by Claude (Anthropic) and GPT-5.5 (OpenAI, via Codex); a third batch of 95 cores (calculations, false premises, EO, ALV, BVG) was drafted by Gemini (Google) inside an Antigravity agent that wrote the items into Python scripts. Every row records `generator`, `generator_model`, `prompt_version` and the date. (b) *Hand-written* items by the author are planned (target ≥ 30 % of the final set) but do not exist yet; the hand-written share of the current draft is 0 %.

French and Italian questions are translations, but their gold answers and evidence come from the authentic French and Italian text of the same paragraph, because all three language versions of federal law are equally binding (Swiss Confederation, 2023). Terminology follows the official versions (e.g. *Selbstbehalt / quote-part / aliquota*).

Automatic checks (script `validate_items.py`, run on every version): schema and allowed values; the evidence occurs verbatim in the cited paragraph of the version valid on the as-of date; the answer or its normalised number occurs in the evidence; for `temporal` items the outdated answer occurs in the previous version and differs from the current value; a near-miss value that occurs in an earlier stored version but not in the current one is rejected (it belongs to the outdated answers); duplicate and near-duplicate questions; language and value consistency across DE/FR/IT; Swiss spelling and a PII scan. The current draft passes with **0 errors on 879 rows**; 153 warnings remain (mostly future amendments published in the Federal Gazette for 2027+).

Review. Each item is checked against four questions: does the answer stand in the linked paragraph, is there exactly one defensible short answer, is the question understandable without the article, and do FR/IT match DE. Review v1 removed 2 cores and corrected 7; review v2 corrected 8 more (e.g. outdated amounts listed as near misses) and left one circular item open. Review v1 included, for example, restricting the women's reference age question to cohorts born in 1964 or later because the AHV 21 transitional rules give earlier cohorts an age between 64 and 65. Every change is logged in the item. Exclusion rules: no canton-dependent answers, no facts that are politically open during the evaluation period, no questions with more than one defensible answer.

Exposure check. Apertus 1.5 was trained on the Swiss legislation subset `switzerland_lexfind` of MultiLegalPile (Niklaus et al., 2024; Swiss AI Initiative, 2026b). We downloaded the German, French and Italian files at the published revision of 12 January 2024 (16,981 German documents, federal and cantonal law) and checked, per item, whether the verbatim evidence of the current version and, for `temporal` items, of the previous version occurs in that corpus; we also count 13-gram overlaps between questions and the corpus (Brown et al., 2020; Sainz et al., 2023). On the current draft (879 rows, recomputed on 2026-10-04) the current evidence occurs in 602 rows, only the previous wording in 26, neither in 232; 19 evidences are too short to search. For the 48 `temporal` rows the current wording occurs **never**; the previous wording occurs in 24. Apertus has therefore seen the old rule, not the new one, for every amended provision in the draft that the corpus covers. The 52 questions with 13-gram hits reuse statutory phrasing; the questions themselves are new. [TBD: recompute after the freeze.]

Consent. No personal data is collected; case vignettes use roles only. A consent form template for optional native-speaker reviewers is provided [TBD].

Dataset Details

The statute texts are not protected by copyright (Art. 5 para. 1 URG) (Swiss Confederation, 2025); fedlex linked data is offered for free use (opendata.swiss, 2026). Questions, answers and metadata are released under CDLA-Permissive-2.0; the licence is stored per item. Pages of admin.ch and ahv-iv.ch were used only to cross-check facts, never as text. The intermediate MultiLegalPile files (CC BY-NC-SA) are analysed locally and not redistributed. The data card follows the Hack Apertus template, Datasheets and Data Cards (Gebru et al., 2021; Pushkarna et al., 2022). A canary GUID in every file lets future model builders exclude the set from training (Srivastava et al., 2023). Quality figures for the data card: review rejection rate, ambiguity rate of an open-book check, intra-annotator agreement on a 20 % second pass, PII hits [TBD].

Evaluation

Method

Grading follows SimpleQA (Wei et al., 2024): each answer is CORRECT, INCORRECT or NOT_ATTEMPTED; INCORRECT answers carry the subtype STALE (matches the outdated answer) or NEAR_MISS, otherwise OTHER (*invented*). Reported metrics: correct, incorrect and not-attempted rates; correct given attempted (CGA); the SimpleQA F-score; hallucination rate I/(C+I); share of stale errors; a penalised score $C - \lambda \cdot I$ with $\lambda = 1$ and $\lambda = 3$, which rewards abstention over guessing (Kalai et al., 2025; Wen et al., 2025); language consistency (same grade in DE, FR and IT for a core) (Qi et al., 2023); and the open-book gain (accuracy with the cited paragraph in the prompt minus closed-book accuracy), which separates a knowledge gap from a reading gap. All figures carry 95 % percentile bootstrap intervals (1,000 resamples, fixed seed); language differences use paired resampling.

Grading has three stages. (1) A deterministic pre-grade extracts numbers, number words, ordinals and units in all three languages, compares durations in days and detects refusals; it never overrules the judge but serves as a hint and as a check. (2) An LLM judge from a different model family than the examinee grades every answer against gold, variants, outdated and near-miss answers (Zheng et al., 2023); self-preference is avoided by construction (Panickssery et al., 2024). Before use, the judge must reach at least 95 % on 61 constructed answers with known grades (correct, verbose, hedged, wrong language, stale, near miss, conflicting, refusal). [TBD: judge model and calibration accuracy.] (3) A human grades a stratified 20 % sample of every model × condition blind to the judge's grade; we report raw agreement and Cohen's κ with bootstrap intervals (Bavaresco et al., 2025; Cohen, 1960).

Evaluation setup and inference parameters

Conditions: `closed_dated` (main): system prompt with the date and the instruction to answer briefly and say when unsure; `closed_plain`: the bare question; `open_book`: as `closed_dated` plus the cited paragraph; `thinking`: as `closed_dated` with Apertus' reasoning mode. Parameters: temperature 0, top-p 1, max. 256 output tokens (3,000 with reasoning), seed 20261001, native chat template via the endpoint. Examinees: Apertus-v1.5-8B and −70B. [TBD: judge model and revision, number of calls, run dates.]

Results

[TBD after the freeze and the runs. Planned: Table 3 with C, I, NA, CGA, F, hallucination rate and penalised scores per model × language with intervals; Figure 2 with stacked bars correct / stale / near miss / invented / not attempted; Figure 3 with the stale rate with and without the date in the prompt and accuracy per exposure bucket (current wording in the corpus / only old wording / absent); judge–human κ.]

Dataset Limitations

Only federal law; cantonal rules (e.g. premium reductions) are excluded. A single annotator who is not a native Swiss speaker will review all items; French and Italian questions are machine-translated, although their gold answers come from the authentic texts. All questions so far were drafted by closed models (Claude, GPT-5.5, Gemini), disclosed per row, and human review is still pending; once hand-written items exist we report accuracy separately for hand-written and drafted items to detect drafting artefacts. The `temporal` bucket is determined per article, so an item can sit in an amended article whose paragraph did not change. The as-of date ages: the set needs a new version after each amendment (e.g. on 1 January 2027). The exposure check covers only the Swiss legislation subset of MultiLegalPile, not web crawls such as Nemotron-CC (Su et al., 2025) or FineWeb-2 (Penedo et al., 2025). Short answers measure knowledge, not the quality of advice.

Lessons Learnt and Recommendations

For the dataset: yearly updates on 1 January, a cantonal extension, native-speaker review of French and Italian, more `temporal` items. For the model: [TBD from the results; candidates are date awareness in the system prompt, retrieval with a version filter instead of parametric recall (Prior et al., 2026), and training abstention instead of rewarding guesses (Kalai et al., 2025)].

A practical lesson from building the grader: number extraction must treat indefinite articles (*un mois*, *eine Rente*), calendar dates, ordinals and units explicitly; a naive extractor counted refusals as wrong answers and accepted "three months" for "three weeks". The calibration set caught these errors before any judge or human grade was produced.

Reproducibility

`make run` builds a Docker image (Python 3.12, no GPU, no API keys) and recomputes every reported number from the stored responses and judgements; it compares the result with `data/expected_results.json` and prints PASS or FAIL. `make run MODE=full` evaluates any OpenAI-compatible model given `LLM_*` (and grades with `JUDGE_*`). `make test` runs the unit tests. Seeds: 20261001 (generation, sampling of pilot cores), 20261016 (bootstrap, human sample). [TBD: commit hash, Hugging Face revision, runtime.]

License

This report and the documentation: CC-BY-4.0. Code: Apache-2.0. Dataset (questions, answers, metadata): CDLA-Permissive-2.0, licence stored per item in `metadata.jsonl`. Statute quotes: not protected by copyright (Art. 5 URG). The judge prompt adapts the SimpleQA grader of OpenAI simple-evals (MIT).

References

Bavaresco, A., Bernardi, R., Bertolazzi, L., Elliott, D., Fernández, R., Gatt, A., Ghaleb, E., Giulianelli, M., Hanna, M., Koller, A., Martins, A., Mondorf, P., Neplenbroek, V., Pezzelle, S., Plank, B., Schlangen, D., Suglia, A., Surikuchi, A. K., Takmaz, E., & Testoni, A. (2025). LLMs instead of Human Judges? A Large Scale Empirical Study across 20 NLP Evaluation Tasks. *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, 238–255. https://doi.org/10.18653/v1/2025.acl-short.20

Brown, T. B., Mann, B., Ryder, N., Subbiah, M., Kaplan, J., Dhariwal, P., Neelakantan, A., Shyam, P., Sastry, G., Askell, A., Agarwal, S., Herbert-Voss, A., Krueger, G.,

Henighan, T., Child, R., Ramesh, A., Ziegler, D. M., Wu, J., Winter, C., … Amodei, D. (2020). Language Models are Few-Shot Learners. *Advances in Neural Information Processing Systems 33 (Neurips 2020)*, 1877–1901. https://arxiv.org/abs/2005.14165

Cheng, J., Marone, M., Weller, O., Lawrie, D., Khashabi, D., & Van Durme, B. (2024,). *Dated Data: Tracing Knowledge Cutoffs in Large Language Models*. https://doi.org/10.48550/arXiv.2403.12958

Cohen, J. (1960). A Coefficient of Agreement for Nominal Scales. *Educational and Psychological Measurement*, *20*(1), 37–46. https://doi.org/10.1177/001316446002000104

Dahl, M., Magesh, V., Suzgun, M., & Ho, D. E. (2024). Large Legal Fictions: Profiling Legal Hallucinations in Large Language Models. *Journal of Legal Analysis*, *16*(1), 64–93. https://doi.org/10.1093/jla/laae003

Fan, Y., Ni, J., Merane, J., Tian, Y., Hermstrüwer, Y., Huang, Y., Akhtar, M., Salimbeni, E., Geering, F., Dreyer, O., Brunner, D., Leippold, M., Sachan, M., Stremitzer, A., Engel, C., Ash, E., & Niklaus, J. (2025,). *LEXam: Benchmarking Legal Reasoning on 340 Law Exams*. https://doi.org/10.48550/arXiv.2505.12864

Gebru, T., Morgenstern, J., Vecchione, B., Vaughan, J. W., Wallach, H., Daumé III, H., & Crawford, K. (2021). Datasheets for Datasets. *Communications of the ACM*, *64*(12), 86–92. https://doi.org/10.1145/3458723

Kalai, A. T., Nachum, O., Vempala, S. S., & Zhang, E. (2025,). *Why Language Models Hallucinate*. https://arxiv.org/abs/2509.04664

Niklaus, J., Matoshi, V., Stürmer, M., Chalkidis, I., & Ho, D. E. (2024). MultiLegalPile: A 689GB Multilingual Legal Corpus. *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 15077–15094. https://doi.org/10.18653/v1/2024.acl-long.805

opendata.swiss. (2026,). *Nutzungsbedingungen (Terms of Use)*. https://opendata.swiss/de/terms-of-use

Panickssery, A., Bowman, S. R., & Feng, S. (2024). LLM Evaluators Recognize and Favor Their Own Generations. *Advances in Neural Information Processing Systems 37 (Neurips 2024)*, 68772–68802. https://doi.org/10.52202/079017-2197

Penedo, G., Kydlíček, H., Sabolčec, V., Messmer, B., Foroutan, N., Kargaran, A. H., Raffel, C., Jaggi, M., Von Werra, L., & Wolf, T. (2025,). *FineWeb2: One Pipeline to Scale Them All – Adapting Pre-Training Data Processing to Every Language*. https://doi.org/10.48550/arXiv.2506.20920

Prior, M., Schultz, A., & Grabmair, M. (2026,). *Asking For An Old Friend: Diagnosing and Mitigating Temporal Failure Modes in LLM-based Statutory Question Answering*. https://doi.org/10.48550/arXiv.2605.23497

Project Apertus, Hernández-Cano, A., Hägele, A., Huang, A. H., Romanou, A., Solergibert, A.-J., Pasztor, B., Messmer, B., Garbaya, D., Ďurech, E. F., Hakimi, I., García Giraldo, J., Ismayilzada, M., Foroutan, N., Moalla, S., Chen, T., Sabolčec, V., Xu, Y., Aerni, M., … Schlag, I. (2025,). *Apertus: Democratizing Open and Compliant LLMs for Global Language Environments*. https://doi.org/10.48550/arXiv.2509.14233

Pushkarna, M., Zaldivar, A., & Kjartansson, O. (2022). Data Cards: Purposeful and Transparent Dataset Documentation for Responsible AI. *Proceedings of the 2022 ACM Conference on Fairness, Accountability, And Transparency (Facct '22)*, 1776–1826. https://doi.org/10.1145/3531146.3533231

Qi, J., Fernández, R., & Bisazza, A. (2023). Cross-Lingual Consistency of Factual Knowledge in Multilingual Language Models. *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, 10650–10666. https://doi.org/10.18653/v1/2023.emnlp-main.658

Sainz, O., Campos, J., García-Ferrero, I., Etxaniz, J., Lacalle, O. L. de, & Agirre, E. (2023). NLP Evaluation in Trouble: On the Need to Measure LLM Data Contamination for each Benchmark. *Findings of the Association for Computational Linguistics: EMNLP 2023*, 10776–10787. https://doi.org/10.18653/v1/2023.findings-emnlp.722

Srivastava, A., Rastogi, A., Rao, A., Shoeb, A. A. M., Abid, A., Fisch, A., Brown, A. R., Santoro, A., Gupta, A., Garriga-Alonso, A., Kluska, A., Lewkowycz, A., Agarwal, A., Power, A., Ray, A., Warstadt, A., Kocurek, A. W., Safaya, A., Tazarv, A., … Wu, Z. (2023). Beyond the Imitation Game: Quantifying and Extrapolating the Capabilities of Language Models. *Transactions on Machine Learning Research*. https://openreview.net/forum?id=uyTL5Bvosj

Su, D., Kong, K., Lin, Y., Jennings, J., Norick, B., Kliegl, M., Patwary, M., Shoeybi, M., & Catanzaro, B. (2025). Nemotron-CC: Transforming Common Crawl into a Refined Long-Horizon Pretraining Dataset. *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 2459–2475. https://doi.org/10.18653/v1/2025.acl-long.123

Swiss AI Initiative. (2026b,). *Apertus Data Transparency: Versioned Archives of Key Legal Documentation from the Apertus Releases*. https://github.com/swiss-ai/apertus-data-transparency

Swiss AI Initiative. (2026a,). *Apertus-v1.5-8B and Apertus-v1.5-70B: Model Cards*. https://huggingface.co/swiss-ai/Apertus-v1.5-8B

Swiss Confederation. (2023,). *Bundesgesetz über die Sammlungen des Bundesrechts und das Bundesblatt (Publikationsgesetz, PublG) vom 18. Juni 2004, SR 170.512, Art. 14 Sprachen der veröffentlichten Texte*. https://fedlex.data.admin.ch/eli/cc/2004/745

Swiss Confederation. (2025,). *Bundesgesetz über das Urheberrecht und verwandte Schutzrechte (Urheberrechtsgesetz, URG) vom 9. Oktober 1992, SR 231.1, Art. 5 Nicht geschützte Werke*. https://fedlex.data.admin.ch/eli/cc/1993/1798_1798_1798

Uenal, F. (2026b,). *Swiss-Bench 003: Evaluating LLM Reliability and Adversarial Security for Swiss Regulatory Contexts*. https://doi.org/10.48550/arXiv.2604.05872

Uenal, F. (2026a,). *Swiss-Bench SBP-002: A Frontier Model Comparison on Swiss Legal and Regulatory Tasks*. https://doi.org/10.48550/arXiv.2603.23646

Wei, J., Karina, N., Chung, H. W., Jiao, Y. J., Papay, S., Glaese, A., Schulman, J., & Fedus, W. (2024,). *Measuring Short-Form Factuality in Large Language Models*. https://doi.org/10.48550/arXiv.2411.04368

Wen, B., Yao, J., Feng, S., Xu, C., Tsvetkov, Y., Howe, B., & Wang, L. L. (2025). Know Your Limits: A Survey of Abstention in Large Language Models. *Transactions of the Association for Computational Linguistics*, *13*, 529–556. https://doi.org/10.1162/tacl_a_00754

Zheng, L., Chiang, W.-L., Sheng, Y., Zhuang, S., Wu, Z., Zhuang, Y., Lin, Z., Li, Z., Li, D., Xing, E. P., Zhang, H., Gonzalez, J. E., & Stoica, I. (2023). Judging LLM-as-a-Judge with MT-Bench and Chatbot Arena. *Advances in Neural Information Processing Systems 36 (Neurips 2023), Datasets and Benchmarks Track*, 46595–46623. https://doi.org/10.52202/075280-2020