

# Vagrant Up & Running

+ Basic Provisioning

To follow along, clone: <https://github.com/svpernova09/Vagrant-Up-and-Running-Talk>

# Who is this guy?

Joe Ferguson - [joe@joeferguson.me](mailto:joe@joeferguson.me)

## Professionally

- Web Developer at RocketFuel
- PHP / LAMP Focused

## Semi Professional

- Co-Organizer for MemphisPHP.org
- MidsouthMakers - Hackerspace Leader
- HACKmemphis.com Organizer

# What is Vagrant?

- Tool for building complete dev environments
- Easy to use workflow
- Focus on automation
- Lowers Dev Environment setup time
- Increase Dev / Live Environment Parity



# Terminology

Vagrant configures a Provider.

Various Providers

- Virtualbox
- VMWare
- AWS

Provisioners Configure the VM

- Puppet
- Chef
- Salt
- Shell

# Getting Started

Assuming you have vagrant installed already:

```
$ vagrant init precise32 http://files.vagrantup.com/precise32.box  
$ vagrant up
```

- Vagrant init: Create a vagrant env. here
  - Name the box precise32 and fetch it from this URL
- Start the vagrant box

# Quick look at the Vagrantfile

This is the Configuration file for the VM

- Change "base" to whatever box you have
- Add URL to box (optional)
- Save Vagrantfile

```
$ vagrant up
Bringing machine 'default' up with 'virtualbox' provider...
[default] Importing base box 'precise64'...
[default] Matching MAC address for NAT networking...
[default] Setting the name of the VM...
[default] Clearing any previously set forwarded ports...
[default] Creating shared folders metadata...
[default] Clearing any previously set network interfaces...
[default] Preparing network interfaces based on configuration...
[default] Forwarding ports...
[default] -- 22 => 2222 (adapter 1)
[default] Booting VM...
[default] Waiting for VM to boot. This can take a few minutes.
[default] VM booted and ready for use!
[default] Mounting shared folders...
[default] -- /vagrant
```

# Vagrant SSH

\$ vagrant ssh will dump you into the VM

On Mac OS X and Linux this is pretty easy

```
$ vagrant ssh
Welcome to Ubuntu 12.04 LTS (GNU/Linux 3.2.0-23-generic x86_64)

 * Documentation:  https://help.ubuntu.com/
Welcome to your Vagrant-built virtual machine.
Last login: Sun Jul 14 21:26:31 2013 from 10.0.2.2

[02:42 AM] - [vagrant@precise64] - [~]
$ █
```

# Vagrant SSH+Windows = Extra Step

On windows, this will give a warning that it cannot find an executable 'ssh'.

What we need to do here is open putty, configure 127.0.0.1:2222 with the private key it generated here:

C:/Users/<you>/.vagrant.d/insecure\_private\_key

You will need to use Puttygen to generate the key for putty to use.

The user name will be 'vagrant'



# Automagic Stuff Done For You

- Vagrant folder mounted in /vagrant

```
vagrant@precise64:~$ cd /vagrant
vagrant@precise64:/vagrant$ ll
total 28
drwxrwxr-x  1 vagrant vagrant 4096 Jul 18 01:49 ./
drwxr-xr-x 24 root     root    4096 Jul 18 01:50 ../
drwxrwxr-x  1 vagrant vagrant 4096 Jul 18 01:49 .vagrant/
-rw-rw-r--  1 vagrant vagrant 4479 Jul 18 01:48 Vagrantfile
-rw-rw-r--  1 vagrant vagrant 4474 Jul 18 01:46 Vagrantfile~
vagrant@precise64:/vagrant$
```

- Internet! (In most cases)

```
vagrant@precise64:/vagrant$ ifconfig
eth0      Link encap:Ethernet  HWaddr 08:00:27:88:0c:a6
          inet addr:10.0.2.15  Bcast:10.0.2.255  Mask:255.255.255.0
          inet6 addr: fe80::a00:27ff:fe88:ca6/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
```

# Where does this get you?

- You get an empty VM with not much stuff




# Provisioning

## Four Common Provisioning Methods

- Puppet\*
- Chef
- Salt
- Shell\*

\*We will cover



# Shell Provisioning

- Not the preferred method
- Easy if you're bash savy

Add this to your Vagrantfile before "end"

```
config.vm.provision :shell, :path => "shell-provisioning.sh"  
end
```

\*Make sure you copy "shell-provisioning.sh" to the same folder that has "Vagrantfile"

# Shell Provisioning

If your vagrant box is still running:

- `vagrant reload`

Otherwise:

- `vagrant up`

Vagrant will start the VM and run the provisioning shell script.

# Shell Provisioning - OOPS!

# Oops!

```
File Edit View Search Terminal Help
U+... r... +1 (.../r... +1 183 1.1.0-1 L%64.%) ...
S+... -... -r< +-r... +1 ± r... +1.
U+... r... +1 (.../r... +1 183 1.4.4-1 L%64.%) ...
S+... -... -r< +-r... +1 ± 11-% LL+.
U+... |11-% LL+ (.../|11-% LL+ 183 7.6+12+ H2 rr.%) ...
S+... -... -r< +-r... +1 ± +-+%.
U+... |°+-+ (%-L .../|°+-+ ±_183 1.0.4-1+ H1 rr.%) ) ...
S+... -... -r< +-r... +1 ± |°+-+ -+ r-.
U+... |°+-+ -+ r- (.../|°+-+ -+ r- 183 7.6+1 L%64.%) ...
S+... -... -r< +-r... +1 ± ± °+-+ -|11.
U+... ± °+-+ -|11 (.../± °+-+ -|11 0.22 rr.%) ...
P- % °+-+ T±±±- °- 4H-% ...
P- % °+-+ T±±±- °- +- % % % ...
E- - T- % + +-+ % T± r- % ± :
 /L-/ /%L/ T/ %L/ - r- 7+ H rr- 7|25-0 T± - 8.1 rr.%
E: S+ - % - /T- /%L/ / ± - H + % ± - % (1)
T% ± rr T± SSH % LL+ % - + % T± ± ≥ - % |T - HH-.
V± ± + ± - L- T± T± - L± - T± % L± % ° ± % !
%L % + | /TL-/L± ± ± - % rr && /TL-/L± ± ± - % rr
[09:35 PM]-[% r e ±] - [:/D T r % -/V ± ± ± - B | +/L ± ± ± - H n -1]
$
```

# Vagrant DESTROY!

Resetting your vagrant box is very easy

```
$ vagrant destroy
Are you sure you want to destroy the 'default' VM? [y/N] y
[default] Forcing shutdown of VM...
[default] Destroying VM and associated drives...
```

Afterwards, just vagrant up again to start over

```
$ vagrant up
Bringing machine 'default' up with 'virtualbox' provider...
[default] Importing base box 'precise64'...
Progress: 80%☐
```

# Back and now provisioned

All set and ready to develop!

File Edit View Search Terminal Help

```
[09:52 PM] - [halo@rage] - [~/Downloads/Vagrant-Boxen/vagrant-talk-1]
$ vagrant ssh
Welcome to Ubuntu 12.04 LTS (GNU/Linux 3.2.0-23-generic x86_64)

 * Documentation:  https://help.ubuntu.com/
Welcome to your Vagrant-built virtual machine.
Last login: Thu Jul 18 02:51:15 2013 from 10.0.2.2
vagrant@precise64:~$ java -version
java version "1.7.0_25"
Java(TM) SE Runtime Environment (build 1.7.0_25-b15)
Java HotSpot(TM) 64-Bit Server VM (build 23.25-b01, mixed mode)
vagrant@precise64:~$
```



# There is a BETTER way

Enter: Puppet - <https://puppetlabs.com/>

Why puppet?

- Open Source Version
- Community Support
- Easier to grasp than Bash / Chef\*

\*for non-bash and non-ruby devs

# Puppet: Learn from others

The simplistic syntax makes puppet manifests very easy to read and learn from.

PuPHPet - <https://puphpet.com/>

- Geared towards PHP, but flexible
- Creates manifests for you
- Great to learn from

## It's always nice to share...

Once you have a box configured, you can use vagrant box to package it up to share with your other developers.

This provides an easy way to ensure a team of developers are always on the same version and operating system that matches the live environment as closely as possible.

# Links / Q & A

## Links:

- Vagrant: <http://www.vagrantup.com>
- Vagrant Boxes: <http://www.vagrantbox.es>
- Make Vagrant Up Yours: [https://jtreminio.com/2013/06/make\\_vagrant\\_up\\_yours/](https://jtreminio.com/2013/06/make_vagrant_up_yours/)
- PuPHPet: <https://puphpets.com/>
- Vagrant: Up and Running: <http://shop.oreilly.com/product/0636920026358.do>

## Provisioning:

- Puppet: <https://puppetlabs.com/puppet/puppet-open-source/>
- Chef: <http://docs.opscode.com/>
- Salt: <https://github.com/saltstack>