

Certificate of Occupancy

CO Number: 320167010F

This certifies that the premises described herein conforms substantially to the approved plans and specifications and to the requirements of all applicable laws, rules and regulations for the uses and occupancies specified. No change of use or occupancy shall be made unless a new Certificate of Occupancy is issued. *This document or a copy shall be available for inspection at the building at all reasonable times*.

Α.	Borough: Brooklyn	E	Block Number:	00850	Certificate Type:	Final				
	Address: 757 58 STREET	L	ot Number(s):	55	Effective Date:	07/30/2015				
	Building Identification Number (BIN): 30	15898								
			Building Type: lew							
	This building is subject to this Building Code: 2008 Code									
	For zoning lot metes & bounds, please see BISWeb.									
В.	Construction classification:	2-A	(2	2008 Code)						
	Building Occupancy Group classification:	R-2	(2	2008 Code)						
	Multiple Dwelling Law Classification:	HAEA								
	No. of stories: 4	Height in fe	et : 49		No. of dwelling units: 3					
C.	Fire Protection Equipment: Sprinkler system									
D.	Type and number of open spaces: None associated with this filing.									
E.	This Certificate is issued with the following legal limitations: None									

Tale.

Fix Chandle



Certificate of Occupancy

CO Number: 320167010F

Permissible Use and Occupancy All Building Code occupancy group designations below are 2008 designations.										
CEL	·		OG	S-2		4	ACCESSORY USE, METER ROOMS. SPRINKLER ROOM.			
001	001	10	100	В		4	AMBULATORY DIAGNOSTIC TREATMENT HEALTH CARE FACILITY			
002	002		40	R-2	1	2	ONE(1) RESIDENTIAL DWELLING UNIT.			
003	003		40	R-2	1	2	ONE(1) RESIDENTIAL DWELLING UNIT.			
004	004		40	R-2	1	2	ONE(1) RESIDENTIAL DWELLING UNIT.			
RO F			40	R-2		2	STAIR BULKHEAD, BOILER & HOT WATER HEATER ROOM			
NOTE: ZONING LOT CERTIFICATION EXHIBIT "I" AND "III" HAVE BEEN RECORDED AT THE OFFICE OF CITY REGISTER UNDER CRFN #2010000152090 & #2010000152089.										
END OF SECTION										

Talle ...

Fix Chandley