

Trino

- [Trino CLI](#)

Trino CLI

To run the trino CLI to connect to Trino server:

- Download the trino jar from : <https://trino.io/docs/current/installation/cli.html>
- Rename (or symlink) it to trino for usability and make it executable
- Select the authentication method you wish to use
 - Interactive: The CLI will present a clickable URL, which opens a browser window to complete the login
 - Access Token: An access token must be obtained prior to calling the CLI and passed as a parameter
- Run the following:

For pb:

```
1 # Interactive
2 trino --server <https://trino.hogwarts.pb.azure.chimera.cyber.gc.ca:443> --catalog hogwarts-pb --external-authentic
3
4 # Access Token
5 trino --server <https://trino.hogwarts.pb.azure.chimera.cyber.gc.ca:443> --catalog hogwarts-pb --access-token $(az
```

For u:

```
1 # Interactive
2 trino --server <https://trino.hogwarts.u.azure.chimera.cyber.gc.ca:443> --catalog hogwarts-u --external-authentic
3
4 # Access Token
5 trino --server <https://trino.hogwarts.u.azure.chimera.cyber.gc.ca:443> --catalog hogwarts-u --access-token $(az
```

For udev:

```
1 # Interactive
2 trino --server <https://trino.hogwarts.udev.azure.chimera.cyber.gc.ca:443> --catalog hogwarts-udev --external-auth
3
4 # Access Token
5 trino --server <https://trino.hogwarts.udev.azure.chimera.cyber.gc.ca:443> --catalog hogwarts-udev --access-token
```

Note: The `<trino-username>` should be replaced with the principal name from the user's access token. Trino uses the `email` field from the token, which usually follows the format `Edward.Drake@cyber.gc.ca`