
SAFETY DATA SHEET*according to Regulation (EC) No. 1907/2006***0893 140 - Industry Cleaner 500ml**

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Commercial Product Name : Industry Cleaner 500ml

Product code : 0893 140

MSDS-Identcode : 10032985

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

1.3 Details of the supplier of the safety data sheetCompany : Würth UK Ltd
1 Centurion Way
Erith, Kent
United Kingdom

Telephone : +44 (0)208 319 6000

Telefax : +44 (0)208 319 6400

Company : WÜRTH IRELAND LTD.
Monaclinoe Ind. Est. Ballysimon Road
Limerick
Ireland

Telephone : +353 61 430200

Telefax : +353 61 412428

Responsible/issuing person : E-mail address: prodsafe.wurth@sap.com

1.4 Emergency telephone numberNational Chemical Emergency Centre
+44 (0)870 190 6777

2. Hazards identification**2.1 Classification of the substance or mixture****Classification (67/548/EEC, 1999/45/EC)**

Extremely flammable

R12: Extremely flammable.

Sensitising

R43: May cause sensitization by skin contact.

Irritant

R38: Irritating to skin.

Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67: Vapours may cause drowsiness and dizziness.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

2.2 Label elements

Labelling according to EC Directives: 1999/45/EC

Hazard symbols :



Extremely
flammable



Irritant



Dangerous
for the envi-
ronment

R-phrases)

: R12
R38
R43
R51/53

Extremely flammable.
Irritating to skin.
May cause sensitization by skin contact.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67
Vapours may cause drowsiness and dizziness.

S-phrases)

: S23
S24
S33

S37
S57

S60

Do not breathe spray.
Avoid contact with skin.
Take precautionary measures against static discharges.
Wear suitable gloves.
Use appropriate container to avoid environmental contamination.
This material and its container must be disposed of as hazardous waste.

Hazardous components which must be listed on the label:

- 8028-48-6 Orange, sweet, ext.

Special labelling of certain mixtures :

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.
Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.
Keep away from sources of ignition - No smoking.
Keep out of the reach of children.

2.3 Other hazards

no data available

3. Composition/information on ingredients

3.1 Mixtures

Hazardous components

Chemical Name	CAS-No.	Classification	Classification	Concentration
---------------	---------	----------------	----------------	---------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

	EC-No. Registration number	(67/548/EEC)	(1272/2008/EC)	[%]
low boiling point hydrogen treated naphtha	64742-49-0 265-151-9	F; R11 Xi; R38 N; R51/53 Xn; R65 R67	Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411 Flam. Liq. 2; H225	>= 75 - < 80
Orange, sweet, ext.	8028-48-6 232-433-8	R10 Xi; R38 R43 Xn; R65 N; R50/53	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 15 - < 20
WEL substance :				
Carbon dioxide	124-38-9 204-696-9			>= 3 - < 5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

- | | |
|-------------------------|---|
| General advice | : If you feel unwell, seek medical advice (show the label where possible). First aider needs to protect himself. Move out of dangerous area. Never give anything by mouth to an unconscious person. Take off contaminated clothing and shoes immediately. |
| If inhaled | : If breathed in, move person into fresh air. In the case of inhalation of aerosol/mist consult a physician if necessary. Keep patient warm and at rest. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. |
| In case of skin contact | : In case of contact, immediately flush skin with soap and plenty of water. Do NOT use solvents or thinners. If skin irritation persists, call a physician. |
| In case of eye contact | : Protect unharmed eye. If easy to do, remove contact lens, if worn. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| If swallowed | : If swallowed, seek medical advice immediately and show this container or label. If swallowed, DO NOT induce vomiting. If a person |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

vomits when lying on his back, place him in the recovery position.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Dry chemical, Foam, Carbon dioxide (CO₂), Water mist

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire. Exposure to decomposition products may be a hazard to health. Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Pay attention to flashback. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

6. Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Remove all sources of ignition. Avoid contact with skin and eyes. Ensure adequate ventilation, especially in confined areas. Immediately evacuate personnel to safe areas. Avoid inhalation of vapour or mist. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations. Clean contaminated surface thoroughly.

6.4 Reference to other sections

see chapter: 7, 8, 11, 12 and 13

7. Handling and storage**7.1 Precautions for safe handling**

- | | | |
|---|---|--|
| Advice on safe handling | : | Limit the stocks at work place. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Do not spray on a naked flame or any incandescent material. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Take precautionary measures against static discharges. For personal protection see section 8. |
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Keep away from heat and sources of ignition. Do not smoke. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. |
| Dust explosion class | : | not applicable |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|--|
| Requirements for storage areas and containers | : | Store in original container. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep containers tightly closed in a dry, cool and well-ventilated place. Please observe the storage instructions for aerosols! |
| Advice on common storage | : | Keep away from food, drink and animal feedingstuffs. Do not store together with oxidizing and self-igniting products. |
| Other data | : | No decomposition if stored and applied as directed. |

7.3 Specific end uses

no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Control parameters	Basis	Update
Carbon dioxide	124-38-9	TWA: 9.150 mg/m ³ , 5.000 ppm STEL: 27.400 mg/m ³ , 15.000 ppm	GB EH40	2005-04-06
Components	CAS-No.	Control parameters	Basis	Update
Carbon dioxide	124-38-9	TWA: 9.000 mg/m ³ , 5.000 ppm	2006/15/EC	2006-02-09

Other information on limit values: see chapter 16

8.2 Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Respirator with combination filter for vapour/particulate (EN 141).
Respirator with filter type A

Hand protection

Material : Nitrile rubber

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Eye protection : Tightly fitting safety goggles

Skin and body protection : Flame retardant antistatic protective clothing

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- : Handle in accordance with good industrial hygiene and safety practice.
- General industrial hygiene practice.
- Do not inhale aerosol.
- Avoid contact with skin, eyes and clothing.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Follow the skin protection plan.
- Wash contaminated clothing before re-use.

Environmental exposure controls**General advice**

- : Do not flush into surface water or sanitary sewer system.
- Prevent further leakage or spillage if safe to do so.
- If the product contaminates rivers and lakes or drains inform respective authorities.

9. Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	: aerosol
Propellant	: Carbon dioxide (CO ₂)
Colour	: colourless, clear
Odour	: like fruit solvent-like
Odour Threshold	: no data available
Flash point	: no data available
Ignition temperature	: no data available
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Explosive properties	: no data available
Flammability (solid, gas)	: no data available
Oxidizing properties	: no data available
Autoignition temperature	: no data available
Burning number	: no data available
Molecular Weight	: no data available
pH	: no data available
Vapour pressure	: no data available
Density	: ca. 0,7 g/cm ³
Bulk density	: no data available
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

Solubility in other solvents	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Flow time	: no data available
Impact Sensitivity	: no data available
Relative vapour density	: no data available
Surface tension	: no data available
Evaporation rate	: no data available
Minimum ignition energy	: no data available
Acid number	: no data available
Refraction index	: no data available
Miscibility in water	: no data available
Solvent separation test	: no data available

9.2 Other information

None known.

10. Stability and reactivity**10.1 Reactivity**

no data available

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Stability : No decomposition if stored and applied as directed.
Vapours may form explosive mixtures with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : no data available

10.6 Hazardous decomposition products

Hazardous decomposition products : Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.
Thermal decomposition : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

11. Toxicological information**11.1 Information on toxicological effects****Acute toxicity**Acute oral toxicity:

low boiling point hydrogen : LD50 rat: > 5.000 mg/kg
treated naphtha

Acute inhalation toxicity:

no data available

Acute dermal toxicity:

no data available

Acute toxicity (other routes of administration):

no data available

Skin corrosion/irritation

Skin irritation : Irritating to skin.

Serious eye damage/eye irritation

Eye irritation : May irritate eyes.

Respiratory or skin sensitization

Sensitisation : May cause sensitization by skin contact.

Germ cell mutagenicityGenotoxicity in vitro:

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Teratogenicity

no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration hazardAspiration toxicity

no data available

Neurological effects

no data available

Toxicology AssessmentToxicology, Metabolism, Distribution

no data available

Acute effects

no data available

Further information

: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Vapours may cause drowsiness and dizziness.

12. Ecological information**12.1 Toxicity**

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

12.6 Other adverse effects

Adsorbed organic bound halogens (AOX)

: Remarks:
not included

Additional ecological information

: The product should not be allowed to enter drains, water courses or the soil.

13. Disposal considerations**13.1 Waste treatment methods**

Advice on disposal and packaging

: Disposal:
In accordance with local and national regulations. This material and its container must be disposed of as hazardous waste.
Waste codes should be assigned by the user based on the application for which the product was used.

The following Waste Codes are only suggestions:

Waste Code (EWC)

: Waste Key (unused product):
160504, gases in pressure containers (including halons) containing dangerous substances

Waste key (used product):
150202, absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

Disposal of uncleaned packaging

: Waste key (uncleaned packaging):
150110, packaging containing residues of or contaminated by dangerous substances

Note: Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum. Please ensure aerosol cans are sprayed completely empty (including propellant) Containers that have not been emptied in compliance with regulations are regarded as hazardous waste. Dispose of as unused product.

14. Transport information**ADR**

UN number : 1950
Description of the goods : AEROSOLS
Class : 2
Packing group : --
Classification Code : 5F

SAFETY DATA SHEET*according to Regulation (EC) No. 1907/2006***0893 140 - Industry Cleaner 500ml**

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

Labels : 2.1
Limited quantity : LQ2
Tunnel restriction code : (D)
Environmentally hazardous : yes

RID

UN number : 1950
Description of the goods : AEROSOLS
Class : 2
Packing group : --
Classification Code : 5F
Labels : 2.1
Limited quantity : LQ2
Environmentally hazardous : yes

IATA

UN number : 1950
Description of the goods : Aerosols, flammable
Class : 2.1
Packing group : --
Labels : 2.1
Packing instruction (cargo aircraft) : 203
Environmentally hazardous : no
Packing instruction (passenger aircraft) : 203
Packing instruction (LQ) : Y203

IMDG

UN number : 1950
Description of the goods : AEROSOLS
(low boiling point hydrogen treated naphtha)
Class : 2.1
Packing group : --
Labels : 2.1
EmS Number 1 : F-D
EmS Number 2 : S-U
Marine pollutant : yes

Special precautions for usersee chapter: 6, 7 and 8

15. Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

SAFETY DATA SHEET*according to Regulation (EC) No. 1907/2006***0893 140 - Industry Cleaner 500ml**

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

VOC	: Directive 1999/13/EC 95,9 % VOC content less water: 664,61 g/l		
Directive (96/82/EC)	: Update: 2003 Extremely flammable	Quantity 1 10 t	Quantity 2 50 t
	Update: 2003 Dangerous for the environ- ment	200 t	500 t
	Update: 2003 Petroleum products	2.500 t	25.000 t
In accordance with Regulation (EC) No. 648/2004 on detergents	: >= 30 %: aliphatic hydrocarbons Other constituents: perfumes		

National legislation

Other regulations : Take note of Dir 94/33/EC on the protection of young people at work.

Further information : Reserved for industrial and professional use.

15.2 Chemical Safety Assessment

no data available

16. Other information**Full text of R-phrases referred to under sections 2 and 3**

R10	Flammable.
R11	Highly flammable.
R12	Extremely flammable.
R38	Irritating to skin.
R43	May cause sensitization by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R67	Vapours may cause drowsiness and dizziness.

Full text of H-Statements referred to under sections 2 and 3.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

0893 140 - Industry Cleaner 500ml

Version 1.5

Revision Date 16.12.2011

Print Date 20.12.2011

GB / EN

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by : TechniData BCS GmbH
Birlenbacher Str. 19
D-57078 Siegen
Germany
Telephone: +49-(0)271-88072-0

Ref.: WIAG00000315
