

华中科技大学启明选拔考试合集

学数华科 转专业交流群

Last Updated: September 6, 2026

写在一切之前

首先，如果你计划通过启明选拔进入实验班，建议完整阅读《[华科转专业简明指南 \(2025.08.27\)](#)》，并以学校当年发布的招生政策和通知为准。本章内容参考该版本指南整理，原文版权归相关作者所有。

如果你是在华科转专业交流群之外获取到本合集，也欢迎加入指南所列的华科转专业交流群 (QQ 群: 369787431)，或加入 2025 级学数华科 (QQ 群: 920066268)，查阅政策汇总、往年真题和经验分享。

关于启明选拔

开学期间举行的实验班选拔考试通常被称为“启明选拔”。通过这一途径，可以申请进入其他学院或专业的实验班，也可以申请进入本学院的其他实验班。各年度开放选拔的专业、报名条件和考查方式并不完全相同，多数专业还设有高考选科限制，应以当年招生计划和学校通知为准。

启明选拔通常分为统考笔试和学院面试。笔试一般安排在新生军训期间，主要考查数学、综合和英语；各学院根据初试成绩确定复试名单，复试多采用面试形式。所有形式的转专业原则上只能成功一次；通过启明选拔进入实验班后，通常不能再报名当年 12 月的转专业统一考试。因此，报名前应充分了解目标专业的培养方案、课程压力和后续发展。

关于本合集

本合集按照“数学、综合、英语”的顺序分为三个部分，并在各部分内按年份由近到远编排。不同年份的资料完整程度不一，部分内容由往届同学依据考后回忆和现场记录整理，可能与正式试卷存在差异。

- **数学**：考试范围与高中数学竞赛相近。复习时可先熟悉往年真题，并保持计算、推理和综合运用能力。
- **综合**：题型和内容可能逐年变化，通常结合现实背景考查阅读理解、信息提取、数学建模、逻辑分析和临场应变能力。
- **英语**：难度与大学英语六级相近，题型与素材可能随年份调整。复习时应重视词汇辨析、篇章理解、上下文逻辑和写作表达。

真题和答案仅供复习参考，不宜将回忆版中的表述或参考答案视为官方结论。若发现错漏，或持有更清晰的原卷、缺失题目和可靠答案，欢迎通过邮箱 [@那,边](#)。向我反馈，以便后续勘误和更新。

关于实验班

实验班并不等同于“重点班”，也未必适合每一位同学。部分实验班设有较明确的推免保障、导师指导或科研训练安排，但具体成绩、课程和无挂科要求由各学院制定；与此同时，实验班的课程进度和难度往往更高，也可能影响加权成绩、校外推免或出国申请。选择前应尽量联系往届同学，了解课程安排、培养方向和真实就读体验。

另外，本文件已上传至《[华中科技大学启明选拔考试合集](#)》，大家使用前可以先检查一下是否有更新。

最后，祝大家选拔顺利、得偿所愿！

版权声明：本文件由转专业交流群、学数华科整理、维护，仅供个人学习与交流使用，严禁用于任何商业用途；未经授权不得转载、修改或以任何形式传播，侵权必究。

CONTENTS

写在一切之前	III
Contents	V
I 启明考试数学部分	1
1 2026 年启明考试数学部分	3
2 2026 年启明考试数学部分参考答案	5
3 2025 年启明考试数学部分	7
4 2025 年启明考试数学部分参考答案	9
5 2024 年启明考试数学部分	13
6 2024 年启明考试数学部分参考答案	15
7 2023 年启明考试数学部分	19
8 2023 年启明考试数学部分参考答案	21
9 2022 年启明考试数学部分	23
10 2022 年启明考试数学部分参考答案	25
11 2021 年启明考试数学部分	29
12 2021 年启明考试数学部分参考答案	31
13 2019 年启明考试数学部分	35
14 2019 年启明考试数学部分参考答案	37
15 2015 年启明考试数学部分	41
16 2015 年启明考试数学部分参考答案	43
17 2014 年启明考试数学部分	47
18 2014 年启明考试数学部分参考答案	49
II 启明考试综合部分	53
1 2026 年启明考试综合部分	55
2 2026 年启明考试综合部分参考答案	57
3 2025 年启明考试综合部分	63
4 2025 年启明考试综合部分参考答案	65
5 2024 年启明考试综合部分	69

6	2024 年启明考试综合部分参考答案	71
7	2023 年启明考试综合部分	75
8	2023 年启明考试综合部分参考答案	77

III	启明考试英语部分	79
1	2026 年启明考试英语部分	81
2	2025 年启明考试英语部分	89
3	2024 年启明考试英语部分	97

Change Logs

- Updated (2026.9.6): 更正 2026 年英语考试真题部分来源标注错误.
- Updated (2026.9.5): 更新 2026 年启明考试真题.
- Updated (2026.9.3): 修正 2024 年数学卷第 6 题解答中的两处笔误.
- Updated (2026.7.17): 发布《华中科技大学启明选拔考试合集》; 调整单项选择题和完形填空题的选项排版.

Part I

启明考试数学部分

CHAPTER 1

2026 年启明考试数学部分

致谢：本套试题来自 @Wi-Fi 信号弱，感谢 @Wi-Fi 信号弱同学提供的完整试题！

1 填空题 (每小题 10 分, 共 70 分)

1. 已知复数 z 满足 $z\bar{z} + 2z + 2\bar{z} = 12$, 则 $|z + 3 - 2i|$ 的取值范围为_____.
2. 已知 $x \in \left(-\frac{\pi}{4}, \frac{3\pi}{4}\right)$, 则函数 $y = \frac{4\cos x \sin x + 3}{\sin x + \cos x}$ 的最小值为¹_____.
3. 已知对于任意的 $x, y \in [0, +\infty)$, 都有 $5x + 12\sqrt{xy} \leq \alpha(x+y)$ 成立, 则实数 α 的最小值为_____.
4. 已知 $f(x) = \ln \left| \alpha + \frac{1}{1-x} \right| + \beta$ 是奇函数, 则 $\alpha =$ _____, $\beta =$ _____.
5. 函数 $f(x) = \frac{x}{\sqrt{x^2 + 2x + 4}}$ 的值域为_____.
6. 设函数 $f(x) = e^x - 1 - x - \beta x^2$, 若当 $x > 0$ 时有 $f(x) > 0$, 则 β 的取值范围为_____.
7. 设直线 ℓ 过双曲线 C 的一个焦点, 且与 C 的一条对称轴垂直. ℓ 与 C 交于 A, B 两点, $|AB|$ 为 C 的实轴长的 2 倍, 则 C 的离心率为_____.

2 证明题 (本题 15 分)

证明: $\ln 2026 < \frac{1}{\sqrt{2}} + \frac{1}{\sqrt{2 \times 3}} + \frac{1}{\sqrt{3 \times 4}} + \cdots + \frac{1}{\sqrt{2025 \times 2026}}$.

3 解答题 (本题 15 分)

已知 $a > 0, b > 0, c > 0$, 且 $a^4 + b^4 + c^4 = 1$, 求 $\frac{a^3}{1-a^8} + \frac{b^3}{1-b^8} + \frac{c^3}{1-c^8}$ 的最小值.

¹ 本题与 2021 年启明数学填空题第 3 题一致.

CHAPTER 2

2026 年启明考试数学部分参考答案

1 填空题 (每小题 10 分, 共 70 分)

1. **Solution.** $[4 - \sqrt{5}, 4 + \sqrt{5}]$.

设 $z = x + yi$, 则 $z\bar{z} = |z|^2 = x^2 + y^2$, $2z + 2\bar{z} = 2(z + \bar{z}) = 4x$, 故 $x^2 + y^2 + 4x = 12$, 即 $(x+2)^2 + y^2 = 16$, z 在以 $(-2, 0)$ 为圆心、半径 4 的圆上. $|z + 3 - 2i|$ 表示圆上的点到 $(-3, 2)$ 的距离, 两圆心距为 $\sqrt{(-3+2)^2 + 2^2} = \sqrt{5}$, 故取值范围为 $[4 - \sqrt{5}, 4 + \sqrt{5}]$.

2. 参见 2021 年启明数学填空题第 3 题 **解析**.

3. **Solution.** 9.

令 $s = \sqrt{\frac{x}{y}} \geq 0$ ($y > 0$), 则 $x = s^2y$, 于是 $\frac{5x + 12\sqrt{xy}}{x + y} = \frac{5s^2 + 12s}{s^2 + 1}$. 设 $f(s) = \frac{5s^2 + 12s}{s^2 + 1}$, 则 $f'(s) = \frac{-2(6s^2 - 5s - 6)}{(s^2 + 1)^2}$, 故 f 在 $s = \frac{3}{2}$ 处取最大值 $f\left(\frac{3}{2}\right) = \frac{5 \cdot \frac{9}{4} + 12 \cdot \frac{3}{2}}{\frac{9}{4} + 1} = \frac{117}{13} = 9$, 所以 α 的最小值为 9.

4. **Solution.** $\alpha = -\frac{1}{2}$, $\beta = \ln 2$.

设 $A(x) = \alpha + \frac{1}{1-x}$, 则 $A(-x) = \alpha + \frac{1}{1+x}$. 由 f 为奇函数得 $f(x) + f(-x) = 0$, 即 $\ln |A(x)A(-x)| + 2\beta = 0$. 而 $A(x)A(-x) = \alpha^2 + \frac{2\alpha + 1}{1-x^2}$, 上式对任意 x 恒为常数, 故 $2\alpha + 1 = 0$, 即 $\alpha = -\frac{1}{2}$. 此时 $|A(x)A(-x)| = \frac{1}{4}$, 故 $\ln \frac{1}{4} + 2\beta = 0 \Rightarrow \beta = \ln 2$. 验证 $f(0) = \ln \frac{1}{2} + \ln 2 = 0$, 符合奇函数要求.

5. **Solution.** 值域为 $[-\frac{2}{\sqrt{3}}, 1)$.

$f(x) = \frac{x}{\sqrt{x^2 + 2x + 4}}$, 分母恒正, $f'(x) = \frac{x+4}{(x^2 + 2x + 4)^{3/2}}$, 故 f 在 $(-\infty, -4)$ 递减、在 $(-4, \infty)$ 递增, $x = -4$ 处取最小值 $f(-4) = \frac{-4}{\sqrt{12}} = -\frac{2}{\sqrt{3}}$. 又当 $x \rightarrow +\infty$ 时 $f \rightarrow 1^-$, 当 $x \rightarrow -\infty$ 时 $f \rightarrow -1^+$, 故值域为 $[-\frac{2}{\sqrt{3}}, 1)$.

6. **Solution.** $(-\infty, \frac{1}{2}]$.

由 $f(x) > 0$ ($x > 0$) 得 $\beta < \frac{e^x - 1 - x}{x^2}$, 即 $\beta \leq \inf_{x>0} g(x)$, 其中 $g(x) = \frac{e^x - 1 - x}{x^2}$. 而 $g'(x) = \frac{xe^x - 2e^x + x + 2}{x^3}$, 记 $N(x) = xe^x - 2e^x + x + 2$, 则 $N(0) = 0$, $N'(x) = e^x(x-1) + 1$, $N'(0) = 0$, $N''(x) = xe^x > 0$ ($x > 0$), 故 $N'(x) > 0$, $N(x) > 0$, $g'(x) > 0$, g 在 $(0, \infty)$ 上单调递增. 于是 $\inf_{x>0} g(x) = \lim_{x \rightarrow 0^+} \frac{e^x - 1 - x}{x^2} = \frac{1}{2}$, 故 $\beta \in (-\infty, \frac{1}{2}]$.

7. **Solution.** $\sqrt{3}$.

取过焦点 $(c, 0)$ 且垂直于实轴 (x 轴) 的直线 $x = c$, 代入 $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ 得 $y = \pm \frac{b^2}{a}$, 于是 $|AB| = \frac{2b^2}{a}$.

由题意 $|AB| = 2 \cdot (2a) = 4a$, 故 $\frac{2b^2}{a} = 4a$, 即 $b^2 = 2a^2$, 又 $c^2 = a^2 + b^2 = 3a^2$, 所以 $e = \frac{c}{a} = \sqrt{3}$.

2 证明题 (本题 15 分)

Proof. 只需证明对每个正整数 k 有 $\ln\left(1 + \frac{1}{k}\right) < \frac{1}{\sqrt{k(k+1)}}$. 令 $x = \frac{1}{k} > 0$, 则 $\frac{1}{\sqrt{k(k+1)}} = \frac{x}{\sqrt{1+x}}$, 故只需证 $\ln(1+x) < \frac{x}{\sqrt{1+x}}$ ($x > 0$). 设 $\varphi(x) = \frac{x}{\sqrt{1+x}} - \ln(1+x)$, 则 $\varphi(0) = 0$, 且

$$\varphi'(x) = \frac{1 + \frac{x}{2}}{(1+x)^{3/2}} - \frac{1}{1+x} = \frac{1 + \frac{x}{2} - \sqrt{1+x}}{(1+x)^{3/2}}.$$

因为 $\left(1 + \frac{x}{2}\right)^2 = 1 + x + \frac{x^2}{4} > 1 + x$, 故 $1 + \frac{x}{2} > \sqrt{1+x}$, 从而 $\varphi'(x) > 0$, $\varphi(x) > 0$, 即 $\ln(1+x) < \frac{x}{\sqrt{1+x}}$. 于是

$$\sum_{k=1}^{2025} \ln\left(1 + \frac{1}{k}\right) = \ln \frac{2}{1} + \ln \frac{3}{2} + \cdots + \ln \frac{2026}{2025} = \ln 2026 < \sum_{k=1}^{2025} \frac{1}{\sqrt{k(k+1)}}.$$

即 $\ln 2026 < \frac{1}{\sqrt{2}} + \frac{1}{\sqrt{2 \times 3}} + \cdots + \frac{1}{\sqrt{2025 \times 2026}}$, 证毕.

3 解答题 (本题 15 分)

Solution. 令 $u = a^4$, $v = b^4$, $w = c^4$, 则 $u + v + w = 1$, $u, v, w \in (0, 1)$, 且 $\frac{a^3}{1-a^8} = \frac{u^{3/4}}{1-u^2}$. 设 $g(u) = \frac{u^{3/4}}{1-u^2}$, g 在 $(0, 1)$ 上满足切线不等式 (二阶导数与切线法可验):

$$g(u) \geq g\left(\frac{1}{3}\right) + g'\left(\frac{1}{3}\right)\left(u - \frac{1}{3}\right) \quad (u \in (0, 1)).$$

于是 $\sum_{\text{cyc}} \frac{a^3}{1-a^8} = \sum_{\text{cyc}} g(u) \geq 3g\left(\frac{1}{3}\right)$. 而

$$g\left(\frac{1}{3}\right) = \frac{\left(\frac{1}{3}\right)^{3/4}}{1 - \frac{1}{9}} = \frac{3^{-3/4}}{8/9} = \frac{9}{8} \cdot 3^{-3/4},$$

故 $\sum_{\text{cyc}} \frac{a^3}{1-a^8} \geq \frac{27}{8} \cdot 3^{-3/4} = \frac{3^{9/4}}{8}$. 当 $a = b = c = 3^{-1/4}$ 时取等, 因此最小值为 $\frac{3^{9/4}}{8}$.

CHAPTER 3

2025 年启明考试数学部分

致谢：本套试题来自 @ 鳄鱼，感谢 @ 鳄鱼同学提供的完整试题！

1 填空题 (每小题 12 分, 共 72 分)

1. 设整数数列 $a_1, a_2, \dots, a_{10}$ 满足 $a_{10} = 3a_1$, $a_2 + a_8 = 2a_5$, 且 $a_{i+1} \in \{1 + a_i, 2 + a_i\}$, $i = 1, 2, \dots, 9$. 这样数列 n 的个数为¹_____.
2. 若非空整数集 $S \subseteq \{1, 2, 3, 4, 5\}$, 那么符合条件 “若 $x \in S$, 则 $y - x \in S$ ” 的集合 S 的个数是²_____.
3. 若 α, β, γ 为正数, 且 $3\alpha^2 + \beta^2 + \gamma^2 = 1$, 则 $\frac{\beta+1}{\alpha\beta\gamma}$ 的最小值_____.
4. 若 u, v, w 为复数, $|u| = |v| = |w| = 1$ 且 $u + v + w = 1 + i$, 则 u 实部最小值为_____.
5. 设 α, β 满足
$$x \sin \beta + y \cos \alpha = \sin \alpha, \quad x \sin \alpha + y \cos \beta = \sin \beta,$$
则 $x^2 - y^2$ 的值为³_____.
6. 正方形 $ABCD$, 点 P 满足 $PA : PB : PC = 1 : 2 : k$, 则 k 的可能取值为_____.

2 解答题 (本题 12 分)

求方程 $x^3 - 3x + 1 = 0$ 的解.

3 解答题 (本题 15 分)

设数列 $\{a_n\}$ 满足 $a_1 = 3$, $a_{n+1} \leq \frac{1}{2}(a_n + a_{n+2})$, $a_{505} = 2145$, 求 a_5 的最大值.⁴

¹ 本题与 2019 年启明数学填空题第 5 题一致.

² 原题中的 y 未作定义, 因而条件不足, 无法唯一确定答案.

³ 本题与 2019 年启明数学填空题第 9 题一致.

⁴ 本题为 2019 年启明数学第 3 题的变式.

CHAPTER 4

2025 年启明考试数学部分参考答案

1 填空题 (每小题 12 分, 共 72 分)

1. 参见 2019 年启明数学填空题第 5 题 **解析**.

2. **Solution.** 原题中的 y 未作定义, 因此无法唯一作答.

以下列出三种常见的可能修订, 供核对原题时参考.

一种可能是原题中的 y 为数字 6 的笔误; 此外也可能缺少对 x, y 的限定.

情形一. 若条件为 “ $x \in S \Rightarrow 6 - x \in S$ ”,

条件 “若 $x \in S$, 则 $6 - x \in S$ ” 意味着元素必须成对出现. 我们将集合 $\{1, 2, 3, 4, 5\}$ 分成满足此条件的块:

1. 若 $1 \in S$, 则 $6 - 1 = 5 \in S$. 反之亦然. 所以 $\{1, 5\}$ 是一个块.

2. 若 $2 \in S$, 则 $6 - 2 = 4 \in S$. 反之亦然. 所以 $\{2, 4\}$ 是一个块.

3. 若 $3 \in S$, 则 $6 - 3 = 3 \in S$. 这自然满足. 所以 $\{3\}$ 是一个块.

任何满足条件的集合 S 都是这些块的并集, 其中

$$B_1 = \{1, 5\}, \quad B_2 = \{2, 4\}, \quad B_3 = \{3\}.$$

因此, 只需考察由 $\{B_1, B_2, B_3\}$ 组成的非空集合.

可能的集合是 $\{B_1, B_2, B_3\}$ 的任何非空子集的并集. 子集的数量为 $2^3 - 1 = 7$.

它们是: $\{3\}, \{1, 5\}, \{2, 4\}, \{1, 3, 5\}, \{2, 3, 4\}, \{1, 2, 4, 5\}, \{1, 2, 3, 4, 5\}$.

情形二. 若条件为 “ $x, y \in S$ 且 $x \neq y \Rightarrow y - x \in S$ ”,

若 $|S| \geq 2$, 取 $a < b \in S$. 由条件对有序对 $(x, y) = (b, a)$ 也必须成立, 故 $a - b \in S$. 但 $a - b < 0$, 而 $S \subseteq \{1, 2, 3, 4, 5\}$ 不可能含负数, 矛盾. 因此 $|S| = 1$, 答案为 5 种

情形三. 若条件为 “ $x, y \in S$ 且 $y > x \Rightarrow y - x \in S$ ”,

若 $1 \in S$, 则由 $a \in S \Rightarrow a - 1 \in S$ 递推, 得到 $S = \{1, 2, \dots, k\}$ 型, 且 $k = 1, 2, 3, 4, 5$ 均可.

若 $1 \notin S$, 则不能同时含有相邻数 (否则差为 1); 进一步可证此时 $|S| \leq 2$. 检验两元素情形, 只剩 $\{2, 4\}$ 满足 (如 $\{2, 3\}$ 会强制 $1 \in S$; $\{3, 5\}$ 会强制 $2 \in S$ 等).

单元素集合均真命题 (无 $y > x$ 的成对元素), 因此 $\{1\}, \dots, \{5\}$ 都成立. 合计 10 种

3. **Solution.** $8\sqrt{3}$

这道题最简单方法是拉格朗日乘子法, 不过考虑新生没有学就用另外的方法计算.

不妨设 $x = \sqrt{3}\alpha$, $y = \beta$, $z = \gamma$, 则 $x, y, z > 0$ 且

$$x^2 + y^2 + z^2 = 1, \quad \frac{\beta + 1}{\alpha\beta\gamma} = \sqrt{3} \frac{y + 1}{xyz}.$$

对固定的 y , 由 $x^2 + z^2 = 1 - y^2$ 及 $xz \leq \frac{x^2 + z^2}{2}$ 得 $xyz \leq y \cdot \frac{x^2 + z^2}{2} = \frac{y(1 - y^2)}{2}$, 于是有

$$\frac{\beta + 1}{\alpha\beta\gamma} = \sqrt{3} \frac{y + 1}{xyz} \geq \sqrt{3} \frac{y + 1}{\frac{y(1 - y^2)}{2}} = 2\sqrt{3} \frac{y + 1}{y(1 - y^2)}.$$

下面只需求 $\min_{0 < y < 1} \frac{y + 1}{y(1 - y^2)}$, 易知当 $y = \frac{1}{2}$ 取最小值 4. 故

$$\frac{\beta + 1}{\alpha\beta\gamma} \geq 2\sqrt{3} \cdot 4 = 8\sqrt{3}.$$

取 “=” : 由 $y = \frac{1}{2}$ 且 $xz = \frac{1 - y^2}{2} = \frac{3}{8}$, 又为使 xz 最大有 $x = z = \sqrt{\frac{3}{8}}$, 故

$$\beta = \frac{1}{2}, \quad \sqrt{3}\alpha = x = \sqrt{\frac{3}{8}} \Rightarrow \alpha = \frac{1}{2\sqrt{2}}, \quad \gamma = z = \sqrt{\frac{3}{8}}.$$

代回可取得等号且有最小值 $8\sqrt{3}$

4. **Solution.** $\frac{-1 - \sqrt{7}}{4}$

不妨设 $u = x + iy$. 我们要最小化 x .

由 $u + v + w = 1 + i$, 得 $v + w = (1 + i) - u = (1 - x) + i(1 - y)$. 利用三角不等式, $|v + w| \leq |v| + |w| = 1 + 1 = 2$.

所以 $|v + w|^2 \leq 4$. $|v + w|^2 = (1 - x)^2 + (1 - y)^2 = 1 - 2x + x^2 + 1 - 2y + y^2$. 因为 $|u| = 1$, 所以 $x^2 + y^2 = 1$. $|v + w|^2 = 1 - 2x + 1 + 1 - 2y = 3 - 2x - 2y$. 我们有 $3 - 2x - 2y \leq 4$.

设 $x = \cos \theta, y = \sin \theta$. $3 - 2\cos \theta - 2\sin \theta \leq 4 \Rightarrow -1 \leq 2(\cos \theta + \sin \theta) = 2\sqrt{2}\sin(\theta + \frac{\pi}{4})$.
 $\sin(\theta + \frac{\pi}{4}) \geq -\frac{1}{2\sqrt{2}}.$

我们要最小化 $x = \cos \theta$. 设 $\phi = \theta + \frac{\pi}{4}$. $x = \cos(\phi - \frac{\pi}{4}) = \cos \phi \cos \frac{\pi}{4} + \sin \phi \sin \frac{\pi}{4} = \frac{\sqrt{2}}{2}(\cos \phi + \sin \phi)$.

为使 x 最小, 我们需要 ϕ 在第三或第四象限. 当 $\sin \phi = -\frac{1}{\sqrt{2}} = -\frac{\sqrt{2}}{2}$ 时, $\cos \phi = -\sqrt{1 - \sin^2 \phi} = -\frac{\sqrt{14}}{4}$.

此时 x 取得最小值: $x = \frac{-1 - \sqrt{7}}{4}$.

另解: 设 $s = 1 + i$. 存在单位复数 v, w 使 $v + w = s - u$ 的充要条件是 $|s - u| \leq 2$. 需在

$$|u| = 1, \quad |s - u| \leq 2$$

下最小化 $\Re(u)$. 极值在边界 $|s - u| = 2$ 与 $|u| = 1$ 的交点处. 设 $u = (x, y)$, 则

$$x^2 + y^2 = 1, \quad (x - 1)^2 + (y - 1)^2 = 4 \Rightarrow x + y = -\frac{1}{2}.$$

联立得 $2x^2 + x - \frac{3}{4} = 0$, 故

$$x = \frac{-1 \pm \sqrt{7}}{4}, \quad \min \Re(u) = -\frac{1 + \sqrt{7}}{4}.$$

5. 参见 2019 年启明数学填空题第 9 题 **解析**.

6. **Solution.** $k \in [2\sqrt{2} - 1, 2\sqrt{2} + 1]$

取正方形边长为 1, 设 $A(0, 0), B(1, 0), C(1, 1)$, 点 $P(x, y)$, 记 $r = PA$. 由

$$PA^2 = x^2 + y^2 = r^2, \quad PB^2 = (x - 1)^2 + y^2 = 4r^2$$

得

$$(x-1)^2 + y^2 = 4(x^2 + y^2) \Rightarrow 3x^2 + 3y^2 + 2x - 1 = 0 \Leftrightarrow (x + \frac{1}{3})^2 + y^2 = (\frac{2}{3})^2,$$

又

$$PC^2 = (x-1)^2 + (y-1)^2 = x^2 + y^2 - 2x - 2y + 2,$$

从而

$$k^2 = \frac{PC^2}{PA^2} = 1 + \frac{2(1-x-y)}{x^2 + y^2}.$$

在圆上作参数化 $x = -\frac{1}{3} + \frac{2}{3}\cos t$, $y = \frac{2}{3}\sin t$ 可得

$$k^2 = 1 + \frac{2(1 - (-\frac{1}{3} + \frac{2}{3}(\cos t + \sin t)))}{\frac{5}{9} - \frac{4}{9}\cos t} = \frac{12\sin t + 16\cos t - 29}{4\cos t - 5}.$$

对 t 求导并令零, 或用三角恒等式配角化简, 可知极值于两处取得, 分别给出 $k_{\min} = 2\sqrt{2} - 1$, $k_{\max} = 2\sqrt{2} + 1$; 故 $k \in [2\sqrt{2} - 1, 2\sqrt{2} + 1]$, 端点可达。

2 解答题 (本题 13 分)

Solution. $x_1 = 2\cos\left(\frac{2\pi}{9}\right)$, $x_2 = 2\cos\left(\frac{4\pi}{9}\right)$, $x_3 = 2\cos\left(\frac{8\pi}{9}\right)$

对于方程 $x^3 - 3x + 1 = 0$, 这是一个典型的不可约三次方程, 可以使用三角函数法求解. 不妨设 $x = 2\cos\theta$. 将其代入方程中:

$$(2\cos\theta)^3 - 3(2\cos\theta) + 1 = 0$$

$$8\cos^3\theta - 6\cos\theta + 1 = 0$$

$$2(4\cos^3\theta - 3\cos\theta) + 1 = 0$$

使用三倍角公式 $\cos(3\theta) = 4\cos^3\theta - 3\cos\theta$, 方程变为: $\cos(3\theta) = -\frac{1}{2}$

这个方程的解是 $3\theta = \pm\frac{2\pi}{3} + 2k\pi$, 其中 k 是任意整数. 因此, $\theta = \pm\frac{2\pi}{9} + \frac{2k\pi}{3}$. 为了得到三个不同的 x 值, 我们可以取 $k = 0, 1, 2$:

所以, 方程的三个实数解是:

$$x_1 = 2\cos\left(\frac{2\pi}{9}\right), \quad x_2 = 2\cos\left(\frac{4\pi}{9}\right), \quad x_3 = 2\cos\left(\frac{8\pi}{9}\right)$$

注: 韦达定理, 三次方程求根公式亦可求解本题

3 解答题 (本题 15 分)

Solution. 20

分析: 一个自然的想法是所有的等号均能取得时 a_5 取得最大值, 此时 $\{a_n\}$ 为 $d = \frac{17}{4}$ 的等差数列, 解得 $a_5 = 20$

不妨设 $b_n = a_{n+1} - a_n$, $a_{n+1} \leq \frac{1}{2}(a_n + a_{n+2}) \Rightarrow b_n \leq b_{n+1}$

$$\therefore a_5 = a_1 + b_1 + b_2 + b_3 + b_4$$

$$a_{505} - a_1 = \sum_{i=1}^{504} b_i \geq 126(b_1 + b_2 + b_3 + b_4) \Rightarrow b_1 + b_2 + b_3 + b_4 \leq 17$$

$\therefore a_5 = a_1 + b_1 + b_2 + b_3 + b_4 \leq 20$, 当 $\{a_n\}$ 为等差数列取 “=”

CHAPTER 5

2024 年启明考试数学部分

1 填空题 (每小题 11 分, 共 77 分)

1. 若 $\alpha, \beta, \delta, \gamma (\alpha > \beta > \delta > \gamma)$ 为整数, 且 $2^\alpha + 2^\beta + 2^\delta + 2^\gamma = 20\frac{5}{8}$, 则 $(\alpha + \beta + \delta + \gamma - 1)^{2024}$ 的值为_____.
2. $\left(\frac{\sqrt{5}+1}{2}\right)^{12}$ 的整数部分为¹_____.
3. 设 $f(x) = (2x^5 + 2x^4 - 53x^3 - 57x + 54)^{2023}$, 则 $f\left(\frac{\sqrt{111}-1}{2}\right)$ 的值为_____.
4. 集合 $\Delta = \{1, 2, 3, 5, 6\}$ 的全部非空子集的元素和为_____.
5. 在 $(-1, 1)$ 上任意取两个数, 则这两个数之和小于 0.4 的概率为_____.
6. 直三棱柱 $ABC-A'B'C'$, 侧棱长 4, 底面边长都为 2, 过 A 点截面交 BB', CC' 于 M, N , 若 $\triangle AMN$ 为直角三角形, 求三角形面积最大值_____.
7. 若 $\theta \in \left(-\frac{\pi}{2}, \pi\right)$, 则 $\frac{2\sin\theta + 4\cos\theta + 5}{\sin\theta + \cos\theta + 1}$ 的最小值为_____.

2 证明题 (本题 10 分)

证明: 若对于 $\forall x, y \in (-\infty, +\infty)$, 有 $|f(x) - f(y)| \leq |x - y|^2$, 则对于每个正整数 n , 设 $\forall a, b \in (-\infty, +\infty)$, 有 $|f(b) - f(a)| \leq \frac{|b - a|^2}{n}$.

3 证明题 (本题 13 分)

在数学中, 广义距离是泛函分析中最基本的概念之一。对平面直角坐标系中的两个点

$$P_1(x_1, y_1), \quad P_2(x_2, y_2),$$

记

$$|P_1 P_2|_t = \max \left\{ \frac{|x_1 - x_2|}{1 + |x_1 - x_2|}, \frac{|y_1 - y_2|}{1 + |y_1 - y_2|} \right\}$$

称 $|P_1 P_2|_t$ 为点 P_1 与点 P_2 之间的 “ t -距离”, 其中 $\max\{p, q\}$ 表示 p, q 中较大者。

¹ 本题与 2022 年启明数学填空题第 1 题一致。

证明：对任意点 $P_1(x_1, y_1)$, $P_2(x_2, y_2)$, $P_3(x_3, y_3)$,

$$|P_1P_3|_t \leq |P_1P_2|_t + |P_2P_3|_t$$

CHAPTER 6

2024 年启明考试数学部分参考答案

1 填空题 (每小题 11 分, 共 77 分)

1. **Solution.** 1

注意到 $2^\alpha + 2^\beta + 2^\delta + 2^\gamma = \frac{165}{8} \Rightarrow 2^{\alpha+3} + 2^{\beta+3} + 2^{\delta+3} + 2^{\gamma+3} = 165$ 现在需要找到一组整数 $\alpha, \beta, \delta, \gamma$ 使得方程成立, 注意到: $165 = 2^7 + 2^5 + 2^2 + 2^0$ 解得: $\alpha = 4, \beta = 2, \delta = -1, \gamma = -3$ 故 $(\alpha + \beta + \delta + \gamma - 1)^{2024} = 1$ 。

2. 参见 2022 年启明数学填空题第 1 题 **解析**。

3. **Solution.** $-\frac{1}{2}$

令 $t = \frac{\sqrt{111} - 1}{2}$, 则 $2t^2 + 2t - 55 = 0$ 。

故 $f(t) = ((2t^2 + 2t - 55)(t^3 + t - 1) - 1)^{2023} = (-1)^{2023} = -1$ 。


4. **Solution.** 272

对于集合中的每个元素, 它在所有子集中出现的频率是相同的。由于集合的大小是 5, 每个元素在一半的非空子集中都会出现。集合的非空子集总共有 $2^5 - 1 = 31$ 个, 而每个元素将出现在 $2^{(5-1)} = 16$ 个子集中。

每个元素在一半的子集中出现, 因此总和可以通过将每个元素乘以其出现次数 16 并相加来计算最终结果: $16 \times (1 + 2 + 3 + 5 + 6) = 272$

5. **Solution.** 0.68

在 $(-1, 1)$ 上任取 2 个数, 设两数为 x, y , 作图:



$$\text{两数之和小于 } 0.4, \therefore \begin{cases} -1 < x < 1 \\ -1 < y < 1 \\ x + y < 0.4 \end{cases}$$

因此两数之和小于 0.4 的概率为

$$p = \frac{4 - \frac{1}{2} \times 1.6^2}{4} = 1 - 0.32 = 0.68.$$

6. **Solution.** $\sqrt{17}$

设 $BM = x$, $CN = y$, $x, y \in [0, 4]$ 。不妨设 $\angle AMN = 90^\circ$, 则 $AN^2 = MN^2 + AM^2$, 即 $4 + y^2 = 4 + x^2 + 4 + (y - x)^2$, 整理得: $x^2 - xy + 2 = 0$, $y = \frac{x^2 + 2}{x} = x + \frac{2}{x}$ 。又 $y \leq 4$, 所以 $x + \frac{2}{x} \leq 4$ 。解得 $2 - \sqrt{2} \leq x \leq 2 + \sqrt{2}$ 。
设 $\triangle AMN$ 的面积为 S , 则


$$\begin{aligned} 4S^2 &= (4 + x^2) \cdot [4 + (y - x)^2] \\ &= (4 + x^2) \cdot \left(4 + \frac{4}{x^2}\right) \\ &= 20 + 4x^2 + \frac{16}{x^2} \\ &= 20 + 4\left(x^2 + \frac{4}{x^2}\right) \end{aligned}$$

这个函数在 $[2 - \sqrt{2}, \sqrt{2}]$ 上单调递减, 在 $[\sqrt{2}, 2 + \sqrt{2}]$ 上单调递增, 最大值是 $20 + 4 \times 12 = 68$
所以 $S_{\max} = \sqrt{17}$ 。

7. **Solution.** $1 + \sqrt{6}$

$$\frac{2\sin\theta + 4\cos\theta + 5}{\sin\theta + \cos\theta + 1} = 2 + \frac{2\cos\theta + 3}{\sin\theta + \cos\theta + 1}$$

令 $f(\theta) = \frac{2\cos\theta + 3}{\sin\theta + \cos\theta + 1}$, $f'(\theta) = \frac{\sin\theta - 3\cos\theta - 2}{(\sin\theta + \cos\theta + 1)^2}$, 可以画出导函数分子的图像:



易知当 $\sin\theta - 3\cos\theta - 2 = 0$, $\theta \in (\frac{\pi}{2}, \pi)$ 取最小值, 容易解得此时 $\cos\theta = \frac{-6 + \sqrt{6}}{10}$, $\sin\theta = \frac{2 + 3\sqrt{6}}{10}$,
故 $\left(\frac{2\sin\theta + 4\cos\theta + 5}{\sin\theta + \cos\theta + 1}\right)_{\min} = 1 + \sqrt{6}$

2 证明题 (本题 10 分)

Proof. 注意到:

$$\begin{aligned}
 |f(a) - f(b)| &= \left| \sum_{i=0}^{n-1} f\left(a + i \frac{b-a}{n}\right) - f\left(a + (i+1) \frac{b-a}{n}\right) \right| \\
 &\leq \sum_{i=0}^{n-1} \left| f\left(a + i \frac{b-a}{n}\right) - f\left(a + (i+1) \frac{b-a}{n}\right) \right| \\
 &\leq \sum_{i=0}^{n-1} \left| a + i \frac{b-a}{n} - \left(a + (i+1) \frac{b-a}{n}\right) \right|^2 \\
 &= \frac{|a-b|^2}{n}.
 \end{aligned}$$

因此所证不等式成立.

3 证明题 (本题 13 分)

Proof. 我们知道函数 $f(x) = \frac{x}{1+x}$ 在 $[0, +\infty)$ 上递增. 则

$$\frac{|x+y|}{1+|x+y|} \leq \frac{|x|+|y|}{1+|x|+|y|} = \frac{|x|}{1+|x|+|y|} + \frac{|y|}{1+|x|+|y|} \leq \frac{|x|}{1+|x|} + \frac{|y|}{1+|y|},$$

于是

$$\frac{|x_1-x_3|}{1+|x_1-x_3|} = \frac{|x_1-x_2+x_2-x_3|}{1+|x_1-x_2+x_2-x_3|} \leq \frac{|x_1-x_2|}{1+|x_1-x_2|} + \frac{|x_2-x_3|}{1+|x_2-x_3|}$$

$$\frac{|y_1-y_3|}{1+|y_1-y_3|} = \frac{|y_1-y_2+y_2-y_3|}{1+|y_1-y_2+y_2-y_3|} \leq \frac{|y_1-y_2|}{1+|y_1-y_2|} + \frac{|y_2-y_3|}{1+|y_2-y_3|}$$

于是

$$\begin{aligned}
 &\max \left\{ \frac{|x_1-x_3|}{1+|x_1-x_3|}, \frac{|y_1-y_3|}{1+|y_1-y_3|} \right\} \\
 &\leq \max \left\{ \frac{|x_1-x_2|}{1+|x_1-x_2|} + \frac{|x_2-x_3|}{1+|x_2-x_3|}, \frac{|y_1-y_2|}{1+|y_1-y_2|} + \frac{|y_2-y_3|}{1+|y_2-y_3|} \right\} \\
 &\leq \max \left\{ \frac{|x_1-x_2|}{1+|x_1-x_2|}, \frac{|y_1-y_2|}{1+|y_1-y_2|} \right\} \\
 &\quad + \max \left\{ \frac{|x_2-x_3|}{1+|x_2-x_3|}, \frac{|y_2-y_3|}{1+|y_2-y_3|} \right\}
 \end{aligned}$$

即

$$|P_1 P_3|_t \leq |P_1 P_2|_t + |P_2 P_3|_t.$$

注: 本题出自合肥二模 2024

CHAPTER 7

2023 年启明考试数学部分

1 填空题 (每小题 9 分, 共 72 分)

1. 若 α, β 为正整数且 $\alpha^2 + \beta^2 = 3025$ 则 $\alpha + \beta =$ _____.
2. $f(x) + f\left(\frac{1}{\sqrt[3]{1-x^3}}\right) = x^3$. 则 $f(-1) =$ _____.
3. $\lim_{n \rightarrow +\infty} \sin^2 \sqrt{n^2 + n\pi}$ 的值为_____.
4. β 为锐角. 则 $\left(1 + \frac{1}{\sin \beta}\right) \left(1 + \frac{1}{\cos \beta}\right)$ 最小值为_____.
5. 椭圆与双曲线
$$\frac{x^2}{m} + \frac{y^2}{p} = 1, \quad \frac{x^2}{n} - \frac{y^2}{p} = 1 \quad (m, n, p > 0)$$
有公共焦点 F_1, F_2 和公共交点 Q , 则 $S_{\triangle QF_1F_2} =$ _____.
6. 设 ε 为 1 的 7 次方根 $\frac{\varepsilon}{1+\varepsilon^2} + \frac{\varepsilon^2}{1+\varepsilon^4} + \frac{\varepsilon^3}{1+\varepsilon^6} =$ _____.
7. 三棱柱侧棱垂直底面且所有棱长为 β , 则外接球表面积为_____.
8. 甲组 5 名男同学、3 名女同学, 乙组 6 名男同学、2 名女同学, 从甲、乙两组各选 2 名, 则 4 人中恰好有一女的选法有_____.

2 解答题 (本题 12 分)

设数列 $\{\beta_n\}$ 满足 $\beta_1 = 2$, $\beta_{n+1} - \beta_n = 3 \times 2^{n-1}$, 记 $\alpha_n = n\beta_n$, 求 $\{\alpha_n\}$ 的前 n 项和.

3 解答题 (本题 16 分)

已知 $f(x) = \ln(x+1) + \frac{\beta}{x+2}$.

- (a) 若 $x > 0, f(x) > 1$ 恒成立, 求 β 取值范围.(6 分)
- (b) 求证 $\ln(2024) > \frac{1}{3} + \frac{1}{5} + \frac{1}{7} + \cdots + \frac{1}{4045} + \frac{1}{4047}$. (10 分)

CHAPTER 8

2023 年启明考试数学部分参考答案

1 填空题 (每小题 9 分, 共 72 分)

1. **Solution.** 77

注意到 $3025 = 55^2 = (5 \times 11)^2$, 由勾股定理显然可知一种情况 $\alpha = 3 \times 11, \beta = 4 \times 11$, 故 $\alpha + \beta = 77$.

2. **Solution.** $\frac{1}{4}$

$$\text{注意到} \begin{cases} f(-1) + f\left(\frac{1}{\sqrt[3]{2}}\right) = -1 & (1) \\ f\left(\frac{1}{\sqrt[3]{2}}\right) + f(\sqrt[3]{2}) = \frac{1}{2} & (2) \\ f(\sqrt[3]{2}) + f(-1) = 2 & (3) \end{cases}$$

$$(1) + (3) - (2) \Rightarrow f(-1) = \frac{1}{4}$$

3. **Solution.** 1

$$\begin{aligned} \sin^2 \sqrt{n^2 + n} \pi &= \sin^2 (\sqrt{n^2 + n} - n) \pi = \sin^2 \frac{n}{\sqrt{n^2 + n} + n} \pi \\ &= \sin^2 \frac{1}{\sqrt{1 + \frac{1}{n}} + 1} \pi \rightarrow \sin^2 \frac{\pi}{2} = 1 \quad (n \rightarrow \infty) \end{aligned}$$

4. **Solution.** $3 + 2\sqrt{2}$

$$\begin{aligned} \left(1 + \frac{1}{\sin \beta}\right) \left(1 + \frac{1}{\cos \beta}\right) &= \frac{\sin \beta \cos \beta + \sin \beta + \cos \beta + 1}{\sin \beta \cos \beta} \\ &= \frac{\sin \beta + \cos \beta + 1}{\sin \beta \cos \beta} + 1 \end{aligned}$$

令 $t = \sin \beta + \cos \beta = \sqrt{2} \sin\left(\beta + \frac{\pi}{4}\right) \in (1, \sqrt{2}]$, 则 $\sin \beta \cos \beta = \frac{t^2 - 1}{2}$

$$\text{原式} = 1 + \frac{1+t}{\frac{t^2-1}{2}} = 1 + \frac{2}{t-1} \geq 1 + \frac{2}{\sqrt{2}-1} = 3 + 2\sqrt{2}, \beta = \frac{\pi}{4} \text{ 取等号.}$$

5. **Solution.** p

由题意得 $m - n = 2p, m + n = 2(m - p)$.

$$\begin{cases} \frac{x^2}{m} + \frac{y^2}{p} = 1, \\ \frac{x^2}{n} - \frac{y^2}{p} = 1, \end{cases} \Rightarrow x^2 = \frac{2mn}{m+n}, y = \pm \frac{\sqrt{2}p}{\sqrt{m+n}}$$

$$\therefore |F_1 F_2| = 2\sqrt{m-p} = 2\sqrt{n+p},$$

$$\therefore S_{\triangle QF_1F_2} = \frac{1}{2} \times 2\sqrt{m-p} \times \frac{\sqrt{2}p}{\sqrt{m+n}} = p.$$

6. **Solution.** $\frac{3}{2}$ or -2

对于方程 $x^7 = 1 \Rightarrow (x-1)(x^6 + x^5 + x^4 + x^3 + x^2 + x + 1) = 0$, ε 为其一个根

$\varepsilon = 1$, 易得原式 $= \frac{3}{2}$

$\varepsilon \neq 1 \Rightarrow \varepsilon^6 + \varepsilon^5 + \varepsilon^4 + \varepsilon^3 + \varepsilon^2 + \varepsilon + 1 = 0$

$$\frac{\varepsilon}{1+\varepsilon^2} + \frac{\varepsilon^2}{1+\varepsilon^4} + \frac{\varepsilon^3}{1+\varepsilon^6} = \frac{\varepsilon}{1+\varepsilon^2} + \frac{\varepsilon^5}{1+\varepsilon^3} + \frac{\varepsilon^4}{1+\varepsilon} = 2 \frac{\varepsilon^6 + \varepsilon^4 + \varepsilon}{(1+\varepsilon^2)(1+\varepsilon^3)}$$

$$= -2 \frac{\varepsilon^5 + \varepsilon^3 + \varepsilon^2 + 1}{(1+\varepsilon^2)(1+\varepsilon^3)} = -2 \frac{(1+\varepsilon^2)(1+\varepsilon^3)}{(1+\varepsilon^2)(1+\varepsilon^3)} = -2$$

7. **Solution.** $\frac{7}{3}\pi\beta^2$

由直三棱柱的几何关系可得 $R^2 = \left(\frac{\sqrt{3}}{3}\beta\right)^2 + \left(\frac{1}{2}\beta\right)^2 \Rightarrow R = \frac{\sqrt{21}}{6}\beta$. 故 $S = 4\pi R^2 = \frac{7}{3}\pi\beta^2$

8. **Solution.** 345

分两种情况:

- 情形一: 这名女生来自甲组, 共 $C_3^1 C_5^1 C_6^2 = 225$ 种
- 情形二: 这名女生来自乙组, 共 $C_2^1 C_6^1 C_5^2 = 120$ 种

故总的选法有 345 种

2 解答题 (本题 12 分)

Solution. 由错位相减法易求得 $T_n = \sum_{k=1}^n \alpha_k = 3(n-1)2^n - \frac{n(n+1)}{2} + 3$

3 解答题 (本题 16 分)

Solution.

(a) $\ln(x+1) + \frac{\beta}{x+2} > 1 \Rightarrow \beta > (x+2)[1 - \ln(x+1)]$

令 $h(x) = (x+2)[1 - \ln(x+1)]$, $x \in (0, +\infty)$

$h'(x) = -\left[\ln(x+1) + \frac{1}{x+1}\right] < 0 \Rightarrow h(x)$ 在 $(0, +\infty)$ 上单调减

故 $\beta \geq h(0) = 2$

(b) 由 (i) 知: $\ln(x+1) > 1 - \frac{2}{x+2} = \frac{x}{x+2}$, $x > 0$

取 $x = \frac{1}{k}$ 得到 $\ln\left(\frac{k+1}{k}\right) > \frac{\frac{1}{k}}{\frac{1}{k}+2} = \frac{1}{2k+1}$, $x > 0$

故 $\ln(2024) = \sum_{k=1}^{2023} \ln\left(\frac{k+1}{k}\right) > \sum_{k=1}^{2023} \frac{1}{2k+1}$

CHAPTER 9

2022 年启明考试数学部分

1 填空题 (每小题 9 分, 共 72 分)

1. 已知 $\beta = \frac{\sqrt{5}+1}{2}$, 计算 $[\beta^{12}]$ ($[x]$ 为 x 的整数部分) = _____.
2. 已知: $\beta_1 = 3, \beta_{n+1} = \beta_n^2 - 3\beta_n + 4$, 计算: $\sum_{i=1}^{\infty} \frac{1}{\beta_i - 1}$ _____.
3. 已知: $a^2 + b^2 = 5$, 求 $2a + 3b$ 的最大值 _____.
4. 已知 $\begin{cases} x + \sin x \cos x - 1 = 0, \\ 2 \cos y - 2y + \pi + 4 = 0, \end{cases}$ 求 $\sin(2x - y) =$ _____.
5. 已知 $f(1) = 2022$, 且对 $n > 1$ 有 $\sum_{k=1}^n f(k) = n^2 f(n)$, 则 $f(2022) =$ _____.
6. 定义 $\mathbb{C}$ 为复数集, 集合 $A = \{z \mid z^{18} = 1, z \in \mathbb{C}\}$, $B = \{w \mid w^{48} = 1, w \in \mathbb{C}\}$, 求 $\text{card}\{zw \mid z \in A, w \in B\}$ _____.
7. 在一个凸四边形 $ABCD$ 中存在点 P , 满足 $S_{\triangle PAB} = S_{\triangle PBC} = S_{\triangle PCD} = S_{\triangle PDA}$, $S_{\triangle ABC} = \alpha S_{\triangle ADC}$, 求 α^1 _____.
8. 三位数中任意两个数字之和都能被第三个数整除, 求这样的三位数的个数 _____.

2 解答题 (12 分)

请用 3 种方法证明: $\left(\frac{\alpha + \beta + \gamma}{3}\right)^3 \geq \alpha \cdot \beta \cdot \gamma$ ($\alpha, \beta, \gamma \in \mathbb{R}^+$).

3 解答题 (16 分)

已知: $f(x) = \beta x - \ln x - 1$,

- (a) 若 $f(x) \geq 0$ 恒成立, 求 β 的最小值;
- (b) 求证: $\frac{1}{xe^x} + x + \ln x \geq 1$;
- (c) 若 $\alpha(e^{-x} + x^2) \geq x - x \ln x$ 恒成立, 求 α 的取值范围

¹ 现有题面条件不足以唯一确定 α , 参考答案中给出说明.

CHAPTER 10

2022 年启明考试数学部分参考答案

1 填空题 (每小题 9 分, 共 72 分)

1. Solution. 321

$\beta = \frac{\sqrt{5}+1}{2}$ 是方程 $x^2 - x - 1 = 0$ 的根, 故: $x^2 = x + 1, x^4 = (x+1)^2 = x^2 + 2x + 1 = 3x + 2$,
 $x^{12} = (3x+2)^3 = 27x^3 + 54x^2 + 36x + 8 = 27x(x+1) + 54(x+1) + 36x + 8 = 27x^2 + 117x + 62$
 $= 27(x+1) + 117x + 62 = 144x + 89 \Rightarrow \beta^{12} = 72\sqrt{5} + 161 \in (321, 322)$, 故: $[\beta^{12}] = 321$.

注释: 考察对偶结构 $\left(\frac{\sqrt{5}+1}{2}\right)^n - \left(\frac{1-\sqrt{5}}{2}\right)^n$ 也是一个重要思想,

分析: 熟知 Fibonacci i 数列通项: $a_n = \frac{1}{\sqrt{5}} \left[\left(\frac{\sqrt{5}+1}{2}\right)^n - \left(\frac{1-\sqrt{5}}{2}\right)^n \right]$,

$$\left(\begin{array}{l} a_{n+2} = a_{n+1} + a_n, a_1 = a_2 = 1, \text{ 则特征方程: } x^2 = x + 1, x_1 = \frac{\sqrt{5}+1}{2}, x_2 = \frac{1-\sqrt{5}}{2}, \\ \text{则: } a_n = C_1 \left(\frac{\sqrt{5}+1}{2}\right)^n + C_2 \left(\frac{1-\sqrt{5}}{2}\right)^n, \\ \text{代入初值条件得: } a_n = \frac{1}{\sqrt{5}} \left[\left(\frac{\sqrt{5}+1}{2}\right)^n - \left(\frac{1-\sqrt{5}}{2}\right)^n \right] \end{array} \right),$$

令 $a_n = \frac{1}{\sqrt{5}} \left[\left(\frac{\sqrt{5}+1}{2}\right)^n - \left(\frac{1-\sqrt{5}}{2}\right)^n \right]$, 则:

$$a_{12} = 144 = \frac{1}{\sqrt{5}} \left[\left(\frac{\sqrt{5}+1}{2}\right)^{12} - \left(\frac{1-\sqrt{5}}{2}\right)^{12} \right], \left(\frac{\sqrt{5}+1}{2}\right)^{12} = 144\sqrt{5} + \left(\frac{1-\sqrt{5}}{2}\right)^{12}, \text{ 注意到:}$$

$$144\sqrt{5} = \sqrt{103680} \in (321.5, 322), \left(\frac{1-\sqrt{5}}{2}\right)^{12} \approx (0.618)^{12} \approx \frac{1}{2^{12}}, \text{ 故: } [\beta^{12}] = 321.$$

2. Solution. 1

$$\beta_{n+1} = \beta_n^2 - 3\beta_n + 4 \Rightarrow \beta_{n+1} - 2 = \beta_n^2 - 3\beta_n + 2 = (\beta_n - 2)(\beta_n - 1),$$

于是

$$\begin{aligned} \frac{1}{\beta_{n+1} - 2} &= \frac{1}{(\beta_n - 2)(\beta_n - 1)} \\ &= \frac{1}{\beta_n - 2} - \frac{1}{\beta_n - 1}, \end{aligned}$$

即

$$\frac{1}{\beta_n - 1} = \frac{1}{\beta_n - 2} - \frac{1}{\beta_{n+1} - 2}, \quad \sum_{i=1}^{\infty} \frac{1}{\beta_i - 1} = 1 - \lim_{n \rightarrow \infty} \frac{1}{\beta_{n+1} - 2}.$$

下证: β_n 单调递增趋于 $+\infty$, 注意到: $\beta_{n+1} - \beta_n = \beta_n^2 - 4\beta_n + 4 = (\beta_n - 2)^2 > 0, \Rightarrow \beta_{n+1} - \beta_n =$

$$\sum_{i=1}^n (\beta_i - 2)^2 > \sum_{i=1}^n (\beta_1 - 2)^2 = n, \text{ 故: } \lim_{n \rightarrow \infty} \beta_n = +\infty, \text{ 即: } \sum_{i=1}^{\infty} \frac{1}{\beta_i - 1} = 1.$$

3. **Solution.** $\sqrt{65}$

(法一) $2a + 3b \leq \sqrt{2^2 + 3^2} \cdot \sqrt{a^2 + b^2} (\text{cauchy}) = \sqrt{65}$

(法一) $2a + 3b = 2\sqrt{5} \cos \theta + 3\sqrt{5} \sin \theta \leq \sqrt{65}.$

4. **Solution.** -1

$$\begin{cases} x + \sin x \cos x - 1 = 0 \\ 2 \cos y - 2y + \pi + 4 = 0 \end{cases} \Rightarrow \begin{cases} 2x + \sin 2x - 2 = 0 \\ y - \cos y - \frac{\pi}{2} - 2 = 0 \end{cases} \Rightarrow \begin{cases} 2x + \sin 2x - 2 = 0 \\ y - \frac{\pi}{2} + \sin(y - \frac{\pi}{2}) - 2 = 0 \end{cases}$$

, 观察上式易得同构: $2x = y - \frac{\pi}{2}$, 下证仅有此唯一同构

注意到: $h'(x) = (2x + \sin 2x - 2 = 0)' = 2 + 2 \cos 2x \geq 0, h(x)$ 单调增

即根是唯一的, 因此 $2x = y - \frac{\pi}{2}$ 是唯一解

故: $\sin(2x - y) = -1.$

5. **Solution.** $\frac{2}{2023}$

$$\begin{cases} \sum_{k=1}^n f(k) = n^2 f(n) \\ \sum_{k=1}^{n+1} f(k) = (n+1)^2 f(n+1) \end{cases} \Rightarrow f(n+1) = (n+1)^2 f(n+1) - n^2 f(n),$$

即: $(n^2 + 2n) f(n+1) = n^2 f(n) \Rightarrow \frac{f(n+1)}{f(n)} = \frac{n}{n+2},$

故: $f(2022) = f(1) \prod_{k=1}^{2021} \frac{k}{k+2} = 2022 \cdot \frac{2}{2022 \cdot 2023} = \frac{2}{2023}.$


6. **Solution.** 144

由棣莫弗定理: $z = e^{\frac{2k\pi}{18}i} = \cos \frac{2k\pi}{18} + i \sin \frac{2k\pi}{18}, w = e^{\frac{2k'\pi}{48}i} = \cos \frac{2k'\pi}{48} + i \sin \frac{2k'\pi}{48},$

$zw = e^{\frac{2(8k+3k')}{144}i\pi}$, 注意到 8 与 3 互质, 则根据裴蜀定理, $8k + 3k'$ 可以取得任意整数值, $k, k' \in \mathbb{Z}$
 $8k + 3k' \in \mathbb{Z}$, 且 $8k + 3k'$ 可以取到 $[0, 143]$ 的任意值, 故: zw 一共有 144 个.

7. **Solution.** 现有题面无法唯一确定 α .

取 BD 为四边形 $ABCD$ 的一条面积平分线, 并令 P 为 BD 的中点, 则 $S_{\triangle PAB} = S_{\triangle PDA}$ 且 $S_{\triangle PBC} = S_{\triangle PCD}$; 又因 BD 平分四边形面积, 四个面积彼此相等. 保持点 B, C, D 不动, 使点 A 沿平行于 BD 的直线移动, 上述四个小三角形面积仍相等, 但 $S_{\triangle ABC}/S_{\triangle ADC}$ 会发生变化. 因此还需要补充条件才能确定 α .



8. Solution. 39

分三种情况:

- 情形一: 该三位数各位数字相等, 显然有 9 个,
- 情形二: 该三位数各位数字不等, 有: (1, 2, 3), (2, 4, 6), (3, 6, 9), 一共 $3A_3^3 = 18$ 个,
- 情形三: 该三位数有且仅有 2 位数相同, 有: (1, 1, 2), (2, 2, 4), (3, 3, 6), (4, 4, 8), 一共 $4C_3^1 = 12$ 个,

故这样的三位数有: $9 + 18 + 12 = 39$ 个.

2 解答题 (12 分)

Solution.

(法一) 根据基本不等式 $\frac{\alpha + \beta}{2} \geq \sqrt{\alpha\beta}$, 故:

$$\frac{\alpha + \beta + \gamma + \eta}{4} = \frac{\frac{\alpha + \beta}{2} + \frac{\gamma + \eta}{2}}{2} \geq \frac{\sqrt{\alpha\beta} + \sqrt{\gamma\eta}}{2} = \sqrt{\sqrt{\alpha\beta}\sqrt{\gamma\eta}} = \sqrt[4]{\alpha \cdot \beta \cdot \gamma \cdot \eta}$$

令 $\eta = \frac{\alpha + \beta + \gamma}{3}$, 有: $\frac{\alpha + \beta + \gamma}{3} \geq \sqrt[3]{\alpha \cdot \beta \cdot \gamma}$, 证毕

(法二) 令 $\alpha = x^3, \beta = y^3, \gamma = z^3$, 则:

$$\begin{aligned} \frac{x^3 + y^3 + z^3}{3} - xyz &= \frac{1}{3} (x^3 + y^3 + z^3 - 3xyz) \\ &= \frac{1}{3} \{ [(x+y)^3 - 3x^2y - 3xy^2] + z^3 - 3xyz \} \\ &= \frac{1}{3} \{ [(x+y)^3 + z^3] - 3x^2y - 3xy^2 - 3xyz \} \\ &= \frac{1}{6} (x+y+z) [(x-y)^2 + (y-z)^2 + (z-x)^2] \geq 0 \end{aligned}$$

证毕

(法三) 令 $f(x) = \ln x$, 则: $f'(x) = \frac{1}{x}, f''(x) = -\frac{1}{x^2} < 0$,

故: $f(x)$ 是上凸函数, 根据琴生不等式, $\ln \frac{\alpha + \beta + \gamma}{3} \geq \frac{1}{3} (\ln \alpha + \ln \beta + \ln \gamma)$, 证毕

3 解答题 (16 分)

Solution.

(a) $f(x)$ 的定义域是 $(0, +\infty)$, $f(x) \geq 0 \Rightarrow \beta x - \ln x - 1 \geq 0, \Rightarrow \beta \geq \frac{\ln x + 1}{x}$,

令 $g(x) = \frac{\ln x + 1}{x}, g'(x) = -\frac{\ln x}{x^2}$,

当 $x \in (0, 1)$ 时, $g'(x) > 0, g(x)$ 单调增, 当 $x \in (1, +\infty)$ 时, $g'(x) < 0, g(x)$ 单调减

故 $g_{\max}(x) = g(1) = 1$, 即: $\beta \geq g_{\max}(x) = 1, \beta$ 的最小值为 1.

(b) 证明: 当 $\beta = 1$ 时, 有: $\ln x \leq x - 1$,

令 $\frac{1}{xe^x} = t$, 则: $-x - \ln x = \ln t \leq t - 1 = \frac{1}{xe^x} - 1$, 即: $\frac{1}{xe^x} + x + \ln x \geq 1$.

(c) : $\alpha(e^{-x} + x^2) \geq x - x \ln x \Rightarrow \alpha \left(\frac{1}{xe^x} + x \right) \geq 1 - \ln x$,

注意到: $\frac{1}{xe^x} + x > 0$, 即: $\alpha \geq \frac{1 - \ln x}{\frac{1}{xe^x} + x}$,

由 (b) 知: $\frac{1 - \ln x}{\frac{1}{xe^x} + x} \leq 1$, 且 $xe^x = 1$ 时, $\frac{1 - \ln x}{\frac{1}{xe^x} + x} = 1$,

故: $\alpha \geq 1, \alpha$ 的取值范围是 $[1, +\infty)$.

CHAPTER 11

2021 年启明考试数学部分

1 填空题

1. $x, y, z \in \mathbb{Q}, \sqrt{3 + \sqrt{2} + \sqrt{3} + \sqrt{6}} = \sqrt{x} + \sqrt{y} + \sqrt{z}, xyz =$ _____.
2. $f(x) \geq 0, f^2(x+1) + f^2(x) = 73(x \in \mathbb{R})$. 当 $x \in [0, 1)$ 时,
 $f(x) = 10 - |13x - 4|, f(\frac{2021}{13}) =$ _____.
3. $y = \frac{4 \sin \theta \cos \theta + 3}{\sin \theta + \cos \theta} (-\frac{\pi}{4} < \theta < \frac{3\pi}{4})$, 则 y 的最小值为 _____.
4. $\{a_n\}$ 是等差数列, 且 $a_3 = -13, a_7 = 3, S_n = \sum_{i=1}^n a_i$, 则 $(S_n)_{\min} =$ _____.
5. $w = \cos \frac{\pi}{5} + i \sin \frac{\pi}{5}$, 则以 w, w^3, w^7, w^9 为解的方程为 _____.
6. A, B 是椭圆 $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1 (a > b > 0)$ 上两点, O 是原点, $OA \perp OB$, 则 $|AB|_{\min} =$ _____.
7. 双曲线 $\Gamma: \frac{x^2}{4} - \frac{y^2}{5} = 1$, 过右焦点作一条长度为 $4\sqrt{3}$ 的弦 AB , 且 A, B 位于右支上. 将双曲线 Γ 绕其右准线旋转 90° , 则弦 AB 形成的曲面面积为 _____.

2 解答题

三种方法求 $x(x+1)(x+2)(x+3)$ 最小值.

3 证明题

已知 $0 < a < b$, 证 $\frac{\ln b - \ln a}{b - a} > \frac{2a}{a^2 + b^2}$.

CHAPTER 12

2021 年启明考试数学部分参考答案

1 填空题

1. **Solution.** $\frac{3}{4}$.
注意到

$$\left(1 + \sqrt{\frac{1}{2}} + \sqrt{\frac{3}{2}}\right)^2 = 3 + \sqrt{2} + \sqrt{3} + \sqrt{6}.$$

因此可取

$$x = 1, \quad y = \frac{1}{2}, \quad z = \frac{3}{2},$$

从而 $xyz = \frac{3}{4}$.

2. **Solution.** $f^2(x+1) + f^2(x) = 73$
 $\Rightarrow f^2(x+2) + f^2(x+1) = 73 \Rightarrow f^2(x+2) = f^2(x)$
 $\because f(x) \geq 0 \therefore f(x+2) = f(x)$
 $f\left(\frac{2021}{13}\right) = f\left(\frac{19}{13}\right)$, 又 $\because f^2\left(\frac{19}{13}\right) + f^2\left(\frac{6}{13}\right) = 73$
解得: $f\left(\frac{2021}{13}\right) = 3$

3. **Solution.** $y = \frac{2(1 + 2\sin\theta\cos\theta) + 1}{\sin\theta + \cos\theta} = \frac{2(\sin\theta + \cos\theta)^2 + 1}{\sin\theta + \cos\theta}$
 $= 2(\sin\theta + \cos\theta) + \frac{1}{\sin\theta + \cos\theta} \geq 2\sqrt{2}$
当且仅当 $2(\sin\theta + \cos\theta) = \frac{1}{\sin\theta + \cos\theta}$, 即 $\theta = \frac{7\pi}{12}$ or $-\frac{\pi}{12}$ 取 “=”

4. **Solution.** $\begin{cases} a_1 + 2d = -13 \\ a_1 + 6d = 3 \end{cases} \Rightarrow \begin{cases} a_1 = -21 \\ d = 4 \end{cases}$
易知 $n = 6, (S_n)_{\min} = -66$

5. **Solution.** $x^4 - x^3 + x^2 - x + 1 = 0$.

因为 $w = e^{\pi i/5}$, 所以 w, w^3, w^7, w^9 恰为全部 10 次本原单位根. 它们是第 10 个分圆多项式

$$\Phi_{10}(x) = \frac{x^5 + 1}{x + 1} = x^4 - x^3 + x^2 - x + 1$$

的四个根.

6. **Solution.** 根据题意不妨设 $A(r_1 \cos\theta, r_1 \sin\theta), B\left[r_2 \cos\left(\theta + \frac{\pi}{2}\right), r_2 \sin\left(\theta + \frac{\pi}{2}\right)\right]$,
则 $B(-r_2 \sin\theta, r_2 \cos\theta), AB^2 = r_1^2 + r_2^2, \frac{r_1^2 \cos^2\theta}{a^2} + \frac{r_1^2 \sin^2\theta}{b^2} = 1$,

$$r_1^2 = \frac{a^2 b^2}{b^2 \cos^2 \theta + a^2 \sin^2 \theta}, \quad r_2^2 = \frac{a^2 b^2}{b^2 \sin^2 \theta + a^2 \cos^2 \theta}.$$

$$\begin{aligned} \text{故 } r_1^2 + r_2^2 &= \frac{a^2 b^2 (a^2 + b^2)}{(b^2 \cos^2 \theta + a^2 \sin^2 \theta) (b^2 \sin^2 \theta + a^2 \cos^2 \theta)} \\ &= \frac{a^2 b^2 (a^2 + b^2)}{(a^4 + b^4) \sin^2 \theta \cdot \cos^2 \theta + a^2 b^2 (\sin^4 \theta + \cos^4 \theta)} \\ &= \frac{a^2 b^2 (a^2 + b^2)}{(a^4 + b^4) \sin^2 \theta \cdot \cos^2 \theta + a^2 b^2 (1 - 2 \sin^2 \theta \cdot \cos^2 \theta)} \\ &= \frac{a^2 b^2 (a^2 + b^2)}{(a^2 - b^2)^2 \sin^2 \theta \cdot \cos^2 \theta + a^2 b^2} = \frac{4a^2 b^2 (a^2 + b^2)}{(a^2 - b^2)^2 \sin^2 2\theta + 4a^2 b^2} \\ &\geq \frac{4a^2 b^2 (a^2 + b^2)}{(a^2 + b^2)^2}. \end{aligned}$$

当且仅当 $\theta = k\pi \pm \frac{\pi}{4} (k \in \mathbf{Z})$ 时等号成立. 因此, 线段 AB 长度的最小值为 $\frac{2ab}{\sqrt{a^2 + b^2}}$.

7. **Solution.** 分析易知弦 AB 扫过的面积为一圆台侧面积的 $\frac{1}{4}$. 设 A, B 两点到右准线 $l: x = \frac{4}{3}$ 的距离分别为 r_1, r_2 ,
 由于双曲线离心率 $e = \frac{3}{2}$, 故 $S = \frac{1}{4}\pi(r_1 + r_2)|AB| = \frac{1}{4e}\pi|AB|^2 = 8\pi$

2 解答题

Solution.

(法一): 不妨设 $y = x + \frac{3}{2}$, 则 $x = y - \frac{3}{2}$, 代入 $x(x+1)(x+2)(x+3)$ 中得到:

$$\begin{aligned} &x(x+1)(x+2)(x+3) \\ &= (y - \frac{3}{2})(y - \frac{1}{2})(y + \frac{1}{2})(y + \frac{3}{2}) \\ &= (y^2 - \frac{9}{4})(y^2 - \frac{1}{4}) \\ &= y^4 - \frac{5}{2}y^2 + \frac{9}{16} \\ &= (y^2 - \frac{5}{4})^2 - 1 \end{aligned}$$

由于 $y^2 \geq 0$, 所以 $x(x+1)(x+2)(x+3) \geq -1$, 等号成立当且仅当 $y^2 = \frac{5}{4}$, 即 $x = \frac{\pm\sqrt{5}-3}{2}$

(法二):

$$\begin{aligned} &\frac{d}{dx}[x(x+1)(x+2)(x+3)] \\ &= (x+1)(x+2)(x+3) + x(x+2)(x+3) + x(x+1)(x+3) + x(x+1)(x+2) \\ &= 4x^3 + 18x^2 + 22x + 6 \\ &= (4x+6)(x^2+3x+1) \end{aligned}$$

令导函数等于 0, 解得 $x = -\frac{3}{2}$ 或 $x = \frac{\pm\sqrt{5}-3}{2}$ 代入原函数中可得最小值在 $x = \frac{\pm\sqrt{5}-3}{2}$ 取得, 结果为 -1.

(法三) :

$$\begin{aligned}
 & x(x+1)(x+2)(x+3) \\
 &= x(x+3)(x+1)(x+2) \\
 &= (x^2+3x)(x^2+3x+2) \\
 &= (x^2+3x+1-1)(x^2+3x+1+1) \\
 &= (x^2+3x+1)^2 - 1 \geq -1(x^2+3x+1) = 0, \text{ 即 } x = \frac{\pm\sqrt{5}-3}{2} \text{ 取得}
 \end{aligned}$$

3 证明题

Proof. 原式等价于要证: $\ln \frac{b}{a} > \frac{2a(b-a)}{a^2+b^2} = \frac{2(\frac{b}{a}-1)}{1+(\frac{b}{a})^2}$, 设 $t = \frac{b}{a} \in (1, +\infty)$, 即证: $(1+t^2) \ln t > 2t-2$

注意到 $\ln t > 1 - \frac{1}{t}$, $t \in (1, +\infty)$, 即证: $(1+t^2) \ln t > (1+t^2)(1 - \frac{1}{t}) > 2t-2$,

而

$$t^2 - 3t + 3 - \frac{1}{t} = \frac{(t-1)^3}{t} > 0,$$

故原不等式成立.

CHAPTER 13

2019 年启明考试数学部分

1 填空题

1. 37, 23, 19, 5..... 以此类推, 第五个数为_____.
2. 今天星期六, 则 3^{1998} 天后是星期几_____.
3. 若 x 满足 $x + x^{-1} = -1$, 求 $x^{2019} + x^{-2019}$ _____.
4. 求方程 $13 \sin x = x$ 的根_____.
5. 设整数数列 $a_1, a_2, \dots, a_{10}$ 满足 $a_{10} = 3a_1, a_2 + a_8 = 2a_5$. 且 $a_{i+1} \in \{1 + a_i, 2 + a_i\} (i = 1, 2, 3, \dots, 9)$, 求这样的数列有多少个_____.
6. 求 $n^3 + 100$ 能被 $n + 10$ 整除的最大整数_____.
7. x, y, z 为非负整数, 且 $\begin{cases} x + y + z = 10 & \textcircled{1} \\ x + 2y + 3z = 30 & \textcircled{2} \end{cases}$, 求 $x + 5y + 3z$ 的取值范围_____.
8. 若 $f(x) = (1 - x^2)(x^2 + ax + b)$ 关于 $x = -2$ 对称, 求 $f(x)_{\max}$ _____.
9. 若 α, β 满足 $\begin{cases} x \sin \beta + y \cos \alpha = \sin \alpha \\ x \sin \alpha + y \cos \beta = \sin \beta \end{cases}$, 求 $x^2 - y^2$ _____.
10. $A(3, 2)$ 是平面上一点, F 是抛物线 $y^2 = 2x$ 上的焦点, 抛物线上一点 M , 则 $|MF| + |MA|$ 取最小值的时 M 的坐标_____.

2 证明题

$\forall x, y \in \mathbb{R}$, 函数 $f(z)$ 满足 $2f(x)f(y) = f(x+y) + f(x-y)$ 且 $f(x) \neq 0$, 证明: $f^2(x) + f^2(y) = f(x+y)f(x-y) + 1$

3 解答题

数列 $\{a_n\}$ 满足 $a_1 = 3, a_{n+1} \leq \frac{1}{2}(a_n + a_{n+2})$, 且 $a_{505} = 2019$. 求 $\max a_5$.

4 解答题

函数 f 是 $\mathbb{R}$ 上的偶函数, 其图像关于 $x = 1$ 对称。对任意 $x, y \in \left[0, \frac{1}{2}\right]$, 有

$$f(x+y) = f(x)f(y), \quad f(1) = \beta > 0.$$

- (1) 求 $f\left(\frac{1}{2}\right), f\left(\frac{1}{4}\right)$ 的值
- (2) 证明: $f(x)$ 是周期函数
- (3) 记 $\beta(n) = f\left(2n + \frac{1}{2n}\right)$, 求 $\lim_{n \rightarrow \infty} \ln \beta(n)$.

CHAPTER 14

2019 年启明考试数学部分参考答案


1 填空题

1. **Solution.** 1

2. **Solution.** 注意到 $3^{1998} = (27)^{666} = (28-1)^{666} = 1 + \sum_{k=0}^{665} C_{666}^k (28)^{666-k} (-1)^k = 7N+1$, 故为星期天.

3. **Solution.** $x + x^{-1} = -1 \Rightarrow x^2 + x + 1 = 0$, 则 $x = -\frac{1}{2} \pm \frac{\sqrt{3}}{2}i = e^{\pm \frac{2\pi}{3}i}$ (欧拉公式).
由棣莫弗定理易得 $x^{2019} = e^{\pm 1046\pi i} = 1$, 故 $x^{2019} + x^{-2019} = 2$.

4. **Solution.** 作图:



可以求得的零点为 $x = 0$, 由于此方程为超越方程, 其他 6 个零点为隐零点.

5. **Solution.** 不妨设 $b_i = a_{i+1} - a_i \in \{1, 2\}$, 由 $a_{10} = 3a_1, a_2 + a_8 = 2a_5$, 可得:

$$\begin{cases} 2a_1 = \sum_{i=1}^9 b_i \\ b_7 + b_6 + b_5 = b_4 + b_3 + b_2 \end{cases}$$

对于 $b_7 + b_6 + b_5 = b_4 + b_3 + b_2$, 分析易知等式两端 1, 2 的个数相等, 因此 $b_7, b_6, b_5, b_4, b_3, b_2$ 总的取法共有: $(C_3^0)^2 + (C_3^1)^2 + (C_3^2)^2 + (C_3^3)^2 = 20$ 种

注意到 $b_7 + b_6 + b_5 + b_4 + b_3 + b_2$ 必是偶数, 由 $\therefore 2a_1 = \sum_{i=1}^9 b_i$, $2a_1$ 也为偶数

故 $b_1 + b_8 + b_9$ 必为偶数, 取法有 4 种

故满足条件的数列共有 $4 \times 20 = 80$ 种

$$\begin{aligned} & \frac{n^3 + 100}{n + 10} \\ 6. \text{ Solution. } &= \frac{n^3 + 1000}{n + 10} - \frac{900}{n + 10} \\ &= n^2 - 10n + 100 - \frac{900}{n + 10} \\ \Rightarrow n_{\max} &= 890 \end{aligned}$$

$$7. \text{ Solution. } 3 \times \textcircled{1} - \textcircled{2} \Rightarrow 2x + y = 0$$

$$\therefore x, y \in \mathbb{N}^* \therefore x = y = 0 \Rightarrow z = 10$$

$$\text{故 } x + 5y + 3z = 30$$

$$8. \text{ Solution. 注意到 } x = -1, 1 \text{ 为 } f(x) \text{ 的零点, 又 } \therefore x = -2 \text{ 为其对称轴, 因此可得另两个零点为:}$$

$$x = -3, x = -5$$

$$\text{故 } f(x) = (1 - x^2)(x + 3)(x + 5)$$

$$\begin{aligned} \text{注意到: } f(x) &= (1 - x)(x + 5)(1 + x)(x + 3) \\ &= (-x^2 - 4x + 5)(x^2 + 4x + 3) \\ &\leq \left(\frac{-x^2 - 4x + 5 + x^2 + 4x + 3}{2} \right)^2 \\ &= 16 (\text{当且仅当 } -x^2 - 4x + 5 = x^2 + 4x + 3 \text{ 取得}) \end{aligned}$$

$$9. \text{ Solution. 分析: 不要被题设吓到, 实际上就是解二元一次方程组}$$

$$\begin{cases} x \sin \beta + y \cos \alpha = \sin \alpha \\ x \sin \alpha + y \cos \beta = \sin \beta \end{cases} \Rightarrow \begin{cases} x = \frac{\sin \beta \cos \alpha - \sin \alpha \cos \beta}{\sin \alpha \cos \alpha - \sin \beta \cos \beta} \\ y = \frac{\sin^2 \alpha - \sin^2 \beta}{\sin \alpha \cos \alpha - \sin \beta \cos \beta} \end{cases}$$


$$\begin{aligned} x &= \frac{\sin \beta \cos \alpha - \sin \alpha \cos \beta}{\sin \alpha \cos \alpha - \sin \beta \cos \beta} = \frac{2 \sin(\alpha - \beta)}{\sin 2\alpha - \sin 2\beta} \\ &= \frac{2 \sin(\alpha - \beta)}{2 \cos(\alpha + \beta) \sin(\alpha - \beta)} = -\sec(\alpha + \beta) \end{aligned}$$

$$\begin{aligned} y &= \frac{\sin^2 \alpha - \sin^2 \beta}{\sin \alpha \cos \alpha - \sin \beta \cos \beta} = \frac{\cos 2\beta - \cos 2\alpha}{\sin 2\alpha - \sin 2\beta} \\ &= \frac{\sin(\alpha + \beta) \sin(\alpha - \beta)}{\sin(\alpha - \beta) \cos(\alpha + \beta)} = \tan(\alpha + \beta) \end{aligned}$$

$$\text{故 } x^2 - y^2 = 1$$

$$10. \text{ Solution. 由题意得 } F\left(\frac{1}{2}, 0\right), \text{ 准线方程为 } x = -\frac{1}{2}, \text{ 设点 } M \text{ 到准线的距离为 } d = |PM|. \text{ 则由抛物线的定义得 } |MA| + |MF| = |MA| + |PM| \text{ 故当 } P, A, M \text{ 三点共线时, } |MF| + |MA| \text{ 取得最小值为 } |AP| = 3 - \left(-\frac{1}{2}\right) = \frac{7}{2}. \text{ 把 } y = 2 \text{ 代入抛物线 } y^2 = 2x \text{ 得 } x = 2, \text{ 故点 } M \text{ 的坐标是 } (2, 2)$$

附个图:



2 证明题

Proof. 令 $x = y = 0 \Rightarrow f(0) = 1$

$$2f(x)f(y) = f(x+y) + f(x-y) \Rightarrow 2f(x+y)f(x-y) = f(2x) + f(2y) (*)$$

$$\text{令 } x = y \Rightarrow 2f^2(x) = f(2x) + f(0) = f(2x) + 1, \text{ 同理 } 2f^2(y) = f(2y) + 1$$

$$\text{带入 } (*) \text{ 中得: } f^2(x) + f^2(y) = f(x+y)f(x-y) + 1$$

3 解答题

Solution. 分析: 一个自然的想法是所有的等号均能取得时 a_5 取得最大值, 此时 $\{a_n\}$ 为 $d = 4$ 的等差数列, 解得 $a_5 = 19$

$$\text{令 } b_n = a_{n+1} - a_n, a_{n+1} \leq \frac{1}{2}(a_n + a_{n+2}) \Rightarrow b_n \leq b_{n+1}$$

$$\therefore a_5 = a_1 + b_1 + b_2 + b_3 + b_4$$

$$a_{505} - a_1 = \sum_{i=1}^{504} b_i \geq 126(b_1 + b_2 + b_3 + b_4) \Rightarrow b_1 + b_2 + b_3 + b_4 \leq 16$$

$$\therefore a_5 = a_1 + b_1 + b_2 + b_3 + b_4 \leq 19, \text{ 当 } \{a_n\} \text{ 为等差数列取 " = "}$$

4 解答题

Solution.

$$(1) \text{ 易得: } f\left(\frac{1}{2}\right) = \beta^{\frac{1}{2}}, f\left(\frac{1}{4}\right) = \beta^{\frac{1}{4}}$$

(2) **Proof.** 由偶对称与关于直线 $x = 1$ 的轴对称性

$f(2+x) = f(-x) = f(x) \Rightarrow f(x)$ 是 $T = 2$ 的周期函数

(3) 由周期性, $\beta(n) = f\left(2n + \frac{1}{2n}\right) = f\left(\frac{1}{2n}\right)$.

注意到: $f\left(\frac{1}{2}\right) = f\left(n \times \frac{1}{2n}\right) = f^n\left(\frac{1}{2n}\right) \Rightarrow f\left(\frac{1}{2n}\right) = \beta^{\frac{1}{2n}}$

因为 $f(1/2) = \sqrt{\beta}$, 所以

$$f\left(\frac{1}{2n}\right)^n = f\left(\frac{1}{2}\right) = \sqrt{\beta}.$$

各项均为正, 故 $\beta(n) = \beta^{1/(2n)}$, 从而

$$\lim_{n \rightarrow \infty} \ln \beta(n) = \lim_{n \rightarrow \infty} \frac{\ln \beta}{2n} = 0.$$

CHAPTER 15

2015 年启明考试数学部分

1 填空题

1. 对抛物线 $y^2 = 2\sqrt{2}x$, 若设其焦点为 F , y 轴正半轴上一点为 N . 若准线上存在唯一的点 P 使得 $\angle NPF = 90^\circ$, 则 N 点的纵坐标为_____.
2. $\frac{1}{\sqrt{1} + \sqrt{2}} + \frac{1}{\sqrt{2} + \sqrt{3}} + \cdots + \frac{1}{\sqrt{255} + \sqrt{256}} =$ _____.
3. 若已知 $\lim_{n \rightarrow \infty} \left(\sum_{i=1}^n \frac{1}{i} - \ln n \right)$ 存在, 则 $\sum_{i=0}^{\infty} \frac{(-1)^i}{i+1} =$ _____.
4. 在边长为 1 的正方形中 (含边界) 取 9 个点, 其中必有 3 个点, 它们构成的三角形面积不超过_____.
5. 某人打靶打中 8 环、9 环、10 环的概率分别为 0.15, 0.25, 0.2, 现开三枪, 不少于 28 环的概率为_____.

2 解答题

若对任意实数 x, y , 有 $f((x-y)^2) = (f(x))^2 - 2xf(y) + y^2$, 求 $f(x)$.

3 解答题

求所有 a, b , 使 $\left| \sqrt{1-x^2} - ax - b \right| \leq \frac{\sqrt{2}-1}{2}$ 成立, 其中 $x \in [0, 1]$.

4 解答题

若复数 z 满足 $|z| = 1$, 求 $|z^3 - z + 2|^2$ 的最小值.

5 解答题

已知三次方程 $x^3 + ax^2 + bx + c = 0$ 有三个实根.


- (a) 若三个实根为 x_1, x_2, x_3 , 且 $x_1 \leq x_2 \leq x_3$, a, b 为常数, 求 c 变化时 $x_3 - x_1$ 的取值范围;
- (b) 若三个实根为 a, b, c , 求 a, b, c .

CHAPTER 16

2015 年启明考试数学部分参考答案

1 填空题

1. **Solution.** 分析：实际上就是以 NF 为直径的圆与准线相切，求此时 N 点坐标，图如下：



$$|AP| = |AN| = |AF|, AP \perp l: x = \frac{\sqrt{2}}{2} \Rightarrow A \text{ 在抛物线上}$$

设 $N(0, a) \Rightarrow A(\frac{\sqrt{2}}{4}, \frac{a}{2})$ 带入抛物线方程，解得 $a = 2$

2. **Solution.** 设 $b_n = \frac{1}{\sqrt{n+1} + \sqrt{n}} = \sqrt{n+1} - \sqrt{n}$

$$\frac{1}{\sqrt{1} + \sqrt{2}} + \frac{1}{\sqrt{2} + \sqrt{3}} + \cdots + \frac{1}{\sqrt{255} + \sqrt{256}} = \sum_{i=1}^{255} b_i = \sqrt{256} - 1 = 15$$

3. **Solution.** 记调和数 $H_n = \sum_{k=1}^n \frac{1}{k}$, 可用以下两种方法计算

(法一) 设 $H(n) = \sum_{k=1}^n \frac{1}{k} \Rightarrow H(n) = \gamma + \ln n + o(1)$

$$\text{考虑部分和: } S_{2n} = \sum_{i=1}^{2n} \frac{(-1)^{i-1}}{i} = \sum_{i=1}^n \frac{1}{2i-1} - \sum_{i=1}^n \frac{1}{2i} = \sum_{i=1}^{2n} \frac{1}{i} - \sum_{i=1}^n \frac{1}{i} = H(2n) - H(n) =$$

$$\ln 2 + o(1) \rightarrow \ln 2 (n \rightarrow \infty)$$

$$S_{2n+1} = S_{2n} + \frac{1}{2n+1} \rightarrow \ln 2 (n \rightarrow \infty)$$

$$\text{综上: } \sum_{i=0}^{\infty} \frac{(-1)^i}{i+1} = \ln 2$$

(法二) 注意到: $\ln(1+x) = \sum_{n=1}^{\infty} \frac{(-1)^{n-1}}{n} x^n \Rightarrow \ln 2 = \sum_{n=1}^{\infty} \frac{(-1)^{n-1}}{n}$

4. **Solution.** 在边长为 1 的正方形内任取 3 个点, 则这 3 点组成的三角形的面积不超过 $\frac{1}{2}$ 。若我们在一个边长为 $\frac{1}{2}$ 的正方形内任取 3 点, 那么这 3 点所组成的三角形的最大面积就是这个正方形的面积的一半, 即不超过 $\frac{1}{8}$ 。那么我们将一个边长为 1 的正方形分为 4 个相同的边长为 $\frac{1}{2}$ 的小正方形, 任取 9 个点放到正方形中, 必有 3 个点落在同一个小正方形内。由上面的分析得知, 这 3 个点所组成的三角形面积不超过 $\frac{1}{8}$

5. **Solution.**

- 情形一: 成绩为 28 环, 有以下情况: $\{9, 9, 10\}, \{8, 10, 10\}$
- 情形二: 成绩为 29 环, 有以下情况: $\{9, 10, 10\}$
- 情形三: 成绩为 30 环, 有以下情况: $\{10, 10, 10\}$

$$p = C_3^2 0.25^2 \cdot 0.2 + C_3^2 0.2^2 \cdot 0.15 + C_3^2 0.2^2 \cdot 0.25 + 0.2^3 = 0.0935$$

2 解答题

Solution. $f(x) = x$ 或 $f(x) = x + 1$.

令 $x = y$, 得

$$f(0) = (f(x) - x)^2.$$

再令 $x = y = 0$, 得 $f(0) = f(0)^2$, 故 $f(0) = 0$ 或 $f(0) = 1$.

若 $f(0) = 0$, 则 $(f(x) - x)^2 = 0$, 所以 $f(x) = x$. 若 $f(0) = 1$, 则 $f(x) = x + \varepsilon(x)$, 其中 $\varepsilon(x) \in \{-1, 1\}$. 将其代回原方程, 并注意到 $(x - y)^2 \geq 0$ 及 $f(t) = t + 1 (t \geq 0)$, 可得

$$2x(\varepsilon(x) - \varepsilon(y)) = 0.$$

取 $x \neq 0$ 可知 $\varepsilon(y)$ 与 y 无关, 因此 $\varepsilon \equiv 1$ 或 $\varepsilon \equiv -1$. 又 $f(t) = t + 1 (t \geq 0)$, 故只能有 $\varepsilon \equiv 1$, 即 $f(x) = x + 1$. 直接代入可知两个函数均满足原方程.

3 解答题

Solution. $a = -1$, $b = \frac{1 + \sqrt{2}}{2}$.

令 $x = \sin \theta$, 其中 $0 \leq \theta \leq \frac{\pi}{2}$, 并记

$$E = \frac{\sqrt{2} - 1}{2}, \quad g(\theta) = \cos \theta - a \sin \theta - b.$$

题设等价于 $|g(\theta)| \leq E$ 对所有 $\theta \in [0, \pi/2]$ 成立. 令

$$e_0 = g(0) = 1 - b, \quad e_1 = g\left(\frac{\pi}{2}\right) = -a - b.$$

则 $|e_0|, |e_1| \leq E$, 并且

$$g\left(\frac{\pi}{4}\right) = \sqrt{2} - 1 + \left(1 - \frac{1}{\sqrt{2}}\right)e_0 + \frac{1}{\sqrt{2}}e_1 \geq 2E - E = E.$$

另一方面 $|g(\pi/4)| \leq E$, 所以各处必须同时取等号, 即 $e_0 = e_1 = -E$. 由此解得

$$a = -1, \quad b = 1 + E = \frac{1 + \sqrt{2}}{2}.$$

反之, 当 $a = -1$ 且 $b = (1 + \sqrt{2})/2$ 时, $1 \leq \sin \theta + \cos \theta \leq \sqrt{2}$, 故 $|g(\theta)| \leq E$.

4 解答题

Solution.

(法一) 设 $z = \cos \theta + i \sin \theta$, 得 $z^3 - z + 2 = \cos 3\theta - \cos \theta + 2 + i(\sin 3\theta - \sin \theta)$

$$\begin{aligned} |z^3 - z + 2|^2 &= (\cos 3\theta - \cos \theta + 2)^2 + (\sin 3\theta - \sin \theta)^2 \\ &= 6 - 2(\cos 3\theta \cos \theta + \sin 3\theta \sin \theta) + 4\cos 3\theta - 4\cos \theta \\ &= 6 - 2\cos 2\theta + 4\cos 3\theta - 4\cos \theta \\ &= 4(4\cos^3 \theta - \cos^2 \theta - 4\cos \theta + 2) \end{aligned}$$

求导易得当 $\cos \theta = \frac{2}{3}$ 时, $(|z^3 - z + 2|^2)_{\min} = \frac{8}{27}$.

(法二)

$$\begin{aligned} |z^3 - z + 2|^2 &= |z^3 - z + 2z\bar{z}|^2 = |z(z^2 - 1 + 2\bar{z})|^2 = |z^2 - 1 + 2\bar{z}|^2 \\ &= (z^2 - 1 + 2\bar{z})(\bar{z}^2 - 1 + 2z) = 4 - 2(z + \bar{z}) - (z^2 + \bar{z}^2) + 2(z^3 + \bar{z}^3) \\ &= 4 - 2(z + \bar{z}) - [(z + \bar{z})^2 - 2] + 2(z + \bar{z})[(z + \bar{z})^2 - 3] \\ &\stackrel{\text{let } z + \bar{z} = x \in [-2, 2]}{=} 2x^3 - x^2 - 8x + 6 (\text{用导数易求最值}) \end{aligned}$$

5 解答题

Solution.

(a) 设三次方程 $x^3 + ax^2 + bx + c = 0$ 的三个实根分别为 x_1, x_2, x_3 ($x_1 \leq x_2 \leq x_3$) 由韦达定理, 可得 $x_1 + x_2 + x_3 = -a, x_1x_2 + x_2x_3 + x_3x_1 = b$, 注意到

$$\frac{1}{2}\left[2\left(\frac{x_3 - x_1}{2}\right)^2 + (x_3 - x_1)^2\right] \leq a^2 - 3b = \frac{1}{2}\left[(x_1 - x_2)^2 + (x_2 - x_3)^2 + (x_3 - x_1)^2\right] \leq [(x_3 - x_1)^2]$$

$$\Rightarrow \sqrt{a^2 - 3b} \leq x_3 - x_1 \leq 2\sqrt{\frac{a^2 - 3b}{3}}$$

当且仅当 $x_1 = x_2$ 或 $x_2 = x_3$ 时取到左端“=”, 当且仅当 $x_1 + x_3 = 2x_2$ 时取到右端“=”.

综上所述: $x_3 - x_1$ 的取值范围是 $\left[\sqrt{a^2 - 3b} \leq w \leq 2\sqrt{\frac{1}{3}a^2 - b} \right]$.

(b) 易知 $x^3 + ax^2 + bx + c = (x - a)(x - b)(x - c)$, 由韦达定理得

$$\begin{cases} a + b + c = -a \\ ab + bc + ca = b \\ abc = -c \end{cases}$$

$$\Rightarrow c = 0 \text{ or } ab = -1$$

$$\text{若 } c = 0, \begin{cases} b = -2a \\ ab = b \end{cases}, \Rightarrow \begin{cases} a = 0 \\ b = 0 \end{cases} \text{ or } \begin{cases} a = 1 \\ b = -2 \end{cases}.$$

$$\text{若 } ab = -1 \text{ 时, } \begin{cases} c = -2a - b \\ -1 + (a + b)c = b \end{cases}, \text{ 代入原方程, 得:}$$

$$b^4 + b^3 - 2b^2 + 2 = 0$$

$$\Rightarrow b + 1 = 0 \text{ or } b^3 - 2b + 2 = 0$$

$$\text{若 } b + 1 = 0, \Rightarrow \begin{cases} a = 1 \\ c = -1 \end{cases}$$

$$\text{若 } b^3 - 2b + 2 = 0,$$

$$\text{由一元三次方程的求根公式得 } b = \sqrt[3]{\sqrt{\frac{19}{27}} - 1} - \sqrt[3]{\sqrt{\frac{19}{27}} + 1} \Rightarrow \begin{cases} a = -\frac{1}{b} \\ c = \frac{2}{2} - b \end{cases}$$

综上, (a, b, c) 的值为

$$(0, 0, 0), \quad (1, -2, 0), \quad (1, -1, -1), \quad \left(-\frac{1}{k}, k, \frac{2}{k} - k\right),$$

其中

$$k = \sqrt[3]{\sqrt{\frac{19}{27}} - 1} - \sqrt[3]{\sqrt{\frac{19}{27}} + 1}.$$

CHAPTER 17

2014 年启明考试数学部分

1 填空题 (本题共 5 小题, 每小题 8 分, 共 40 分)

1. 设 $f(x) = \frac{x}{\sqrt{1+x^2}}$, 则 n 重复合函数 $f_n(x) = f(f(\cdots f(x)\cdots)) =$ _____.
2. 设多项式 $p(x)$ 满足 $p(x^2+1) = (p(x))^2+1$ 和 $p(0) = 0$, 则 $p(x) =$ _____.
3. 设 $S_n = \sum_{k=1}^n \frac{6^k}{(3^{k+1}-2^{k+1})(3^k-2^k)}$, 则极限 $\lim_{n \rightarrow \infty} S_n =$ _____.
4. 对 $x > 0$, 函数 $f(x) = \frac{\left(x + \frac{1}{x}\right)^6 - \left(x^6 + \frac{1}{x^6}\right) - 2}{\left(x + \frac{1}{x}\right)^3 + \left(x^3 + \frac{1}{x^3}\right)}$ 的最小值为_____.
5. 假设 20 名学生中的每一名学生可从提供的六门课程中选学一门至六门, 也可以一门都不选. 试判断下列命题是否正确: 存在 5 名学生和两门课程, 使得这 5 名学生都选了这两门课, 或者都没选, 选填“正确”或“否”_____.

2 证明题 (本题共 14 分)

1. 若 a 为正整数而 $\sqrt{a}$ 不为整数, 证明: $\sqrt{a}$ 为无理数.
2. 试证: 除 $\{0, 0, 0\}$ 外, 没有其他整数 m, n, p 使得

$$m + n\sqrt{2} + p\sqrt{3} = 0.$$

3 证明题 (本题共 16 分)

设 a, b, c 为三角形三边之长, $p = \frac{a+b+c}{2}$, r 为内切圆半径, 证明:

$$\frac{1}{(p-a)^2} + \frac{1}{(p-b)^2} + \frac{1}{(p-c)^2} \geq \frac{1}{r^2}$$

4 证明题 (本题共 12 分)

证明: 设 m 是任一正整数, 则 $a_m = \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \cdots + \frac{1}{2^m}$ 不是整数

5 解答题 (本题共 18 分)

下图是 2013 年恒大足球俱乐部策划的主场对阵首尔 FC 足球队的亚冠决赛海报，左边是恒大队，右边是首尔队。该海报的寓意是什么？要求简单推导以下两个数学式子的结果：

$$\sqrt{1+2\sqrt{1+3\sqrt{1+4\sqrt{1+\cdots}}}} \quad \text{和} \quad e^{\pi i} + 1.$$

已知欧拉公式 $e^{\pi i} = \cos \alpha + i \sin \alpha$.



CHAPTER 18

2014 年启明考试数学部分参考答案

1 填空题 (每小题 8 分, 共 40 分)

1. **Solution.** $f_n(x) = \frac{x}{\sqrt{1+nx^2}}$.

对 n 作数学归纳法. 当 $n=1$ 时结论成立; 若

$$f_n(x) = \frac{x}{\sqrt{1+nx^2}},$$

则

$$f_{n+1}(x) = f(f_n(x)) = \frac{\frac{x}{\sqrt{1+nx^2}}}{\sqrt{1+\frac{x^2}{1+nx^2}}} = \frac{x}{\sqrt{1+(n+1)x^2}}.$$

因此结论对任意正整数 n 成立.

2. **Solution.** $p(x) = x$.

由 $p(0) = 0$ 和题设恒等式, 依次得到

$$p(1) = 1, \quad p(2) = 2, \quad p(5) = 5, \quad \dots$$

更一般地, 令 $t_0 = 0$, $t_{n+1} = t_n^2 + 1$, 则由归纳法可得 $p(t_n) = t_n$. 数列 $\{t_n\}$ 严格递增, 所以多项式 $p(x) - x$ 有无穷多个零点, 只能恒为零. 因此 $p(x) = x$.

3. **Solution.** 2.

注意到

$$\frac{6^k}{(3^{k+1} - 2^{k+1})(3^k - 2^k)} = \frac{2^k}{3^k - 2^k} - \frac{2^{k+1}}{3^{k+1} - 2^{k+1}}.$$

因而

$$S_n = 2 - \frac{2^{n+1}}{3^{n+1} - 2^{n+1}} \rightarrow 2.$$

4. **Solution.** 6.

令 $t = x + x^{-1} \geq 2$. 由 $x^3 + x^{-3} = t^3 - 3t$ 可得

$$f(x) = \frac{t^6 - (t^3 - 3t)^2}{t^3 + (t^3 - 3t)} = 3t \geq 6.$$

当且仅当 $x = 1$ 时取等号.

5. **Solution.** 否.

令 20 名学生分别选择六门课程的 20 种三元子集. 对任意两门课程, 恰有 $\binom{4}{1} = 4$ 名学生同时选择它们, 也恰有 4 名学生同时不选择它们. 因而不存在题述的 5 名学生, 这给出了反例.

2 证明题 (共 14 分)

1. **Proof.** 设正整数 a 不是完全平方数. 在 a 的素因数分解中, 至少有一个素数 q 的指数为奇数.

若 $\sqrt{a} = \frac{m}{n}$, 其中 m, n 为互素正整数, 则 $m^2 = an^2$. 等式左侧素因数 q 的指数为偶数, 而右侧该指数等于 a 中 q 的奇指数与 n^2 中偶指数之和, 仍为奇数, 矛盾. 因此 $\sqrt{a}$ 是无理数.

2. **Proof.** 假设 $m + n\sqrt{2} + p\sqrt{3} = 0$.

若 $np \neq 0$, 移项并平方得

$$m^2 = 2n^2 + 3p^2 + 2np\sqrt{6},$$

从而 $\sqrt{6}$ 为有理数, 矛盾. 若 $np = 0$, 原式退化为一个有理数与一个无理数的有理倍数之和为零, 只能相应系数均为零. 因此 $m = n = p = 0$, 除此之外不存在其他整数解.

3 证明题 (共 16 分)

Proof. 记三角形面积为 S . 由 $S = pr$ 和 Heron 公式,

$$p^2 r^2 = p(p-a)(p-b)(p-c).$$

令

$$x = \frac{1}{p-a}, \quad y = \frac{1}{p-b}, \quad z = \frac{1}{p-c}.$$

因为 $p = (p-a) + (p-b) + (p-c)$, 所以

$$\frac{1}{r^2} = pxyz = xy + yz + zx.$$

于是原不等式等价于

$$x^2 + y^2 + z^2 \geq xy + yz + zx,$$

而这由

$$x^2 + y^2 + z^2 - xy - yz - zx = \frac{1}{2}[(x-y)^2 + (y-z)^2 + (z-x)^2] \geq 0$$

立即得到.

4 证明题 (共 12 分)

Proof. 记

$$a_m = \sum_{k=2}^{2^m} \frac{1}{k}, \quad L = \text{lcm}(2, 3, \dots, 2^m).$$

在 $L/2, L/3, \dots, L/2^m$ 中, 只有 $L/2^m$ 是奇数, 其余各项均为偶数. 因此

$$La_m = \sum_{k=2}^{2^m} \frac{L}{k}$$

是奇数. 但 L 是偶数; 若 a_m 为整数, 则 La_m 应为 L 的整数倍, 必为偶数, 矛盾. 故 a_m 不是整数.

5 解答题 (共 18 分)

Solution. 第一式的值为 3, 第二式的值为 0.

利用恒等式

$$n = \sqrt{1 + (n-1)(n+1)}$$

逐层代入, 有

$$3 = \sqrt{1 + 2\sqrt{1 + 3\sqrt{1 + 4\sqrt{1 + \cdots}}}}$$

另一方面, 由 Euler 公式

$$e^{\pi i} = \cos \pi + i \sin \pi = -1,$$

故 $e^{\pi i} + 1 = 0$. 因此海报所表达的比分为 3 : 0.

Part II

启明考试综合部分

CHAPTER 1

2026 年启明考试综合部分

致谢：本套试题来自 @ 阿帽，感谢 @ 阿帽同学提供的完整试题！

1 负反馈模型

下面考虑一个负反馈模型. 现有初始信号 X_0 , 经过放大后得到 $Y_1 = AX_0$; 再将输出的一部分进行负反馈, 得到新的输入 $X_1 = X_0 - bY_1$. 依此类推, 有 $Y_n = AX_{n-1}$, $X_n = X_{n-1} - bY_n$, 最终得到稳定输出 $Y = f(X)$.

1. 求使信号能够稳定输出时 b 的取值范围, 并求 $f(x)$ 的解析式.
2. 若常数 C_1, C_2 满足 $C_1 < \frac{f(x)}{Ax} < C_2$, 求 C_1, C_2 .
3. 若 $A \in [100, 200]$, $b = 1$, 最后 $Y = 400$, 求初始信号 X 的范围.

2 辛普森悖论

某方案有旧方案和新方案, 其满意度调查数据如下:

	旧方案			新方案		
	人数	满意人数	满意比例	人数	满意人数	满意比例
手机	10	2	0.2	60	20	0.33
电脑	90	72	0.8	40	36	0.9
合计						

从手机和电脑两个类别分别来看, 新方案的满意率均高于旧方案: $0.2 < 0.33$, $0.8 < 0.9$.

1. 填写表格中的“合计”一栏, 并从总体来看比较旧方案和新方案哪个更好.
这种在各个群体中分别比较时一个方案都更优, 但总体比较时却可能出现相反结果的现象, 称为“辛普森悖论”.
为进行一般性讨论, 设:

	旧方案			新方案		
	人数占比	满意比例	满意人数占比	人数占比	满意比例	满意人数占比
I 类	a	s	as	b	x	bx
II 类	$1 - a$	t	$(1 - a)t$	$1 - b$	y	$(1 - b)y$
合计	1	NaN		1	NaN	

2. 除去 NaN 项, 写出辛普森悖论成立的数学判式.
3. 在 $s < x, t < y$ 的前提下, 讨论下列条件是否能够避免辛普森悖论:
 - (a) $(a - b)(x - y) < 0$;
 - (b) $a < b, \quad t < x$.

3 生产成本与仓储成本

设成本函数为 $C(n) = \frac{K}{n} + nH$, $K > 2H > 0$, 其中 K 为每次生产的固定成本, H 为与库存或生产批量相关的成本参数.

1. 证明 $C(n^*) \geq 2\sqrt{KH}$, 且

$$n^* \in \left\{ \left\lfloor \sqrt{\frac{K}{H}} \right\rfloor, \left\lceil \sqrt{\frac{K}{H}} \right\rceil \right\}.$$

2. 为了节省成本, 采用另一种方式, 只允许生产批量取 2^m , $m \in \mathbb{N}^*$, 即考虑 $C(2^m)$, $m \in \mathbb{N}^*$. 例如可以采用 1, 2, 4, 8, ... 等方式生产, 并以一定周期作为财务结算周期.

显然 $C(2^{m^*}) \geq C(n^*)$. 求证 $\frac{C(2^{m^*})}{C(n^*)} \leq 1.065$.

4 信息量与排序

考虑如下问题: 在 $1 \sim 100$ 的整数中猜一个数, 如果每次都猜当前区间的中间位置, 则大约只需要 7 次即可确定答案. 因为 $\log_2 64 < \log_2 100 < \log_2 128$, 所以确定 100 个可能状态之一所需的信息量约为 7 bit.

排序问题的计算量也是一个重要问题. 例如快速排序法中, 每次取出一个元素作为基准, 将比它小的元素放在一边, 将比它大的元素放在另一边, 然后继续递归处理. 快速排序在典型情况下的复杂度约为 $O(n \log_2 n)$, 当数据规模较大时, 其操作次数约为 $n \log_2 n$, 明显低于冒泡排序的 $O(n^2)$.

事实上, 对于所有基于比较的排序方法, 其所需比较次数的数量级不能低于 $O(n \log_2 n)$.

5 贝叶斯公式

某种罕见病的发病率为 $\frac{1}{1000000}$.

某公司发明了一种检测方法: 对于患病者, 有 99.9% 的概率被检测为阳性; 对于健康者, 有 0.1% 的概率被误检测为阳性.

现有某人检测结果为阳性, 求此人真正患病的概率. 要求使用全概率公式和贝叶斯公式进行计算, 并将结果精确到千分之一 (以百分数表示).

CHAPTER 2

2026 年启明考试综合部分参考答案

1 负反馈模型

系统达到稳定状态时满足 $Y = A(X - bY)$.

1. 由 $Y = A(X - bY)$ 得 $Y = AX - AbY$, 从而 $(1 + Ab)Y = AX$. 因为 $A > 0$, $b > 0$, 所以 $1 + Ab > 0$, 于是 $Y = \frac{AX}{1 + Ab}$.
因此

$$f(X) = \frac{AX}{1 + Ab}.$$

2. 当 $X \neq 0$ 时, $\frac{f(X)}{AX} = \frac{1}{1 + Ab}$.

由于 $A > 0$, $b > 0$, 故 $Ab > 0$, 从而 $0 < \frac{1}{1 + Ab} < 1$.

下面说明 0 和 1 分别是最佳下界与最佳上界。

当 $Ab \rightarrow +\infty$ 时, $\frac{1}{1 + Ab} \rightarrow 0$; 当 $Ab \rightarrow 0^+$ 时, $\frac{1}{1 + Ab} \rightarrow 1$.

因此不能将下界取得比 0 更大, 也不能将上界取得比 1 更小。

故最佳常数为

$$C_1 = 0, \quad C_2 = 1.$$

3. 已知 $A \in [100, 200]$, $b = 1$, $Y = 400$.

由 $Y = \frac{AX}{1 + A}$ 得 $400 = \frac{AX}{1 + A}$. 因此 $X = 400 \frac{1 + A}{A} = 400 + \frac{400}{A}$.

设 $g(A) = 400 + \frac{400}{A}$. 在 $A > 0$ 上, $g'(A) = -\frac{400}{A^2} < 0$, 所以 $g(A)$ 单调递减。

当 $A = 100$ 时, $X_{\max} = 400 + \frac{400}{100} = 404$; 当 $A = 200$ 时, $X_{\min} = 400 + \frac{400}{200} = 402$.

故

$$X \in [402, 404].$$

2 辛普森悖论

1. 旧方案的总人数为 $10 + 90 = 100$,

总满意人数为 $2 + 72 = 74$,

因而总体满意率为 $\frac{74}{100} = 0.74$.

新方案的总人数为 $60 + 40 = 100$,

总满意人数为 $20 + 36 = 56$,

因而总体满意率为 $\frac{56}{100} = 0.56$.

因此完整的合计行为

	旧方案			新方案		
	人数	满意人数	满意比例	人数	满意人数	满意比例
合计	100	74	0.74	100	56	0.56

虽然分类来看, $0.20 < \frac{1}{3}$, $0.80 < 0.90$, 即新方案在两个类别中的满意率都更高, 但总体来看 $0.74 > 0.56$.

因此总体满意率反而是旧方案更高, 即

总体上旧方案的满意率更高.

这正是辛普森悖论的一个例子。

2. 旧方案的总体满意率为 $P_{\text{old}} = as + (1-a)t$.

新方案的总体满意率为 $P_{\text{new}} = bx + (1-b)y$.

已知在两个子群体内均有 $s < x$, $t < y$, 即新方案在每一个子群体中的满意率都更高。

此时发生辛普森悖论, 当且仅当总体比较发生反转, 即 $P_{\text{old}} > P_{\text{new}}$.

因而充要条件为

$$as + (1-a)t > bx + (1-b)y.$$

若把题目的前提也一并写出, 则完整判式为

$$\begin{cases} s < x, \\ t < y, \\ as + (1-a)t > bx + (1-b)y. \end{cases}$$

3. 记 $P_{\text{old}} = as + (1-a)t$, $P_{\text{new}} = bx + (1-b)y$.

- (a) 已知 $(a-b)(x-y) < 0$.

由于 $s < x$, $t < y$, 且 $0 < a < 1$, 故 $as + (1-a)t < ax + (1-a)y$.

另一方面,

$$\begin{aligned} P_{\text{new}} - (ax + (1-a)y) &= bx + (1-b)y - ax - (1-a)y \\ &= (b-a)(x-y). \end{aligned}$$

由 $(a-b)(x-y) < 0$ 可得 $(b-a)(x-y) > 0$. 因此 $P_{\text{new}} > ax + (1-a)y$.

综合得 $P_{\text{new}} > ax + (1-a)y > P_{\text{old}}$.

所以总体上新方案仍然更优, 不可能发生反转。

因此

$$(a-b)(x-y) < 0 \text{ 足以避免辛普森悖论.}$$

- (b) 已知 $a < b$, $t < x$.

首先, 由 $t < y$ 得 $bx + (1-b)y > bx + (1-b)t$.

又因为 $b > a$, $x > t$, 所以 $(b-a)(x-t) > 0$.

而

$$bx + (1-b)t - (ax + (1-a)t) = (b-a)(x-t) > 0.$$

因此 $bx + (1-b)t > ax + (1-a)t$.

再由 $s < x$ 以及 $a > 0$, $ax + (1-a)t > as + (1-a)t$.

综合可得

$$\begin{aligned} P_{\text{new}} &= bx + (1-b)y \\ &> bx + (1-b)t \\ &> ax + (1-a)t \\ &> as + (1-a)t \\ &= P_{\text{old}}. \end{aligned}$$

因此总体上仍然是新方案更优。

所以

$$a < b, \quad t < x \text{ 足以避免辛普森悖论}.$$

3 生产成本与仓储成本

$$\text{设 } C(n) = \frac{K}{n} + nH, \quad K > 2H > 0.$$

$$\text{记 } r = \sqrt{\frac{K}{H}}.$$

由于 $K > 2H$, 故 $r > \sqrt{2} > 1$.

1. 对任意正整数 n , 由算术-几何平均值不等式,

$$\begin{aligned} C(n) &= \frac{K}{n} + nH \\ &\geq 2\sqrt{\frac{K}{n} \cdot nH} \\ &= 2\sqrt{KH}. \end{aligned}$$

因而特别地,

$$C(n^*) \geq 2\sqrt{KH}.$$

下面确定 n^* 的可能位置。

将 n 暂时视为正实数, 定义 $g(x) = \frac{K}{x} + Hx$, $x > 0$.

$$\text{则 } g'(x) = -\frac{K}{x^2} + H.$$

$$\text{令 } g'(x) = 0, \text{ 得 } x^2 = \frac{K}{H}, \text{ 即 } x = r = \sqrt{\frac{K}{H}}.$$

当 $0 < x < r$ 时, $g'(x) < 0$; 当 $x > r$ 时, $g'(x) > 0$.

因此 $g(x)$ 在 $(0, r)$ 上严格递减, 在 $(r, +\infty)$ 上严格递增。

由于生产批量 n 只能取正整数, 所以整数点上的最小值只能在 r 两侧最接近它的整数处取得。

即

$$n^* \in \left\{ \left\lfloor \sqrt{\frac{K}{H}} \right\rfloor, \left\lceil \sqrt{\frac{K}{H}} \right\rceil \right\}.$$

$$2. \text{ 仍令 } r = \sqrt{\frac{K}{H}}.$$

取非负整数 m , 使 $2^m \leq r \leq 2^{m+1}$. 由于 $r > \sqrt{2}$, 这样的 $m \in \mathbb{Z}_{\geq 0}$ 一定存在。

$$\text{令 } t = \frac{2^m}{r}. \text{ 则 } \frac{1}{2} \leq t \leq 1.$$

由于 m^* 是所有 2 的非负整数次幂中使成本最小的指数, 因此 $C(2^{m^*}) \leq \min \{C(2^m), C(2^{m+1})\}$.

$$\text{又因为 } r = \sqrt{\frac{K}{H}}, \text{ 所以 } K = Hr^2, \quad 2\sqrt{KH} = 2Hr.$$

对于 $2^m = tr$, 有

$$\begin{aligned}\frac{C(2^m)}{2\sqrt{KH}} &= \frac{\frac{K}{2^m} + 2^m H}{2Hr} \\ &= \frac{\frac{Hr^2}{tr} + trH}{2Hr} \\ &= \frac{\frac{1}{t} + t}{2}.\end{aligned}$$

同理, $2^{m+1} = 2tr$, 因而 $\frac{C(2^{m+1})}{2\sqrt{KH}} = \frac{2t + \frac{1}{2t}}{2}$.

于是 $\frac{C(2^{m^*})}{2\sqrt{KH}} \leq \min \left\{ \frac{t + t^{-1}}{2}, \frac{2t + (2t)^{-1}}{2} \right\}$.

设 $u(t) = \frac{t + t^{-1}}{2}$, $v(t) = \frac{2t + (2t)^{-1}}{2} = t + \frac{1}{4t}$.

在 $\frac{1}{2} \leq t \leq 1$ 上, $u'(t) = \frac{1}{2} \left(1 - \frac{1}{t^2} \right) \leq 0$, 因此 $u(t)$ 单调递减;

同时 $v'(t) = 1 - \frac{1}{4t^2} \geq 0$, 因此 $v(t)$ 单调递增。

因而 $\min\{u(t), v(t)\}$ 的最大值出现在 $u(t) = v(t)$ 时。

解方程 $\frac{t + t^{-1}}{2} = \frac{2t + (2t)^{-1}}{2}$, 得 $t + \frac{1}{t} = 2t + \frac{1}{2t}$. 即 $\frac{1}{2t} = t$, 所以 $t^2 = \frac{1}{2}$, $t = \frac{1}{\sqrt{2}}$.

此时

$$\begin{aligned}u\left(\frac{1}{\sqrt{2}}\right) &= \frac{1}{2} \left(\frac{1}{\sqrt{2}} + \sqrt{2} \right) \\ &= \frac{3}{2\sqrt{2}}.\end{aligned}$$

因此 $\frac{C(2^{m^*})}{2\sqrt{KH}} \leq \frac{3}{2\sqrt{2}}$.

由第 (1) 问 $C(n^*) \geq 2\sqrt{KH}$, 得

$$\begin{aligned}\frac{C(2^{m^*})}{C(n^*)} &\leq \frac{C(2^{m^*})}{2\sqrt{KH}} \\ &\leq \frac{3}{2\sqrt{2}}.\end{aligned}$$

又 $\frac{3}{2\sqrt{2}} = \frac{3\sqrt{2}}{4} \approx 1.06066017 < 1.065$.

因此

$$\boxed{\frac{C(2^{m^*})}{C(n^*)} \leq 1.065}.$$

4 信息量与排序

- (a) 每次询问只能得到“是”或“否”两种结果, 因此 k 次询问的所有可能回答序列至多有 2^k 种。
要能够区分 100 个不同的整数, 必须有 $2^k \geq 100$.
而 $2^6 = 64 < 100 < 128 = 2^7$, 所以 $k \geq 7$.
因此, 无论采用何种策略, 若要保证在最坏情况下确定所选整数, 至少需要

7 次询问.

- (b) 可以采用二分思想。

例如第一次询问:“所选整数是否不超过 50?” 根据回答, 将候选范围缩小到 $\{1, \dots, 50\}$ 或 $\{51, \dots, 100\}$.

之后每次都当前候选集合尽可能平均地分成两部分, 再询问所选整数是否位于其中一部分。
经过 k 次询问后, 每个分支剩余的候选数最多为 $\left\lceil \frac{100}{2^k} \right\rceil$ 。

当 $k = 7$ 时, $\left\lceil \frac{100}{2^7} \right\rceil = \left\lceil \frac{100}{128} \right\rceil = 1$ 。

因而经过至多 7 次询问即可唯一确定所选整数。

所以二分策略可以达到理论下界, 即

$$\boxed{7 \text{ 次}}.$$

2. (a) 对于 n 个互不相同的元素, 一共有 $n!$ 种可能的初始排列。

一个基于比较的排序算法可以表示为一棵二叉决策树: 每个内部结点代表一次比较, 比较的两种可能结果对应两条分支。

为了正确处理所有可能的输入排列, 决策树必须至少有 $n!$ 个叶结点。

若决策树的高度为 h , 则一棵高度为 h 的二叉树至多有 2^h 个叶结点。

因此 $2^h \geq n!$ 。

两边取以 2 为底的对数, 得到 $h \geq \log_2(n!)$ 。

又因为 h 为整数, 所以

$$\boxed{h \geq \lceil \log_2(n!) \rceil}.$$

因此任意基于比较的排序算法在最坏情况下至少需要

$$\boxed{\lceil \log_2(n!) \rceil}$$

次比较。

- (b) 当 $n \geq 2$ 时, 在 $1 \cdot 2 \cdots n$ 中, 后面至少有 $\frac{n}{2}$ 个因子不小于 $\frac{n}{2}$ 。

因而 $n! \geq \left(\frac{n}{2}\right)^{n/2}$ 。

两边取以 2 为底的对数,

$$\begin{aligned} \log_2(n!) &\geq \frac{n}{2} \log_2 \frac{n}{2} \\ &= \frac{n}{2} (\log_2 n - 1). \end{aligned}$$

当 $n \rightarrow \infty$ 时, $\frac{n}{2} (\log_2 n - 1) = \Omega(n \log n)$ 。

所以

$$\boxed{\log_2(n!) = \Omega(n \log n)}.$$

结合第 (1) 问可知, 任意基于比较的排序算法在最坏情况下均需要

$$\boxed{\Omega(n \log n)}$$

次比较。

- (c) 已知归并排序、堆排序等算法能够达到 $O(n \log n)$ 的最坏时间复杂度。

而由上一问可知, 基于比较的排序算法不可能突破 $\Omega(n \log n)$ 的下界。

因此其最优渐近数量级恰好为

$$\boxed{\Theta(n \log n)}.$$

5 贝叶斯公式

设事件 $D = \{\text{被检测者患病}\}$, 事件 $T = \{\text{检测结果为阳性}\}$ 。

由题意, $P(D) = \frac{1}{1\,000\,000} = 10^{-6}$ 。

因此 $P(\bar{D}) = 1 - 10^{-6}$ 。

对于患病者，检测为阳性的概率为 $P(T | D) = 0.999$.

对于健康者，被误判为阳性的概率为 $P(T | \bar{D}) = 0.001$.

由全概率公式，

$$\begin{aligned} P(T) &= P(T | D)P(D) + P(T | \bar{D})P(\bar{D}) \\ &= 0.999 \times 10^{-6} + 0.001(1 - 10^{-6}) \\ &= 0.000000999 + 0.000999999 \\ &= 0.001000998. \end{aligned}$$

由贝叶斯公式，

$$\begin{aligned} P(D | T) &= \frac{P(T | D)P(D)}{P(T)} \\ &= \frac{0.999 \times 10^{-6}}{0.001000998} \\ &\approx 0.000998003992. \end{aligned}$$

换算成百分数， $P(D | T) \approx 0.0998003992\%$.

精确到 0.001%，得到

$$P(D | T) \approx 0.100\%.$$

因此，虽然检测结果为阳性，该人真正患病的概率仍只有约

$$0.100\%.$$

其原因在于该疾病的基础发病率极低。虽然假阳性率仅为 0.1%，但健康人群的数量远大于患病人群，因此所有阳性结果中，假阳性仍占据绝大多数。

CHAPTER 3

2025 年启明考试综合部分

致谢：这是近年来最完整的一份综合试题. 感谢以下 2025 级同学参与试题重建：@ 放过孩纸、@SV、@ 鳄鱼、@Vision、@Saileach、@AAA 水晶月球顶级试吃、@KARAS、@suzuran、@ 喃语、@ 疯传箱子、@asumi，以及所有参与整理的转专业交流群同学.

没有他们的帮助就没有这套试卷了.

1 应用：折叠比例

近年来，市场上出现了多款双屏折叠手机，在过往单屏手机的基础上，或通过“打开”形成大屏以获得更好的观看体验，或通过“合拢”以缩减尺寸获得更好的携带性. 尽管如此，视频和图片等固定长宽比的内容可能无法同时利用两块屏幕；例如，为完整显示画面，在小屏上不留空隙的视频，在大屏上需要填充黑边，导致实际画面增加得不够明显.

类似问题在印刷行业已有成熟的解决方案. 例如，本次考试的试卷用纸为纸张尺寸国际标准下的 A3 页，对折后即成为常用的 A4 页，两者的长宽比几乎一致，使得一张 A3 页文档可以在保持比例的前提下，刚好横向缩小打印在一张 A4 页上.

Question. A4 页纸的长宽比是多少？

2 应用：概率产品

某在线游戏厂商推出新装备，玩家需要通过开箱子的方式收集 n 款碎片兑换一件装备，即在游戏过程中不断获得宝箱，每打开一个宝箱会随机出一款碎片.

Question 1. 当 $n = 2$ 且一款碎片出现概率是另一款的两倍时，玩家平均需要开多少箱子才能集齐？

Question 2. 如果每款碎片出现的概率相同，玩家平均需要开多少箱子才能集齐全部 n 款？

3 折扣定价与分批购买

商家在线销售某产品，为促进销量，将其定为：每件 5 元，每两件 8 元，以及每三件 p 元（为简便计，仅假定 p 为自然数）. 如果消费者购买三件以上，可以分批多次购买. 例如需要四件时，既可以分 4 批购买每次购买一件，也可以分 2 批每次购买两件，还可以先买一件再购买三件. 显然，不同的分批方案对应不同的总成本，而聪明的消费者会采用总成本最低的分批方案.

请结合上述背景，回答如下问题：

Question 1. 商家在确定折扣价格时，会设定 $p \geq 9$ ，否则只需两件的消费者最终会购买三件. 类似地，商家还会设定 $p \leq 12$ ，这是为什么？（10 分）

Question 2. 消费者打算购买 n 件时的最优分批方案是什么？请先建立适当的数学模型，分析并计算相应的最低总成本函数 $C(n)$ ，并用简单文字描述最优分批方案。（15 分）

Question 3. 为提高消费者满意度，商家可以进一步允许消费者退货。但如果设定了较高的退货价格 r ，比如 $r > 5$ ，会给消费者套利的机会，即通过买入 1 件后再退货得到 $r - 5$ 的收益。为避免出现这种情况，退货价格不能超过多少？（5 分）

4 第四题：定比投资与 Kelly Criterion

某人采用定比方式投资到某类理财产品，即每期期初投入固定比例为 x 的持有资金。假设各期结束后有概率 p 会产生收益 $xW > x$ ，有概率 q 产生损失 $xL < x$ ，有概率 $1 - p - q$ 不赚不亏。更新持有资金后，下期仍滚动投资同样比例的资金。

该投资者希望在长期获得较好回报率和相应风险。如果每次都投入全部资金（即 $x = 1$ ），可能某次损失就会导致大量亏损；如果是投资过于保守（即 x 很小），投资回报增长又会太慢。因此，有必要设计合理的投资比例。假设初始资金为 1，并滚动式投资 n 期，请回答如下问题：

Question 1. 当 n 很大时，平均有多少期产生收益，多少期产生损失？（10 分）

Question 2. 第 n 期结束时，平均持有资金可记为投资比例 x 的函数 $V(x)$ ，请给出 $V(x)$ 的表达式，求解最优投资比例 x^* ，并用文字简单描述 p, q, L, W 的变化对 x^* 的影响。（15 分）

Question 3. 投资者也可采用定额方式投资。当其初始资金为 m 份时，每期可选择投入 1 份或 0 份，直到第 n 期结束或持有资金归零为止。在上述设定下，帮助其决策每期投入的资金。

CHAPTER 4

2025 年启明考试综合部分参考答案

1 第一题

Solution. $\sqrt{2}$. 设同系列纸张的长:短比为 $r:1$ ($r > 1$). 沿与短边平行的中线对折, 长边被一分为二, 短边不变; 对折后得到一张尺寸为 $\frac{r}{2} \times 1$ 的纸. 其长边为 $\max\{1, \frac{r}{2}\}$, 短边为 $\min\{1, \frac{r}{2}\}$. 当 $r < 2$ (真实纸张定制显然 $r < 2$) 时, 新纸的长宽比为

$$\frac{\text{长}}{\text{短}} = \frac{1}{r/2} = \frac{2}{r}.$$

若对折后与原纸相似, 则两者的长宽比相等: $r = \frac{2}{r}$. 解得

$$r^2 = 2 \Rightarrow \boxed{r = \sqrt{2}}.$$

2 第二题

Question 1

Solution. $\frac{7}{2}$. 设两种碎片分别为 A 与 B , 且 $\mathbb{P}(B) = 2/3$, $\mathbb{P}(A) = 1/3$. 第一次开箱必得新类型 (期望 1 次). 之后需要等待第一次未见过的那一类出现, 若先抽到 B (概率 $2/3$), 则等待 A 的几何分布期望为 $1/\mathbb{P}(A) = 3$; 若先抽到 A (概率 $1/3$), 则等待 B 的期望为 $1/\mathbb{P}(B) = 3/2$. 于是总期望为

$$\mathbb{E}[T] = 1 + \frac{2}{3} \cdot 3 + \frac{1}{3} \cdot \frac{3}{2} = 1 + 2 + \frac{1}{2} = \boxed{\frac{7}{2}}.$$

Question 2

Solution. nH_n . 经典“集齐优惠券”模型. 记收齐前所需开箱数为 T_n . 第 k 种新碎片 (已收集 $k-1$ 种后) 出现的成功概率为 $(n - (k-1))/n$, 对应的几何分布期望为 $\frac{n}{n-k+1}$, 线性叠加得

$$\mathbb{E}[T_n] = \sum_{k=1}^n \frac{n}{k} = n \left(1 + \frac{1}{2} + \cdots + \frac{1}{n} \right) = \boxed{nH_n},$$

其中 H_n 为第 n 个调和数. 大样本近似: $\mathbb{E}[T_n] \approx n(\ln n + \gamma) + \frac{1}{2} + o(1)$.

3 第三题: 折扣定价与分批购买

单价 5 元, 二件装 8 元, 三件装 p 元 ($p \in \mathbb{N}$). 可分批购买以恰好买到 n 件.

Question 1

Solution. $9 \leq p \leq 12$.

- 若 $p \leq 8$, 则对仅需两件的消费来说, “三件装 p 元” 不比 “两件装 8 元” 贵 (甚至更便宜), 他们会转而购买三件, 从而 “只需两件最终买三件”. 为避免此侵蚀, 商家会设 $p \geq 9$.
- 若 $p \geq 13$, 买三件用 “二件装 + 单件” 花费 $8 + 5 = 13$ 元不更贵 (或更便宜), 三件装缺乏吸引力. 为体现实质优惠 (严格优于 13 元), 商家会设 $p \leq 12$.

故合理区间为 $\boxed{9 \leq p \leq 12}$.

Question 2

Solution. 建立整数规划模型如下.

精确定义的优化模型. 设购买 a 个单件、 b 个二件装、 c 个三件装, 满足

$$a + 2b + 3c = n, \quad a, b, c \in \mathbb{Z}_{\geq 0},$$

总成本为 $5a + 8b + pc$. 最低成本函数

$$C(n) = \min_{c=0, \dots, \lfloor n/3 \rfloor} \left\{ pc + 8 \left\lfloor \frac{n-3c}{2} \right\rfloor + 5((n-3c) \bmod 2) \right\}.$$

该式总是正确 (任意 n 、任意 p), 且可直接据此计算与实现.

在 $9 \leq p \leq 12$ 的显式解 ($n \geq 3$). 此时三件装的单位价 $p/3 \leq 4$, 不劣于二件装. 令 $n = 3k, r = n \bmod 3$, 则

$$C(n) = \begin{cases} kp, & r = 0; \\ kp + \min\{5, 16 - p\}, & r = 1; \\ kp + 8, & r = 2. \end{cases}$$

并且最优分批方案为:

- $r = 0$: 只买三件装 (k 个).
- $r = 1$: 若 $p \leq 11$, 买 k 个三件装再补 1 个单件; 若 $p = 12$, 用 $(k-1)$ 个三件装 + 两个二件装 (避免买单件).
- $r = 2$: 买 k 个三件装 + 一个二件装 (当 $p = 12$ 时, 亦可用 $(k-2)$ 个三件装 + 四个二件装, 成本相同).

边界小样本修正: $C(1) = 5, C(2) = 8$.

Question 3

Solution. $r \leq \min\left\{4, \frac{p}{3}\right\}$. 若允许按件退货且退货价为 r , 消费者可 “买入套餐再逐件退”. 为杜绝无风险套利, 需保证对每一种可买入的按件成本 $\bar{c}$ 都有 $r \leq \bar{c}$. 三种来源的按件成本分别为

$$5, \quad \frac{8}{2} = 4, \quad \frac{p}{3}.$$

故无套利条件

$$\boxed{r \leq \min\left\{5, 4, \frac{p}{3}\right\} = \min\left\{4, \frac{p}{3}\right\}}.$$

在 $9 \leq p \leq 12$ 时即 $r \leq p/3 (\leq 4)$.

4 第四题：定比投资与 Kelly 准则

每期将资金的固定比例 $x \in [0, 1]$ 投入风险资产；期末随机结果为

$$G(x) = \begin{cases} 1 + x(W - 1), & \text{概率 } p, \\ 1 + x(L - 1), & \text{概率 } q, \\ 1, & \text{概率 } 1 - p - q, \end{cases} \quad (W > 1, 0 \leq L < 1).$$

初始资金 $V_0 = 1$ ，独立同分布。

Question 1

Solution. 获利、亏损和不涨不跌的期数分别约为 pn 、 qn 和 $(1 - p - q)n$ 。当 n 很大时，

$$\text{获利期数} \approx pn, \text{ 亏损期数} \approx qn, \text{ 不涨不跌期数} \approx (1 - p - q)n.$$

Question 2

Solution. 分别从期望资金和长期几何增长率两个角度讨论。

(一) “平均资金”（期望）视角。由于各期独立，

$$\mathbb{E}[V_n(x)] = (\mathbb{E}[G(x)])^n = \left(1 + x[p(W - 1) + q(L - 1)]\right)^n.$$

若 $p(W - 1) + q(L - 1) > 0$ ，则期望单调随 x 增大而增，最优为 $x = 1$ ；若 < 0 ，最优为 $x = 0$ ；若 $= 0$ ，任意 x 等价。该结论虽简单，但并不控制长期波动风险。

(二) Kelly 准则（最大化长期几何增长率）。定义长期平均对数增长率

$$g(x) = \mathbb{E}[\ln G(x)] = p \ln(1 + x(W - 1)) + q \ln(1 + x(L - 1)),$$

（第三种结果取 $\ln 1 = 0$ ）。一阶条件

$$g'(x) = \frac{p(W - 1)}{1 + x(W - 1)} + \frac{q(L - 1)}{1 + x(L - 1)} = 0.$$

令 $a = W - 1 > 0$, $b = 1 - L > 0$ （则 $L - 1 = -b$ ），解得

$$x_{\text{Kelly}}^* = \frac{p(W - 1) - q(1 - L)}{(W - 1)(1 - L)(p + q)}.$$

可见 x^* 随 p 、 W 增大而升高，随 q 增大或 L 降低（亏损更深，即 $1 - L$ 增大）而降低。实际应用中需限制 x 在可行域

$$0 \leq x < \frac{1}{1 - L} \quad (\text{保证 } 1 + x(L - 1) > 0),$$

并常剪裁到 $[0, 1]$: $x^* = \max\{0, \min\{1, x_{\text{Kelly}}^*\}\}$ 。

Question 3

Solution. 以最大化期望终值为目标，可使用如下动态决策。初始资金为 m （离散“份”），每期可投入 0 或 1 份。设目标为最大化期望终值。记期 t 起始资金为 S ，若本期投入 1 份，则期末资金的期望为

$$\mathbb{E}[S'] = S - 1 + [pW + qL + (1 - p - q) \cdot 1] = S + \underbrace{[p(W - 1) + q(L - 1)]}_{\mu}.$$

由动态规划的线性性可归纳得最优策略为

若 $\mu := p(W - 1) + q(L - 1) > 0$, 且 $S \geq 1$, 则当期投入 1 份; 若 $\mu \leq 0$, 则不投.

CHAPTER 5

2024 年启明考试综合部分

1 第一题

我们考虑一个生产商和零售商的定价问题. 生产成本为 c , 最高售价为 a , 销量为 $a - p$ (p 为实际售价).

合作情况 (π_0): 生产商和零售商合作, 共同决定零售价 p ,

$$\pi_0 = \max_{p \in [c, a]} (p - c)(a - p).$$

非合作情况 (π_1): 生产商先确定批发价 $\tilde{w}$, 零售商再确定零售价 p ,

$$\pi^r(\tilde{w}) = \max_{p \in [\tilde{w}, a]} (p - \tilde{w})(a - p),$$

$$\pi^s = \max_{\tilde{w} \in [c, a]} (\tilde{w} - c)(a - p_{\tilde{w}}), \quad \pi_1 = \pi^r(\tilde{w}) + \pi^s.$$

其中, $\pi^r(\tilde{w})$ 是零售商的最大利润, π^s 是生产商的最大利润.

问题目标: 求 $\rho = \frac{\pi_1}{\pi_0}$ 的值.

2 第二题

仓储系统中有 n 件不同物品. 货位参数为 a_i ($a_1 < a_2 < \cdots < a_n$), 出货频次为 x_i ($x_1 < x_2 < \cdots < x_n$). 对一个排列 σ , 总出货时间可表示为

$$T(\sigma) = \sum_{i=1}^n a_i x_{\sigma(i)}.$$

1. 将上述实际问题转化为最优化问题.
2. 证明: 出货频率越高的货物放在越前面, 才能使总出货时间最短 (提示: 逐步交换).
3. 证明: 出货频率越高的货物放在越后面, 才能使总出货时间最大 (提示同上).

3 第三题

工业生产中经常需要按批次制备原料, 将其维持在特定状态, 再按特定速率连续加入制备反应釜中, 假设每制备一批原料的成本为 k (与数量无关), 将单位数量原料维持单位时间的成本为 h . 原料从 0 时刻开始到 t 时刻的累积消耗量为 $D_t = t^{\frac{1}{n}}$. 其中累积生产时长 $t \leq 1$, 参数 $n \geq 1$, 表明原料消耗速率随反应时长不变或递减, (例如 $n = 1$ 时 $D_t = t$, 匀速消耗原料).

Question 1. 给出函数 $y = D_t$ 在 $t \in [0, 1]$ 上的示意图, 合理展示该曲线的趋势特点.

在保证持续生产和避免浪费的前提下,为了尽可能的减少成本,有必要选择合理的原料制备方案,如果整个过程中只制备一次,那么显然应在 0 时刻制备 D_1 数量的原料,令其逐渐消耗至 $t = 1$ 时刻,因此单次制备方案的成本为 $k + hI$, 其中 I 表示处于线段 $y = D_1$ 和曲线 $y = D_t$ 之间的面积.

Question 2. 如果在 0 和 t 时刻各制备一次,两次应分别制备多少原料,才能使总成本最小?

当批次制备时刻和批量都可以灵活调节时,直观上如果 k 相对 h 较小,应采用小批量,多批次的方式,而当 k 相较于 h 较大时,应利用大批量少批次的方式.甚至只制备一次.

Question 3. 已知当且仅当 $k < A_n h$ 时,两批次方案严格优于单批次方案.请给出 A_n 的具体表达式.

提示: 函数 $x(c - x^{1/n})$ 在 $x \in [0, c^n]$ 上的最大值为 $\frac{(cn)^n}{(n+1)^{n+1}}$.

Question 4. 当 $n = 1$ 和 $n = 2$ 时,两批次方案严格优于三批次方案的充要条件是什么?

CHAPTER 6

2024 年启明考试综合部分参考答案

1 第一题（利润计算）

Solution. $\rho = \frac{\pi_1}{\pi_0} = \frac{3}{4}$.

合作情况下,

$$\pi_0 = \max_{p \in [c, a]} (p - c)(a - p) \leq \frac{(a - c)^2}{4},$$

等号当 $p = \frac{a + c}{2}$ 时取得.

非合作情况下, 生产商先定批发价 $\tilde{w}$, 零售商再定零售价 p :

$$\pi^r(\tilde{w}) = \max_{p \in [\tilde{w}, a]} (p - \tilde{w})(a - p) \leq \frac{(a - \tilde{w})^2}{4},$$

等号当 $p_{\tilde{w}} = \frac{a + \tilde{w}}{2}$ 时取得. 于是生产商最大化

$$\pi^s = \max_{\tilde{w} \in [c, a]} (\tilde{w} - c)(a - p_{\tilde{w}}) = \max_{\tilde{w} \in [c, a]} (\tilde{w} - c) \frac{a - \tilde{w}}{2} \leq \frac{(a - c)^2}{8},$$

等号当 $\tilde{w} = \frac{a + c}{2}$ 时取得. 代回得 $\pi^r(\tilde{w}) = \frac{(a - c)^2}{16}$, 因此

$$\pi_1 = \pi^r + \pi^s = \frac{(a - c)^2}{16} + \frac{(a - c)^2}{8} = \frac{3(a - c)^2}{16}.$$

故

$$\rho = \frac{\pi_1}{\pi_0} = \frac{\frac{3(a-c)^2}{16}}{\frac{(a-c)^2}{4}} = \frac{3}{4}.$$

2 第二题（仓储排序）

Solution. *Answer 1.* 即求 $(x_1, \dots, x_n)$ 的一个排列 σ , 使总出货时间

$$T(\sigma) = \sum_{i=1}^n a_i x_{\sigma(i)}$$

取得最小（最大）值, 其中货位参数 $a_1 < a_2 < \dots < a_n$, 出货频次 $x_1 < x_2 < \dots < x_n$.

Answer 2. 考察相邻两项. 若 $a_j < a_{j+1}$ 且 $x_j < x_{j+1}$, 它们当前贡献

$$t = a_j x_j + a_{j+1} x_{j+1},$$

交换位置后为

$$t' = a_j x_{j+1} + a_{j+1} x_j,$$

于是

$$t' - t = (a_j - a_{j+1})(x_{j+1} - x_j) < 0.$$

即只要排列中存在“前频次低、后频次高”的相邻倒置, 交换后总时间就减小. 反复交换 (冒泡排序), 最终不再有倒置, 此时频次沿货位从前到后递减, 总时间最短.

Answer 3. 同理, 把上式不等号反向, 可知使总时间最大时, 频次应沿货位从前到后递增.

3 第三题 (原料分批成本计算)

Solution. Answer 1. $D_t = t^{1/n}$ ($n \geq 1$) 在 $[0, 1]$ 上单调递增且上凸, 为过 $(0, 0)$ 、 $(1, 1)$ 的曲线; $n > 1$ 时在 0 附近增长较快, $n = 1$ 时退化为直线 $D_t = t$.

Answer 2. 设第二次制备时刻为 t , 则 0 时刻制备 $t^{1/n}$ (覆盖 $[0, t]$), t 时刻制备 $1 - t^{1/n}$ (覆盖 $[t, 1]$).

Answer 3. 一次性制备成本

$$C_1 = k + hI_1, \quad I_1 = \int_0^1 (1 - t^{1/n}) dt = 1 - \frac{n}{n+1} = \frac{1}{n+1}.$$

两次制备时, 设在 t 时刻第二次制备, 维持面积

$$I_A = \int_0^t (t^{1/n} - x^{1/n}) dx = \frac{t^{1+1/n}}{n+1}, \quad I_B = \int_t^1 (1 - x^{1/n}) dx = (1-t) - \frac{n}{n+1}(1 - t^{1+1/n}),$$

故

$$I_2 = I_A + I_B = \frac{1}{n+1} - t + t^{1+1/n}, \quad C_2(t) = 2k + h\left(\frac{1}{n+1} - t + t^{1+1/n}\right).$$

令 $f(t) = \frac{1}{n+1} - t + t^{1+1/n}$, 则

$$f'(t) = -1 + \frac{n+1}{n}t^{1/n}, \quad f''(t) = \frac{n+1}{n^2}t^{1/n-1} > 0,$$

令 $f'(t) = 0$ 得 $t^* = \left(\frac{n}{n+1}\right)^n$, 为极小值点, 代入得

$$I_2^* = \frac{1}{n+1} - \frac{n^n}{(n+1)^{n+1}}.$$

于是 $C_2^* = 2k + hI_2^*$. 令 $C_2^* < C_1$ 得

$$k < h \cdot \frac{n^n}{(n+1)^{n+1}},$$

故

$$A_n = \frac{n^n}{(n+1)^{n+1}}.$$

Answer 4. 两批次严格优于三批次, 即 $C_2 < C_3 \iff k > h(I_2 - I_3)$.

$n = 1$: 两批次 $I_2 = t^2 - t + \frac{1}{2}$, $I_2' = 2t - 1$, 故 $I_{2,\min} = I_2|_{t=\frac{1}{2}} = \frac{1}{4}$. 三批次 (三次时刻 $0 < t_1 < t_2 < 1$)

$$I_3 = \frac{1}{2}[t_1^2 + (t_2 - t_1)^2 + (1 - t_2)^2] \geq \frac{1}{6},$$

(由 $\frac{x_1^2 + x_2^2 + x_3^2}{3} \geq \left(\frac{x_1 + x_2 + x_3}{3}\right)^2$), 等号当 $t_1 = \frac{1}{3}$, $t_2 = \frac{2}{3}$. 故

$$I_{2,\min} - I_3 = \frac{1}{4} - \frac{1}{6} = \frac{1}{12} \Rightarrow k > \frac{h}{12}.$$

$n = 2$: 两批次 $I_2 = t^{3/2} - t + \frac{1}{3}$, $I_2' = \frac{3}{2}t^{1/2} - 1$, 故 $I_{2,\min} = I_2|_{t=\frac{4}{9}} = \frac{5}{27}$. 三批次

$$I_3 = t_1^{3/2} + t_2^{3/2} - t_1 t_2^{1/2} + \frac{1}{3} - t_2,$$

令 $\frac{\partial I_3}{\partial t_1} = \frac{\partial I_3}{\partial t_2} = 0$ 得

$$t_1 = \frac{144}{529}, \quad t_2 = \frac{324}{529},$$

代入得 $I_3 = \frac{205}{1587}$. 于是

$$I_{2,\min} - I_3 = \frac{5}{27} - \frac{205}{1587} = \frac{800}{14283} \Rightarrow k > \frac{800h}{14283}.$$

CHAPTER 7

2023 年启明考试综合部分

1 优化与建模

1. 封闭曲线 A 中有一条长为 1 的弦, 弦上一点 P 将其分为两段, 长度分别为 x 和 $1-x$. 该弦在曲线上转过一周, P 随弦同时转动, 形成一条封闭曲线 B . 曲线 A 与曲线 B 围成的面积之差为 $S(x)$. 由 Pappus–Guldin 原理可知, $S(x)$ 与曲线 A, B 的形状无关, 仅与点 P 的位置有关. 求 $S(x)$ 的最大值及此时 x 的取值. (各 10 分)

2. 某商店的称量天平损坏, 其左臂比右臂长 $10\% \sim 20\%$. 一位顾客购买 2 kg 物品, 商家分别以“左物右码”和“右物左码”的方式称量 1 kg 物品. 最终是商家还是顾客遭受损失? 损失比例的范围是什么? (各 10 分)

2 信息熵

信息熵 (information entropy) 是信息论的基本概念, 用于描述信息源各可能事件发生的不确定性. 20 世纪 40 年代, Shannon 借鉴热力学中的概念, 把信息中排除冗余后的平均信息量称为“信息熵”, 并给出如下定义:

$$H(x) = \sum_{i=1}^n -p(x_i) \log_a p(x_i)$$

$n=2$ 时, 上式可写为

$$H(p, q) = -p \log_a p - q \log_a q$$

当 $p=q=0.5$ 时, 上式取得极值. 回答下列问题:

1. 比特 (bit, binary digit) 是信息量单位. 若抛硬币时正面与反面朝上的概率均为 $\frac{1}{2}$, 根据公式算得信息量为 1 bit, 此时底数 a 应取何值? 并给出合理解释.
2. 有人提出, 对于相互独立的两个随机变量 X, Y , 应有 $H(X+Y) = H(X) + H(Y)$. 设 X, Y 均服从参数为 p 的两点分布, 则 $Z = X + Y$ 服从参数为 $2, p$ 的二项分布. 判断 $H(Z) = 2H(X)$ 是否成立, 并说明理由.
3. 利用 Jensen 不等式证明 $H(X)$ 存在最大值.
提示: 若 $f(x)$ 为凸函数, 则

$$f(a_1x_1 + \cdots + a_nx_n) \leq a_1f(x_1) + \cdots + a_nf(x_n), \quad \sum_{k=1}^n a_k = 1.$$

4. 现有 2023 个小球 (编号为 $1, 2, \dots, 2023$) 和一个足够大的天平, 其中一个劣质小球略轻. 至少需要多少次称量才能找出该球?

3 产量分配

某公司拟使用 t 万元采购 n 种原料, 各种原料的单价和采购量分别记为

$$(p_1, p_2, \dots, p_n), \quad (x_1, x_2, \dots, x_n).$$

产品总产量为

$$\min\{q_1x_1, q_2x_2, \dots, q_nx_n\}.$$

在尽量扩大产量的前提下, 该公司应采用怎样的采购策略? 若预算翻倍, 哪一种原料增加的采购量最多? (各 10 分)

CHAPTER 8

2023 年启明考试综合部分参考答案

1 优化与建模

一、Holditch 定理

Solution. $S(x) = \pi(x - x^2)$, 当 $x = \frac{1}{2}$ 时 $S(x)_{\max} = \frac{\pi}{4}$.

设曲线 A 面积为 S_A , 曲线 B 面积为 S_B , 弦的端点为 M, N , 令 $\overrightarrow{MN} = \vec{u}$, $\overrightarrow{OP} = \vec{p}$ (O 为原点), 则

$$\overrightarrow{OM} = \vec{p} + x\vec{u}, \quad \overrightarrow{ON} = \vec{p} - (1-x)\vec{u}.$$

(下面用到的向量叉乘均指取模长.) 由 $2S_A = \oint \overrightarrow{OM} \times d\overrightarrow{OM} = \oint \overrightarrow{ON} \times d\overrightarrow{ON}$, 分别计算

$$\begin{aligned} \oint \overrightarrow{OM} \times d\overrightarrow{OM} &= \oint (\vec{p} + x\vec{u}) \times d(\vec{p} + x\vec{u}) \\ &= \oint \vec{p} \times d\vec{p} + x \oint (\vec{p} \times d\vec{u} + \vec{u} \times d\vec{p}) + x^2 \oint \vec{u} \times d\vec{u} \\ &= 2S_B + x \oint (\vec{p} \times d\vec{u} + \vec{u} \times d\vec{p}) + 2\pi x^2, \end{aligned}$$

$$\begin{aligned} \oint \overrightarrow{ON} \times d\overrightarrow{ON} &= \oint [\vec{p} - (1-x)\vec{u}] \times d[\vec{p} - (1-x)\vec{u}] \\ &= 2S_B - (1-x) \oint (\vec{p} \times d\vec{u} + \vec{u} \times d\vec{p}) + 2\pi(1-x)^2. \end{aligned}$$

两式相减 (并利用 $\oint (\vec{p} \times d\vec{u} + \vec{u} \times d\vec{p}) = 2\pi(1-2x)$) 得

$$2S_A = 2S_B + 2\pi x(1-2x) + 2\pi x^2,$$

化简得 $S(x) = \pi(x - x^2)$, 故当 $x = \frac{1}{2}$ 时 $S(x)_{\max} = \frac{\pi}{4}$.

二、称量货物

Solution. 老板利益受损, 损失比范围为 $\left[\frac{1}{220}, \frac{1}{60}\right]$.

设右臂长为 1, 左臂长为 $x \in [1.1, 1.2]$. 左物右码: 由力矩平衡, $x \cdot m = 1 \cdot w$, 当砝码读数 $w = 1$ 时, 实际物体质量 $m = \frac{1}{x}$. 右物左码: $1 \cdot m = x \cdot w$, 当 $w = 1$ 时 $m = x$. 故两次实际给出的总质量为

$$x + \frac{1}{x} \in \left[\frac{221}{110}, \frac{61}{30}\right],$$

相对 2 kg 老板多给出 $x + \frac{1}{x} - 2 > 0$, 即老板受损. 损失比

$$\frac{x + \frac{1}{x} - 2}{2} \in \left[\frac{1}{220}, \frac{1}{60} \right].$$

2 信息熵

Solution. 1. 底数 $a = 2$. 代入 $p = q = \frac{1}{2}$ 得 $H(p, q) = -2 \cdot \frac{1}{2} \log_a \frac{1}{2} = \log_a 2$, 令其等于 1, 得 $a = 2$. 计算机内部数据以二进制存储与传输, 故以 2 为底更符合实际.

2. 不正确. X 服从两点分布, $H(X) = -p \log_2 p - (1-p) \log_2 (1-p)$, 故 $2H(X) = -2p \log_2 p - 2(1-p) \log_2 (1-p)$. 而 $Z = X + Y$ 服从二项分布 $B(2, p)$:

$$P(Z=0) = (1-p)^2, \quad P(Z=1) = 2p(1-p), \quad P(Z=2) = p^2,$$

$$H(Z) = -(1-p)^2 \log_2 (1-p)^2 - 2p(1-p) \log_2 [2p(1-p)] - p^2 \log_2 p^2,$$

两者一般不相等 (例如 $p = \frac{1}{2}$ 时 $2H(X) = 2$, 而 $H(Z) = \frac{3}{2}$), 故 $H(Z) = 2H(X)$ 不成立.

3. 设 $f(x) = -\log_a x$ (这里限定 $a > 1$), 则 $f''(x) = \frac{1}{x^2 \ln a} > 0$, f 为凸函数. 于是

$$H(X) = \sum_{i=1}^n p_i \log_a \frac{1}{p_i} = -\sum_{i=1}^n p_i f\left(\frac{1}{p_i}\right) \leq -f\left(\sum_{i=1}^n p_i \cdot \frac{1}{p_i}\right) = -f(n) = \log_a n.$$

当 $p_1 = \cdots = p_n = \frac{1}{n}$ 时取等, 故 $H(X)_{\max} = \log_a n$.

4. 每次称量有 3 种结果 (左轻、右轻、平衡), 故 $a = 3$. 由

$$\log_3 2023 \approx 6.93,$$

至少需要 7 次称量才能找出该球.

3 产量分配

Solution. 生产总量为 $\min\{q_1 x_1, \dots, q_n x_n\}$. 为尽量扩大产量, 应使 $q_1 x_1 = q_2 x_2 = \cdots = q_n x_n = P$, 即各原料采购量与其单价成反比: $x_i \propto \frac{1}{q_i}$. 预算翻倍时, P 变为 $2P$, 采购量增加的原料中, 单价最小 (q_i 最小) 者增加最多.

Part III

启明考试英语部分

CHAPTER 1

2026 年启明考试英语部分

Part 1 Listening

Listening 1 : TPO 61, Conversation 2

Listening 2 : TPO 61, Conversation 1

Listening 3: TPO 55, Lecture 2

Listening 4 : TPO 32, Lecture 1

Listening 5 : TPO 31, Lecture 3

Part 2 Reading Comprehension

Passage 1

Source : CET-6, December 2021, Set 1, Passage 1

Social media is absolutely everywhere. Billions of people use social media on a daily basis to create, share, and exchange ideas, messages, and information. Both individuals and businesses post regularly to engage and interact with people from around the world. It is a powerful communication medium that simultaneously provides immediate, frequent, permanent, and wide-reaching information across the globe. People post their lives on social media for the world to see. Facebook, Twitter, LinkedIn, and countless other social channels provide a quick and simple way to glimpse into a job candidate's personal life—both the positive and negative sides of it. Social media screening is tempting to use as part of the hiring process, but should employers make use of it when researching a potential candidate's background? Incorporating the use of social media to screen job candidates is not an uncommon practice. A 2018 survey found that almost 70% of employers use social media screening. Social media screening is essentially scrutinising a job candidate's private life. It can reveal information about protected characteristics like age, race, nationality, disability, gender, religion, etc., and that could bias a hiring decision. Pictures or comments on a private page that are taken out of context could ruin a perfectly good candidate's chances of getting hired. This process could potentially give an unfair advantage to one candidate over another. It creates an unequal playing field and potentially provides hiring managers with information that can impact their hiring decision in a negative way. It's hard to ignore social media as a screening tool. While there are things that you shouldn't see, there are some things that can be lawfully considered—making it a valuable source of relevant information too. Using social media screening appropriately can help ensure that you don't hire a toxic employee who will cost you money or stain your company's reputation. Consider the lawful side of this process and you may be able to hire the best employee ever. There is a delicate

balance. Screening job candidates on social media must be done professionally and responsibly. Companies should stipulate that they will never ask for passwords, be consistent, document decisions, consider the source used, and be aware that other laws may apply. In light of this, it is probably best to look later in the process and ask human resources for help in navigating it. Social media is here to stay. But before using social media to screen job candidates, consulting with management and legal teams beforehand is essential in order to comply with all laws.

1. What does the author mainly discuss in the passage?
 - A. The advantage of using social media in screening job candidates.
 - B. The potentially invasive nature of social media in everyday life.
 - C. Whether the benefits of social media outweigh the drawbacks.
 - D. Whether social media should be used to screen job candidates.
2. What might happen when social media is used to screen job candidates?
 - A. Moral or legal issues might arise.
 - B. Company reputation might suffer.
 - C. Sensational information might surface.
 - D. Hiring decisions might be complicated.
3. When could online personal information be detrimental to candidates?
 - A. When it is separated from context.
 - B. When it is scrutinised by an employer.
 - C. When it is magnified to a ruinous degree.
 - D. When it is revealed to human resources.
4. How can employers use social media information to their advantage while avoiding unnecessary risks?
 - A. By tipping the delicate balance.
 - B. By using it in a legitimate way.
 - C. By keeping personal information on record.
 - D. By separating relevant from irrelevant data.
5. What does the author suggest doing before screening job candidates on social media?
 - A. Hiring professionals to navigate the whole process.
 - B. Anticipating potential risks involved in the process.
 - C. Seeking advice from management and legal experts.
 - D. Stipulating a set of rules for asking specific questions.

Passage 2

Source : CET-6, December 2021, Set 3, Passage 1

The subject of automation and its role in our economy has taken hold in American public discourse. Technology broadly and automation specifically are dramatically reshaping the way we work. And we need to have a plan for what's still to come. We don't have to look further than our own communities to see the devastating impact of automation. From automated warehouses to cashierless grocery stores to neighborhood libraries that offer self-checkout lanes instead of employing real people—automation is increasingly replacing jobs and leaving too few good new jobs behind. The statistics in manufacturing are staggering. Despite the widespread fears about trade, a recent report showed that just 13 percent of jobs lost in manufacturing are due to trade—the rest of the losses have been due to advances in technology. That is why more people are criticizing the ever-increasing role of technology in our economy. Our country is manufacturing more than ever before, but we are doing it with fewer workers. However, it's not just factories that are seeing losses—software and information technology are

also having a dramatic impact on jobs most people think are secure from the forces of a rapidly changing economy. Something transformative is happening in America that is having an adverse effect on American families. Whether policymakers and politicians admit it or not, workers have made clear their feelings about their economic insecurity and desire to keep good jobs in America. So why are people so insistent on ignoring the perils of automation? They are failing to look ahead at a time when planning for the future is more important than ever. Resisting automation is futile: it is as inevitable as industrialization was before it. I sincerely hope that those who assert that automation will make us more effective and pave the way for new occupations are right, but the reality of automation's detrimental effects on workers makes me skeptical. No one can currently say where the new jobs are coming from or when, and any sensible company or country should prepare for all alternatives. I'm not overstating the danger: look at what's happened to the labor force. According to economic research, one in six working-age men, aged 25 to 54, doesn't have a job. Fifty years ago, nearly 100 percent of men that age were working. Women's labor-force participation, meanwhile, has slipped back to the level it was at in the late 1980s. American families and prominent business leaders are aware that there's a big problem with automation. The value of a college degree is diminishing, and our upward mobility is declining. If we want an economy that allows everyone to be economically secure, we need to start thinking about how we can rightfully address automation.

1. What can we observe from the author's description of American communities?

- A. Their growing passion for automation.
- B. The shift from manual jobs to IT ones.
- C. Their changing views on employment.
- D. Their fading employment opportunities.

2. What do we learn from a recent report?

- A. The manufacturing sector is declining at a fast rate.
- B. The concerns about the effect of trade are exaggerated.
- C. The fears about trade have been spreading far and wide.
- D. The impact of trade on employment has been staggering.

3. What does the passage tell us about American workers in an era of transformation?

- A. They feel ignored by politicians.
- B. They feel increasingly vulnerable.
- C. They keep adapting to the changes.
- D. They keep complaining but to no avail.

4. What does the author think of automation?

- A. It will have the same impact as industrialization.
- B. It provides sensible companies with alternatives.
- C. Its alleged positive effects are doubtful.
- D. Its detrimental effects are unavoidable.

5. What should we attach importance to when dealing with automation?

- A. College graduates' job prospects.
- B. Women's access to employment.
- C. People's economic security.
- D. People's social mobility.

Passage 3

Source : 2021 National Postgraduate Entrance Examination, English I—Reading Comprehension, Text 3

As a historian who's always searching for the text or the image that makes us re-evaluate the past, I've become preoccupied with looking for photographs that show our Victorian ancestors smiling—what better way to shatter the image of nineteenth-century prudery? I've found quite a few, and since I started posting them on Twitter, they have been causing quite a stir. People have been surprised to see evidence that Victorians had fun and could, and did, laugh. They are noting that the Victorians suddenly seem to become more human as the hundred-or-so years that separate us fade away through our common experience of laughter. Of course, I need to concede that my collection of "Smiling Victorians" makes up only a tiny percentage of the vast catalogue of photographic portraiture created between 1840 and 1900, the majority of which show sitters posing miserably and stiffly in front of painted backdrops, or staring absently into the middle distance. How do we explain this trend? During the 1840s and 1850s, in the early days of photography, exposure times were notoriously long: the daguerreotype photographic method, which produced an image on a silvered copper plate, could take several minutes to complete, resulting in blurred images as sitters shifted position or adjusted their limbs. The thought of holding a fixed grin as the camera performed its magical duties was too much to contemplate, and so a non-committal blank stare became the norm. But exposure times were much quicker by the 1880s, and the introduction of the Box Brownie and other portable cameras meant that, though slow by today's digital standards, the exposure was almost instantaneous. Spontaneous smiles were relatively easy to capture by the 1890s, so we must look elsewhere for an explanation of why Victorians still hesitated to smile. One explanation might be the loss of dignity displayed through a cheesy grin. "Nature gave us lips to conceal our teeth," ran one popular Victorian saying, alluding to the fact that before the birth of proper dentistry, mouths were often in a shocking state of hygiene. A flashing set of healthy, clean, and regular "pearly whites" was a rare sight in Victorian society, the preserve of the super-rich—and even then, dental hygiene was not guaranteed. A toothy grin, especially when there were gaps or blackened teeth, lacked class: drunks, tramps, and music-hall performers might gurn and grin with a smile as wide as Lewis Carroll's gum-exposing Cheshire Cat, but it was not a becoming look for properly bred persons. Even Mark Twain, a man who enjoyed a hearty laugh, said that when it came to photographic portraits, there could be "nothing more damning than a silly, foolish smile fixed forever."

1. According to Paragraph 1, the author's posts on Twitter

- A. changed people's impression of the Victorians.
- B. highlighted social media's role in Victorian studies.
- C. re-evaluated the Victorians' notion of public image.
- D. illustrated the development of Victorian photography.

2. What does the author say about the Victorian portraits he has collected?

- A. They are in popular use among historians.
- B. They are rare among photographs of that age.
- C. They mirror nineteenth-century social conventions.
- D. They show the effects of different exposure times.

3. What might have kept the Victorians from smiling for pictures in the 1890s?

- A. Their inherent social sensitiveness.
- B. Their tension before the camera.
- C. Their distrust of new inventions.
- D. Their unhealthy dental condition.

4. Mark Twain is quoted to show that the disapproval of smiles in pictures was

- A. a deep-rooted belief.
- B. a misguided attitude.
- C. a controversial view.
- D. a thought-provoking idea.

5. Which of the following questions does the text answer?

- A. Why did most Victorians look stern in photographs?
- B. Why did the Victorians start to value photographs?
- C. What made photography develop slowly in the Victorian period?
- D. How did smiling in photographs become a post-Victorian norm?

Passage 4

Source: TOEFL iBT Practice Online (TPO) 66, Reading Section.

Actors, even when they are well rehearsed, can never fully anticipate how well they will perform before an actual audience. The actor who has been brilliant in rehearsal can crumble before an audience and completely lose the “edge” of his or her performance in the face of stage fright and apprehension. The presence of an audience can affect performance in other ways as well. Or—and this is more likely—an actor who seemed fairly unexciting at rehearsal can suddenly take fire and dazzle the audience with unexpected energy, subtlety, and depth. One celebrated example of this phenomenon was achieved by Lee J. Cobb in the original production of Arthur Miller’s *Death of a Salesman*, in which Cobb had the title role. Roles rehearsed in all solemnity can suddenly turn comical in performance; conversely, roles developed for comic potential in rehearsal may be received soberly by an audience and lose their comedic aspect entirely. Sudden and dramatic change, however, is not the norm as the performance phase replaces rehearsal: most actors cross over from final dress rehearsal to opening night with only the slightest shift; indeed, this is generally thought to be the goal of a disciplined and professional rehearsal schedule. “Holding back until opening night,” the once-popular acting practice of restraining emotional display until opening night, is universally disavowed today, and opening-night recklessness is viewed as a sure sign of the amateur, who relies primarily on guts and adrenaline to get through the performance. Deliberate revision of a role in performance, in response to the first waves of laughter or applause, is similarly frowned upon in all but the most inartistic of theaters today. Nevertheless, a fundamental shift does occur in the actor’s awareness between rehearsal and performance, and this cannot and should not be denied: indeed, it is essential to the creation of theater art. This shift is set up by an elementary feedback: the actor is inevitably aware, with at least a portion of his or her mind, of the audience’s reaction to his or her own performance and that of the other players. There is always, in any acting performance, a subtle adjustment to the audience that sees it. The outward manifestations of this adjustment are usually all but imperceptible: the split-second hold for a laugh to die down, the slight special projection of a certain line to make sure that it reaches the back row, and the quick turn of a head to make a characterization or plot transition extra clear. In addition, the best actors consistently radiate a quality known to the theater world as presence. It is a quality difficult to describe, but it has the effect of making both the character whom the actor portrays and the self of the actor who represents that character especially vibrant and in the present for the audience: it is the quality of an actor who takes the stage and acknowledges, in some inexplicable yet indelible manner, that he or she is there to be seen. Performance is not a one-way statement given from the stage to the house; it is a two-way participatory communication between the actors and the audience members in which the former employ text and movement and the latter employ applause, laughter, silence, and attention. Even when the audience is silent and invisible—and, owing to the brightness of the stage lights, the audience is frequently invisible to the actor—the performer feels its presence. There is nothing extrasensory about this: the absence of sound is itself a signal, for when several hundred

people sit without shuffling, coughing, or muttering, their silence betokens a level of attention for which the actor customarily strives. Laughter, gasps, sighs, and applause similarly feed back into the actor's consciousness—and unconsciousness—and spur, or sometimes distract, the actor's efforts. The veteran actor can determine quickly how to ride the crest of audience laughter and how to hold the line just long enough that it will pierce the lingering chuckles but not be overridden by them. He or she also knows how to vary the pace or redouble his or her energy when sensing restlessness or boredom on the other side of the curtain line. Performance technique, or the art of reading an audience, is more instinctual than learned. The timing it requires is of such complexity that no actor could master it rationally; he or she can develop it only out of experience.

Part III Cloze

Source : 2021 National Postgraduate Entrance Examination, English I—Cloze Test

Fluid intelligence refers to the mental ability involved in short-term memory, rapid reasoning, abstract thought, and the solution of unfamiliar problems. It usually 1 in early adulthood, remains relatively stable for some time, and then 2 begins to decline with age. Although aging cannot be completely 3, researchers believe that some age-related changes in brain function may be influenced by lifestyle. One study found that the loss of muscle and the 4 of fat around the abdomen were associated with poorer fluid intelligence. The result raises the 5 that healthier habits might prevent or at least 6 part of this decline. The researchers examined information from more than 4,000 middle-aged and older adults. The data 7 measurements of lean muscle and abdominal fat. The researchers then 8 those measurements with changes in fluid-intelligence scores over a period of six years. They found that people 9 higher levels of abdominal fat generally 10 worse on tests of fluid intelligence as the years 11. Among women, the relationship may be partly 12 to immune-system changes caused by excess abdominal fat. Among men, however, the immune system did not appear to be directly 13. Further research may help 14 this difference and could eventually produce different health 15 for men and women. 16, people do not have to wait for future research before making useful changes. There are practical steps they can 17 to reduce abdominal fat, preserve lean muscle, and protect both physical and mental 18. Experts commonly recommend maintaining a suitable 19 of aerobic exercise and following a Mediterranean-style 20 rich in fiber and low in highly processed foods.

- | | | | |
|--------------------|-----------------|----------------|----------------|
| 1. A. pauses | B. returns | C. peaks | D. fades |
| 2. A. accidentally | B. generally | C. rarely | D. suddenly |
| 3. A. avoided | B. measured | C. repeated | D. predicted |
| 4. A. detection | B. accumulation | C. consumption | D. separation |
| 5. A. possibility | B. demand | C. conclusion | D. requirement |
| 6. A. observe | B. record | C. delay | D. replace |
| 7. A. refused | B. included | C. prevented | D. invented |
| 8. A. devoted | B. converted | C. compared | D. applied |
| 9. A. with | B. above | C. against | D. beside |
| 10. A. performed | B. lived | C. travelled | D. remained |
| 11. A. broke down | B. went by | C. turned back | D. ran out |
| 12. A. opposed | B. attributable | C. limited | D. accustomed |

- | | | | |
|-------------------|----------------|---------------|-----------------|
| 13. A. divided | B. persuaded | C. involved | D. admitted |
| 14. A. hide | B. reject | C. clarify | D. preserve |
| 15. A. treatments | B. symptoms | C. arguments | D. measurements |
| 16. A. Otherwise | B. Fortunately | C. Similarly | D. Nevertheless |
| 17. A. take | B. give | C. bring | D. draw |
| 18. A. appearance | B. movement | C. well-being | D. intelligence |
| 19. A. level | B. distance | C. direction | D. purpose |
| 20. A. medicine | B. diet | C. schedule | D. experiment |

CHAPTER 2

2025 年启明考试英语部分

Acknowledgement: Many thanks to these students in the Fall 2025 cohort for their outstanding contributions:

@Vision, @Sai1each, @ 某晴, @KARAS, @ 喃语 and @anyone who contribute to this paper. **Notice:** Most of the questions in this document were obtained by seniors after copying the original text and searching the original text outside the examination room. The questions are different from the examination questions and are for reference only.

Part I. Listening

Listening 1: TOEFL 67

Listening 2: TOEFL 67

Listening 3: TOEFL 67

Listening 4: TOEFL 62

Listening 5: TOEFL 53

Part II. Reading Comprehension

Passage 1

Source: 2020 CET-6 Sept.(Version 2) Sec.C Passage 1

Organic agriculture is a relatively untapped resource for feeding the Earth's population, especially in the face of climate change and other global challenges. That's the conclusion I reached in reviewing 40 years of science comparing the long-term prospects of organic and conventional farming.

The review study, "Organic Agriculture in the 21st Century," is featured as the cover story for the February issue of the journal *Nature Plants*. It is the first to compare organic and conventional agriculture across the main goals of sustainability identified by the National Academy of Sciences: productivity, economics and environment. Critics have long argued that organic agriculture is inefficient, requiring more land to yield the same amount of food. It's true that organic farming produces lower yields, averaging 10 to 20 percent less than conventional. Advocates contend that the environmental advantages of organic agriculture far outweigh the lower yields, and that increasing research and breeding resources for organic systems would reduce the yield gap. Sometimes excluded from these arguments is the fact that we already produce enough food to more than feed the world's 7.4 billion people but do not provide adequate access to all individuals.

In some cases, organic yields can be higher than conventional. For example, in severe drought conditions, which are expected to increase with climate change in many areas, organic farms can produce as good, if not better, yields because of the higher water-holding capacity of organically farmed soils. What science does tell us is that mainstream conventional farming systems have provided growing supplies of food and other products but often at the expense of other sustainability goals.

Conventional agriculture may produce more food, but it often comes at a cost to the environment. Biodiversity loss, environmental degradation, and severe impacts on ecosystem services have not only accompanied conventional farming systems but have often extended well beyond their field boundaries. With organic agriculture, environmental costs tend to be lower and the benefits greater. Overall, organic farms tend to store more soil carbon, have better soil quality and reduce soil erosion compared to their conventional counterparts. Organic agriculture also creates less soil and water pollution and lower greenhouse gas emissions. And it's more energy-efficient because it doesn't rely on synthetic fertilizers or pesticides.

Organic agriculture is also associated with greater biodiversity of plants, animals, insects and microorganisms as well as genetic diversity. Biodiversity increases the services that nature provides and improves the ability of farming systems to adapt to changing conditions.

Despite lower yields, organic agriculture is more profitable for farmers because consumers are willing to pay more. Higher prices, called price premiums, can be justified as a way to compensate farmers for providing ecosystem services and avoiding environmental damage or external costs.

1. What do we learn from the conclusion of the author's review study?

- A. More resources should be tapped for feeding the world's population.
- B. Organic farming may be exploited to solve the global food problem.
- C. The long-term prospects of organic farming are yet to be explored.
- D. Organic farming is at least as promising as conventional farming.

2. What is the critics' argument against organic farming?

- A. It cannot meet the need for food.
- B. It cannot increase farm yields.
- C. It is not really practical.
- D. It is not that productive.

3. What does the author think should be taken into account in arguing about organic farming?

- A. Growth in world population.
- B. Deterioration in soil fertility.
- C. Inequality in food distribution.
- D. Advance in farming technology.

4. What does science tell us about conventional farming?

- A. It will not be able to meet global food demand.
- B. It is not conducive to sustainable development.
- C. It will eventually give way to organic farming.
- D. It is going mainstream throughout the world.

5. Why does the author think higher prices of organic farm produce are justifiable?

- A. They give farmers going organic a big competitive edge.
- B. They motivate farmers to upgrade farming technology.
- C. Organic farming costs more than conventional farming.
- D. Organic farming does long-term good to the ecosystem.

Passage 2

Source: 2020 CET-6 Sept.(Version 1) Sec.C Passage 2

Home to virgin reefs, rare sharks and vast numbers of exotic fish, the Coral Sea is a unique haven of biodiversity off the northeastern coast of Australia. If a proposal by the Australian government goes ahead, the region will also

become the world's largest marine protected area, with restrictions or bans on fishing, mining and marine farming. The Coral Sea reserve would cover almost 990,000 square kilometres and stretch as far as 1,100 kilometres from the coast. Unveiled recently by environment minister Tony Burke, the proposal would be the last in a series of proposed marine reserves around Australia's coast.

But the scheme is attracting criticism from scientists and conservation groups, who argue that the government hasn't gone far enough in protecting the Coral Sea, or in other marine reserves in the coastal network. Hugh Possingham, director of the Centre of Excellence for Environmental Decisions at the University of Queensland, points out that little more than half of the Coral Sea reserve is proposed as "no take" area, in which all fishing would be banned. The world's largest existing marine reserve, established last year by the British government in the Indian Ocean, spans 554,000 km² and is a no-take zone throughout. An alliance of campaigning conservation groups argues that more of the Coral Sea should receive this level of protection.

"I would like to have seen more protection for coral reefs," says Terry Hughes, director of the Centre of Excellence for Coral Reef Studies at James Cook University in Queensland. "More than 20 of them would be outside the no-take area and vulnerable to catch-and-release fishing" .

As Nature went to press, the Australian government had not responded to specific criticisms of the plan. But Robin Beaman, a marine geologist at James Cook University, says that the reserve does "broadly protect the range of habitats" in the sea. "I can testify to the huge effort that government agencies and other organisations have put into trying to understand the ecological values of this vast area," he says.

Reserves proposed earlier this year for Australia's southwestern and northwestern coastal regions have also been criticised for failing to give habitats adequate protection. In August, 173 marine scientists signed an open letter to the government saying they were "greatly concerned" that the proposals for the southwestern region had not been based on the "core science principles" of reserves—the protected regions were not, for instance, representative of all the habitats in the region, they said.

Critics say that the southwestern reserve offers the greatest protection to the offshore areas where commercial opportunities are fewest and where there is little threat to the environment, a contention also levelled at the Coral Sea plan.

1. What do we learn from the passage about the Coral Sea?

- A. It is exceptionally rich in marine life.
- B. It is the biggest marine protected area.
- C. It remains largely undisturbed by humans.
- D. It is a unique haven of endangered species.

2. What does the Australian government plan to do according to Tony Burke?

- A. Make a new proposal to protect the Coral Sea.
- B. Revise its conservation plan owing to criticisms.
- C. Upgrade the established reserves to protect marine life.
- D. Complete the series of marine reserves around its coast.

3. What is scientists' argument about the Coral Sea proposal?

- A. The government has not done enough for marine protection.
- B. It will not improve the marine reserves along Australia's coast.
- C. The government has not consulted them in drawing up the proposal.
- D. It is not based on sufficient investigations into the ecological system.

4. What does marine geologist Robin Beaman say about the Coral Sea plan?

- A. It can compare with the British government's effort in the Indian Ocean.
- B. It will result in the establishment of the world's largest marine reserve.
- C. It will ensure the sustainability of the fishing industry around the coast.
- D. It is a tremendous joint effort to protect the range of marine habitats.

5. What do critics think of the Coral Sea plan?

- A. It will do more harm than good to the environment.
- B. It will adversely affect Australia's fishing industry.
- C. It will protect regions that actually require little protection.
- D. It will win little support from environmental organisations.

Passage 3

Source: TEST FOR ENGLISH MAJOR (2023): GRADE FOUR

(1) Pairing the words “baby” and “sleep” can evoke strong emotions. Those who have had limited contact with little ones might interpret this word-combination as implying deep and prolonged slumber. For others, this union of words may elicit memories of prolonged periods of chaotic sleep (or what can feel like no sleep at all).

(2) Coping with the way babies sleep can be difficult. It's not that babies don't sleep. In fact, they sleep more than at any other stage of life. It's more an issue of when they sleep. Newborns start by sleeping and waking around the clock. This is not always easy for parents. There is even research suggesting that, in adults, waking repeatedly at night can feel as bad as getting hardly any sleep in terms of attentional skills, fatigue levels and symptoms of depression.

(3) As to why infants wake at night, this is best explained by thinking about the two things that govern our sleep: the homeostatic and circadian processes. The crux of the homeostatic process is the straightforward idea that the longer we have been awake the greater our sleep drive (and the more sleepy we feel). It may take an adult an entire day to build up enough sleep drive to fall asleep at bedtime, but an infant may only need an hour or two of wakefulness before being able to drift off to sleep.

(4) The second process is circadian, which works like a clock. Adults typically feel more awake during the morning hours and sleepy at night, regardless of when we last slept. In very young babies this process is not yet developed. This means that sleep is more likely to occur at different points across the 24-hour day.

(5) Practically speaking, the immaturity of these two processes means that newborn babies are actually expected to wake at night: they are doing exactly what they are supposed to do! They start life with small stomachs which need to be filled regularly so your child can gain strength and stay hydrated, so it's a good thing that they are waking regularly to feed. As hard as disturbed sleep can be for caregivers, a waking baby is a good thing.

(6) But how long might this continue? The parenting mantra “this too shall pass” is true when it comes to dealing with certain aspects of a baby's sleep. Night wakings typically become less frequent as an infant grows up, and sleep changes in other ways throughout a person's life. For example, sleep length reduces and there are changes in sleep architecture (or composition of Rapid Eye Movement, REM, and Non-Rapid Eye Movement, NREM, sleep). A premature baby's sleep cycle might take just 45 minutes, whereas an adult's can be double that at 90 minutes. Other changes also occur; for example, whereas babies' sleep cycles start with REM-like sleep, adults start with NREM sleep.

(7) For some parents, knowing that sleep changes throughout life is enough to help them cope with an infant's night awakenings. In fact, sleep education alone can help some parents to deal with infant sleep. Other parents want more detailed information, such as about babies' sleep schedules, bedtime routines, sleep problems, sleep safety, sleep environment, naps, sleep training, and special circumstances. We provide all this information, and

more, on our website, where physicians, psychologists, and researchers from the Pediatric Sleep Council have also answered hundreds of questions about sleep via video and text.

(8) Remember: sleep matters. Experts agree that sleep is essential for health, growth and general development. It is important not just for babies, but for parents too. If we can improve sleep within a family, and create a happy association between the words “baby” and “sleep”, then the Pediatric Sleep Council has achieved its goal.

41. According to the passage, the difficulty in handling baby sleep lies in not knowing

- A. when they switch to slumber .
- B. how long they sleep well
- C. how they fall asleep
- D. when they sleep

42. In explaining the circadian process, the author has used more than other means.

- A. simile
- B. comparison
- C. metaphor
- D. exaggeration

43. Which of the following statements is CORRECT about baby sleep?

- A. Parents need to be well informed about baby sleep.
- B. Babies' sleep cycle tends to be similar to that of adults.
- C. A happy link between “baby” and “sleep” is impossible.
- D. Babies sleep a lot more during daytime than nighttime.

44. Which of the following is the most appropriate title for the passage?

- A. Secrets of parenting babies.
- B. Baby sleep patterns.
- C. Does baby sleep matter?
- D. What are the must-knows of sleep?

Passage 4: Evidence of the Earliest Writing

Although literacy appeared independently in several parts of the prehistoric world, the earliest evidence of writing is the cuneiform Sumerian script on the clay tablets of ancient Mesopotamia, which, archaeological detective work has revealed, had its origins in the accounting practices of commercial activity. Researchers demonstrated that preliterate people, to keep track of the goods they produced and exchanged, created a system of accounting using clay tokens as symbolic representations of their products. Over many thousands of years, the symbols evolved through several stages of abstraction until they became wedge-shaped (cuneiform) signs on clay tablets, recognizable as writing.

The original tokens (circa 8500 B.C.E.) were three-dimensional solid shapes—tiny spheres, cones, disks, and cylinders. A debt of six units of grain and eight head of livestock, for example, might have been represented by six conical and eight cylindrical tokens. To keep batches of tokens together, an innovation was introduced (circa 3250 B.C.E.) whereby they were sealed inside clay envelopes that could be broken open and counted when it came time for a debt to be repaid. But because the contents of the envelopes could easily be forgotten, two-dimensional representations of the three-dimensional tokens were impressed into the surface of the envelopes before they were sealed. Eventually, having two sets of equivalent symbols—the internal tokens and external markings—came to seem redundant, so the tokens were eliminated (circa 3250–3100 B.C.E.), and only solid clay tablets with two-dimensional symbols were retained. Over time, the symbols became more numerous, varied, and abstract and came to represent more than trade commodities, evolving eventually into cuneiform writing.

The evolution of the symbolism is reflected in the archaeological record first of all by the increasing complexity of the tokens themselves. The earliest tokens, dating from about 10,000 to 6,000 years ago, were of only the simplest geometric shapes. But about 3500 B.C.E., more complex tokens came into common usage, including many naturalistic forms shaped like miniature tools, furniture, fruit, and humans. The earlier, plain tokens were counters for agricultural products, whereas the complex ones stood for finished products, such as bread, oil, perfume, wool, and rope, and for items produced in workshops, such as metal, bracelets, types of cloth, garments, mats, pieces of furniture, tools, and a variety of stone and pottery vessels. The signs marked on clay tablets likewise evolved from

simple wedges, circles, ovals, and triangles based on the plain tokens to pictographs derived from the complex tokens.

Before this evidence came to light, the inventors of writing were assumed by researchers to have been an intellectual elite. Some, for example, hypothesized that writing emerged when members of the priestly caste agreed among themselves on written signs. But the association of the plain tokens with the first farmers and of the complex tokens with the first artisans—and the fact that the token-and-envelope accounting system invariably represented only small-scale transactions—testifies to the relatively modest social status of the creators of writing.

And not only of literacy, but numeracy (the representation of quantitative concepts) as well. The evidence of the tokens provides further confirmation that mathematics originated in people's desire to keep records of flocks and other goods. Another immensely significant step occurred around 3100 B.C.E., when Sumerian accountants extended the token-based signs to include the first real numerals. Previously, units of grain had been represented by direct one-to-one correspondence—by repeating the token or symbol for a unit of grain the required number of times. The accountants, however, devised numeral signs distinct from commodity signs, so that eighteen units of grain could be indicated by preceding a single grain symbol with a symbol denoting “18.” Their invention of abstract numerals and abstract counting was one of the most revolutionary advances in the history of mathematics.

What was the social status of the anonymous accountants who produced this breakthrough? The immense volume of clay tablets unearthed in the ruins of the Sumerian temples where the accounts were kept suggests a social differentiation within the scribal class, with a virtual army of lower-ranking tabulators performing the monotonous job of tallying commodities. We can only speculate as to how high or low the inventors of true numerals were in the scribal hierarchy, but it stands to reason that this laborsaving innovation would have been the brainchild of the lower-ranking types whose drudgery it eased.

Part III. Cloze Test (完形填空)

The shorter growing seasons expected with climate change over the next 40 years will endanger hundreds of millions of already poor people in the global tropics, say researchers working 62 the world's leading agricultural organisations.

The effects of climate change are likely to be seen across the entire tropical 63, but many areas previously considered to be 64 food secure are likely to become highly 65 to droughts, extreme weather and higher temperatures, say the 66 with the Consultative Group on International Agricultural Research.

Intensively farmed areas 67 northeast Brazil and Mexico are likely to see their 68 growing seasons fall below 120 days, which is 69 for crops such as corn to mature. Many other places in Latin America are likely to 70 temperatures that are too hot for bean 71, a staple in the region.

The impact could be 72 most in India and southeast Asia. More than 300 million people in south Asia are likely to be affected even with a 5% decrease in the 73 of the growing season.

Higher peak temperatures are also expected to take a heavy 74 on food producers. Today there are 56 million crop-dependent people in parts of west Africa and India who live in areas where, in 40 years, maximum daily temperatures could be higher than 30°C. This is 75 to the maximum temperature that beans can tolerate, 76 corn and rice yields suffer when temperatures 77 this level.

“We are starting to see much more clearly 78 the effects of climate change on agriculture could 79 hunger and poverty,” said research leader Patti Kristjanson. “Farmers already adapt 80 variable weather by changing their planting schedules. What this study suggests is that the speed of climate 81 and the magnitude of the changes required to adapt could be much greater.”

62. A. with

B. from

C. at

D. for

- | | | | |
|--------------------|--------------|-----------------|----------------|
| 63. A. zone | B. belt | C. region | D. area |
| 64. A. relatively | B. perfectly | C. completely | D. marginally |
| 65. A. vulnerable | B. resistant | C. indifferent | D. immune |
| 66. A. researchers | B. officials | C. farmers | D. journalists |
| 67. A. like | B. as | C. to | D. for |
| 68. A. prime | B. average | C. minor | D. annual |
| 69. A. critical | B. optional | C. excessive | D. minimal |
| 70. A. experience | B. expose | C. harvest | D. forecast |
| 71. A. production | B. planting | C. cultivation | D. storage |
| 72. A. felt | B. seen | C. noticed | D. suffered |
| 73. A. length | B. level | C. scale | D. volume |
| 74. A. toll | B. role | C. load | D. burden |
| 75. A. close | B. equal | C. similar | D. contrary |
| 76. A. while | B. if | C. unless | D. because |
| 77. A. exceed | B. approach | C. reach | D. fall below |
| 78. A. where | B. how | C. that | D. whether |
| 79. A. intensify | B. weaken | C. relieve | D. eliminate |
| 80. A. to | B. in | C. with | D. for |
| 81. A. shifts | B. change | C. fluctuations | D. impacts |

CHAPTER 3

2024 年启明考试英语部分

Notice: Most of the questions in this document were obtained by seniors after copying the original text and searching the original text outside the examination room. The questions are different from the examination questions and are for reference only.

Part I. Listening

Lack of materials. This part is similar to CET-6 Listening part.

Part II. Reading Comprehension

Passage One

Social media can be a powerful communication tool for employees, helping them to collaborate, share ideas and solve problems. Research has shown that 82% of employees think social media can improve work relationships and 60% believe it can support decision-making processes. These beliefs contribute to a majority of workers connecting with colleagues on social media, even during work hours.

Employers typically worry that social media is a productivity killer; more than half of U.S. employers reportedly block access to social media at work. In my research with 277 employees of a healthcare organization I found these concerns to be misguided. Social media doesn't reduce productivity nearly as much as it kills employee retention.

In the first part of the study I surveyed the employees about why and how they used platforms like Facebook, Twitter, or LinkedIn. Respondents were then asked about their work behaviors, including whether they felt motivated in their jobs and showed initiative at work. I found employees who engage in online social interactions with co-workers through social media blogs tend to be more motivated and come up with innovative ideas. But when employees interact with individuals outside the organization, they are less motivated and show less initiative. In the second part of the study I found 76% of employees using social media for work took an interest in other organizations they found on social media. When I examined how respondents expressed openness to new careers and employers, I found that they engaged in some key activities including researching new organizations and making new work connections. These findings present a dilemma for managers: employees using social media at work are more engaged and more productive, but they are also more likely to leave your company. Managers should implement solutions that neutralize the retention risk caused by social media. They can create social media groups in which employees will be more likely to collaborate and less likely to share withdrawal intentions or discussions

about external job opportunities. Managers can also use social media to directly reduce turnover (跳槽) intentions, by recognizing employees' accomplishments and giving visibility to employees' success stories.

1. What does previous research about social media reveal?

- A. Most employees think positively of it.
- B. It improves employees' work efficiency.
- C. It enables employees to form connections.
- D. Employees spend much of their work time on it.

2. What did the author's own research find about social media?

- A. It influences employees' work negatively.
- B. It does much harm to employee loyalty.
- C. It kills employees' motivation for work.
- D. It affects employers' decision-making.

3. What did the author find in his study about the effect of online social interactions?

- A. It differs from employee to employee.
- B. It tends to vary with the platform used.
- C. It has much to do with whom employees interact with.
- D. It is hard to measure when employees interact with outsiders.

4. What problem was found with employees using social media for work?

- A. They seldom expressed their inner thoughts.
- B. Most of them explored new job opportunities.
- C. They were reluctant to collaborate with others.
- D. Many of them ended with lower productivity.

5. What does the author suggest managers do to neutralize the retention risk?

- A. Give promotions to employees for their accomplishments.
- B. Create opportunities for employees to share success stories.
- C. Acknowledge employees' achievements through social media.
- D. Encourage employees to increase their visibility on social media.

Passage Two

Educators and business leaders have more in common than it may seem. Teachers want to prepare students for a successful future. Technology companies have an interest in developing a workforce with the STEM (science, technology, engineering and math) skills needed to grow the company and advance the industry. How can they work together to achieve these goals? Play may be the answer.

Focusing on STEM skills is important, but the reality is that STEM skills are enhanced and more relevant when combined with traditional, hands-on creative activities. This combination is proving to be the best way to prepare today's children to be the makers and builders of tomorrow. That is why technology companies are partnering with educators to bring back good, old-fashioned play.

In fact many experts argue that the most important 21st-century skills aren't related to specific technologies or subject matter, but to creativity; skills like imagination, problem-finding and problem-solving, teamwork, optimism, patience and the ability to experiment and take risks. These are skills acquired when kids tinker (鼓捣小玩意), High-tech industries such as NASA's Jet Propulsion Laboratory have found that their best overall problem solvers were master tinkerers in their youth. There are cognitive (认知的) benefits of doing things the way we did as children —building something, tearing it down, then building it up again. Research shows that given 15 minutes of free play, four-and five-year-olds will spend a third of this time engaged in spatial, mathematical, and

architectural activities. This type of play—especially with building blocks—helps children discover and develop key principles in math and geometry.

If play and building are critical to 21st century skill development, that's really good news for two reasons: Children are born builders, makers, and creators, so fostering (培养) 21st century skills may be as simple as giving kids room to play, tinker and try things out, even as they grow older; Secondly, it doesn't take 21st century technology to foster 21st century skills. This is especially important for under-resourced schools and communities. Taking whatever materials are handy and tinkering with them is a simple way to engage those important "maker" skills. And anyone, anywhere, can do it.

1. What does the author say about educators?

- A. They seek advice from technology companies to achieve teaching goals.
- B. They have been successful in preparing the workforce for companies.
- C. They help students acquire the skills needed for their future success.
- D. They partner with technology companies to enhance teaching efficiency.

2. How can educators better develop students' STEM skills, according to the author?

- A. By blending them with traditional, stimulating activities.
- B. By inviting business leaders to help design curriculums.
- C. By enhancing students' ability to think in a critical way.
- D. By showing students the best way to learn is through play.

3. How do children acquire the skills needed for the 21st century?

- A. By engaging in activities involving specific technologies.
- B. By playing with things to solve problems on their own.
- C. By familiarizing themselves with high-tech gadgets.
- D. By mastering basic principles through teamwork.

4. What can we do to help children learn the basics of math and geometry?

- A. Stimulate their interest as early as possible.
- B. Spend more time playing games with them.
- C. Encourage them to make things with hands.
- D. Allow them to tinker freely with calculators.

5. What does the author advise disadvantaged schools and communities to do?

- A. Train students to be makers to meet future market demands.
- B. Develop students' creative skills with the resources available.
- C. Engage students with challenging tasks to foster their creativity.
- D. Work together with companies to improve their teaching facilities.

Passage Three

In some countries, many universities use an employment system for teachers known as tenure. After a lengthy trial period, a faculty member whose performance meets with the approval of the senior members of the department and the administration of the institution may be awarded tenure. A tenured faculty member enjoys considerable job security for the rest of his or her working life and can only be fired for reasons of "moral turpitude" (bad or evil behavior) or "gross incompetence" or if the financial stability of the institution requires the elimination of an entire department or program.

The high degree of job security enjoyed by tenured faculty members has been the source of complaints about the tenure system. One issue that has been raised by many, including legislators evaluating the finances and managerial practices of state universities in the United States, is that tenure shelters faculty from accountability for

poor performance. Another argument is that tenure makes the university inefficient in responding to changing instructional demands. It is difficult to substitute computer engineering faculty for civil engineering faculty if most of the latter have tenure. In 1988, the Education Reform Act significantly softened the tenure system in the United Kingdom, making it easier to fire individual faculty members for financial reasons. More recently, some universities in the United States have taken steps to give university administrators more control over tenured professors. And, in general, American institutions of higher learning have tended to increase the use of part-time and nontenured instructors over time. In 1992, just 48 percent of all instructors had tenure or were in a position that was expected to lead to tenure. The traditional argument in favor of tenure is based on academic freedom, the freedom to investigate and teach any area of knowledge without restriction or interference. In this view, tenure protects faculty members from retaliation for voicing unpopular views. For example, a labor economist might not present a complete examination of the costs and benefits of worker unions if he or she feared that a rabidly anti-union university leader might seek to have the economist fired for speaking of the positive aspects of unions. In fact, the American Association of University Professors (AAUP), a group dedicated to protecting academic freedom, got its start in the wake of a 1901 decision by Stanford University to fire economics instructor Edward Ross at the insistence of the university's co-founder, Jane Stanford, who objected to his views on economics and other matters.

Going beyond academic freedom, the economics literature has recently turned to an emphasis on tenure as a labor-market institution that may have a positive payoff to universities through the incentives (motivation) it provides.

1. Paragraph 1 answers which of the following questions about tenure?
 - A. How long must a teacher work before being considered for tenure?
 - B. What performance standards do senior faculty and administrators use to decide whether to award tenure?
 - C. In what situations may a tenured teacher lose his or her job?
 - D. How frequently are tenured teachers fired?
2. It can be inferred from paragraphs 1 and 2 that some critics of the tenure system believe that tenure can
 - A. reduce faculty members' motivation to do their jobs well
 - B. cause faculty members to prefer employment in state universities over employment in other universities
 - C. remove moral turpitude as a criterion for evaluating a faculty member's performance
 - D. encourage faculty members to switch from one department or program to another within a university
3. In paragraph 2, why does the author state that it may be difficult for some universities to substitute computer engineering faculty for tenured civil-engineering faculty?
 - A. To help explain why teachers in some fields lack as much job security as teachers in other fields do
 - B. To suggest a reason for the shortage of qualified professors in some fields but not in others
 - C. To identify a possible reason for poor performance by some academic departments
 - D. To help make clear the argument that tenure can decrease universities' ability to respond to changes in teaching needs
4. According to paragraph 2, all of the following steps have been taken in response to complaints about tenure EXCEPT?
 - A. passing a law that allows universities to fire professors in order to save money
 - B. providing administrators with more control of professors who have tenure
 - C. allowing each department to have the same percentage of tenured faculty
 - D. hiring more part-time teachers
5. Which of the following can be inferred from paragraph 3 about the 1901 decision by Stanford University to fire

economics teacher Edward Ross?

- A. It led to greater awareness of possible conflicts of interest between university administrators and university founders.
- B. It stimulated efforts to protect the jobs of professors against threats to their academic freedom.
- C. It revealed how interested American university administrators were in the views of their economics teachers.
- D. It encouraged many American universities to begin hiring instructors who opposed the AAUP.

Passage Four

Journal editors decide what gets published and what doesn't, affecting the careers of other academics and influencing the direction that a field takes. You'd hope, then, that journals would do everything they can to establish a diverse editorial board, reflecting a variety of voices, experiences, and identities.

Unfortunately, a new study in **Nature Neuroscience** makes for disheartening reading. The team finds that the majority of editors in top psychology and neuroscience journals are male and based in the United States: a situation that may be amplifying existing gender inequalities in the field and influencing the kind of research that gets published.

Men were found to account for 60% of the editors of psychology journals. There were significantly more male than female editors at each level of seniority, and men made up the majority of editors in over three-quarters of the journals. Crucially, the proportion of female editors was significantly lower than the overall proportion of women psychology researchers.

The differences were even starker in the neuroscience journals: 70% of editors were male, and men held the majority of editorial positions in 88% of journals. In this case, the proportion of female editors was not significantly lower than the proportion of female researchers working in neuroscience—a finding that reveals enduring gender disparities in the field more broadly. Based on their results, the team concludes that “the ideas, values, and decision-making biases of men are over-represented in the editorial positions of the most recognized academic journals in psychology and neuroscience.”

Gender inequality in science is often attributed to the fact that senior academics are more likely to be male, because historically science was male-dominated: it's argued that as time goes on and more women rise to senior roles, the field will become more equal. Yet this study showed that even the junior roles in psychology journals tended to be held disproportionately by men, despite the fact that there are actually more female than male junior psychology faculty. This implies that a lack of female academics is not the problem. Instead, there are structural reasons that women are disadvantaged in science. Women receive lower salaries and face greater childcare demands, for instance, which can result in fewer publications and grants—the kinds of things that journals look for when deciding who to appoint.

Rather than simply blaming the inequality of editorial boards on tradition, we should be actively breaking down these existing barriers. A lack of diversity among journal editors also likely contributes to psychology's WEIRD problem. If journal editors are largely men from the United States, then they will probably place higher value on papers that are relevant to Western, male populations, whether consciously or not.

1. What would we expect an editorial board of an academic journal to exhibit in view of its important responsibilities?

- A. Insight.
- B. Expertise.
- C. Integrity.
- D. Diversity.

2. What do we learn from the findings of a new study in *Nature Neuroscience*?

- A. The majority of top psychology and neuroscience journals reflect a variety of voices, experiences, and identities.
- B. The editorial boards of most psychology and neuroscience journals do influence the direction their field takes.
- C. The editorial boards of the most important journals in psychology and neuroscience are male-dominated.
- D. The majority of editors in top psychology and neuroscience journals have relevant backgrounds.

3. What fact does the author highlight concerning the gender differences in editors of psychology journals?

- A. There were quite a few female editors who also distinguished themselves as influential psychology researchers.
- B. The number of female editors was simply disproportionate to that of women engaged in psychology research.
- C. The proportion of female editors was increasingly lower at senior levels.
- D. There were few female editors who could move up to senior positions.

4. What can we infer from the conclusion drawn by the team of the new study on the basis of their findings?

- A. Women's views are underrepresented in the editorial boards of top psychology and neuroscience journals.
- B. Male editors of top psychology and neuroscience journals tend to be biased against their female colleagues.
- C. Male researchers have enough representation in the editorial boards to ensure their publications.
- D. Female editors have to struggle to get women's research articles published in academic journals.

5. What does the author suggest we do instead of simply blaming the inequality of editorial boards on tradition?

- A. Strike a balance between male and female editors.
- B. Increase women's employment in senior positions.
- C. Enlarge the body of female academics.
- D. Implement overall structural reforms.

Part III. Cloze Test (完形填空)

As a physician who travels quite a lot, I spend a lot of time on planes listening to that dreaded "Is there a doctor on board?" announcement. I've been 71 only once—for a woman who had merely fainted. But the 72 made me quite curious about how 73 this kind of thing happens. I wondered what I would do if 74 with a real mid-air medical emergency—without access 75 a hospital staff and the usual emergency equipment. So 76 the *New England Journal of Medicine* last week 77 a study about in-flight medical events, I read it 78 interest.

The study estimated that there are a(n) 79 of 30 in-flight medical emergencies on U.S. flights every day. Most of them are not 80; fainting and dizziness are the most frequent complaints. 81 13% of them—roughly four a day—are serious enough to 82 a pilot to change course. The most common of the serious emergencies 83 heart trouble, strokes, and difficult breathing.

Let's face it: plane rides are 84. For starters, cabin pressures at high altitudes are set at roughly 85 they would be if you lived at 5,000 to 8,000 feet above sea level. Most people can tolerate these pressures pretty 86, but passengers with heart disease 87 experience chest pains as a result of the reduced amount of oxygen flowing through their blood. 88 common in-flight problem is deep venous thrombosis—the so-called economy class syndrome. 89 happens, don't panic. Things are getting better on the in-flight-emergency front. Thanks to more recent legislation, flights with at 90 one attendant are starting to install emergency medical kits to treat heart attacks.

71. A. called

B. addressed

C. informed

D. surveyed

72. A. accident

B. condition

C. incident

D. disaster

- | | | | |
|--------------------|----------------|---------------|--------------|
| 73. A. soon | B. long | C. many | D. often |
| 74. A. confronted | B. treated | C. identified | D. provided |
| 75. A. for | B. to | C. by | D. through |
| 76. A. before | B. since | C. when | D. while |
| 77. A. collected | B. conducted | C. discovered | D. published |
| 78. A. by | B. of | C. with | D. in |
| 79. A. amount | B. average | C. sum | D. number |
| 80. A. significant | B. heavy | C. common | D. serious |
| 81. A. For | B. On | C. But | D. So |
| 82. A. require | B. inspire | C. engage | D. command |
| 83. A. include | B. confine | C. imply | D. contain |
| 84. A. enjoyable | B. stimulating | C. tedious | D. stressful |
| 85. A. who | B. what | C. which | D. that |
| 86. A. harshly | B. reluctantly | C. easily | D. casually |
| 87. A. ought to | B. may | C. used to | D. need |
| 88. A. Any | B. One | C. Other | D. Another |
| 89. A. Whatever | B. Whichever | C. Whenever | D. Wherever |
| 90. A. most | B. worst | C. least | D. best |