

NaPiRE 2018 Survey: Coding Instructions

Introduction

Generally, there are two types of questions allowing free text answers (**free text questions**):

- questions expecting short free text answers (**short free text questions**; asking for a specific information item), and
- questions expecting long free text answers (**long free text questions**; asking for reasoning/elaboration).

The **coding procedures** to be followed depend on the type of question concerned, and they are detailed below. **Examples** can be found on page 3, the **variable assignments and processing modes** are specified on page 4 and page 5 (using your initials). Further information is provided in the HTML files contained in the **supplement** folder. Please direct any **questions and comments** to:

Corinna Coupette (corinna.coupette@campus.lmu.de)

Daniel Mendez (daniel.mendez@tum.de)

Caution: The csv files mentioned below are distributed with semicolons as separators and double quotes as quotechars so that they can be readily read by the standard Excel configuration in Europe, and performing the validation steps in Excel will likely be easier for you than working with the csv files directly. If you desire a different format, please contact us.

Short Free Text Questions

Short free text questions can be grouped into two categories:

- **List-supplementing questions:**
Respondents are shown a list of options in a previous question. They choose “Other (please specify)” and enter a short free text.
- **List-supplanting questions:**
Respondents are asked to enter a short free text directly, with no prior list of options or guidance regarding what values to specify.

Both types of questions are preprocessed using similar procedures, and the coding of responses should normally result in the **assignment of exactly one code (also referred to as a tag) to each answer**. The only **exceptions** to this basic rule in the current survey are **v_20**, which asks respondents about their RE certifications, and **v_194**, which asks for RE problems respondents missed in the problem list.

Code Assignment

For one individual short free text question, start with one csv file containing three columns (**code file**):

1. the response identifiers (“Ifdn”),
2. the responses (“v_<variable_number>”), and
3. the tags (“tag”, empty).

For **list-supplementing questions**, there are two processing modes (see *01_prepare_short_vars.html* for the rationale behind this):

1. **“Code Back”:**
 - a. For each row in the code file, **check** whether the response provided fits one of the codes from the list of options provided in the previous question;
 - b. If you find a suitable pre-existing code, **assign** that code; else assign **NotCodeable**
2. **“New Tags”** (this is “Code Back” with a different else branch):
 - a. For each row in the code file, **check** whether the response provided fits one of the codes from the list of options provided in the previous question;
 - b. If you find a suitable pre-existing code, **assign** that code;
 - c. For the responses remaining without codes:
 - i. **Group** the remaining responses by their content;
 - ii. **Find** names for the groups that are similar in structure to the pre-existing tags;
 - iii. **Assign** all responses in the individual groups the name of their group as a code.

NaPiRE 2018 Survey: Coding Instructions

If an answer is empty (e.g., “”, “.”, or “X”), assign the code **NotAnswered** (not the code NotCodeable). For **list-supplanting questions**, the only processing mode available is analogous to **step c.** from the “New Tags” option detailed above:

1. **Group** all responses by their content;
2. **Find** names for the groups (reflect terminological distinctions made in the research community);
3. **Assign** all responses in the individual groups the name of their group as a code.

For **v_20** and **v_194**, if you want to assign **multiple codes** to an answer, **copy and paste the row** holding the answer as many times as needed to have one row per tuple (“lfdn”, “v_<variable_number>”, “tag”). **Do not** make lists of tags in a single row.

If you want to **organize** your new tags in a **taxonomy**, please follow the **tag format** and **communication procedure** specified for the long free text answers.

Long Free Text Questions

As the coding of long free text questions is different from the coding of short free text questions, we will generally refer to it as **tagging**. Tagging differs from coding in two important respects:

- The tags are not a set of disjoint concepts but rather organized as a **forest of facets** (a hybrid of the facet and tree taxonomies); each facet is represented by a hierarchical tree of tags, which may be several levels deep.
- **More than one tag may be assigned** to each answer (and this is the rule rather than the exception [as for the short free text answers]).

For the purposes of storage, tags will be Strings with the following structure:

<level1>:<level2>:<level3>_<level4>, where all elements but the first level identifier are optional and where – for the purposes of this survey – a structure no deeper than two levels is generally desirable.

Examples of tags:

- **people:communication** (to characterize an RE problem’s cause);
- **text:quantified** (to characterize the documentation of an NFR requirement).

Tag Assignment

For one individual long free text question, start with one csv file containing three columns (**code file**):

1. the response identifiers (“lfdn”),
2. the responses (“v_<variable_number>”), and
3. the tags (“tag”, empty).

Note: This general structure is slightly different where respondents’ answers depend on answers to previous questions (in this case, these answers are included for your convenience, and some columns have different names).

To assign tags to the responses for a single long free text question, you generally follow the procedure for list-supplanting short free text questions:

1. **Group** all responses by their content;
2. **Find** names for the groups (reflect terminological distinctions made in the research community);
3. **Assign** all responses in the individual groups the name of their group as a tag.

Note: The tag assignment process will likely be iterative, and it will result in a taxonomy which can be represented visually (likely: as a collection of trees for different facets, i.e., a forest of facets). For each tag taxonomy you design, please include a visual representation in the ZIP archive you return to us.

In some cases, **several variables** containing long free text answers are best processed **simultaneously**. Where this is the case, you will find a file with **overview** in its name amongst the files in your folder. The purpose of this file is merely to help you craft a taxonomy that is consistent across the related variables with minimum effort – **do not** add tags in the overview file.

NaPiRE 2018 Survey: Coding Instructions

Once You Are Done

Please **zip** all your completed code files (along with visual representations of any taxonomies, see below) and **email** them to:

Corinna Coupette (corinna.coupette@campus.lmu.de)

Daniel Mendez (daniel.mendez@tum.de)

Examples of Coding and Tagging Procedures

```
1 In an imaginary survey, respondents were asked for personal information.
2
3 =====
4
5 List-supplementing short free text answers - Code Back Mode:
6
7 v_5 asks respondents to name favorite colors, and the options list included red,
8 blue, pink, purple, etc., plus: Other (please specify).
9
10 Respondents 1 and 2 answered "Other (please specify)", their free text responses are
11 "magenta" and "violet". Respondent 3 answered "it depends on my mood".
12 After your processing, the code file will look like this:
13
14 lfdn;v_5;tag
15 1;magenta;pink
16 2;violet;purple
17 3;it depends on my mood;NotCodeable
18
19 =====
20
21 List-supplementing short free text answers - New Tags Mode:
22
23 v_2 asks respondents to specify their race; with the standard options available.
24 A non-negligible number of respondents answered "Other (please specify)" and specified
25 variants of "Hobbit", "Elb", or "Ork", whereas others specified "Aryan".
26 You decide to group the self-proclaimed Aryans with the Caucasian Whites but add new
27 codes for the inhabitants of the Shire and the like.
28 After your processing, your code file could look like this:
29
30 lfdn;v_2;tag
31 1;hobbit;Hobbit
32 2;Aryan;Caucasian White
33 3;Elb;Elb
34
35 =====
36
37 List-supplanting short free text answers (similar process for long free text answers):
38
39 v_7 asked respondents to list their skills, and no options were provided to choose from.
40 Having looked through the answers, you decide to design a small hierarchy of tags,
41 differentiating, inter alia, between character traits and magic capabilities.
42 For respondent 4, you thus assign two tags:
43
44 lfdn;v_7;tag
45 4;"Going invisible; persistence";magic:invisibility
46 4;"Going invisible; persistence";character:persistence
```

NaPiRE 2018 Survey: Coding Instructions

Variable Assignments (Short Free Text Variables)

Variable	Type (if not Supplementing)	Answers	Suggestion	Responsibility
Variable 2		87	New Tags	DMF
Variable 3	Supplanting	488	(DONE) New Tags	CC
Variable 5		29	Code Back	DMF
Variable 15		5	(with v_14) Drop	-
Variable 18		40	Code Back	MF
Variable 19	Supplanting	488	(DONE) New Tags	CC
Variable 20	Supplanting	403	New Tags	JC
Variable 22		13	Drop	-
Variable 35		16	Drop	-
Variable 46		24	Drop	-
Variable 52		18	Drop	-
Variable 60		27	Code Back	JC
Variable 67		13	(with v_66) Drop	-
Variable 81		15	(with v_80) Drop	-
Variable 96		22	Drop	-
Variable 105		11	(with v_104) Drop	-
Variable 113		43 (also Drop v_112)	Code Back	MF
Variable 164		16	Drop	-
Variable 166		18	Drop	-
Variable 194	Special	191	New Tags	DMF, MK

NaPiRE 2018 Survey: Coding Instructions

Variable Assignments (Long Free Text Variables)

Variable	Content	Answers	Suggestion	Responsibility
Reason Bad/Good Relationship				
Variable 26		3	Read	DMF
Variable 27		102	Code	DMF
RE (Dis)Satisfaction			Code	DG
RE Dissatisfaction				
Variable 168		92		"
Variable 169		195		"
Variable 170		91		"
RE Satisfaction				
Variable 171		93		"
Variable 172		185		"
Variable 173		178		"
Top Problems: Causes and Effects		Merge with v in range(246,255,2) , Sort (both CC, DONE), then Code		DMF, MK
Top Problems: Causes				
Variable 277		365		"
Variable 278		344		"
Variable 279		322		"
Variable 280		296		"
Variable 281		274		"
Top Problems: Effects				
Variable 282		334		"
Variable 283		316		"
Variable 284		300		"
Variable 285		274		"
Variable 286		262		"
Unaddressed Aspect			Later	DMF, MK
Variable 297		148		"
NFR Documentation			Code	DMF, MK
Variable 343		129		"
Variable 344		126		"
Variable 345		184		"
Variable 346		61		"
Variable 347		132		"
Variable 348		69		"
Variable 349		173		"
Variable 350		188		"
Variable 351		10	Drop	