

UAS

1. Buat model

Setelah membuat database dan table, kita akan membuat model

Model User

```
<?php

namespace App\Models;

use CodeIgniter\Model;

class UserModel extends Model
{
    protected $table      = 'user';
    protected $primaryKey = 'id';
    protected $useAutoIncrement = true;
    protected $returnType = 'array';
    protected $useSoftDeletes = false;
    protected $allowedFields = [
        'nama',
        'jenis_kelamin',
        'foto'
    ];

    protected $useTimestamps = false;
}
```

membuat model cara cepat

```
$ php spark make:model ContohModel
```

php spark make:model ContohModel

nama model disesuaikan ya

```
1  <?php
2
3  namespace App\Models;
4
5  use CodeIgniter\Model;
6
7  0 references | 0 implementations | Windsurf: Refactor | Explain
8  class ContohModel extends Model
9  {
10     0 references
11     protected $table      = 'contohs';
12     0 references
```

Kemudian nama table juga disesuaikan

```
0 references
protected $allowedFields = [];
```

Dan pada ini di isi field sesuai table ya


```
0 references
protected $allowedFields = ['name', 'description'];
```

Nanti jadinya seperti ini

Tujuannya untuk mempercepat supaya tidak ngetik banyak

2. Membuat View

Nah ini view untuk menampilkan data, create/input data, dan edit data.



- View menampilkan data (dataUser)

```
<!DOCTYPE html>
<html>
<head>
  <title>Data User</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body>

<div class="container mt-5">
  <div class="card shadow">
    <div class="card-header d-flex justify-content-between align-items-center">
      <h5 class="mb-0">Data User</h5>
      <a href="<?= base_url('user/create') ?>" class="btn btn-success btn-sm">
        + Tambah User
      </a>
    </div>

    <div class="card-body">
      <div class="table-responsive">
        <table class="table table-bordered table-striped text-center align-middle">
          <thead class="table-dark">
            <tr>
              <th>No</th>
              <th>Nama</th>
              <th>Jenis Kelamin</th>
              <th>Foto</th>
              <th>Aksi</th>
            </tr>
          </thead>
        </table>
      </div>
    </div>
  </div>
</div>
```

```

        </tr>
    </thead>
    <tbody>
        <?php if (!empty($data)) : ?>
            <?php $no=1; foreach ($data as $u) : ?>
                <tr>
                    <td><?= $no++ ?></td>
                    <td class="text-start"><?= $u['nama'] ?></td>
                    <td><?= $u['jenis_kelamin'] ?></td>
                    <td>
                        <?php if ($u['foto']) : ?>
                            
                        <?php else : ?>
                            -
                        <?php endif ?>
                    </td>
                    <td>
                        <a href="<?= base_url('user/edit/'.$u['id']) ?>" class="btn btn-warning
btn-sm">
                            Edit
                        </a>
                        <a href="<?= base_url('user/delete/'.$u['id']) ?>"
                            class="btn btn-danger btn-sm"
                            onclick="return confirm('Yakin ingin menghapus?')">
                            Hapus
                        </a>
                    </td>
                </tr>
            <?php endforeach ?>
            <?php else : ?>
                <tr>
                    <td colspan="5">Data belum tersedia</td>
                </tr>
            <?php endif ?>
        </tbody>
    </table>
</div>
</div>
</div>
</div>

</body>
</html>

```

- View create/input

Di ingat ya name disesuaikan field

```

name="jenis_kelamin"
name="jenis_kelamin"

```

```

<!DOCTYPE html>
<html>
<head>
  <title>Tambah User</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body>

<div class="container mt-5">
  <div class="card shadow">
    <div class="card-header bg-primary text-white">
      <h5 class="mb-0">Form Tambah User</h5>
    </div>

    <div class="card-body">
      <form action="<?= base_url('user/store') ?>" method="post" enctype="multipart/form-
data">

        <div class="mb-3">
          <label class="form-label">Nama</label>
          <input type="text" name="nama" class="form-control" required>
        </div>

        <div class="mb-3">
          <label class="form-label">Jenis Kelamin</label><br>
          <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="jenis_kelamin"
value="Laki-laki" required>
            <label class="form-check-label">Laki-laki</label>
          </div>
          <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="jenis_kelamin"
value="Perempuan">
            <label class="form-check-label">Perempuan</label>
          </div>
        </div>

        <div class="mb-3">
          <label class="form-label">Foto</label>
          <input type="file" name="foto" class="form-control">
        </div>

        <div class="text-end">
          <a href="<?= base_url('/') ?>" class="btn btn-secondary">Kembali</a>
          <button type="submit" class="btn btn-primary">Simpan</button>
        </div>

      </form>
    </div>
  </div>
</div>

```

```
</body>
</html>
```

- View edit

```
<!DOCTYPE html>
<html>
<head>
  <title>Edit User</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body>

<div class="container mt-5">
  <div class="card shadow">
    <div class="card-header bg-warning">
      <h5 class="mb-0">Form Edit User</h5>
    </div>

    <div class="card-body">
      <form action="<?= base_url('user/update/'.$user['id']) ?>" method="post"
enctype="multipart/form-data">

        <div class="mb-3">
          <label class="form-label">Nama</label>
          <input type="text" name="nama" class="form-control"
            value="<?= $user['nama'] ?>" required>
        </div>

        <div class="mb-3">
          <label class="form-label">Jenis Kelamin</label><br>
          <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="jenis_kelamin"
              value="Laki-laki"
              <?= $user['jenis_kelamin']=='Laki-laki'?checked:'' ?>>
            <label class="form-check-label">Laki-laki</label>
          </div>
          <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="jenis_kelamin"
              value="Perempuan"
              <?= $user['jenis_kelamin']=='Perempuan'?checked:'' ?>>
            <label class="form-check-label">Perempuan</label>
          </div>
        </div>

        <div class="mb-3">
          <label class="form-label">Foto Lama</label><br>
          <?php if ($user['foto']) : ?>
            
          <?php else : ?>
```

```

        <p>-</p>
        <?php endif ?>
    </div>

    <div class="mb-3">
        <label class="form-label">Foto Baru</label>
        <input type="file" name="foto" class="form-control">
    </div>

    <div class="text-end">
        <a href="<?= base_url('/') ?>" class="btn btn-secondary">Kembali</a>
        <button type="submit" class="btn btn-warning">Update</button>
    </div>

</form>
</div>
</div>
</div>

</body>
</html>

```

3. Membuat controller

Cara cepat membuat controller

```
$ php spark make:controller ContohController
```

php spark make:controller ContohController

nama controller disesuaikan yaa

nah nanti jadi nya seperti ini tinggal disesuaikan functionnya

```

app > Controllers > ContohController.php > ...
1  <?php
2
3  namespace App\Controllers;
4
5  use App\Controllers\BaseController;
6  use CodeIgniter\HTTP\ResponseInterface;
7
8  class ContohController extends BaseController
9  {
10     public function index(): void
11     {
12         //
13     }
14 }

```

Kemudian panggil model nya seperti ini, panggil diatas function index ya

```

1 reference
protected $ContohModel;

0 references | 0 overrides | Windsurf: Refactor | Explain | Generate Function Comment | X
public function __construct()
{
    $this->ContohModel = new \App\Models\ContohModel();
}

0 references | 0 overrides | Windsurf: Refactor | Explain | Generate Function Comment | X
public function index(): void
{
    //
}
}

```

Kemudian isi function index, nah function index ini berfungsi untuk menampilkan data

```

// menampilkan data
0 references | 0 overrides | Windsurf: Refactor | Explain | X
public function index(): string
{
    $data = $this->ContohModel->findAll();
    return view(name: 'Contoh/dataContoh', data: ['data' => $data]);
}

```

Kemudian buat function create, berfungsi untuk menampilkan halaman input

```

// menampilkan form tambah data
0 references | 0 overrides | Windsurf: Refactor | Explain | X
public function create(): string
{
    return view(name: 'Contoh/create');
}

```

Kemudian buat function store, berfungsi untuk menyimpan data input

```

// menyimpan data input
0 references | 0 overrides | Windsurf: Refactor | Explain | X
public function store(): RedirectResponse
{
    $this->ContohModel->insert(row: [
        'name' => $this->request->getPost(index: 'name'),
        'description' => $this->request->getPost(index: 'description'),
    ]);
    return redirect()->to(uri: base_url(relativePath: 'contoh'));
}

```

Kemudian buat function edit, berfungsi untuk menampilkan halaman edit

```

// untuk menampilkan form edit
0 references | 0 overrides | Windsurf: Refactor | Explain | X
public function edit($id): string
{
    $contoh = $this->ContohModel->find(id: $id);
    return view(name: 'Contoh/edit', data: ['contoh' => $contoh]);
}

```

Kemudian membuat function update, berfungsi untuk menyimpan data dari edit

```
// untuk menyimpan data hasil edit
0 references | 0 overrides | Windsurf: Refactor | Explain | X
public function update($id): RedirectResponse
{
    $this->ContohModel->update(id: $id, row: [
        'name' => $this->request->getPost(index: 'name'),
        'description' => $this->request->getPost(index: 'description'),
    ]);
    return redirect()->to(uri: base_url(relativePath: 'contoh'));
}
```

Kemudian membuat function delete, berfungsi untuk menghapus data

```
// untuk menghapus data
0 references | 0 overrides | Windsurf: Refactor | Explain | X
public function delete($id): RedirectResponse
{
    $this->ContohModel->delete(id: $id);
    return redirect()->to(uri: base_url(relativePath: 'contoh'));
}
```

Kode controller lengkap untuk di copy:

```
<?php
```

```
namespace App\Controllers;
```

```
use App\Models\UserModel;
```

```
class UserController extends BaseController
```

```
{
    protected $userModel;
```

```
    public function __construct()
    {
        $this->userModel = new UserModel();
    }
```

```
    // tampil data user
    public function index()
    {
        $data = $this->userModel->findAll();
        return view('user/dataUser', ['data'=>$data]);
    }
```

```
    // form tambah user
    public function create()
    {
        return view('user/create');
    }
```

```
    // simpan data user
    public function store()
```



```

{
    $foto = $this->request->getFile('foto');
    $namaFoto = null;

    if ($foto && $foto->isValid()) {
        $namaFoto = $foto->getRandomName();
        $foto->move('uploads', $namaFoto);
    }

    $this->userModel->insert([
        'nama'      => $this->request->getPost('nama'),
        'jenis_kelamin' => $this->request->getPost('jenis_kelamin'),
        'foto'      => $namaFoto
    ]);

    return redirect()->to('/');
}

// form edit user
public function edit($id)
{
    $data['user'] = $this->userModel->find($id);
    return view('user/edit', $data);
}

// update data user
public function update($id)
{
    $userLama = $this->userModel->find($id);
    $foto = $this->request->getFile('foto');
    $namaFoto = $userLama['foto'];

    if ($foto && $foto->isValid()) {
        $namaFoto = $foto->getRandomName();
        $foto->move('uploads', $namaFoto);
    }

    $this->userModel->update($id, [
        'nama'      => $this->request->getPost('nama'),
        'jenis_kelamin' => $this->request->getPost('jenis_kelamin'),
        'foto'      => $namaFoto
    ]);

    return redirect()->to('/');
}

// hapus data user
public function delete($id)
{
    $this->userModel->delete($id);
    return redirect()->to('/');
}
}

```

4. Membuat routes

Untuk letak routes pada ci di **app/Config/Routes.php**

Kode route tinggal copy:

```
<?php

use CodeIgniter\Router\RouteCollection;

/**
 * @var RouteCollection $routes
 */
// $routes->get('/', 'Home::index');

$routes->get('/', 'UserController::index');
$routes->get('user/create', 'UserController::create');
$routes->post('user/store', 'UserController::store');
$routes->get('user/edit/(:num)', 'UserController::edit/$1');
$routes->post('user/update/(:num)', 'UserController::update/$1');
$routes->get('user/delete/(:num)', 'UserController::delete/$1');
```

```
$routes->get('pelanggan', 'PelangganController::index');
$routes->get('pelanggan/create', 'PelangganController::create');
$routes->post('pelanggan/store', 'PelangganController::store');
$routes->get('pelanggan/edit/(:num)', 'PelangganController::edit/$1');
$routes->post('pelanggan/update/(:num)', 'PelangganController::update/$1');
$routes->get('pelanggan/delete/(:num)', 'PelangganController::delete/$1');
```

Data User					+ Tambah User
No	Nama	Jenis Kelamin	Foto	Aksi	
1	pak ora	Perempuan		Edit	Hapus

Form Tambah User

Nama

Jenis Kelamin

☐ Laki-laki ☐ Perempuan

Foto

No file chosen

Form Edit User

Nama

pak ora

Jenis Kelamin

☐ Laki-laki ☒ Perempuan

Foto Lama



Foto Baru

No file chosen