{⋯}

File ▾   Edit ▾   Generate   Generate   About ▾   Try our new
                                Server ▾   Client ▾   Editor ↗

Langgame API 1.0   OAS 2.0

[Base URL: localhost:3000/]

Description

Schemes

| HTTP |

default   ⌃

| POST | **/api/auth/register** | ⌃ |

Parameters | Try it out |

Name	Description

body
object
(body)

Example Value   Model

```
{
    "username": "any",
    "password": "any"
}
```

Parameter content type

| application/json |

Responses   Response content type | application/json |

Code	Description
200	OK

Code	Description
400	Bad Request
500	Internal Server Error

POST /api/auth/login ⌃

Parameters   **Try it out**

Name	Description

body
object
(body)

Example Value   Model

```
{
    "username": "any",
    "password": "any"
}
```

Parameter content type

application/json

Responses   Response content type   **application/json**

Code	Description
200	OK
400	Bad Request
500	Internal Server Error

GET /api/auth/logout ⌃

Parameters   **Try it out**

Name	Description

Authorization

Authorization

Name	Description
string *(header)*	

Responses

Response content type   application/json

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

GET   **/api/user/**   ^

Parameters

Try it out

Name	Description
Authorization **string** *(header)*	Authorization

Responses

Response content type   application/json

Code	Description
200	OK
400	Bad Request
401	Unauthorized

Code	Description
500	Internal Server Error

GET /api/user/{userId} ⌃

Parameters   **Try it out**

Name	Description
userId * required *string* *(path)*	userId
Authorization *string* *(header)*	Authorization

Responses   Response content type **application/json**

Code	Description
200	OK
400	Bad Request
401	Unauthorized
404	Not Found
500	Internal Server Error

POST /api/user/updateScore ⌃

Parameters   **Try it out**

Name	Description

Authorization
string
(header)

```
Authorization
```

body
object
(body)

Example Value   Model

```
{
  "highestScore": "any",
  "highestScoreInLang": "any"
}
```

Parameter content type

```
application/json
```

Responses   Response content type   `application/json`

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

POST   `/api/admin/login`   ∧

Parameters   **Try it out**

Name	Description

body
object
(body)

Example Value   Model

```
{
  "username": "any",
  "password": "any"
}
```

Parameter content type

Name	Description

application/json

Responses

Response content type **application/json**

Code	Description
200	OK
400	Bad Request
500	Internal Server Error

GET **/api/question/** ⌃

Parameters

Try it out

No parameters

Responses

Response content type **application/json**

Code	Description
200	OK
500	Internal Server Error

POST **/api/question/** ⌃

Parameters

Try it out

Name	Description

body

object

Example Value   Model

Name	Description
| *(body)* | ```
{
    "username": "any",
    "password": "any",
    "question": "any",
    "options": "any",
    "correctOption": "any",
    "difficulty": "any",
    "language": "any"
}
``` |

Parameter content type

application/json

Responses   Response content type   **application/json**

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

GET   **/api/question/{id}**   ⌃

Parameters   Try it out

Name	Description
id * required **string** *(path)*	id

Responses   Response content type   **application/json**

Code	Description
200	OK
404	Not Found
500	Internal Server Error

PUT /api/question/{id}   ∧

Parameters   [Try it out]

Name	Description
id * required **string** *(path)*	[id]

body
object
(body)

Example Value   Model

```
{
    "username": "any",
    "password": "any",
    "question": "any",
    "options": "any",
    "correctOption": "any",
    "difficulty": "any",
    "language": "any"
}
```

Parameter content type

[application/json]

Responses   Response content type   [application/json]

Code	Description
200	OK
400	Bad Request
401	Unauthorized

Code	Description
404	Not Found
500	Internal Server Error

DELETE	**/api/question/{id}**	∧

Parameters

<div align="right">Try it out</div>

Name	Description
id * required **string** **(path)**	id

body
object
(body)
	Example Value Model
	`{`
	  `"username": "any",`
	  `"password": "any"`
	`}`

Parameter content type

application/json

Responses

Response content type   application/json

Code	Description
200	OK
400	Bad Request
401	Unauthorized
404	Not Found
500	Internal Server Error

GET	**/api/question/language/{language}**	∧

Parameters   Try it out

Name	Description
language * required string *(path)*	language

Responses   Response content type   application/json

Code	Description
200	OK
500	Internal Server Error

GET   `/api/question/language/{language}`
          `/difficulty/{difficulty}`   ∧

Parameters   Try it out

Name	Description
language * required string *(path)*	language
difficulty * required string *(path)*	difficulty

Responses   Response content type   application/json

Code	Description
200	OK

Code	Description
500	Internal Server Error

GET /api/leaderboard/   ^

Parameters   Try it out

No parameters

Responses   Response content type   application/json

Code	Description
200	OK
500	Internal Server Error

GET `/api/leaderboard/{language}` ⌃

Parameters

<div style="border:1px solid; padding:4px; display:inline-block">**Try it out**</div>

Name	Description
language * required **string** **(path)**	language

Responses

Response content type <div style="border:1px solid; padding:4px; display:inline-block">**application/json**</div>

Code	Description
200	OK
500	Internal Server Error