{·:·} **Swagger Editor**
Supported by **SMARTBEAR**

File ▾   Edit ▾   Generate Server ▾   Generate Client ▾   About ▾   **Try our new Editor ↗**

Langgame API 1.0 OAS

[Base URL: localhost:3000/]

Description

Schemes

| HTTP ▾ |

default   ⌃

| POST | **/api/auth/register** | ⌃ |

Parameters   **Try it out**

Name	Description
body **object** *(body)*	**Example Value** | Model

```
{
    "username": "any",
    "password": "any"
}
```

Parameter content type

| application/json ▾ |

Responses   Response content type | application/json ▾ |

Code	Description
200	OK

Code	Description
400	Bad Request
500	Internal Server Error

POST /api/auth/login ⌃

Parameters

Try it out

Name	Description
body *object* *(body)*	**Example Value** | Model

```
{
  "username": "any",
  "password": "any"
}
```

Parameter content type

application/json ⌄

Responses

Response content type application/json ⌄

Code	Description
200	OK
400	Bad Request
500	Internal Server Error

GET /api/auth/logout ⌃

Parameters

Try it out

Name	Description
Authorization	Authorization

Name	Description
string *(header)*	

Responses

Response content type application/json ⌄

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

| **GET** | **/api/user/** | ⌃ |

Parameters

[Try it out]

Name	Description
Authorization **string** *(header)*	[Authorization]

Responses

Response content type application/json ⌄

Code	Description
200	OK
400	Bad Request
401	Unauthorized

Code	Description
500	Internal Server Error

GET /api/user/{userId}   ∧

Parameters   Try it out

Name	Description
userId * required string (path)	[userId]
Authorization string (header)	[Authorization]

Responses   Response content type   [application/json ∨]

Code	Description
200	OK
400	Bad Request
401	Unauthorized
404	Not Found
500	Internal Server Error

POST /api/user/updateScore   ∧

Parameters   Try it out

Name	Description

Authorization
`string`
`(header)`

<div>Authorization</div>

body
`object`
`(body)`

Example Value | Model

```
{
  "highestScore": "any",
  "highestScoreInLang": "any"
}
```

Parameter content type

application/json ⌄

Responses   Response content type   application/json ⌄

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

POST   **/api/admin/login**   ⌃

Parameters   Try it out

Name	Description

body
`object`
`(body)`

Example Value | Model

```
{
  "username": "any",
  "password": "any"
}
```

Parameter content type

Name	Description
	application/json ⌄

Responses

Response content type   application/json ⌄

Code	Description
200	OK
400	Bad Request
500	Internal Server Error

POST   `/api/admin/logout`   ⌃

Parameters   Try it out

Name	Description
Authorization **string** *(header)*	Authorization

Responses

Response content type   application/json ⌄

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

| GET | /api/question/ | ∧ |

Parameters   **Try it out**

No parameters

Responses   Response content type   application/json ⌄

Code	Description
200	OK
500	Internal Server Error

| POST | /api/question/ | ∧ |

Parameters   **Try it out**

Name	Description
Authorization **string** *(header)*	Authorization
body **object** *(body)*	**Example Value** │ Model

```
{
  "question": "any",
  "options": "any",
  "correctOption": "any",
  "difficulty": "any",
  "language": "any"
}
```

Parameter content type

application/json ⌄

Responses   Response content type   application/json ⌄

Code	Description
200	OK
400	Bad Request
401	Unauthorized
500	Internal Server Error

GET /api/question/{id}

Parameters

Try it out

Name	Description
id * required string *(path)*	id

Responses

Response content type   application/json ▼

Code	Description
200	OK
404	Not Found
500	Internal Server Error

PUT /api/question/{id}

Parameters

Try it out

Name	Description
id * required string	id

Name	Description
(path)	

Authorization
string
(header)

Authorization

body
object
(body)

Example Value | Model

```
{
  "question": "any",
  "options": "any",
  "correctOption": "any",
  "difficulty": "any",
  "language": "any"
}
```

Parameter content type

application/json ⌄

Responses

Response content type   application/json ⌄

Code	Description
200	OK
400	Bad Request
401	Unauthorized
404	Not Found
500	Internal Server Error

DELETE   **/api/question/{id}**   ⌃

Parameters   Try it out

Name	Description
id * required **string** **(path)**	id

Name	Description

Authorization
string
(header)

Authorization

Responses   Response content type   application/json ▾

Code	Description
200	OK
400	Bad Request
401	Unauthorized
404	Not Found
500	Internal Server Error

GET **/api/question/language/{language}** ︿

Parameters   Try it out

Name	Description

language * *required*
string
(path)

language

Responses   Response content type   application/json ▾

Code	Description
200	OK
500	Internal Server Error

GET `/api/question/language/{language}` `/difficulty/{difficulty}` ∧

Parameters

<div align="right">

Try it out

</div>

Name	Description

language * required
string
(path)

[language]

difficulty * required
string
(path)

[difficulty]

Responses

Response content type   [application/json ∨]

Code	Description
200	OK
500	Internal Server Error

GET `/api/leaderboard/` ∧

Parameters

Try it out

No parameters

Responses

Response content type   [application/json ∨]

Code	Description
200	OK
500	Internal Server Error

GET /api/leaderboard/{language}

Parameters

Try it out

Name	Description
language * required string *(path)*	language

Responses

Response content type application/json

Code	Description
200	OK
500	Internal Server Error