



CSS Borders

[< Previous](#)[Next >](#)

CSS Border Properties

The CSS **border** properties allow you to specify the style, width, and color of an element's border.

I have borders on all sides.

I have a red bottom border.

I have rounded borders.

I have a blue left border.

CSS Border Style

The `border-style` property specifies what kind of border to display.

The following values are allowed:

- `dotted` - Defines a dotted border
- `dashed` - Defines a dashed border
- `solid` - Defines a solid border
- `double` - Defines a double border
- `groove` - Defines a 3D grooved border. The effect depends on the border-color value
- `ridge` - Defines a 3D ridged border. The effect depends on the border-color value
- `inset` - Defines a 3D inset border. The effect depends on the border-color value
- `outset` - Defines a 3D outset border. The effect depends on the border-color value
- `none` - Defines no border
- `hidden` - Defines a hidden border

The `border-style` property can have from one to four values (for the top border, right border, bottom border, and the left border).

Example

Demonstration of the different border styles:

```
p.dotted {border-style: dotted;}
p.dashed {border-style: dashed;}
p.solid {border-style: solid;}
p.double {border-style: double;}
p.groove {border-style: groove;}
p.ridge {border-style: ridge;}
p.inset {border-style: inset;}
p.outset {border-style: outset;}
p.none {border-style: none;}
p.hidden {border-style: hidden;}
p.mix {border-style: dotted dashed solid double;}
```

Result:

A dotted border.

A dashed border.

A solid border.

A double border.

A groove border. The effect depends on the border-color value.

A ridge border. The effect depends on the border-color value.

An inset border. The effect depends on the border-color value.

An outset border. The effect depends on the border-color value.

No border.

A hidden border.

A mixed border.

Try it Yourself »

Note: None of the OTHER CSS border properties (which you will learn more about in the next chapters) will have ANY effect unless the **border-style** property is set!

< Previous

Next >



COLOR PICKER



SHOP

HOW TO

Tabs
Dropdowns

Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List


SHARE



CERTIFICATES

HTML
CSS
JavaScript
SQL
Python
PHP
jQuery
Bootstrap
XML

[Read More »](#)



[REPORT ERROR](#)

[FORUM](#)

[ABOUT](#)

[SHOP](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)

[Java Examples](#)[XML Examples](#)

Web Certificates

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[SQL Certificate](#)[Python Certificate](#)[jQuery Certificate](#)[PHP Certificate](#)[Bootstrap Certificate](#)[XML Certificate](#)[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

