



CSS Font Property

[< Previous](#)[Next >](#)

Font Property

To shorten the code, it is also possible to specify all the individual font properties in one property.

The **font** property is a shorthand property for:

- **font-style**
- **font-variant**
- **font-weight**
- **font-size/line-height**
- **font-family**

Example

Set some font properties with the shorthand declaration:

```
p.a {  
  font: 20px Arial, sans-serif;  
}  
  
p.b {  
  font: italic small-caps bold 12px/30px Georgia, serif;  
}
```

[Try it Yourself »](#)

Note: The `font-size` and `font-family` values are required. If one of the other values is missing, their default value are used.

Test Yourself with Exercises!

[Exercise 1 »](#)[Exercise 2 »](#)[Exercise 3 »](#)[Exercise 4 »](#)[Exercise 5 »](#)

All CSS Font Properties

Property	Description
<u>font</u>	Sets all the font properties in one declaration
<u>font-family</u>	Specifies the font family for text
<u>font-size</u>	Specifies the font size of text
<u>font-style</u>	Specifies the font style for text
<u>font-variant</u>	Specifies whether or not a text should be displayed in a small-caps font
<u>font-weight</u>	Specifies the weight of a font

[◀ Previous](#)[Next >](#)



COLOR PICKER



SHOP

HOW TO

Tabs
Dropdowns

Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
SQL
Python
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Java Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#). Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.



[REPORT ERROR](#)

[FORUM](#)

[ABOUT](#)

[SHOP](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)