

CSS Layout - display: inline-block

[< Previous](#)[Next >](#)

The display: inline-block Value

Compared to `display: inline`, the major difference is that `display: inline-block` allows to set a width and height on the element.

Also, with `display: inline-block`, the top and bottom margins/paddings are respected, but with `display: inline` they are not.

Compared to `display: block`, the major difference is that `display: inline-block` does not add a line-break after the element, so the element can sit next to other elements.

The following example shows the different behavior of `display: inline`, `display: inline-block` and `display: block`:

Example

```
span.a {  
  display: inline; /* the default for span */  
  width: 100px;  
  height: 100px;  
  padding: 5px;  
  border: 1px solid blue;  
  background-color: yellow;
```

```
}  
  
span.b {  
  display: inline-block;  
  width: 100px;  
  height: 100px;  
  padding: 5px;  
  border: 1px solid blue;  
  background-color: yellow;  
}  
  
span.c {  
  display: block;  
  width: 100px;  
  height: 100px;  
  padding: 5px;  
  border: 1px solid blue;  
  background-color: yellow;  
}
```

[Try it Yourself »](#)

Using inline-block to Create Navigation Links

One common use for `display: inline-block` is to display list items horizontally instead of vertically. The following example creates horizontal navigation links:

Example

```
.nav {  
  background-color: yellow;  
  list-style-type: none;  
  text-align: center;  
  padding: 0;  
  margin: 0;  
}  
  
.nav li {
```

```
display: inline-block;  
font-size: 20px;  
padding: 20px;  
}
```

Try it Yourself »

◀ Previous

Next ▶

COLOR PICKER



SHOP

HOW TO

Tabs

Dropdowns

Accordions

Side Navigation

Top Navigation

Modal Boxes

Progress Bars

Parallax

Login Form

HTML Includes

Google Maps

Range Sliders

Tooltips

Slideshow

Filter List

Sort List

SHARE



CERTIFICATES

HTML

CSS

JavaScript

SQL

Python

PHP

jQuery
Bootstrap
XML

[Read More »](#)



[REPORT ERROR](#)

[FORUM](#)

[ABOUT](#)

[SHOP](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Java Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)

Bootstrap Certificate

XML Certificate

[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

