



CSS Vertical Navigation Bar

[< Previous](#)[Next >](#)

Vertical Navigation Bar

[Home](#)[News](#)[Contact](#)[About](#)

To build a vertical navigation bar, you can style the `<a>` elements inside the list, in addition to the code from the previous page:

Example

```
li a {  
  display: block;  
  width: 60px;  
}
```

[Try it Yourself »](#)

Example explained:

- **display: block;** - Displaying the links as block elements makes the whole link area clickable (not just the text), and it allows us to specify the width (and padding, margin, height, etc. if you want)
- **width: 60px;** - Block elements take up the full width available by default. We want to specify a 60 pixels width

You can also set the width of ``, and remove the width of `<a>`, as they will take up the full width available when displayed as block elements. This will produce the same result as our previous example:

Example

```
ul {  
  list-style-type: none;  
  margin: 0;  
  padding: 0;  
  width: 60px;  
}  
  
li a {  
  display: block;  
}
```

[Try it Yourself »](#)

Vertical Navigation Bar Examples

Create a basic vertical navigation bar with a gray background color and change the background color of the links when the user moves the mouse over them:

Home

News

Contact

About

Example

```
ul {  
  list-style-type: none;  
  margin: 0;  
  padding: 0;  
  width: 200px;  
  background-color: #f1f1f1;  
}  
  
li a {  
  display: block;  
  color: #000;  
  padding: 8px 16px;  
  text-decoration: none;  
}  
  
/* Change the link color on hover */  
li a:hover {  
  background-color: #555;  
  color: white;  
}
```

Try it Yourself »

Active/Current Navigation Link

Add an "active" class to the current link to let the user know which page he/she is on:

Home

News

Contact

About

Example

```
.active {  
  background-color: #4CAF50;  
  color: white;  
}
```

Try it Yourself »

Center Links & Add Borders

Add `text-align:center` to `` or `<a>` to center the links.

Add the `border` property to `` add a border around the navbar. If you also want borders inside the navbar, add a `border-bottom` to all `` elements, except for the last one:

Home
News
Contact
About

Example

```
ul {  
  border: 1px solid #555;  
}  
  
li {  
  text-align: center;  
  border-bottom: 1px solid #555;  
}  
  
li:last-child {  
  border-bottom: none;  
}
```

[Try it Yourself »](#)

Full-height Fixed Vertical Navbar

Create a full-height, "sticky" side navigation:

[Home](#)[News](#)[Contact](#)[About](#)

Fixed Full-height Side Nav

Try to scroll this area, and see how the sidenav sticks to the page

Some text..

Some text..

Some text..

Example

```
ul {  
  list-style-type: none;  
  margin: 0;  
  padding: 0;  
  width: 25%;  
  background-color: #f1f1f1;  
  height: 100%; /* Full height */  
  position: fixed; /* Make it stick, even on scroll */  
  overflow: auto; /* Enable scrolling if the sidenav has too much content */  
}
```

[Try it Yourself »](#)

Note: This example might not work properly on mobile devices.

◀ Previous

Next ▶



COLOR PICKER



SHOP

HOW TO

Tabs
Dropdowns
Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
SQL
Python
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[REPORT ERROR](#)

[FORUM](#)

[ABOUT](#)

[SHOP](#)

Top Tutorials


[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)



[Java Examples](#)[XML Examples](#)

Web Certificates

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[SQL Certificate](#)[Python Certificate](#)[jQuery Certificate](#)[PHP Certificate](#)[Bootstrap Certificate](#)[XML Certificate](#)[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

