

# CSS Layout - width and max-width

[< Previous](#)[Next >](#)

## Using width, max-width and margin: auto;

As mentioned in the previous chapter; a block-level element always takes up the full width available (stretches out to the left and right as far as it can).

Setting the **width** of a block-level element will prevent it from stretching out to the edges of its container. Then, you can set the margins to auto, to horizontally center the element within its container. The element will take up the specified width, and the remaining space will be split equally between the two margins:

This `<div>` element has a width of 500px, and margin set to auto.

**Note:** The problem with the `<div>` above occurs when the browser window is smaller than the width of the element. The browser then adds a horizontal scrollbar to the page.

Using **max-width** instead, in this situation, will improve the browser's handling of small windows. This is important when making a site usable on small devices:

This `<div>` element has a max-width of 500px, and margin set to auto.

**Tip:** Resize the browser window to less than 500px wide, to see the difference between the two divs!


Here is an example of the two divs above:

## Example

```
div.ex1 {  
  width: 500px;  
  margin: auto;  
  border: 3px solid #73AD21;  
}  
  
div.ex2 {  
  max-width: 500px;  
  margin: auto;  
  border: 3px solid #73AD21;  
}
```

Try it Yourself »

[< Previous](#)[Next >](#)



COLOR PICKER



SHOP

HOW TO

Tabs  
Dropdowns

Accordions  
Side Navigation  
Top Navigation  
Modal Boxes  
Progress Bars  
Parallax  
Login Form  
HTML Includes  
Google Maps  
Range Sliders  
Tooltips  
Slideshow  
Filter List  
Sort List


SHARE



CERTIFICATES

HTML  
CSS  
JavaScript  
SQL  
Python  
PHP  
jQuery  
Bootstrap  
XML

[Read More »](#)



---

[REPORT ERROR](#)

[FORUM](#)

[ABOUT](#)

[SHOP](#)

---

## Top Tutorials

[HTML Tutorial](#)

[CSS Tutorial](#)

[JavaScript Tutorial](#)

[How To Tutorial](#)

[SQL Tutorial](#)

[Python Tutorial](#)

[W3.CSS Tutorial](#)

[Bootstrap Tutorial](#)

[PHP Tutorial](#)

[jQuery Tutorial](#)

[Java Tutorial](#)[C++ Tutorial](#)

## Top References

[HTML Reference](#)[CSS Reference](#)[JavaScript Reference](#)[SQL Reference](#)[Python Reference](#)[W3.CSS Reference](#)[Bootstrap Reference](#)[PHP Reference](#)[HTML Colors](#)[jQuery Reference](#)[Java Reference](#)[Angular Reference](#)

## Top Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[jQuery Examples](#)[Java Examples](#)[XML Examples](#)

## Web Certificates

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[SQL Certificate](#)[Python Certificate](#)[jQuery Certificate](#)[PHP Certificate](#)[Bootstrap Certificate](#)[XML Certificate](#)[Get Certified »](#)

---

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

