

In Lab Task 6


Nabeera Fatima

26k-3159

Task 1:

```
#include<stdio.h>

int main (){
for(int i=2;i<=20;i=i+2){
printf("%d",i);
printf("\t");
}
}
```




```
C:\Users\ADMIN\OneDrive\Desktop\Untitled1.exe
2      4      6      8      10     12     14     16     18     20
-----
Process exited after 0.1553 seconds with return value 0
Press any key to continue . . .
```

Task 2:

```
#include<stdio.h>

int main (){
int i[6]={81,64,49,36,25,16};
for(int a=0;a<6;a++){
printf("%d",i[a]);
printf("\t");
}
}
```



```
C:\Users\ADMIN\OneDrive\Desktop\Untitled1.exe
81      64      49      36      25      16
-----
Process exited after 0.1111 seconds with return value
Press any key to continue . . .
```

Task 3:

```
#include<stdio.h> int main (){ int a,c; printf("Enter a number:
"); scanf("%d",&a);


while(a!=0)
{
    c=a*a*a;

    printf("Cube = %d\n",c);

    printf("Enter a number:");
    scanf("%d",&a);
}
```

```
return 0;
```

```
}
```



The screenshot shows a C++ IDE with a tab labeled 'Untitled1.cpp'. Below the tab is a 'Debug' window titled 'C:\Users\ADMIN\OneDrive\Desktop\Untitled1.exe'. The window contains the following text: 'Enter a number: 7', 'Cube = 343', 'Enter a number:0', a dashed line separator, 'Process exited after 5.712 seconds with return', and 'Press any key to continue . . . _'.

Task 4:

```
#include<stdio.h>
```

```
int main (){
```

```
    int m,a,i=1;
```

```
    printf("Enter marks of student: ");
```

```
    scanf("%d",&m);
```

```
    printf("Do you want to enter marks of another student: ");
```

```
    scanf("%d",&a);
```

```

while(a!=0)
{
    printf("Enter marks of student: ");
    scanf("%d",&m);


    printf("Do you want to enter marks of another student: ");
    scanf("%d",&a);

    i++;
}

printf("Total number of students are %d",i);

return 0;
}

```



```

C:\Users\ADMIN\OneDrive\Desktop\Untitled1.exe
Enter marks of student: 89
Do you want to enter marks of another student: 1
Enter marks of student: 23
Do you want to enter marks of another student: 0
Total number of students are 2
-----
Process exited after 7.315 seconds with return value 0
Press any key to continue . . .

```

Task 5: #include<stdio.h>

```
int main (){
```

```
int temp,sum=0,a=0;

for(int i=1;i<=7;i++){
    printf("\nEnter temperature for day %d :",i);
    scanf("%d", &temp);
    if(temp>100){
        a++;
    }
    sum=sum+temp;
}

printf("Total temperature is:%d",sum);
printf("\nTotal temp above 100 is %d:",a);

return 0;
}
```

```
Enter temperature for day 1 :33
Enter temperature for day 2 :22
Enter temperature for day 3 :34
Enter temperature for day 4 :109
Enter temperature for day 5 :24
Enter temperature for day 6 :111
Enter temperature for day 7 :67
Total temperature is:400
Total temp above 100 is 2:
-----
Process exited after 25.72 seconds with return value 0
```

Task 6:

```
#include<stdio.h>
```

```
int main (){
```

```
float amt, sum=0;
```

```
int i=0;
```

```
printf("Enter amount saved every month:");
```

```
scanf("%f",&amt);
```

```
while(amt>0){
```

```
sum=sum+amt;
```

```
printf("\nEnter amount saved every month:");
```

```
scanf("%f",&amt);
```

```

i++;


}

printf("Total amount is %f", sum);
printf("\n\nTotal Deposit are %d",i);

return 0;

}

```



```

C:\Users\ADMIN\OneDrive\Desktop\66.exe
Enter amount saved every month:900

Enter amount saved every month:890

Enter amount saved every month:0
Total amount is 1790.000000

Total Deposit are 2
-----
Process exited after 5.414 seconds with return value
Press any key to continue . . .

```

Task 7:

```

#include<stdio.h>

int main (){

float p,bill=0,i=1;


int order;

```

```
char name[30];  
printf("Enter name of food item :");  
scanf("%s", &name);  
printf("\nEnter price of food item :");  
scanf("%f", &p);  
printf("\nEnter if you want to order more food items :");  
scanf("%d", &order);  
  
while(order>0){  
    bill=bill+p;  
    i++;  
    printf("\nEnter name of food item :");  
    scanf("%s", &name);  
    printf("\nEnter price of food item :");  
    scanf("%f", &p);  
    printf("\nEnter if you want to order more food items :");  
    scanf("%d", &order);  
  
}  
  
printf("\nTotal amount is %f",bill);  
printf("\nTotal items ordered is %d",i);
```

```
return 0;
```

```
}
```



```
File C:\Users\ADMIN\OneDrive\Desktop\Untitled3.exe
Enter name of food item :pizza
Enter price of food item :900
Enter if you want to order more food items :1

Enter name of food item :burger
Enter price of food item :280
Enter if you want to order more food items :0

Total amount is 900.000000
Total items ordered is 0
-----
Process exited after 20.47 seconds with return value 0
Press any key to continue . . .
```

Task 8:

```
#include<stdio.h>
```

```
int main (){
```

```
int s,arr[6];
```

```
for(int i=1;i<6;i++){
```


```
printf("\nEnter salary for employee %d:",i);
```

```
scanf("%d", &s);
```

```
arr[i]=s;
```

```
}
```

```
for(int j=1;j<6;j++){  
    printf("\nsalary for employee %d is %d ",j,arr[j]);  
}  
return 0;  
  
}
```



```
C:\Users\ADMIN\OneDrive\Desktop\Untitled3.exe  
  
enter salary for employee 1:60000  
enter salary for employee 2:70000  
enter salary for employee 3:20000  
enter salary for employee 4:3000  
enter salary for employee 5:10000  
  
salary for employee 1 is 60000  
salary for employee 2 is 70000  
salary for employee 3 is 20000  
salary for employee 4 is 3000  
salary for employee 5 is 10000  
-----  
Process exited after 18.42 seconds with return code 0  
Press any key to continue . . .  
Reso
```