Cucumber Report

| **Start : Aug 14, 9:22:59.964 PM**	**End : Aug 14, 9:23:10.479 PM**	**Duration : 10.515 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 12

2

4

12

#	Feature Name	T	P	F	S	Duration
1	login functionality	3	0	3	0	8.228 s
2	to test shopping functionality	1	0	1	0	2.280 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	login functionality	validate login functionality with valid username and valid password	3	0	0	3	3.392 s
2	login functionality	validate login functionality with different FirstTry and Y2vKQgDzdcSSqi3	4	0	0	4	2.356 s
3	login functionality	validate login functionality with different user123 and user123@gmail.com	4	0	0	4	2.447 s
4	to test shopping functionality	Validate place an order functionality	1	0	0	1	2.280 s

(F)- login functionality

FAILED	DURATION - 8.228 s	Scenarios		Steps	
/ 9:22:59.964 PM // 9:23:08.192 PM /		Total - 3		Total - 11	
		Pass - 0	**3**	Pass - 0	**11**
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 11	

(S)- validate login functionality with valid username and valid password

FAILED	DURATION - 3.392 s		Steps	
/ 9:22:59.967 PM // 9:23:03.359 PM /			Total - 3	
login functionality			Pass - 0	**3**
			Fail - 0	
			Skip - 3	

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.ApplicationHooks.launchBrowser()	FAILED	3.356 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 127.0.6533.119 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-81941VDM', ip: '10.70.233.10', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x00EEA813+48355] (No symbol) [0x00E7C4B1] (No symbol) [0x00D85358] (No symbol) [0x00DA61AC] (No symbol) [0x00DA1EF3] (No symbol) [0x00DA0579] (No symbol) [0x00DD0C55] (No symbol) [0x00DD093C] (No symbol) [0x00DCA536] (No symbol) [0x00DA82DC] (No symbol) [0x00DA93DD] GetHandleVerifier [0x0114AABD+2539405] GetHandleVerifier [0x0118A78F+2800735] GetHandleVerifier [0x0118456C+2775612] GetHandleVerifier [0x00F751E0+616112] (No symbol) [0x00E85F8C] (No symbol) [0x00E82328] (No symbol) [0x00E8240B] (No symbol) [0x00E74FF7] BaseThreadInitThunk [0x75DD7BA9+25] RtlInitializeExceptionChain [0x7779C10B+107] RtlClearBits [0x7779C08F+191]
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	  at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	  at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.BrowserFactory.init_Driver(BrowserFactory.java:18) at Hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given navigate to the application	SKIPPED	0.001 s
2	When - When I enter valid username and valid password 	username	password
---	---
FirstTry	Y2vKQgDzdcSSqi3		SKIPPED	0.002 s
3	And - And I click on login button	SKIPPED	0.001 s
	AFTER - Hooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at Hooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)	FAILED	0.001 s

(S)- validate login functionality with different FirstTry and Y2vKQgDzdcSSqi3

FAILED	DURATION - 2.356 s
/ 9:23:03.382 PM // 9:23:05.738 PM /	
login functionality	

Steps

Total - 4

Pass - 0

Fail - 0

Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.ApplicationHooks.launchBrowser()	FAILED	2.347 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 127.0.6533.119 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-81941VDM', ip: '10.70.233.10', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x00EEA813+48355] (No symbol) [0x00E7C4B1] (No symbol) [0x00D85358] (No symbol) [0x00DA61AC] (No symbol) [0x00DA1EF3] (No symbol) [0x00DA0579] (No symbol) [0x00DD0C55] (No symbol) [0x00DD093C] (No symbol) [0x00DCA536] (No symbol) [0x00DA82DC] (No symbol) [0x00DA93DD] GetHandleVerifier [0x0114AABD+2539405] GetHandleVerifier [0x0118A78F+2800735] GetHandleVerifier [0x0118456C+2775612] GetHandleVerifier [0x00F751E0+616112] (No symbol) [0x00E85F8C] (No symbol) [0x00E82328] (No symbol) [0x00E8240B] (No symbol) [0x00E74FF7] BaseThreadInitThunk [0x75DD7BA9+25] RtlInitializeExceptionChain [0x7779C10B+107] RtlClearBits [0x7779C08F+191] 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62) 　　at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) 　　at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126) 　　at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) 　　at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1002) 　　at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) 　　at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) 　　at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) 　　at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) 　　at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) 　　at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) 　　at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.BrowserFactory.init_Driver(BrowserFactory.java:18) at Hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given navigate to the application	SKIPPED	0.000 s
2	When - When I enter valid "FirstTry" and valid "Y2vKQgDzdcSSqi3" from testData table	SKIPPED	0.001 s
3	And - And I click on login button	SKIPPED	0.001 s
4	Then - Then I am able to verify the homepage with "FirstTry"	SKIPPED	0.000 s
	AFTER - Hooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at Hooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)		

(S)- validate login functionality with different user123 and user123@gmail.com

FAILED	DURATION - 2.447 s		Steps	
/ 9:23:05.745 PM // 9:23:08.192 PM /			Total - 4	
login functionality			Pass - 0	4
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.ApplicationHooks.launchBrowser()	FAILED	2.441 s
	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 127.0.6533.119 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-81941VDM', ip: '10.70.233.10', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x00EEA813+48355] (No symbol) [0x00E7C4B1] (No symbol) [0x00D85358] (No symbol) [0x00DA61AC] (No symbol) [0x00DA1EF3] (No symbol) [0x00DA0579] (No symbol) [0x00DD0C55] (No symbol) [0x00DD093C] (No symbol) [0x00DCA536] (No symbol) [0x00DA82DC] (No symbol) [0x00DA93DD] GetHandleVerifier [0x0114AABD+2539405] GetHandleVerifier [0x0118A78F+2800735] GetHandleVerifier [0x0118456C+2775612] GetHandleVerifier [0x00F751E0+616112] (No symbol) [0x00E85F8C] (No symbol) [0x00E82328] (No symbol) [0x00E8240B] (No symbol) [0x00E74FF7] BaseThreadInitThunk		

#	Step / Hook Details	Status	Duration

	[0x75DD7BA9+25] RtlInitializeExceptionChain [0x7779C10B+107] RtlClearBits [0x7779C08F+191]
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	   at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	   at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	   at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1002)
	   at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)
	   at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)
	   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)
	   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	   at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150)
	   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	   at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123)
	   at com.qa.factory.BrowserFactory.init_Driver(BrowserFactory.java:18)
	   at Hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		

1	Given - Given navigate to the application	SKIPPED	0.000 s
2	When - When I enter valid "user123" and valid "user123@gmail.com" from testData table	SKIPPED	0.000 s
3	And - And I click on login button	SKIPPED	0.000 s
4	Then - Then I am able to verify the homepage with "user123"	SKIPPED	0.000 s
	AFTER - Hooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at Hooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)		

(F)- to test shopping functionality

FAILED	DURATION - 2.280 s	Scenarios		Steps	
		Total - 1		Total - 1	
/ 9:23:08.199 PM // 9:23:10.479 PM /		Pass - 0	1	Pass - 0	1
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 1	

(S)- Validate place an order functionality

FAILED	DURATION - 2.280 s		Steps	
		0.15	Total - 1	
/ 9:23:08.199 PM // 9:23:10.479 PM /			Pass - 0	1
to test shopping functionality			Fail - 0	
		0	Skip - 1	

#	Step / Hook Details	Status	Duration
	BEFORE - Hooks.ApplicationHooks.launchBrowser()	FAILED	2.278 s

	org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 127.0.6533.119 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-81941VDM', ip: '10.70.233.10', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x00EEA813+48355] (No symbol) [0x00E7C4B1] (No symbol) [0x00D85358] (No symbol) [0x00DA61AC] (No symbol) [0x00DA1EF3] (No symbol) [0x00DA0579] (No symbol) [0x00DD0C55] (No symbol) [0x00DD093C] (No symbol) [0x00DCA536] (No symbol) [0x00DA82DC] (No symbol) [0x00DA93DD] GetHandleVerifier [0x0114AABD+2539405] GetHandleVerifier [0x0118A78F+2800735] GetHandleVerifier [0x0118456C+2775612] GetHandleVerifier [0x00F751E0+616112] (No symbol) [0x00E85F8C] (No symbol) [0x00E82328] (No symbol) [0x00E8240B] (No symbol) [0x00E74FF7] BaseThreadInitThunk [0x75DD7BA9+25] RtlInitializeExceptionChain [0x7779C10B+107] RtlClearBits [0x7779C08F+191]
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	   at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30)
	   at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.BrowserFactory.init_Driver(BrowserFactory.java:18) at Hooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given navigate to the application	SKIPPED	0.000 s
	AFTER - Hooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at Hooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:38)		